

```

name: <unnamed>
log: /Users/robertyaffee/Documents/data/research/chwk/phase2/admin/cod
> ebook/MasterWideCodebook.smcl
log type: smcl
opened on: 25 Oct 2011, 12:49:48

```

```
1 . set more off
```

```
2 . des
```

Contains data from **chwidemaster9sep2011.dta**

```

obs:          703
vars:         1,761
size:        3,552,962
25 Oct 2011 12:49

```

variable name	storage type	display format	value label	variable label
id	double	%8.0g		survey number (1-800)
areacode	int	%8.0g		Respondent's areacode
age	byte	%8.0g		* Respondent's age
agew1a	float	%9.0g		Age at beginning of wave one
agew2a	float	%9.0g		Age at beginning of wave two
agew3a	float	%9.0g		Age at beginning of wave three
agew1b	float	%9.0g		Age at end of wave one
agew2b	float	%9.0g		Age at end of wave two
agew3b	float	%9.0g		Age at end of wave three
gender	byte	%15.0g	q14	respondent's gender
female	float	%9.0g	sx	Is respondent female?
educ	byte	%38.0g	q25	highest educational level the respondent have completed
intbeg	double	%tc..		started
intend	double	%tc		completed
modified	double	%tc		modified
intdate	double	%td..		date of interview
intname	str7	%9s		name of interviewer
dateborn	long	%d_m_Y		birthdate
townborn	str32	%32s		birthplace village/ town/ city
raborn	str32	%32s		birthplace raion
latborn	byte	%15.0g	LABF	latitude direction
lonborn	byte	%12.0g	lon	longitude direction
latdborn	int	%8.0g		latitude in degrees
londborn	int	%8.0g		longitude in degrees
latmborn	int	%8.0g		latitude in minutes
lonmborn	int	%8.0g		longitude in minutes
oblborn	byte	%31.0g	LABG	birthplace oblast
town1	str36	%36s		current town of residence
townnow	str36	%30s		current town of residence

ranow	str32	%32s		current raion of residence
latnow	byte	%15.0g	LABF	latitude direction
lonnow	byte	%12.0g	lon	longitude direction
latdnow	int	%8.0g		latitude in degrees
londnow	int	%8.0g		longitude in degrees
latmnow	long	%8.0g		latitude in minutes
lonmnow	long	%8.0g		longitude in minutes
oblnow	byte	%31.0g	LABG	current oblast
marrw1	byte	%15.0g	LABH	cohabitation/marital status in 1986
marrw2	byte	%15.0g	LABH	cohabitation/marital status in 1996
marrw3	byte	%15.0g	LABH	cohabitation/marital status now
childw1	int	%8.0g		number of children in 1986
childw2	int	%8.0g		number of children in 1996
childw3	int	%8.0g		number of children now
emplw1	byte	%15.0g	LABI	mode of employment in 1986
emplw2	byte	%15.0g	LABI	mode of employment in 1996
emplw3	byte	%15.0g	LABI	mode of employment now
occ1w1	byte	%15.0g	LABJ	profess executive administration in 1986
occ2w1	byte	%15.0g	LABJ	technical sales admin support in 1986
occ3w1	byte	%15.0g	LABJ	service occup protective services in 1986
occ4w1	byte	%15.0g	LABJ	precision prod mechan craft construction in 1986
occ5w1	byte	%15.0g	LABJ	factory laborer machinist transp cleaner in 1986
occ6w1	byte	%15.0g	LABJ	farming agricul forestry fishing trapping logging in 1986
occ7w1	byte	%15.0g	LABJ	homemaking or caregiving in 1986
occ8w1	byte	%15.0g	LABJ	student in 1986
occ1w2	byte	%15.0g	LABJ	profess executive administration in 1996
occ2w2	byte	%15.0g	LABJ	technical sales admin support in 1996
occ3w2	byte	%15.0g	LABJ	service occup protective services in 1996
occ4w2	byte	%15.0g	LABJ	precision prod mechan craft construction in 1996
occ5w2	byte	%15.0g	LABJ	factory laborer machinist transp cleaner in 1996
occ6w2	byte	%15.0g	LABJ	farming agricul forestry fishing trapping logging in 1996
occ7w2	byte	%15.0g	LABJ	homemaking caregiving in 1996
occ8w2	byte	%15.0g	LABJ	student in 1996
occ1w3	byte	%15.0g	LABJ	professional executive administration now

occ2w3	byte	%15.0g	LABJ	technical sales admin support now
occ3w3	byte	%15.0g	LABJ	service occup protective services now
occ4w3	byte	%15.0g	LABJ	precision prod mechan craft construction now
occ5w3	byte	%15.0g	LABJ	factory laborer machinist transp cleaner now
occ6w3	byte	%15.0g	LABJ	farming agricul forestry fishing trapping logging now
occ7w3	byte	%15.0g	LABJ	homemaking or caregiving now
occ8w3	byte	%15.0g	LABJ	student now
inclw1	byte	%15.0g	LABJ	Income is not sufficient for basic neccessities in 1986
inc2w1	byte	%15.0g	LABJ	Income is just sufficient for basic neccessities in 1986
inc3w1	byte	%15.0g	LABJ	Income is sufficient for basics plus extra purchases/savings in 1986
inc4w1	byte	%15.0g	LABJ	Income allows to comfortably afford luxury items in 1986
inclw2	byte	%15.0g	LABJ	Income is not sufficient for basic neccessities in 1996
inc2w2	byte	%15.0g	LABJ	Income is just sufficient for basic neccessities in 1996
inc3w2	byte	%15.0g	LABJ	Income is sufficient for basics plus extra purchases/savings in 1996
inc4w2	byte	%15.0g	LABJ	Income allows to comfortably afford luxury items in 1996
inclw3	byte	%15.0g	LABJ	Income is not sufficient for basic neccessities NOW
inc2w3	byte	%15.0g	LABJ	Income is just sufficient for basic neccessities NOW
inc3w3	byte	%15.0g	LABJ	Income is sufficient for basics plus extra purchases/savings NOW
inc4w3	byte	%15.0g	LABJ	Income allows to comfortably afford luxury items NOW
jsw1	byte	%8.0g		Job satisfaction on a scale of 0-100% in 1986
jsw2	byte	%8.0g		Job satisfaction on a scale of 0-100% in 1996
jsw3	byte	%8.0g		Job satisfaction on a scale of 0-100% NOW
deaw1	byte	%8.0g		Total number of death experienced in time period 1986
deaw2	byte	%8.0g		Total number of death

			experienced in time period 1996
deaw3	byte	%8.0g	Total number of death experienced in time period 1996-NOW
dvcew1	byte	%8.0g	Total number of divorces experienced in time period 1976-1986
dvcew2	byte	%8.0g	Total number of divorces experienced in time period 1987-1996
dvcew3	byte	%8.0g	Total number of divorces experienced in time period 1996-NOW
sepaw1	byte	%8.0g	Total number of separations experienced in time period 1976-1986
sepaw2	byte	%8.0g	Total number of separations experienced in time period 1987-1996
sepaw3	byte	%8.0g	Total number of separations experienced in time period 1996-NOW
accdw1	byte	%8.0g	Total number of accidents experienced in time period 1976-1986
accdw2	byte	%8.0g	Total number of accidents experienced in time period 1987-1996
accdw3	byte	%8.0g	Total number of accidents experienced in time period 1996-NOW
cataw1	byte	%8.0g	Total number of disasters experienced in time period 1976-1986
cataw2	byte	%8.0g	Total number of disasters experienced in time period 1987-1996
cataw3	byte	%8.0g	Total number of disasters experienced in time period 1996-NOW
illw1	byte	%8.0g	Total number of illnesses experienced in time period 1976-1986
illw2	byte	%8.0g	Total number of illnesses experienced in time period 1987-1996
illw3	byte	%8.0g	Total number of illnesses experienced in time period

movew1	byte	%8.0g	1996-NOW Total number of moves experienced in time period 1976-1986
movew2	byte	%8.0g	Total number of moves experienced in time period 1987-1996
movew3	byte	%8.0g	Total number of moves experienced in time period 1996-NOW
shjobw1	byte	%8.0g	Percentage of strains and hassles related to job in 1986
shjobw2	byte	%8.0g	Percentage of strains and hassles related to job in 1996
shjobw3	byte	%8.0g	* Percentage of strains and hassles related to job NOW
shfamw1	byte	%8.0g	Percentage of strains and hassles related to family in 1986
shfamw2	byte	%8.0g	Percentage of strains and hassles related to family in 1996
shfamw3	byte	%8.0g	Percentage of strains and hassles related to family NOW
shhlw1	byte	%8.0g	Percentage of strains and hassles related to health in 1986
shhlw2	byte	%8.0g	Percentage of strains and hassles related to health in 1996
shhlw3	byte	%8.0g	Percentage of strains and hassles related to health NOW
shfincw1	byte	%8.0g	Percentage of strains and hassles related to finances in 1986
shfincw2	byte	%8.0g	Percentage of strains and hassles related to finances in 1996
shfincw3	byte	%8.0g	Percentage of strains and hassles related to finances NOW
shhousw1	byte	%8.0g	Percentage of strains and hassles related to housing in 1986
shhousw2	byte	%8.0g	Percentage of strains and hassles related to housing in 1996
shhousw3	byte	%8.0g	Percentage of strains and hassles related to housing NOW

shrelaw1	byte	%8.0g		Percentage of strains and hassles related to relationships in 1986
shrelaw2	byte	%8.0g		Percentage of strains and hassles related to relationships in 1996
shrelaw3	byte	%8.0g		Percentage of strains and hassles related to relationships NOW
suprtw1	byte	%8.0g		Level of support (in percent) from partner in 1986
suprtw2	byte	%8.0g		Level of support (in percent) from partner in 1996
suprtw3	byte	%8.0g		Level of support (in percent) from partner NOW
sufamw1	byte	%8.0g		Level of support (in percent) from family in 1986
sufamw2	byte	%8.0g		Level of support (in percent) from family in 1996
sufamw3	byte	%8.0g		Level of support (in percent) from family in NOW
suchrw1	byte	%8.0g		Level of support (in percent) from Chernobyl survivor benefits in 1986
suchrw2	byte	%8.0g		Level of support (in percent) from Chernobyl survivor benefits in 1996
suchrw3	byte	%8.0g		Level of support (in percent) from Chernobyl survivor benefits NOW
phlthw1	byte	%8.0g		level of general physical health in 1986
phlthw2	byte	%8.0g		level of general physical health in 1996
phlthw3	byte	%8.0g		level of general physical health now
mhlthw1	byte	%8.0g		level of general psychological/mental health in 1986
mhlthw2	byte	%8.0g		level of general psychological/mental health in 1996
mhlthw3	byte	%8.0g		level of general psychological/mental health now
nil1w1	byte	%25.0g	ill862	name of illness 1 in time period from 1977 to 1986
nil2w1	byte	%25.0g	ill862	name of illness 2 in time period from 1977 to 1986

nil3w1	byte	%25.0g	ill862	name of illness 3 in time period from 1977 to 1986
nil4w1	byte	%25.0g	ill862	name of illness 4 in time period from 1977 to 1986
nil5w1	byte	%25.0g	ill862	name of illness 5 in time period from 1977 to 1986
nil6w1	byte	%25.0g	ill862	name of illness 6 in time period from 1977 to 1986
nil7w1	byte	%25.0g	ill862	name of illness 7 in time period from 1977 to 1986
nil8w1	byte	%25.0g	ill862	name of illness 8 in time period from 1977 to 1986
nil9w1	byte	%25.0g	ill862	name of illness 9 in time period from 1977 to 1986
nil10w1	byte	%25.0g	ill862	name of illness 10 in time period from 1977 to 1986
dil1w1	long	%dD_m_Y		date of onset for illness 1 in time period from 1977 to 1986
dil2w1	long	%dD_m_Y		date of onset for illness 2 in time period from 1977 to 1986
dil3w1	long	%dD_m_Y		date of onset for illness 3 in time period from 1977 to 1986
dil4w1	long	%dD_m_Y		date of onset for illness 4 in time period from 1977 to 1986
dil5w1	long	%dD_m_Y		date of onset for illness 5 in time period from 1977 to 1986
dil6w1	long	%dD_m_Y		date of onset for illness 6 in time period from 1977 to 1986
dil7w1	long	%dD_m_Y		date of onset for illness 7 in time period from 1977 to 1986
dil8w1	long	%dD_m_Y		date of onset for illness 8 in time period from 1977 to 1986
dil9w1	long	%dD_m_Y		date of onset for illness 9 in time period from 1977 to 1986
dil10w1	long	%dD_m_Y		date of onset for illness 10 in time period from 1977 to 1986
dril1w1	float	%9.0g		duration of illness 1 in years in time period from 1977 to 1986
dril2w1	float	%9.0g		duration of illness 2 in years in time period from 1977 to 1986
dril3w1	byte	%8.0g		duration of illness 3 in years in time period from 1977 to 1986
dril4w1	byte	%8.0g		duration of illness 4 in years in time period from 1977 to 1986
dril5w1	byte	%8.0g		duration of illness 5 in years

				in time period from 1977 to 1986
dril6w1	byte	%8.0g		duration of illness 6 in years in time period from 1977 to 1986
dril7w1	byte	%8.0g		duration of illness 7 in years in time period from 1977 to 1986
dril8w1	byte	%8.0g		duration of illness 8 in years in time period from 1977 to 1986
dril9w1	byte	%8.0g		duration of illness 9 in years in time period from 1977 to 1986
dril10w1	byte	%8.0g		duration of illness 10 in years in time period from 1977 to 1986
pil1w1	byte	%15.0g	LABC	persistence of illness 1 in time period fro 1977 to 1986
pil2w1	byte	%15.0g	LABC	persistence of illness 2 in time period fro 1977 to 1986
pil3w1	byte	%15.0g	LABC	persistence of illness 3 in time period fro 1977 to 1986
pil4w1	byte	%15.0g	LABC	persistence of illness 4 in time period fro 1977 to 1986
pil5w1	byte	%15.0g	LABC	persistence of illness 5 in time period fro 1977 to 1986
pil6w1	byte	%15.0g	LABC	persistence of illness 6 in time period fro 1977 to 1986
pil7w1	byte	%15.0g	LABC	persistence of illness 7 in time period fro 1977 to 1986
pil8w1	byte	%15.0g	LABC	persistence of illness 8 in time period fro 1977 to 1986
pil9w1	byte	%15.0g	LABC	persistence of illness 9 in time period fro 1977 to 1986
pil10w1	byte	%15.0g	LABC	persistence of illness 10 in time period fro 1977 to 1986
nil1w2	byte	%25.0g	ill1862	name of illness 1 in time period from 1987-1996
nil2w2	byte	%25.0g	ill1862	name of illness 2 in time period from 1987-1996
nil3w2	byte	%25.0g	ill1862	name of illness 3 in time period from 1987-1996
nil4w2	byte	%25.0g	ill1862	name of illness 4 in time period from 1987-1996
nil5w2	byte	%25.0g	ill1862	name of illness 5 in time period from 1987-1996
nil6w2	byte	%25.0g	ill1862	name of illness 6 in time period from 1987-1996

nil7w2	byte	%25.0g	ill862	name of illness 7 in time period from 1987-1996
nil8w2	byte	%25.0g	ill862	name of illness 8 in time period from 1987-1996
nil9w2	byte	%25.0g	ill862	name of illness 9 in time period from 1987-1996
nil10w2	byte	%25.0g	ill862	name of illness 10 in time period from 1987-1996
dil1w2	long	%dD_m_Y		date of onset of illness 1 in time period from 1987-1996
dil2w2	long	%dD_m_Y		date of onset of illness 2 in time period from 1987-1996
dil3w2	long	%dD_m_Y		date of onset of illness 3 in time period from 1987-1996
dil4w2	long	%dD_m_Y		date of onset of illness 4 in time period from 1987-1996
dil5w2	long	%dD_m_Y		date of onset of illness 5 in time period from 1987-1996
dil6w2	long	%dD_m_Y		date of onset of illness 6 in time period from 1987-1996
dil7w2	long	%dD_m_Y		date of onset of illness 7 in time period from 1987-1996
dil8w2	long	%dD_m_Y		date of onset of illness 8 in time period from 1987-1996
dil9w2	long	%dD_m_Y		date of onset of illness 9 in time period from 1987-1996
dil10w2	long	%dD_m_Y		date of onset of illness 10 in time period from 1987-1996
dril1w2	float	%9.0g		duration of illness 1 in years in time period from 1987 to 1996
dril2w2	float	%9.0g		duration of illness 2 in years in time period from 1987 to 1996
dril3w2	byte	%8.0g		duration of illness 3 in years in time period from 1987 to 1996
dril4w2	byte	%8.0g		duration of illness 4 in years in time period from 1987 to 1996
dril5w2	byte	%8.0g		duration of illness 5 in years in time period from 1987 to 1996
dril6w2	byte	%8.0g		duration of illness 6 in years in time period from 1987 to 1996
dril7w2	byte	%8.0g		duration of illness 7 in years in time period from 1987 to 1996

dril8w2	byte	%8.0g		duration of illness 8 in years in time period from 1987 to 1996
dril9w2	byte	%8.0g		duration of illness 9 in years in time period from 1987 to 1996
dril10w2	byte	%8.0g		duration of illness 10 in years in time period from 1987 to 1996
pil1w2	byte	%15.0g	LABC	persistence of illness 1 in time period from 1987 to 1996
pil2w2	byte	%15.0g	LABC	persistence of illness 2 in time period from 1987 to 1996
pil3w2	byte	%15.0g	LABC	persistence of illness 3 in time period from 1987 to 1996
pil4w2	byte	%15.0g	LABC	persistence of illness 4 in time period from 1987 to 1996
pil5w2	byte	%15.0g	LABC	persistence of illness 5 in time period from 1987 to 1996
pil6w2	byte	%15.0g	LABC	persistence of illness 6 in time period from 1987 to 1996
pil7w2	byte	%15.0g	LABC	persistence of illness 7 in time period from 1987 to 1996
pil8w2	byte	%15.0g	LABC	persistence of illness 8 in time period from 1987 to 1996
pil9w2	byte	%15.0g	LABC	persistence of illness 9 in time period from 1987 to 1996
pil10w2	byte	%15.0g	LABC	persistence of illness 10 in time period from 1987 to 1996
nil1w3	byte	%25.0g	ill862	name of illness 1 in time period now
nil2w3	byte	%25.0g	ill862	name of illness 2 in time period now
nil3w3	byte	%25.0g	ill862	name of illness 3 in time period now
nil4w3	byte	%25.0g	ill862	name of illness 4 in time period now
nil5w3	byte	%25.0g	ill862	name of illness 5 in time period now
nil6w3	byte	%25.0g	ill862	name of illness 6 in time period now
nil7w3	byte	%25.0g	ill862	name of illness 7 in time period now
nil8w3	byte	%25.0g	ill862	name of illness 8 in time period now
nil9w3	byte	%25.0g	ill862	name of illness 9 in time period now
nil10w3	byte	%25.0g	ill862	name of illness 10 in time period now

dil1w3	long	%dD_m_Y		date of onset of illness 1 now
dil2w3	long	%dD_m_Y		date of onset of illness 2 now
dil3w3	long	%dD_m_Y		date of onset of illness 3 now
dil4w3	long	%dD_m_Y		date of onset of illness 4 now
dil5w3	long	%dD_m_Y		date of onset of illness 5 now
dil6w3	long	%dD_m_Y		date of onset of illness 6 now
dil7w3	long	%dD_m_Y		date of onset of illness 7 now
dil8w3	long	%dD_m_Y		date of onset of illness 8 now
dil9w3	long	%dD_m_Y		date of onset of illness 9 now
dil10w3	long	%dD_m_Y		date of onset of illness 10 now
dril1w3	int	%8.0g		duration of illness 1 now (in years)
dril2w3	int	%8.0g		duration of illness 2 now (in years)
dril3w3	int	%8.0g		duration of illness 3 now (in years)
dril4w3	int	%8.0g		duration of illness 4 now (in years)
dril5w3	int	%8.0g		duration of illness 5 now (in years)
dril6w3	int	%8.0g		duration of illness 6 now (in years)
dril7w3	int	%8.0g		duration of illness 7 now (in years)
dril8w3	int	%8.0g		duration of illness 8 now (in years)
dril9w3	int	%8.0g		duration of illness 9 now (in years)
dril10w3	int	%8.0g		duration of illness 10 now (in years)
pil1w3	byte	%15.0g	LABC	persistence of illness 1 now
pil2w3	byte	%15.0g	LABC	persistence of illness 2 now
pil3w3	byte	%15.0g	LABC	persistence of illness 3 now
pil4w3	byte	%15.0g	LABC	persistence of illness 4 now
pil5w3	byte	%15.0g	LABC	persistence of illness 5 now
pil6w3	byte	%15.0g	LABC	persistence of illness 6 now
pil7w3	byte	%15.0g	LABC	persistence of illness 7 now
pil8w3	byte	%15.0g	LABC	persistence of illness 8 now
pil9w3	byte	%15.0g	LABC	persistence of illness 9 now
pil10w3	byte	%15.0g	LABC	persistence of illness 10 now
aborw1	byte	%8.0g		number of pregnancy terminations in time period 1976-1986
aborw2	byte	%8.0g		number of pregnancy terminations in time period 1987-1996
aborw3	byte	%8.0g		number of pregnancy terminations in time period 1997-now
contw1	byte	%15.0g	LABC	use of any contraception method in 1976-1986
contw2	byte	%15.0g	LABC	use of any contraception method

contw3	byte	%15.0g	LABC	in 1987-1996 use of any contraception method in 1997-now
ncontw1	byte	%15.0g	LABC	use of natural contraception in 1976-1986
ncontw2	byte	%15.0g	LABC	use of natural contraception in 1987-1996
ncontw3	byte	%15.0g	LABC	use of natural contraception in 1997-now
smokw1	int	%8.0g		number of cigarettes per week in 1976-1986
smokw2	int	%8.0g		number of cigarettes per week in 1987-1996
smokw3	int	%8.0g		number of cigarettes per week in 1997-now
beerw1	byte	%8.0g		nuber of beers per week in 1976-1986
beerw2	byte	%8.0g		nuber of beers per week in 1987-1996
beerw3	byte	%8.0g		nuber of beers per week in 1997-now
liqw1	byte	%8.0g		number of spirits per week in 1976-1986
liqw2	byte	%8.0g		number of spirits per week in 1987-1996
liqw3	byte	%8.0g		number of spirits per week in 1997-now
pillw1	byte	%8.0g		number of pills for pain per week in 1976-1986
pillw2	byte	%8.0g		number of pills for pain per week in 1987-1996
pillw3	byte	%8.0g		number of pills for pain per week in 1997-now
medcow1	byte	%8.0g		number of medical visits for a medical condition per year 1976-1986
medcow2	byte	%8.0g		number of medical visits for a medical condition per year 1987-1996
medcow3	byte	%8.0g		number of medical visits for a medical condition per year 1997-now
hospw1	int	%8.0g		* number of days per year as a patient in a clinic for medical condition in 1976-
hospw2	int	%8.0g		* number of days per year as a patient in a clinic for medical condition in 1987-
hospw3	int	%8.0g		* number of days per year as a

vishphw1	byte	%8.0g	patient in a clinic for medical condition in 1997- number of visits per year to a homeopath for a physical condition in 1976-1986
vishphw2	byte	%8.0g	number of visits per year to a homeopath for a physical condition in 1987-1996
vishphw3	byte	%8.0g	number of visits per year to a homeopath for a physical condition in 1997-now
mhoutw1	byte	%8.0g	number of medical visits for a mental health condition per year 1976-1986
mhoutw2	byte	%8.0g	number of medical visits for a mental health condition per year 1987-1996
mhoutw3	byte	%8.0g	number of medical visits for a mental health condition per year 1997-now
mhinw1	byte	%8.0g	* number of days per year as a patient in a clinic for a mental health in 1976-19
mhinw2	int	%8.0g	* number of days per year as a patient in a clinic for a mental health in 1987-19
mhinw3	byte	%8.0g	* number of days per year as a patient in a clinic for a mental health in 1997-no
vishpw1	byte	%8.0g	* number of visits per year to a homeopath for a mental health condition in 1976-1
vishpw2	byte	%8.0g	* number of visits per year to a homeopath for a mental health condition in 1987-1
vishpw3	byte	%8.0g	* number of visits per year to a homeopath for a mental health condition in 1997-n
goferw1	byte	%8.0g	level of fear in percent from going outdoors in 1976-1986
goferw2	byte	%8.0g	level of fear in percent from going outdoors in 1987-1996
goferw3	byte	%8.0g	level of fear in percent from going outdoors in 1997-now
fdferw1	byte	%8.0g	* level of fear in percent from consuming foods contaminated with radiation in 197
fdferw2	byte	%8.0g	* level of fear in percent from consuming foods contaminated

fdferw3	byte	%8.0g		with radiation in 198 * level of fear in percent from consuming foods contaminated with radiation in 199
trgovw1	byte	%8.0g		level of trust in government reports about chornobyl in time period 1976-1986
trgovw2	int	%8.0g		level of trust in government reports about chornobyl in time period 1987-1996
trgovw3	byte	%8.0g		level of trust in government reports about chornobyl in time period 1997-now
trrepw1	byte	%8.0g		* level of trust in medical/scientific reports about chornobyl in time period 197
trrepw2	byte	%8.0g		* level of trust in medical/scientific reports about chornobyl in time period 198
trrepw3	byte	%8.0g		* level of trust in medical/scientific reports about chornobyl in time period 1997
townacc	str32	%32s		* village/ town/ city at time of accident
raiacc	str32	%32s		raion at the time of Chornobyl accident
latacc	byte	%15.0g	LABF	latitude of residence at time of accident
lonacc	byte	%12.0g	lon	longitude of residence at time of accident
latdacc	int	%8.0g		latitude (in degrees) at time of accident
londacc	int	%8.0g		longitude (in degrees) at time of accident
latmacc	long	%8.0g		latitude (in minutes) at time of accident
lonmacc	int	%8.0g		longitude (in minutes) at time of accident
oblacc	byte	%31.0g	LABG	oblast of residence at time of accident
kmacc	int	%8.0g		distance of residence from the chornobyl plant (in kilometers)
townwork	str32	%32s		village/town/ city of w/s at time of accident
rawork	str32	%32s		raion of w/s at time of accident

latwork	byte	%15.0g	LABF	latitude of place of work/study at time of accident
lonwork	byte	%12.0g	lon	longitude of place of work/study at time of accident
latdwork	int	%8.0g		latitude (in degrees) of place of work/study at time of accident
londwork	int	%8.0g		longitude (in degrees) of place of work/study at time of accident
latmwork	int	%8.0g		latitude (in minutes) of place of work/study at time of accident
lonmwork	int	%8.0g		longitude (in minutes) of place of work/study at time of accident
oblwork	byte	%31.0g	LABG	oblast of work /study at the time of accident
kmwork	int	%8.0g		* approximately how far away was your w/s from the chornobyl plant (in kilometers)
injself	byte	%15.0g	LABC	were you injured as a result of the chornobyl accident in 1986?
injselfr	float	%9.0g	dum	Were u injured because of Chornobyl acc in 1986?
injoth	byte	%15.0g	LABC	was anyone you know injured as a result of the chornobyl accident?
injothr	float	%9.0g	inj	Was anyone u know injured by Chornobyl accident?
evacself	byte	%15.0g	LABC	were you evacuated as a result of the chornobyl accident and its aftermath?
evacselfr	float	%9.0g	dum	Were u evacuated because of Chornobyl accident in 1986?
relself	byte	%15.0g	LABC	were you relocated?
relselfr	float	%9.0g	dum	Were u relocated because of Chornobyl accident?
townrel	str244	%50s		village/ town/ city of relocated residence
rarel	str244	%40s		raion of relocated residence
latrel	byte	%15.0g	LABF	latitude of relocated residence
lonrel	byte	%12.0g	lon	longitude of relocated residence
latdrel	int	%8.0g		latitude in degrees of relocated residence
londrel	int	%8.0g		longitude in degrees of relocated residence
latmrel	int	%8.0g		latitude in minutes of relocated

lonmrel	int	%8.0g	residence longitude in minutes of relocated residence
defnw1	byte	%8.0g	* consider hazardous (in percent) - deficiencies in essential nutrition in 1986
defnw2	byte	%8.0g	* consider hazardous (in percent) - deficiencies in essential nutrition in 1996
defnw3	byte	%8.0g	* consider hazardous (in percent) - deficiencies in essential nutrition NOW
efradw1	byte	%8.0g	consider hazardous (in percent) - effects of radiation in 1986
efradw2	byte	%8.0g	consider hazardous (in percent) - effects of radiation in 1996
efradw3	byte	%8.0g	consider hazardous (in percent) - effects of radiation NOW
ecprw1	byte	%8.0g	consider hazardous (in percent) - economic problems in 1986
ecprw2	byte	%8.0g	consider hazardous (in percent) - economic problems in 1996
ecprw3	byte	%8.0g	consider hazardous (in percent) - economic problems, NOW
polprw1	byte	%8.0g	consider hazardous (in percent) - political problems in 1986
polprw2	byte	%8.0g	consider hazardous (in percent) - political problems in 1996
polprw3	byte	%8.0g	consider hazardous (in percent) - political problems NOW
airw1	byte	%8.0g	consider hazardous (in percent) - air and water pollution in 1986
airw2	byte	%8.0g	consider hazardous (in percent) - air and water pollution in 1996
airw3	byte	%8.0g	consider hazardous (in percent) - air and water pollution NOW
radw1	byte	%8.0g	believed % of the radioactively contaminated area in 1986
radw2	byte	%8.0g	believed % of the radioactively contaminated area in 1996
radw3	byte	%8.0g	believed % of the radioactively contaminated area NOW
radchw1	byte	%8.0g	believed % of polution related to chornobyl in 1986
radchw2	byte	%8.0g	believed % of polution related to chornobyl in 1996
radchw3	byte	%8.0g	believed % of polution related

radtlw1	byte	%8.0g		to chornobyl NOW believed % of cumulative radiation exposed to in a lifetime in 1986
radtlw2	byte	%8.0g		believed % of cumulative radiation exposed to in a lifetime in 1996
radtlw3	byte	%8.0g		believed % of cumulative radiation exposed to in a lifetime NOW
radhlw1	byte	%8.0g		how much believed personal health is affected by radiation in 1986
radhlw2	byte	%8.0g		how much believed personal health is affected by radiation in 1996
radhlw3	byte	%8.0g		Observed
radfmw1	byte	%8.0g		how much believed family health is affected by radiation in 1986
radfmw2	byte	%8.0g		how much believed family health is affected by radiation in 1996
radfmw3	byte	%8.0g		how much believed family health is affected by radiation NOW
source	byte	%31.0g	q85	* what was your initial source of information about the chornobyl plant accident?
dafter	int	%8.0g		* how many days lapsed after Chornobyl accident before you heard about the acciden
dauthw1	byte	%8.0g		level of danger by authorities (in percent) in 1986
dauthw2	byte	%8.0g		level of danger by authorities (in percent) in 1996
dauthw3	byte	%8.0g		level of danger by authorities (in percent) NOW
medw1	byte	%8.0g		level of danger by general media (in percent) in 1986
medw2	byte	%8.0g		level of danger by general media (in percent) in 1996
medw3	byte	%8.0g		level of danger by general media (in percent) NOW
neiw1	byte	%8.0g		level of danger by neighbors (in percent) in 1986
neiw2	byte	%8.0g		level of danger by neighbors (in percent) in 1996
neiw3	byte	%8.0g		level of danger by neighbors (in percent) NOW

toxic	byte	%8.0g	all radioactive materials remain toxic for thousands of years (% of agreement)
repair	byte	%8.0g	* body has capability to repair tissue damage caused by exposure (% of agreement)
skin	byte	%8.0g	a suntan is caused by radiating damage to the skin (% of agreement)
near	byte	%8.0g	* radiation from a nuclear plant site is more concentrated near the plant (% of ag
cloud	byte	%8.0g	* radioactive fallout is only harmful when visible (% of agreement)
world	byte	%8.0g	* the chornobyl accident has affected people around the world (% of agreement)
healthef	byte	%8.0g	* a person exposed to any radiation likely to suffer from (% of agreement)
carcin	byte	%8.0g	* a person exposed to carcinogen is likely to get cancer (% of agreement)
woman	byte	%8.0g	* pregnant exposed to radiation likely to give birth to children with deffects (%)
saferad	byte	%8.0g	there is no safe level of radiation (% of agreement)
goodrad	byte	%8.0g	small doses can actually improve one's health (% of agreement)
kzchorn	byte	%8.0g	* in k/z most cases of cancer in humans are known to be caused by radiation from
kzunder	byte	%8.0g	people in k/z underestimate the risks assoicated with radiation (% of agreement)
chsize	byte	%8.0g	* the radioactive fallout from chornobyl affected more people than the radioactive
icdxcnt	float	%9.0g	count of icdx illnesses
icddx1	str32	%10s	icd ñ 10 code illness 1
icddx2	str32	%10s	icd ñ 10 code illness 2
icddx3	str32	%10s	icd ñ 10 code illness 3
icddx4	str32	%10s	icd ñ 10 code illness 4
icddx5	str32	%10s	icd ñ 10 code illness 5
icddx6	str32	%10s	icd ñ 10 code illness 6
icddx7	str32	%10s	icd ñ 10 code illness 7
icddx8	str32	%10s	icd ñ 10 code illness 8

icddx9	str32	%10s	icd ñ 10 code illness 9
icddx10	str32	%10s	icd ñ 10 code illness 10
icddx11	str32	%10s	icd ñ 10 code illness 11
icddx12	str32	%10s	icd ñ 10 code illness 12
dxdat_1	long	%dD_m_Y	date of original onset (mm/dd/yyyy) illness 1
dxdat_2	long	%dD_m_Y	date of original onset (mm/dd/yyyy) illness 2
dxdat_3	long	%dD_m_Y	date of original onset (mm/dd/yyyy) illness 3
dxdat_4	long	%dD_m_Y	date of original onset (mm/dd/yyyy) illness 4
dxdat_5	long	%dD_m_Y	date of original onset (mm/dd/yyyy) illness 5
dxdat_6	long	%dD_m_Y	date of original onset (mm/dd/yyyy) illness 6
dxdat_7	long	%dD_m_Y	date of original onset (mm/dd/yyyy) illness 7
dxdat_8	long	%dD_m_Y	date of original onset (mm/dd/yyyy) illness 8
dxdat_9	long	%dD_m_Y	date of original onset (mm/dd/yyyy) illness 9
dxdat_10	long	%dD_m_Y	date of original onset (mm/dd/yyyy) illness 10
dxdat_11	long	%dD_m_Y	date of original onset (mm/dd/yyyy) illness 11
dxdat_12	long	%dD_m_Y	date of original onset (mm/dd/yyyy) illness 12
dxnum1	byte	%8.0g	number of years the disease persisted illness 1
dxnum2	byte	%8.0g	number of years the disease persisted illness 2
dxnum3	byte	%8.0g	number of years the disease persisted illness 3
dxnum4	byte	%8.0g	number of years the disease persisted illness 4
dxnum5	byte	%8.0g	number of years the disease persisted illness 5
dxnum6	int	%8.0g	number of years the disease persisted illness 6
dxnum7	float	%8.0g	number of years the disease persisted illness 7
dxnum8	float	%8.0g	number of years the disease persisted illness 8
dxnum9	int	%8.0g	number of years the disease persisted illness 9
dxnum10	int	%8.0g	number of years the disease persisted illness 10
dxnum11	int	%8.0g	number of years the disease

dxnum12	float	%8.0g	persisted illness 11 number of years the disease
depr11980	byte	%8.0g	persisted illness 12 * level of depression (in percentage) in 1980
depr11981	byte	%8.0g	level of depression (in percentage) in 1981
depr11982	byte	%8.0g	level of depression (in percentage) in 1982
depr11983	byte	%8.0g	level of depression (in percentage) in 1983
depr11984	byte	%8.0g	level of depression (in percentage) in 1984
depr11985	byte	%8.0g	level of depression (in percentage) in 1985
depr11986	byte	%8.0g	level of depression (in percentage) in 1986
depr11987	byte	%8.0g	level of depression (in percentage) in 1987
depr11988	byte	%8.0g	level of depression (in percentage) in 1988
depr11989	byte	%8.0g	level of depression (in percentage) in 1989
depr11990	byte	%8.0g	level of depression (in percentage) in 1990
depr11991	byte	%8.0g	level of depression (in percentage) in 1991
depr11992	byte	%8.0g	level of depression (in percentage) in 1992
depr11993	byte	%8.0g	level of depression (in percentage) in 1993
depr11994	byte	%8.0g	level of depression (in percentage) in 1994
depr11995	byte	%8.0g	level of depression (in percentage) in 1995
depr11996	byte	%8.0g	level of depression (in percentage) in 1996
depr11997	byte	%8.0g	level of depression (in percentage) in 1997
depr11998	byte	%8.0g	level of depression (in percentage) in 1998
depr11999	byte	%8.0g	level of depression (in percentage) in 1999
depr12000	byte	%8.0g	level of depression (in percentage) in 2000
depr12001	byte	%8.0g	level of depression (in percentage) in 2001
depr12002	byte	%8.0g	level of depression (in percentage) in 2002

depr12003	byte	%8.0g	level of depression (in percentage) in 2003
depr12004	byte	%8.0g	level of depression (in percentage) in 2004
depr12005	byte	%8.0g	level of depression (in percentage) in 2005
depr12006	byte	%8.0g	level of depression (in percentage) in 2006
depr12007	byte	%8.0g	level of depression (in percentage) in 2007
depr12008	byte	%8.0g	level of depression (in percentage) in 2008
depr12009	byte	%8.0g	level of depression (in percentage) in 2009
depr12010	byte	%8.0g	level of depression (in percentage) in 2010
anxl1980	byte	%8.0g	level of anxiety (in percentage) in 1980
anxl1981	byte	%8.0g	level of anxiety (in percentage) in 1981
anxl1982	byte	%8.0g	level of anxiety (in percentage) in 1982
anxl1983	byte	%8.0g	level of anxiety (in percentage) in 1983
anxl1984	byte	%8.0g	level of anxiety (in percentage) in 1984
anxl1985	byte	%8.0g	level of anxiety (in percentage) in 1985
anxl1986	byte	%8.0g	level of anxiety (in percentage) in 1986
anxl1987	byte	%8.0g	level of anxiety (in percentage) in 1987
anxl1988	byte	%8.0g	level of anxiety (in percentage) in 1988
anxl1989	byte	%8.0g	level of anxiety (in percentage) in 1989
anxl1990	byte	%8.0g	level of anxiety (in percentage) in 1990
anxl1991	byte	%8.0g	level of anxiety (in percentage) in 1991
anxl1992	byte	%8.0g	level of anxiety (in percentage) in 1992
anxl1993	byte	%8.0g	level of anxiety (in percentage) in 1993
anxl1994	byte	%8.0g	level of anxiety (in percentage) in 1994
anxl1995	byte	%8.0g	level of anxiety (in percentage) in 1995
anxl1996	byte	%8.0g	level of anxiety (in percentage)

anxl1997	byte	%8.0g	in 1996 level of anxiety (in percentage)
anxl1998	byte	%8.0g	in 1997 level of anxiety (in percentage)
anxl1999	byte	%8.0g	in 1998 level of anxiety (in percentage)
anxl2000	byte	%8.0g	in 1999 level of anxiety (in percentage)
anxl2001	byte	%8.0g	in 2000 level of anxiety (in percentage)
anxl2002	byte	%8.0g	in 2001 level of anxiety (in percentage)
anxl2003	byte	%8.0g	in 2002 level of anxiety (in percentage)
anxl2004	byte	%8.0g	in 2003 level of anxiety (in percentage)
anxl2005	byte	%8.0g	in 2004 level of anxiety (in percentage)
anxl2006	byte	%8.0g	in 2005 level of anxiety (in percentage)
anxl2007	byte	%8.0g	in 2006 level of anxiety (in percentage)
anxl2008	byte	%8.0g	in 2007 level of anxiety (in percentage)
anxl2009	byte	%8.0g	in 2008 level of anxiety (in percentage)
anxl2010	byte	%8.0g	in 2009 level of anxiety (in percentage)
pdisl1980	byte	%8.0g	in 2010 level of somatic/physical discomforts (in percentage) in
pdisl1981	byte	%8.0g	1980 level of somatic/physical discomforts (in percentage) in
pdisl1982	byte	%8.0g	1981 level of somatic/physical discomforts (in percentage) in
pdisl1983	byte	%8.0g	1982 level of somatic/physical discomforts (in percentage) in
pdisl1984	byte	%8.0g	1983 level of somatic/physical discomforts (in percentage) in
pdisl1985	byte	%8.0g	1984 level of somatic/physical discomforts (in percentage) in
pdisl1986	byte	%8.0g	1985 level of somatic/physical discomforts (in percentage) in

pdisl1987	byte	%8.0g	1986 level of somatic/physical discomforts (in percentage) in 1987
pdisl1988	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 1988
pdisl1989	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 1989
pdisl1990	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 1990
pdisl1991	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 1991
pdisl1992	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 1992
pdisl1993	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 1993
pdisl1994	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 1994
pdisl1995	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 1995
pdisl1996	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 1996
pdisl1997	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 1997
pdisl1998	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 1998
pdisl1999	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 1999
pdisl2000	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 2000
pdisl2001	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 2001
pdisl2002	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 2002

pdisl2003	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 2003
pdisl2004	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 2004
pdisl2005	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 2005
pdisl2006	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 2006
pdisl2007	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 2007
pdisl2008	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 2008
pdisl2009	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 2009
pdisl2010	byte	%8.0g	level of somatic/physical discomforts (in percentage) in 2010
emrel1980	byte	%8.0g	intensity of ptsd reactions in 1980
emrel1981	byte	%8.0g	intensity of ptsd reactions in 1981
emrel1982	byte	%8.0g	intensity of ptsd reactions in 1982
emrel1983	byte	%8.0g	intensity of ptsd reactions in 1983
emrel1984	byte	%8.0g	intensity of ptsd reactions in 1984
emrel1985	byte	%8.0g	intensity of ptsd reactions in 1985
emrel1986	byte	%8.0g	intensity of ptsd reactions in 1986
emrel1987	byte	%8.0g	intensity of ptsd reactions in 1987
emrel1988	byte	%8.0g	intensity of ptsd reactions in 1988
emrel1989	byte	%8.0g	intensity of ptsd reactions in 1989
emrel1990	byte	%8.0g	intensity of ptsd reactions in 1990
emrel1991	byte	%8.0g	intensity of ptsd reactions in 1991
emrel1992	byte	%8.0g	intensity of ptsd reactions in

emrel1993	byte	%8.0g	1992 intensity of ptsd reactions in
emrel1994	byte	%8.0g	1993 intensity of ptsd reactions in
emrel1995	byte	%8.0g	1994 intensity of ptsd reactions in
emrel1996	byte	%8.0g	1995 intensity of ptsd reactions in
emrel1997	byte	%8.0g	1996 intensity of ptsd reactions in
emrel1998	byte	%8.0g	1997 intensity of ptsd reactions in
emrel1999	byte	%8.0g	1998 intensity of ptsd reactions in
emrel2000	byte	%8.0g	1999 intensity of ptsd reactions in
emrel2001	byte	%8.0g	2000 intensity of ptsd reactions in
emrel2002	byte	%8.0g	2001 intensity of ptsd reactions in
emrel2003	byte	%8.0g	2002 intensity of ptsd reactions in
emrel2004	byte	%8.0g	2003 intensity of ptsd reactions in
emrel2005	byte	%8.0g	2004 intensity of ptsd reactions in
emrel2006	byte	%8.0g	2005 intensity of ptsd reactions in
emrel2007	byte	%8.0g	2006 intensity of ptsd reactions in
emrel2008	byte	%8.0g	2007 intensity of ptsd reactions in
emrel2009	byte	%8.0g	2008 intensity of ptsd reactions in
emrel2010	byte	%8.0g	2009 intensity of ptsd reactions in
hlthl1980	byte	%8.0g	2010 intensity of work related
hlthl1981	byte	%8.0g	problems due to health in 1980
hlthl1982	byte	%8.0g	intensity of work related
hlthl1983	byte	%8.0g	problems due to health in 1981
hlthl1984	byte	%8.0g	intensity of work related
hlthl1985	byte	%8.0g	problems due to health in 1982
			intensity of work related
			problems due to health in 1983
			intensity of work related
			problems due to health in 1984
			intensity of work related
			problems due to health in 1985

hlthl1986	byte	%8.0g	intensity of work related problems due to health in 1986
hlthl1987	byte	%8.0g	intensity of work related problems due to health in 1987
hlthl1988	byte	%8.0g	intensity of work related problems due to health in 1988
hlthl1989	byte	%8.0g	intensity of work related problems due to health in 1989
hlthl1990	byte	%8.0g	intensity of work related problems due to health in 1990
hlthl1991	byte	%8.0g	intensity of work related problems due to health in 1991
hlthl1992	byte	%8.0g	intensity of work related problems due to health in 1992
hlthl1993	byte	%8.0g	intensity of work related problems due to health in 1993
hlthl1994	byte	%8.0g	intensity of work related problems due to health in 1994
hlthl1995	byte	%8.0g	intensity of work related problems due to health in 1995
hlthl1996	byte	%8.0g	intensity of work related problems due to health in 1996
hlthl1997	byte	%8.0g	intensity of work related problems due to health in 1997
hlthl1998	byte	%8.0g	intensity of work related problems due to health in 1998
hlthl1999	byte	%8.0g	intensity of work related problems due to health in 1999
hlthl2000	byte	%8.0g	intensity of work related problems due to health in 2000
hlthl2001	byte	%8.0g	intensity of work related problems due to health in 2001
hlthl2002	byte	%8.0g	intensity of work related problems due to health in 2002
hlthl2003	byte	%8.0g	intensity of work related problems due to health in 2003
hlthl2004	byte	%8.0g	intensity of work related problems due to health in 2004
hlthl2005	byte	%8.0g	intensity of work related problems due to health in 2005
hlthl2006	byte	%8.0g	intensity of work related problems due to health in 2006
hlthl2007	byte	%8.0g	intensity of work related problems due to health in 2007
hlthl2008	byte	%8.0g	intensity of work related problems due to health in 2008
hlthl2009	byte	%8.0g	intensity of work related problems due to health in 2009
hlthl2010	byte	%8.0g	intensity of work related

homel1980	byte	%8.0g	problems due to health in 2010 * intensity of home related
homel1981	byte	%8.0g	problems due to health in 1980 intensity of home related
homel1982	byte	%8.0g	problems due to health in 1981 intensity of home related
homel1983	byte	%8.0g	problems due to health in 1982 intensity of home related
homel1984	byte	%8.0g	problems due to health in 1983 intensity of home related
homel1985	byte	%8.0g	problems due to health in 1984 intensity of home related
homel1986	byte	%8.0g	problems due to health in 1985 intensity of home related
homel1987	byte	%8.0g	problems due to health in 1986 intensity of home related
homel1988	byte	%8.0g	problems due to health in 1987 intensity of home related
homel1989	byte	%8.0g	problems due to health in 1988 intensity of home related
homel1990	byte	%8.0g	problems due to health in 1989 intensity of home related
homel1991	byte	%8.0g	problems due to health in 1990 intensity of home related
homel1992	byte	%8.0g	problems due to health in 1991 intensity of home related
homel1993	byte	%8.0g	problems due to health in 1992 intensity of home related
homel1994	byte	%8.0g	problems due to health in 1993 intensity of home related
homel1995	byte	%8.0g	problems due to health in 1994 intensity of home related
homel1996	byte	%8.0g	problems due to health in 1995 intensity of home related
homel1997	byte	%8.0g	problems due to health in 1996 intensity of home related
homel1998	byte	%8.0g	problems due to health in 1997 intensity of home related
homel1999	byte	%8.0g	problems due to health in 1998 intensity of home related
homel2000	byte	%8.0g	problems due to health in 1999 intensity of home related
homel2001	byte	%8.0g	problems due to health in 2000 intensity of home related
homel2002	byte	%8.0g	problems due to health in 2001 intensity of home related
homel2003	byte	%8.0g	problems due to health in 2002 intensity of home related
			problems due to health in 2003

homel2004	byte	%8.0g	intensity of home related problems due to health in 2004
homel2005	byte	%8.0g	intensity of home related problems due to health in 2005
homel2006	byte	%8.0g	intensity of home related problems due to health in 2006
homel2007	byte	%8.0g	intensity of home related problems due to health in 2007
homel2008	byte	%8.0g	intensity of home related problems due to health in 2008
homel2009	byte	%8.0g	intensity of home related problems due to health in 2009
homel2010	byte	%8.0g	intensity of home related problems due to health in 2010
solil1980	byte	%8.0g	intensity of social life related problems due to health in 1980
solil1981	byte	%8.0g	intensity of social life related problems due to health in 1981
solil1982	byte	%8.0g	intensity of social life related problems due to health in 1982
solil1983	byte	%8.0g	intensity of social life related problems due to health in 1983
solil1984	byte	%8.0g	intensity of social life related problems due to health in 1984
solil1985	byte	%8.0g	intensity of social life related problems due to health in 1985
solil1986	byte	%8.0g	intensity of social life related problems due to health in 1986
solil1987	byte	%8.0g	intensity of social life related problems due to health in 1987
solil1988	byte	%8.0g	intensity of social life related problems due to health in 1988
solil1989	byte	%8.0g	intensity of social life related problems due to health in 1989
solil1990	byte	%8.0g	intensity of social life related problems due to health in 1990
solil1991	byte	%8.0g	intensity of social life related problems due to health in 1991
solil1992	byte	%8.0g	intensity of social life related problems due to health in 1992
solil1993	byte	%8.0g	intensity of social life related problems due to health in 1993
solil1994	byte	%8.0g	intensity of social life related problems due to health in 1994
solil1995	byte	%8.0g	intensity of social life related problems due to health in 1995
solil1996	byte	%8.0g	intensity of social life related problems due to health in 1996
solil1997	byte	%8.0g	intensity of social life related

solil1998	byte	%8.0g	problems due to health in 1997 intensity of social life related
solil1999	byte	%8.0g	problems due to health in 1998 intensity of social life related
solil2000	byte	%8.0g	problems due to health in 1999 intensity of social life related
solil2001	byte	%8.0g	problems due to health in 2000 intensity of social life related
solil2002	byte	%8.0g	problems due to health in 2001 intensity of social life related
solil2003	byte	%8.0g	problems due to health in 2002 intensity of social life related
solil2004	byte	%8.0g	problems due to health in 2003 intensity of social life related
solil2005	byte	%8.0g	problems due to health in 2004 intensity of social life related
solil2006	byte	%8.0g	problems due to health in 2005 intensity of social life related
solil2007	byte	%8.0g	problems due to health in 2006 intensity of social life related
solil2008	byte	%8.0g	problems due to health in 2007 intensity of social life related
solil2009	byte	%8.0g	problems due to health in 2008 intensity of social life related
solil2010	byte	%8.0g	problems due to health in 2009 intensity of social life related
holil1980	byte	%8.0g	problems due to health in 2010 intensity of home life related
holil1981	byte	%8.0g	problems due to health in 1980 intensity of home life related
holil1982	byte	%8.0g	problems due to health in 1981 intensity of home life related
holil1983	byte	%8.0g	problems due to health in 1982 intensity of home life related
holil1984	byte	%8.0g	problems due to health in 1983 intensity of home life related
holil1985	byte	%8.0g	problems due to health in 1984 intensity of home life related
holil1986	byte	%8.0g	problems due to health in 1985 intensity of home life related
holil1987	byte	%8.0g	problems due to health in 1986 intensity of home life related
holil1988	byte	%8.0g	problems due to health in 1987 intensity of home life related
holil1989	byte	%8.0g	problems due to health in 1988 intensity of home life related
holil1990	byte	%8.0g	problems due to health in 1989 intensity of home life related
			problems due to health in 1990

holil1991	byte	%8.0g	intensity of home life related problems due to health in 1991
holil1992	byte	%8.0g	intensity of home life related problems due to health in 1992
holil1993	byte	%8.0g	intensity of home life related problems due to health in 1993
holil1994	byte	%8.0g	intensity of home life related problems due to health in 1994
holil1995	byte	%8.0g	intensity of home life related problems due to health in 1995
holil1996	byte	%8.0g	intensity of home life related problems due to health in 1996
holil1997	byte	%8.0g	intensity of home life related problems due to health in 1997
holil1998	byte	%8.0g	intensity of home life related problems due to health in 1998
holil1999	byte	%8.0g	intensity of home life related problems due to health in 1999
holil2000	byte	%8.0g	intensity of home life related problems due to health in 2000
holil2001	byte	%8.0g	intensity of home life related problems due to health in 2001
holil2002	byte	%8.0g	intensity of home life related problems due to health in 2002
holil2003	byte	%8.0g	intensity of home life related problems due to health in 2003
holil2004	byte	%8.0g	intensity of home life related problems due to health in 2004
holil2005	byte	%8.0g	intensity of home life related problems due to health in 2005
holil2006	byte	%8.0g	intensity of home life related problems due to health in 2006
holil2007	byte	%8.0g	intensity of home life related problems due to health in 2007
holil2008	byte	%8.0g	intensity of home life related problems due to health in 2008
holil2009	byte	%8.0g	intensity of home life related problems due to health in 2009
holil2010	byte	%8.0g	intensity of home life related problems due to health in 2010
sexl11980	byte	%8.0g	intensity of home life related problems due to health in 1980
sexl11981	byte	%8.0g	intensity of home life related problems due to health in 1981
sexl11982	byte	%8.0g	intensity of home life related problems due to health in 1982
sexl11983	byte	%8.0g	intensity of home life related problems due to health in 1983
sexl11984	byte	%8.0g	intensity of home life related

sexl11985	byte	%8.0g	problems due to health in 1984 intensity of home life related
sexl11986	byte	%8.0g	problems due to health in 1985 intensity of home life related
sexl11987	byte	%8.0g	problems due to health in 1986 intensity of home life related
sexl11988	byte	%8.0g	problems due to health in 1987 intensity of home life related
sexl11989	byte	%8.0g	problems due to health in 1988 intensity of home life related
sexl11990	byte	%8.0g	problems due to health in 1989 intensity of home life related
sexl11991	byte	%8.0g	problems due to health in 1990 intensity of home life related
sexl11992	byte	%8.0g	problems due to health in 1991 intensity of home life related
sexl11993	byte	%8.0g	problems due to health in 1992 intensity of home life related
sexl11994	byte	%8.0g	problems due to health in 1993 intensity of home life related
sexl11995	byte	%8.0g	problems due to health in 1994 intensity of home life related
sexl11996	byte	%8.0g	problems due to health in 1995 intensity of home life related
sexl11997	byte	%8.0g	problems due to health in 1996 intensity of home life related
sexl11998	byte	%8.0g	problems due to health in 1997 intensity of home life related
sexl11999	byte	%8.0g	problems due to health in 1998 intensity of home life related
sexl12000	byte	%8.0g	problems due to health in 1999 intensity of home life related
sexl12001	byte	%8.0g	problems due to health in 2000 intensity of home life related
sexl12002	byte	%8.0g	problems due to health in 2001 intensity of home life related
sexl12003	byte	%8.0g	problems due to health in 2002 intensity of home life related
sexl12004	byte	%8.0g	problems due to health in 2003 intensity of home life related
sexl12005	byte	%8.0g	problems due to health in 2004 intensity of home life related
sexl12006	byte	%8.0g	problems due to health in 2005 intensity of home life related
sexl12007	byte	%8.0g	problems due to health in 2006 intensity of home life related
sexl12008	byte	%8.0g	problems due to health in 2007 intensity of home life related
			problems due to health in 2008

sexl12009	byte	%8.0g	intensity of home life related problems due to health in 2009
sexl12010	byte	%8.0g	intensity of home life related problems due to health in 2010
inhol1980	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1980
inhol1981	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1981
inhol1982	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1982
inhol1983	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1983
inhol1984	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1984
inhol1985	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1985
inhol1986	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1986
inhol1987	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1987
inhol1988	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1988
inhol1989	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1989
inhol1990	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1990
inhol1991	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1991
inhol1992	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1992
inhol1993	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1993
inhol1994	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1994

inhol1995	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1995
inhol1996	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1996
inhol1997	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1997
inhol1998	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1998
inhol1999	byte	%8.0g	intensity of interest and hobbies related problems due to health in 1999
inhol2000	byte	%8.0g	intensity of interest and hobbies related problems due to health in 2000
inhol2001	byte	%8.0g	intensity of interest and hobbies related problems due to health in 2001
inhol2002	byte	%8.0g	intensity of interest and hobbies related problems due to health in 2002
inhol2003	byte	%8.0g	intensity of interest and hobbies related problems due to health in 2003
inhol2004	byte	%8.0g	intensity of interest and hobbies related problems due to health in 2004
inhol2005	byte	%8.0g	intensity of interest and hobbies related problems due to health in 2005
inhol2006	byte	%8.0g	intensity of interest and hobbies related problems due to health in 2006
inhol2007	byte	%8.0g	intensity of interest and hobbies related problems due to health in 2007
inhol2008	byte	%8.0g	intensity of interest and hobbies related problems due to health in 2008
inhol2009	byte	%8.0g	intensity of interest and hobbies related problems due to health in 2009
inhol2010	byte	%8.0g	intensity of interest and hobbies related problems due to health in 2010
wendl1980	byte	%8.0g	intensity of holidays - weekends

			related problems due to health in 1980
wendl1981	byte	%8.0g	intensity of holidays - weekends related problems due to health in 1981
wendl1982	byte	%8.0g	intensity of holidays - weekends related problems due to health in 1982
wendl1983	byte	%8.0g	intensity of holidays - weekends related problems due to health in 1983
wendl1984	byte	%8.0g	intensity of holidays - weekends related problems due to health in 1984
wendl1985	byte	%8.0g	intensity of holidays - weekends related problems due to health in 1985
wendl1986	byte	%8.0g	intensity of holidays - weekends related problems due to health in 1986
wendl1987	byte	%8.0g	intensity of holidays - weekends related problems due to health in 1987
wendl1988	byte	%8.0g	intensity of holidays - weekends related problems due to health in 1988
wendl1989	byte	%8.0g	intensity of holidays - weekends related problems due to health in 1989
wendl1990	byte	%8.0g	intensity of holidays - weekends related problems due to health in 1990
wendl1991	byte	%8.0g	intensity of holidays - weekends related problems due to health in 1991
wendl1992	byte	%8.0g	intensity of holidays - weekends related problems due to health in 1992
wendl1993	byte	%8.0g	intensity of holidays - weekends related problems due to health in 1993
wendl1994	byte	%8.0g	intensity of holidays - weekends related problems due to health in 1994
wendl1995	byte	%8.0g	intensity of holidays - weekends related problems due to health in 1995
wendl1996	byte	%8.0g	intensity of holidays - weekends related problems due to health

wendl1997	byte	%8.0g	in 1996 intensity of holidays - weekends related problems due to health in 1997
wendl1998	byte	%8.0g	intensity of holidays - weekends related problems due to health in 1998
wendl1999	byte	%8.0g	intensity of holidays - weekends related problems due to health in 1999
wendl2000	byte	%8.0g	intensity of holidays - weekends related problems due to health in 2000
wendl2001	byte	%8.0g	intensity of holidays - weekends related problems due to health in 2001
wendl2002	byte	%8.0g	intensity of holidays - weekends related problems due to health in 2002
wendl2003	byte	%8.0g	intensity of holidays - weekends related problems due to health in 2003
wendl2004	byte	%8.0g	intensity of holidays - weekends related problems due to health in 2004
wendl2005	byte	%8.0g	intensity of holidays - weekends related problems due to health in 2005
wendl2006	byte	%8.0g	intensity of holidays - weekends related problems due to health in 2006
wendl2007	byte	%8.0g	intensity of holidays - weekends related problems due to health in 2007
wendl2008	byte	%8.0g	intensity of holidays - weekends related problems due to health in 2008
wendl2009	byte	%8.0g	intensity of holidays - weekends related problems due to health in 2009
wendl2010	byte	%8.0g	intensity of holidays - weekends related problems due to health in 2010
smoke11980	int	%8.0g	number of cigarettes smoked per week in 1980
smoke11981	int	%8.0g	number of cigarettes smoked per week in 1981
smoke11982	int	%8.0g	number of cigarettes smoked per week in 1982

smoke11983	int	%8.0g	number of cigarettes smoked per week in 1983
smoke11984	int	%8.0g	number of cigarettes smoked per week in 1984
smoke11985	int	%8.0g	number of cigarettes smoked per week in 1985
smoke11986	int	%8.0g	number of cigarettes smoked per week in 1986
smoke11987	int	%8.0g	number of cigarettes smoked per week in 1987
smoke11988	int	%8.0g	number of cigarettes smoked per week in 1988
smoke11989	int	%8.0g	number of cigarettes smoked per week in 1989
smoke11990	int	%8.0g	number of cigarettes smoked per week in 1990
smoke11991	int	%8.0g	number of cigarettes smoked per week in 1991
smoke11992	int	%8.0g	number of cigarettes smoked per week in 1992
smoke11993	int	%8.0g	number of cigarettes smoked per week in 1993
smoke11994	int	%8.0g	number of cigarettes smoked per week in 1994
smoke11995	int	%8.0g	number of cigarettes smoked per week in 1995
smoke11996	int	%8.0g	number of cigarettes smoked per week in 1996
smoke11997	int	%8.0g	number of cigarettes smoked per week in 1997
smoke11998	int	%8.0g	number of cigarettes smoked per week in 1998
smoke11999	int	%8.0g	number of cigarettes smoked per week in 1999
smoke12000	int	%8.0g	number of cigarettes smoked per week in 2000
smoke12001	int	%8.0g	number of cigarettes smoked per week in 2001
smoke12002	int	%8.0g	number of cigarettes smoked per week in 2002
smoke12003	int	%8.0g	number of cigarettes smoked per week in 2003
smoke12004	int	%8.0g	number of cigarettes smoked per week in 2004
smoke12005	int	%8.0g	number of cigarettes smoked per week in 2005
smoke12006	int	%8.0g	number of cigarettes smoked per week in 2006
smoke12007	int	%8.0g	number of cigarettes smoked per

smoke12008	int	%8.0g	week in 2007 number of cigarettes smoked per week in 2008
smoke12009	int	%8.0g	number of cigarettes smoked per week in 2009
smoke12010	int	%8.0g	number of cigarettes smoked per week in 2010
drin11980	byte	%8.0g	number of beer of wine consumed per week in 1980
drin11981	byte	%8.0g	number of beer of wine consumed per week in 1981
drin11982	byte	%8.0g	number of beer of wine consumed per week in 1982
drin11983	byte	%8.0g	number of beer of wine consumed per week in 1983
drin11984	byte	%8.0g	number of beer of wine consumed per week in 1984
drin11985	byte	%8.0g	number of beer of wine consumed per week in 1985
drin11986	byte	%8.0g	number of beer of wine consumed per week in 1986
drin11987	byte	%8.0g	number of beer of wine consumed per week in 1987
drin11988	byte	%8.0g	number of beer of wine consumed per week in 1988
drin11989	byte	%8.0g	number of beer of wine consumed per week in 1989
drin11990	byte	%8.0g	number of beer of wine consumed per week in 1990
drin11991	byte	%8.0g	number of beer of wine consumed per week in 1991
drin11992	byte	%8.0g	number of beer of wine consumed per week in 1992
drin11993	byte	%8.0g	number of beer of wine consumed per week in 1993
drin11994	byte	%8.0g	number of beer of wine consumed per week in 1994
drin11995	byte	%8.0g	number of beer of wine consumed per week in 1995
drin11996	byte	%8.0g	number of beer of wine consumed per week in 1996
drin11997	byte	%8.0g	number of beer of wine consumed per week in 1997
drin11998	byte	%8.0g	number of beer of wine consumed per week in 1998
drin11999	byte	%8.0g	number of beer of wine consumed per week in 1999
drin12000	byte	%8.0g	number of beer of wine consumed per week in 2000

drinl2001	byte	%8.0g	number of beer of wine consumed per week in 2001
drinl2002	byte	%8.0g	number of beer of wine consumed per week in 2002
drinl2003	byte	%8.0g	number of beer of wine consumed per week in 2003
drinl2004	byte	%8.0g	number of beer of wine consumed per week in 2004
drinl2005	byte	%8.0g	number of beer of wine consumed per week in 2005
drinl2006	byte	%8.0g	number of beer of wine consumed per week in 2006
drinl2007	byte	%8.0g	number of beer of wine consumed per week in 2007
drinl2008	byte	%8.0g	number of beer of wine consumed per week in 2008
drinl2009	byte	%8.0g	number of beer of wine consumed per week in 2009
drinl2010	byte	%8.0g	number of beer of wine consumed per week in 2010
vodkaq1980	byte	%8.0g	number of vodaka drinks consumed per week in 1980
vodkaq1981	byte	%8.0g	number of vodaka drinks consumed per week in 1981
vodkaq1982	byte	%8.0g	number of vodaka drinks consumed per week in 1982
vodkaq1983	byte	%8.0g	number of vodaka drinks consumed per week in 1983
vodkaq1984	byte	%8.0g	number of vodaka drinks consumed per week in 1984
vodkaq1985	byte	%8.0g	number of vodaka drinks consumed per week in 1985
vodkaq1986	byte	%8.0g	number of vodaka drinks consumed per week in 1986
vodkaq1987	byte	%8.0g	number of vodaka drinks consumed per week in 1987
vodkaq1988	byte	%8.0g	number of vodaka drinks consumed per week in 1988
vodkaq1989	byte	%8.0g	number of vodaka drinks consumed per week in 1989
vodkaq1990	byte	%8.0g	number of vodaka drinks consumed per week in 1990
vodkaq1991	byte	%8.0g	number of vodaka drinks consumed per week in 1991
vodkaq1992	byte	%8.0g	number of vodaka drinks consumed per week in 1992
vodkaq1993	byte	%8.0g	number of vodaka drinks consumed per week in 1993
vodkaq1994	byte	%8.0g	number of vodaka drinks consumed

vodkaq1995	byte	%8.0g	per week in 1994 number of vodaka drinks consumed per week in 1995
vodkaq1996	byte	%8.0g	number of vodaka drinks consumed per week in 1996
vodkaq1997	byte	%8.0g	number of vodaka drinks consumed per week in 1997
vodkaq1998	byte	%8.0g	number of vodaka drinks consumed per week in 1998
vodkaq1999	byte	%8.0g	number of vodaka drinks consumed per week in 1999
vodkaq2000	byte	%8.0g	number of vodaka drinks consumed per week in 2000
vodkaq2001	byte	%8.0g	number of vodaka drinks consumed per week in 2001
vodkaq2002	byte	%8.0g	number of vodaka drinks consumed per week in 2002
vodkaq2003	byte	%8.0g	number of vodaka drinks consumed per week in 2003
vodkaq2004	byte	%8.0g	number of vodaka drinks consumed per week in 2004
vodkaq2005	byte	%8.0g	number of vodaka drinks consumed per week in 2005
vodkaq2006	byte	%8.0g	number of vodaka drinks consumed per week in 2006
vodkaq2007	byte	%8.0g	number of vodaka drinks consumed per week in 2007
vodkaq2008	byte	%8.0g	number of vodaka drinks consumed per week in 2008
vodkaq2009	byte	%8.0g	number of vodaka drinks consumed per week in 2009
vodkaq2010	byte	%8.0g	number of vodaka drinks consumed per week in 2010
painq1980	byte	%8.0g	number of pain medications per week in 1980
painq1981	byte	%8.0g	number of pain medications per week in 1981
painq1982	byte	%8.0g	number of pain medications per week in 1982
painq1983	byte	%8.0g	number of pain medications per week in 1983
painq1984	byte	%8.0g	number of pain medications per week in 1984
painq1985	byte	%8.0g	number of pain medications per week in 1985
painq1986	byte	%8.0g	number of pain medications per week in 1986
painq1987	byte	%8.0g	number of pain medications per week in 1987

painq1988	byte	%8.0g	number of pain medications per week in 1988
painq1989	byte	%8.0g	number of pain medications per week in 1989
painq1990	byte	%8.0g	number of pain medications per week in 1990
painq1991	byte	%8.0g	number of pain medications per week in 1991
painq1992	byte	%8.0g	number of pain medications per week in 1992
painq1993	byte	%8.0g	number of pain medications per week in 1993
painq1994	byte	%8.0g	number of pain medications per week in 1994
painq1995	byte	%8.0g	number of pain medications per week in 1995
painq1996	byte	%8.0g	number of pain medications per week in 1996
painq1997	byte	%8.0g	number of pain medications per week in 1997
painq1998	byte	%8.0g	number of pain medications per week in 1998
painq1999	byte	%8.0g	number of pain medications per week in 1999
painq2000	byte	%8.0g	number of pain medications per week in 2000
painq2001	byte	%8.0g	number of pain medications per week in 2001
painq2002	byte	%8.0g	number of pain medications per week in 2002
painq2003	byte	%8.0g	number of pain medications per week in 2003
painq2004	byte	%8.0g	number of pain medications per week in 2004
painq2005	byte	%8.0g	number of pain medications per week in 2005
painq2006	byte	%8.0g	number of pain medications per week in 2006
painq2007	byte	%8.0g	number of pain medications per week in 2007
painq2008	byte	%8.0g	number of pain medications per week in 2008
painq2009	byte	%8.0g	number of pain medications per week in 2009
painq2010	byte	%8.0g	number of pain medications per week in 2010
doctn1980	byte	%8.0g	number of doctor visits for any health reasons in 1980
doctn1981	byte	%8.0g	number of doctor visits for any

			health reasons in 1981
doctn1982	byte	%8.0g	number of doctor visits for any health reasons in 1982
doctn1983	byte	%8.0g	number of doctor visits for any health reasons in 1983
doctn1984	byte	%8.0g	number of doctor visits for any health reasons in 1984
doctn1985	byte	%8.0g	number of doctor visits for any health reasons in 1985
doctn1986	byte	%8.0g	number of doctor visits for any health reasons in 1986
doctn1987	byte	%8.0g	number of doctor visits for any health reasons in 1987
doctn1988	byte	%8.0g	number of doctor visits for any health reasons in 1988
doctn1989	byte	%8.0g	number of doctor visits for any health reasons in 1989
doctn1990	byte	%8.0g	number of doctor visits for any health reasons in 1990
doctn1991	byte	%8.0g	number of doctor visits for any health reasons in 1991
doctn1992	byte	%8.0g	number of doctor visits for any health reasons in 1992
doctn1993	byte	%8.0g	number of doctor visits for any health reasons in 1993
doctn1994	byte	%8.0g	number of doctor visits for any health reasons in 1994
doctn1995	byte	%8.0g	number of doctor visits for any health reasons in 1995
doctn1996	byte	%8.0g	number of doctor visits for any health reasons in 1996
doctn1997	byte	%8.0g	number of doctor visits for any health reasons in 1997
doctn1998	byte	%8.0g	number of doctor visits for any health reasons in 1998
doctn1999	byte	%8.0g	number of doctor visits for any health reasons in 1999
doctn2000	byte	%8.0g	number of doctor visits for any health reasons in 2000
doctn2001	byte	%8.0g	number of doctor visits for any health reasons in 2001
doctn2002	byte	%8.0g	number of doctor visits for any health reasons in 2002
doctn2003	byte	%8.0g	number of doctor visits for any health reasons in 2003
doctn2004	byte	%8.0g	number of doctor visits for any health reasons in 2004
doctn2005	byte	%8.0g	number of doctor visits for any health reasons in 2005

doctn2006	byte	%8.0g	number of doctor visits for any health reasons in 2006
doctn2007	byte	%8.0g	number of doctor visits for any health reasons in 2007
doctn2008	byte	%8.0g	number of doctor visits for any health reasons in 2008
doctn2009	byte	%8.0g	number of doctor visits for any health reasons in 2009
doctn2010	byte	%8.0g	number of doctor visits for any health reasons in 2010
fampl11980	byte	%8.0g	percent of influence that radiation had on family planning in 1980
fampl11981	byte	%8.0g	percent of influence that radiation had on family planning in 1981
fampl11982	byte	%8.0g	percent of influence that radiation had on family planning in 1982
fampl11983	byte	%8.0g	percent of influence that radiation had on family planning in 1983
fampl11984	byte	%8.0g	percent of influence that radiation had on family planning in 1984
fampl11985	byte	%8.0g	percent of influence that radiation had on family planning in 1985
fampl11986	byte	%8.0g	percent of influence that radiation had on family planning in 1986
fampl11987	byte	%8.0g	percent of influence that radiation had on family planning in 1987
fampl11988	byte	%8.0g	percent of influence that radiation had on family planning in 1988
fampl11989	byte	%8.0g	percent of influence that radiation had on family planning in 1989
fampl11990	byte	%8.0g	percent of influence that radiation had on family planning in 1990
fampl11991	byte	%8.0g	percent of influence that radiation had on family planning in 1991
fampl11992	byte	%8.0g	percent of influence that radiation had on family planning in 1992

famp111993	byte	%8.0g	percent of influence that radiation had on family planning in 1993
famp111994	byte	%8.0g	percent of influence that radiation had on family planning in 1994
famp111995	byte	%8.0g	percent of influence that radiation had on family planning in 1995
famp111996	byte	%8.0g	percent of influence that radiation had on family planning in 1996
famp111997	byte	%8.0g	percent of influence that radiation had on family planning in 1997
famp111998	byte	%8.0g	percent of influence that radiation had on family planning in 1998
famp111999	byte	%8.0g	percent of influence that radiation had on family planning in 1999
famp112000	byte	%8.0g	percent of influence that radiation had on family planning in 2000
famp112001	byte	%8.0g	percent of influence that radiation had on family planning in 2001
famp112002	byte	%8.0g	percent of influence that radiation had on family planning in 2002
famp112003	byte	%8.0g	percent of influence that radiation had on family planning in 2003
famp112004	byte	%8.0g	percent of influence that radiation had on family planning in 2004
famp112005	byte	%8.0g	percent of influence that radiation had on family planning in 2005
famp112006	byte	%8.0g	percent of influence that radiation had on family planning in 2006
famp112007	byte	%8.0g	percent of influence that radiation had on family planning in 2007
famp112008	byte	%8.0g	percent of influence that radiation had on family planning in 2008
famp112009	byte	%8.0g	percent of influence that

			radiation had on family planning in 2009
famp112010	byte	%8.0g	percent of influence that radiation had on family planning in 2010
sett1r1	str39	%39s	* town of residence 1 time: april 26 - june 30 1986
sett1r2	str32	%32s	* town of residence 2 time: april 26 - june 30 1986
sett1r3	str32	%32s	* town of residence 3 time: april 26 - june 30 1986
sett1r4	str32	%32s	* town of residence 4 time: april 26 - june 30 1986
rait1r1	str32	%32s	* raion of residence 1 time: april 26 - june 30 1986
rait1r2	str32	%32s	* raion of residence 2 time: april 26 - june 30 1986
rait1r3	str32	%32s	* raion of residence 3 time: april 26 - june 30 1986
rait1r4	str32	%32s	* raion of residence 4 time: april 26 - june 30 1986
latdt1r1	byte	%10.0g	* latitude in degrees residence 1 time 1 april 26-june 30 1986
latdt1r2	byte	%10.0g	* latitude in degrees residence 2 time 1 april 26-june 30 1986
latdt1r3	byte	%10.0g	* latitude in degrees residence 3 time 1 april 26-june 30 1986
latdt1r4	byte	%10.0g	* latitude in degrees residence 4 time 1 april 26-june 30 1986
londt1r1	int	%10.0g	* longitude in degrees residence 1 time 1 april 26-june 30 1986
londt1r2	int	%10.0g	* longitude in degrees residence 2 time 1 april 26-june 30 1986
londt1r3	byte	%10.0g	* longitude in degrees residence 3 time 1 april 26-june 30 1986
londt1r4	byte	%10.0g	* longitude in degrees residence 4 time 1 april 26-june 30 1986
latmt1r1	int	%10.0g	* latitude in minutes residence 1 time 1 april 26-june 30 1986
latmt1r2	int	%10.0g	* latitude in minutes residence 2 time 1 april 26-june 30 1986
latmt1r3	byte	%10.0g	* latitude in minutes residence 3 time 1 april 26-june 30 1986
latmt1r4	byte	%10.0g	* latitude in minutes residence 4 time 1 april 26-june 30 1986
lonmt1r1	int	%10.0g	* longitude in minutes residence 1 time 1 april 26-june 30 1986
lonmt1r2	int	%10.0g	* longitude in minutes residence 2 time 1 april 26-june 30 1986

lonmt1r3	byte	%10.0g		* longitude in minutes residence 3 time 1 april 26-june 30 1986
lonmt1r4	byte	%10.0g		* longitude in minutes residence 4 time 1 april 26-june 30 1986
dayt1r1	int	%10.0g		* days in residence 1 time 1 april 26-june 30 1986
dayt1r2	byte	%10.0g		* days in residence 2 time 1 april 26-june 30 1986
dayt1r3	byte	%10.0g		* days in residence 3 time 1 april 26-june 30 1986
dayt1r4	byte	%10.0g		* days in residence 4 time 1 april 26-june 30 1986
oblt1r1	byte	%31.0g	LABG	* oblast of residence 1 time 1 april 26-june 30 1986
oblt1r2	byte	%31.0g	LABG	* oblast of residence 2 time 1 april 26-june 30 1986
oblt1r3	byte	%31.0g	LABG	* oblast of residence 3 time 1 april 26-june 30 1986
oblt1r4	byte	%31.0g	LABG	* oblast of residence 4 time 1 april 26-june 30 1986
latt1r1	byte	%15.0g	LABF	* latitude direction residence 1 time 1 april 26-june 30 1986
latt1r2	byte	%15.0g	LABF	* latitude direction residence 2 time 1 april 26-june 30 1986
latt1r3	byte	%15.0g	LABF	* latitude direction residence 3 time 1 april 26-june 30 1986
latt1r4	byte	%15.0g	LABF	* latitude direction residence 4 time 1 april 26-june 30 1986
lont1r1	byte	%10.0g	lon	* longitude direction residence 1 time 1 april 26-june 30 1986
lont1r2	byte	%10.0g	lon	* longitude direction residence 2 time 1 april 26-june 30 1986
lont1r3	byte	%10.0g	lon	* longitude direction residence 3 time 1 april 26-june 30 1986
lont1r4	byte	%10.0g	lon	* longitude direction residence 4 time 1 april 26-june 30 1986
typet1r1	byte	%23.0g	LABL	* type of residence 1 time 1 april 26-june 30 1986
typet1r2	byte	%23.0g	LABL	* type of residence 2 time 1 april 26-june 30 1986
typet1r3	byte	%23.0g	LABL	* type of residence 3 time 1 april 26-june 30 1986
typet1r4	byte	%23.0g	LABL	* type of residence 4 time 1 april 26-june 30 1986
occt1r1	byte	%22.0g	LABM	* occupation while in residence 1 time 1 april 26-june 30 1986
occt1r2	byte	%22.0g	LABM	* occupation while in residence 2 time 1 april 26-june 30 1986
occt1r3	byte	%22.0g	LABM	* occupation while in residence 3

Variable	Type	Label	Source	Description
occt1r4	byte	%22.0g	LABM	time 1 april 26-june 30 1986 * occupation while in residence 1
ldrt1r1	byte	%15.0g	LABC	time 1 april 26-june 30 1986 * did you consume liquid dairy products while in residence 1 time 1
ldrt1r2	byte	%15.0g	LABC	* did you consume liquid dairy products while in residence 2 time 1
ldrt1r3	byte	%15.0g	LABC	* did you consume liquid dairy products while in residence 3 time 1
ldrt1r4	byte	%15.0g	LABC	* did you consume liquid dairy products while in residence 4 time 1
sldrt1r1	byte	%20.0g	LABN	* source of liquid dairy products while in residence 1 time 1
sldrt1r2	byte	%20.0g	LABN	* source of liquid dairy products while in residence 2 time 1
sldrt1r3	byte	%20.0g	LABN	* source of liquid dairy products while in residence 3 time 1
sldrt1r4	byte	%20.0g	LABN	* source of liquid dairy products while in residence 4 time 1
mlldt1r1	long	%8.0g		* quantity of liquid dairy products (in ml) while in residence 1 time 1
mlldt1r2	int	%8.0g		* quantity of liquid dairy products (in ml) while in residence 2 time 1
mlldt1r3	int	%8.0g		* quantity of liquid dairy products (in ml) while in residence 3 time 1
mlldt1r4	int	%8.0g		* quantity of liquid dairy products (in ml) while in residence 4 time 1
sdr1r1	byte	%15.0g	LABC	* did you consume solid dairy products while in residence 1 time 1
sdr1r2	byte	%15.0g	LABC	* did you consume solid dairy products while in residence 2 time 1
sdr1r3	byte	%15.0g	LABC	* did you consume solid dairy products while in residence 3 time 1
sdr1r4	byte	%15.0g	LABC	* did you consume solid dairy products while in residence 4 time 1
ssdr1r1	byte	%20.0g	LABN	* source of solid dairy products in residence 1 time 1

ssdrt1r2	byte	%20.0g	LABN	* source of solid dairy products in residence 2 time 1
ssdrt1r3	byte	%20.0g	LABN	* source of solid dairy products in residence 3 time 1
ssdrt1r4	byte	%20.0g	LABN	* source of solid dairy products in residence 4 time 1
gldt1r1	long	%8.0g		* quantity of solid dairy products (in grams) while in residence 1 time 1
gldt1r2	long	%8.0g		* quantity of solid dairy products (in grams) while in residence 2 time 1
gldt1r3	int	%8.0g		* quantity of solid dairy products (in grams) while in residence 3 time 1
gldt1r4	int	%8.0g		* quantity of solid dairy products (in grams) while in residence 4 time 1
lvt1r1	byte	%15.0g	LABC	* did you consume leafy vegetables while in residence 1 time 1
lvt1r2	byte	%15.0g	LABC	* did you consume leafy vegetables while in residence 2 time 1
lvt1r3	byte	%15.0g	LABC	* did you consume leafy vegetables while in residence 3 time 1
lvt1r4	byte	%15.0g	LABC	* did you consume leafy vegetables while in residence 4 time 1
slvt1r1	byte	%20.0g	LABN	* source of leafy vegetables while in residence 1 time 1
slvt1r2	byte	%20.0g	LABN	* source of leafy vegetables while in residence 2 time 1
slvt1r3	byte	%20.0g	LABN	* source of leafy vegetables while in residence 3 time 1
slvt1r4	byte	%20.0g	LABN	* source of leafy vegetables while in residence 4 time 1
glvt1r1	int	%8.0g		* quantity of leafy vegetables (in grams) while in residence 1 time 1
glvt1r2	int	%8.0g		* quantity of leafy vegetables (in grams) while in residence 2 time 1
glvt1r3	int	%8.0g		* quantity of leafy vegetables (in grams) while in residence 3 time 1
glvt1r4	int	%8.0g		* quantity of leafy vegetables (in grams) while in residence 4 time 1
sett2r1	str47	%47s		* town of residence 1 time2: july 1- december 31 1986
sett2r2	str32	%32s		* town of residence 2 time2: july

			1- december 31 1986
sett2r3	str32	%32s	* town of residence 3 time2: july 1- december 31 1986
sett2r4	str32	%32s	* town of residence 4 time2: july 1- december 31 1986
rait2r1	str32	%32s	* raion of residence 1 time2: july 1- december 31 1986
rait2r2	str32	%32s	* raion of residence 2 time2: july 1- december 31 1986
rait2r3	str32	%32s	* raion of residence 3 time2: july 1- december 31 1986
rait2r4	str32	%32s	* raion of residence 4 time2: july 1- december 31 1986
latdt2r1	int	%8.0g	* latitude in degrees residence 1 time 2: july 1-december 31 1986
latdt2r2	int	%8.0g	* latitude in degrees residence 2 time 2: july 1-december 31 1986
latdt2r3	int	%8.0g	* latitude in degrees residence 3 time 2: july 1-december 31 1986
latdt2r4	int	%8.0g	* latitude in degrees residence 4 time 2: july 1-december 31 1986
londt2r1	int	%8.0g	* longitude in degrees residence 1 time 2: july 1-december 31 1986
londt2r2	int	%8.0g	* longitude in degrees residence 2 time 2: july 1-december 31 1986
londt2r3	int	%8.0g	* longitude in degrees residence 3 time 2: july 1-december 31 1986
londt2r4	int	%8.0g	* longitude in degrees residence 4 time 2: july 1-december 31 1986
latmt2r1	int	%8.0g	* latitude in minutes residence 1 time 2: july 1-december 31 1986
latmt2r2	int	%8.0g	* latitude in minutes residence 2 time 2: july 1-december 31 1986
latmt2r3	int	%8.0g	* latitude in minutes residence 3 time 2: july 1-december 31 1986
latmt2r4	int	%8.0g	* latitude in minutes residence 4 time 2: july 1-december 31 1986

lonmt2r1	int	%8.0g		* longitude in minutes residence 1 time 2: july 1-december 31 1986
lonmt2r2	int	%8.0g		* longitude in minutes residence 2 time 2: july 1-december 31 1986
lonmt2r3	int	%8.0g		* longitude in minutes residence 3 time 2: july 1-december 31 1986
lonmt2r4	int	%8.0g		* longitude in minutes residence 4 time 2: july 1-december 31 1986
dayt2r1	int	%10.0g		* days in residence 1 time 2: from july 1 -december 31 1986
dayt2r2	int	%10.0g		* days in residence 2 time 2: from july 1 -december 31 1986
dayt2r3	int	%10.0g		* days in residence 3 time 2: from july 1 -december 31 1986
dayt2r4	int	%10.0g		* days in residence 4 time 2: from july 1 -december 31 1986
oblt2r1	byte	%31.0g	LABG	* oblast of residence 1 time 2: july 1-december 31 1986
oblt2r2	byte	%31.0g	LABG	* oblast of residence 2 time 2: july 1-december 31 1986
oblt2r3	byte	%31.0g	LABG	* oblast of residence 3 time 2: july 1-december 31 1986
oblt2r4	byte	%31.0g	LABG	* oblast of residence 4 time 2: july 1-december 31 1986
latt2r1	byte	%15.0g	LABF	* latitude direction of residence 1 time 2: july 1-december 31 1986
latt2r2	byte	%15.0g	LABF	* latitude direction of residence 2 time 2: july 1-december 31 1986
latt2r3	byte	%15.0g	LABF	* latitude direction of residence 3 time 2: july 1-december 31 1986
latt2r4	byte	%15.0g	LABF	* latitude direction of residence 4 time 2: july 1-december 31 1986
lont2r1	byte	%10.0g	lon	* longitude direction of residence 1 time 2: july 1-december 31 1986
lont2r2	byte	%10.0g	lon	* longitude direction of residence 2 time 2: july 1-december 31 1986
lont2r3	byte	%10.0g	lon	* longitude direction of residence 3 time 2: july 1-december 31 1986

lont2r4	byte	%10.0g	lon	* longitude direction of residence 4 time 2: july 1-december 31 1986
typet2r1	byte	%23.0g	LABL	* type of residence 1 time 2: july 1-december 31 1986
typet2r2	byte	%23.0g	LABL	* type of residence 2 time 2: july 1-december 31 1986
typet2r3	byte	%23.0g	LABL	* type of residence 3 time 2: july 1-december 31 1986
typet2r4	byte	%23.0g	LABL	* type of residence 4 time 2: july 1-december 31 1986
occt2r1	byte	%22.0g	LABM	* occupation when in residence 1 time 2: july 1-december 31 1986
occt2r2	byte	%22.0g	LABM	* occupation when in residence 2 time 2: july 1-december 31 1986
occt2r3	byte	%22.0g	LABM	* occupation when in residence 3 time 2: july 1-december 31 1986
occt2r4	byte	%22.0g	LABM	* occupation when in residence 4 time 2: july 1-december 31 1986
ldrt2r1	byte	%15.0g	LABC	* did you consume liquid dairy in residence 1 time 2: july 1-december 31 1986
ldrt2r2	byte	%15.0g	LABC	* did you consume liquid dairy in residence 2 time 2: july 1-december 31 1986
ldrt2r3	byte	%15.0g	LABC	* did you consume liquid dairy in residence 3 time 2: july 1-december 31 1986
ldrt2r4	byte	%15.0g	LABC	* did you consume liquid dairy in residence 4 time 2: july 1-december 31 1986
sldrt2r1	byte	%20.0g	LABN	* source of liquid dairy residence 1 time 2: july 1-december 31 1986
sldrt2r2	byte	%20.0g	LABN	* source of liquid dairy residence 2 time 2: july 1-december 31 1986
sldrt2r3	byte	%20.0g	LABN	* source of liquid dairy residence 3 time 2: july 1-december 31 1986
sldrt2r4	byte	%20.0g	LABN	* source of liquid dairy residence 4 time 2: july 1-december 31 1986
mlldt2r1	int	%8.0g		* quantity liquid dairy (in ml) residence 1 time 2: july

m1ldt2r2	int	%8.0g		1-december 31 1986 * quantity liquid dairy (in ml) residence 2 time 2: july 1-december 31 1986
m1ldt2r3	int	%8.0g		* quantity liquid dairy (in ml) residence 3 time 2: july 1-december 31 1986
m1ldt2r4	int	%8.0g		* quantity liquid dairy (in ml) residence 4 time 2: july 1-december 31 1986
sdrt2r1	byte	%15.0g	LABC	* did you consume solid dairy in residence 1 time 2: july 1-december 31 1986
sdrt2r2	byte	%15.0g	LABC	* did you consume solid dairy in residence 2 time 2: july 1-december 31 1986
sdrt2r3	byte	%15.0g	LABC	* did you consume solid dairy in residence 3 time 2: july 1-december 31 1986
sdrt2r4	byte	%15.0g	LABC	* did you consume solid dairy in residence 4 time 2: july 1-december 31 1986
ssdrt2r1	byte	%20.0g	LABN	* source of solid dairy in residence 1 time 2: july 1-december 31 1986
ssdrt2r2	byte	%20.0g	LABN	* source of solid dairy in residence 2 time 2: july 1-december 31 1986
ssdrt2r3	byte	%20.0g	LABN	* source of solid dairy in residence 3 time 2: july 1-december 31 1986
ssdrt2r4	byte	%20.0g	LABN	* source of solid dairy in residence 4 time 2: july 1-december 31 1986
gldt2r1	long	%8.0g		* quantity solid dairy (in grams) residence 1 time 2: july 1-december 31 1986
gldt2r2	long	%8.0g		* quantity solid dairy (in grams) residence 2 time 2: july 1-december 31 1986
gldt2r3	int	%8.0g		* quantity solid dairy (in grams) residence 3 time 2: july 1-december 31 1986
gldt2r4	int	%8.0g		* quantity solid dairy (in grams) residence 4 time 2: july 1-december 31 1986
pott2r1	byte	%15.0g	LABC	did you consume potatoes in residence 1 time 2: july 1-december 31 1986

pott2r2	byte	%15.0g	LABC	did you consume potatoes in residence 2 time 2: july 1-december 31 1986
pott2r3	byte	%15.0g	LABC	did you consume potatoes in residence 3 time 2: july 1-december 31 1986
pott2r4	byte	%15.0g	LABC	did you consume potatoes in residence 4 time 2: july 1-december 31 1986
spott2r1	byte	%20.0g	LABN	source of potatoes in residence 1 time 2: july 1-december 31 1986
spott2r2	byte	%20.0g	LABN	source of potatoes in residence 2 time 2: july 1-december 31 1986
spott2r3	byte	%20.0g	LABN	source of potatoes in residence 3 time 2: july 1-december 31 1986
spott2r4	byte	%20.0g	LABN	source of potatoes in residence 4 time 2: july 1-december 31 1986
gpott2r1	long	%8.0g		* quantity of potatoes (in grams) in residence 1 time 2: july 1-december 31 1986
gpott2r2	long	%8.0g		* quantity of potatoes (in grams) in residence 2 time 2: july 1-december 31 1986
gpott2r3	int	%8.0g		* quantity of potatoes (in grams) in residence 3 time 2: july 1-december 31 1986
gpott2r4	int	%8.0g		* quantity of potatoes (in grams) in residence 4 time 2: july 1-december 31 1986
prkt2r1	byte	%15.0g	LABC	did you consume pork in residence 1 time 2: july 1-december 31 1986
prkt2r2	byte	%15.0g	LABC	did you consume pork in residence 2 time 2: july 1-december 31 1986
prkt2r3	byte	%15.0g	LABC	did you consume pork in residence 3 time 2: july 1-december 31 1986
prkt2r4	byte	%15.0g	LABC	did you consume pork in residence 4 time 2: july 1-december 31 1986
sprkt2r1	byte	%20.0g	LABN	source of pork in residence 1 time 2: july 1-december 31 1986
sprkt2r2	byte	%20.0g	LABN	source of pork in residence 2

				time 2: july 1-december 31 1986
sprkt2r3	byte	%20.0g	LABN	source of pork in residence 3 time 2: july 1-december 31 1986
sprkt2r4	byte	%20.0g	LABN	source of pork in residence 4 time 2: july 1-december 31 1986
gprkt2r1	int	%8.0g		* quantity of pork (in grams) residence 1 time 2: july 1-december 31 1986
gprkt2r2	int	%8.0g		* quantity of pork (in grams) residence 2 time 2: july 1-december 31 1986
gprkt2r3	int	%8.0g		* quantity of pork (in grams) residence 3 time 2: july 1-december 31 1986
gprkt2r4	int	%8.0g		* quantity of pork (in grams) residence 4 time 2: july 1-december 31 1986
beft2r1	byte	%15.0g	LABC	did you consume beef in residence 1 time 2: july 1-december 31 1986
beft2r2	byte	%15.0g	LABC	did you consume beef in residence 2 time 2: july 1-december 31 1986
beft2r3	byte	%15.0g	LABC	did you consume beef in residence 3 time 2: july 1-december 31 1986
beft2r4	byte	%15.0g	LABC	did you consume beef in residence 4 time 2: july 1-december 31 1986
sbft2r1	byte	%20.0g	LABN	source of beef in residence 1 time 2: july 1-december 31 1986
sbft2r2	byte	%20.0g	LABN	source of beef in residence 2 time 2: july 1-december 31 1986
sbft2r3	byte	%20.0g	LABN	source of beef in residence 3 time 2: july 1-december 31 1986
sbft2r4	byte	%20.0g	LABN	source of beef in residence 4 time 2: july 1-december 31 1986
gbft2r1	long	%8.0g		* quantity of beef (in grams) residence 1 time 2: july 1-december 31 1986
gbft2r2	int	%8.0g		* quantity of beef (in grams) residence 2 time 2: july

gbft2r3	int	%8.0g		1-december 31 1986 * quantity of beef (in grams) residence 3 time 2: july 1-december 31 1986
gbft2r4	int	%8.0g		* quantity of beef (in grams) residence 4 time 2: july 1-december 31 1986
pltt2r1	byte	%15.0g	LABC	did you consume poultry in residence 1 time 2: july 1-december 31 1986
pltt2r2	byte	%15.0g	LABC	did you consume poultry in residence 2 time 2: july 1-december 31 1986
pltt2r3	byte	%15.0g	LABC	did you consume poultry in residence 3 time 2: july 1-december 31 1986
pltt2r4	byte	%15.0g	LABC	did you consume poultry in residence 4 time 2: july 1-december 31 1986
spltt2r1	byte	%20.0g	LABN	source of poultry in residence 1 time 2: july 1-december 31 1986
spltt2r2	byte	%20.0g	LABN	source of poultry in residence 2 time 2: july 1-december 31 1986
spltt2r3	byte	%20.0g	LABN	source of poultry in residence 3 time 2: july 1-december 31 1986
spltt2r4	byte	%20.0g	LABN	source of poultry in residence 4 time 2: july 1-december 31 1986
gpltt2r1	int	%8.0g		* quantity of poultry (in grams) in residence 1 time 2: july 1-december 31 1986
gpltt2r2	int	%8.0g		* quantity of poultry (in grams) in residence 2 time 2: july 1-december 31 1986
gpltt2r3	int	%8.0g		* quantity of poultry (in grams) in residence 3 time 2: july 1-december 31 1986
gpltt2r4	int	%8.0g		* quantity of poultry (in grams) in residence 4 time 2: july 1-december 31 1986
msht2r1	byte	%15.0g	LABC	did you consume mushrooms in residence 1 time 2: july 1-december 31 1986
msht2r2	byte	%15.0g	LABC	did you consume mushrooms in residence 2 time 2: july 1-december 31 1986

msht2r3	byte	%15.0g	LABC	did you consume mushrooms in residence 3 time 2: july 1-december 31 1986
msht2r4	byte	%15.0g	LABC	did you consume mushrooms in residence 4 time 2: july 1-december 31 1986
smsht2r1	byte	%20.0g	LABN	source of mushrooms in residence 1 time 2: july 1-december 31 1986
smsht2r2	byte	%20.0g	LABN	source of mushrooms in residence 2 time 2: july 1-december 31 1986
smsht2r3	byte	%20.0g	LABN	source of mushrooms in residence 3 time 2: july 1-december 31 1986
smsht2r4	byte	%20.0g	LABN	source of mushrooms in residence 4 time 2: july 1-december 31 1986
gmsht2r1	int	%8.0g		* quantity of mushr (in grams) per week residence 1 time 2: july1-december 31
gmsht2r2	int	%8.0g		* quantity of mushr (in grams) per week residence 2 time 2: july1-december 31
gmsht2r3	int	%8.0g		* quantity of mushr (in grams) per week residence 3 time 2: july1-december 31
gmsht2r4	int	%8.0g		* quantity of mushr (in grams) per week residence 4 time 2: july1-december 31
sett3r1	str47	%47s		* town of residence 1 time 3: jan 1987 - dec 1990
sett3r2	str32	%32s		* town of residence 2 time 3: jan 1987 - dec 1990
sett3r3	str32	%32s		* town of residence 3 time 3: jan 1987 - dec 1990
sett3r4	str32	%32s		* town of residence 4 time 3: jan 1987 - dec 1990
rait3r1	str32	%32s		* raion of residence 1 time 3: jan 1987 - dec 1990
rait3r2	str32	%32s		* raion of residence 2 time 3: jan 1987 - dec 1990
rait3r3	str32	%32s		* raion of residence 3 time 3: jan 1987 - dec 1990
rait3r4	str32	%32s		* raion of residence 4 time 3: jan 1987 - dec 1990
latdt3r1	int	%8.0g		* latitude in degrees residence 1 time 3: jan 1987 - dec 1990
latdt3r2	int	%8.0g		* latitude in degrees residence 2

latdt3r3	int	%8.0g		time 3: jan 1987 - dec 1990 * latitude in degrees residence 3
latdt3r4	int	%8.0g		time 3: jan 1987 - dec 1990 * latitude in degrees residence 4
londt3r1	int	%8.0g		time 3: jan 1987 - dec 1990 * longitude in degrees residence 1
londt3r2	int	%8.0g		time 3: jan 1987 - dec 1990 * longitude in degrees residence 2
londt3r3	int	%8.0g		time 3: jan 1987 - dec 1990 * longitude in degrees residence 3
londt3r4	int	%8.0g		time 3: jan 1987 - dec 1990 * longitude in degrees residence 4
latmt3r1	int	%8.0g		time 3: jan 1987 - dec 1990 * latitude in minutes residence 1
latmt3r2	int	%8.0g		time 3: jan 1987 - dec 1990 * latitude in minutes residence 2
latmt3r3	int	%8.0g		time 3: jan 1987 - dec 1990 * latitude in minutes residence 3
latmt3r4	int	%8.0g		time 3: jan 1987 - dec 1990 * latitude in minutes residence 4
lonmt3r1	int	%8.0g		time 3: jan 1987 - dec 1990 * longitude in minutes residence 1
lonmt3r2	int	%8.0g		time 3: jan 1987 - dec 1990 * longitude in minutes residence 2
lonmt3r3	int	%8.0g		time 3: jan 1987 - dec 1990 * longitude in minutes residence 3
lonmt3r4	int	%8.0g		time 3: jan 1987 - dec 1990 * longitude in minutes residence 4
mntht3r1	byte	%10.0g		time 3: jan 1987 - dec 1990 * how long did you stay in residence 1 time 3: jan 1987 - dec 1990
mntht3r2	byte	%10.0g		* how long did you stay in residence 2 time 3: jan 1987 - dec 1990
mntht3r3	byte	%10.0g		* how long did you stay in residence 3 time 3: jan 1987 - dec 1990
mntht3r4	byte	%10.0g		* how long did you stay in residence 4 time 3: jan 1987 - dec 1990
oblt3r1	byte	%31.0g	LABG	* oblast of residence 1 time 3: jan 1987 - dec 1990
oblt3r2	byte	%31.0g	LABG	* oblast of residence 2 time 3: jan 1987 - dec 1990
oblt3r3	byte	%31.0g	LABG	* oblast of residence 3 time 3: jan 1987 - dec 1990
oblt3r4	byte	%31.0g	LABG	* oblast of residence 4 time 3: jan 1987 - dec 1990

latt3r1	byte	%15.0g	LABF	* latitude direction of residence 1 time 3: jan 1987 - dec 1990
latt3r2	byte	%15.0g	LABF	* latitude direction of residence 2 time 3: jan 1987 - dec 1990
latt3r3	byte	%15.0g	LABF	* latitude direction of residence 3 time 3: jan 1987 - dec 1990
latt3r4	byte	%15.0g	LABF	* latitude direction of residence 4 time 3: jan 1987 - dec 1990
lont3r1	byte	%10.0g	lon	* longitude direction of residence 1 time 3: jan 1987 - dec 1990
lont3r2	byte	%10.0g	lon	* longitude direction of residence 2 time 3: jan 1987 - dec 1990
lont3r3	byte	%10.0g	lon	* longitude direction of residence 3 time 3: jan 1987 - dec 1990
lont3r4	byte	%10.0g	lon	* longitude direction of residence 4 time 3: jan 1987 - dec 1990
typet3r1	byte	%23.0g	LABL	type of residence 1 time 3: jan 1987 - dec 1990
typet3r2	byte	%23.0g	LABL	type of residence 2 time 3: jan 1987 - dec 1990
typet3r3	byte	%23.0g	LABL	type of residence 3 time 3: jan 1987 - dec 1990
typet3r4	byte	%23.0g	LABL	type of residence 4 time 3: jan 1987 - dec 1990
occt3r1	byte	%22.0g	LABO	occupation while in residence 1 time 3: jan 1987 - dec 1990
occt3r2	byte	%22.0g	LABO	occupation while in residence 2 time 3: jan 1987 - dec 1990
occt3r3	byte	%22.0g	LABO	occupation while in residence 3 time 3: jan 1987 - dec 1990
occt3r4	byte	%22.0g	LABO	occupation while in residence 4 time 3: jan 1987 - dec 1990
ldrt3r1	byte	%15.0g	LABC	* did you consume liquid dairy in residence 1 time 3: jan 1987 - dec 1990
ldrt3r2	byte	%15.0g	LABC	* did you consume liquid dairy in residence 2 time 3: jan 1987 - dec 1990
ldrt3r3	byte	%15.0g	LABC	* did you consume liquid dairy in residence 3 time 3: jan 1987 - dec 1990
ldrt3r4	byte	%15.0g	LABC	* did you consume liquid dairy in residence 4 time 3: jan 1987 - dec 1990
sldrt3r1	byte	%20.0g	LABN	* source of liquid dairy in residence 1 time 3: jan 1987 - dec 1990
sldrt3r2	byte	%20.0g	LABN	* source of liquid dairy in residence 2 time 3: jan 1987 -

Variable	Type	Format	Label	Description
sldrt3r3	byte	%20.0g	LABN	dec 1990 * source of liquid dairy in residence 3 time 3: jan 1987 - dec 1990
sldrt3r4	byte	%20.0g	LABN	* source of liquid dairy in residence 4 time 3: jan 1987 - dec 1990
mlldt3r1	int	%8.0g		* quantity (in ml) of liquid dairy per week residence 1 time 3: jan 1987 - dec90
mlldt3r2	int	%8.0g		* quantity (in ml) of liquid dairy per week residence 2 time 3: jan 1987 - dec90
mlldt3r3	int	%8.0g		* quantity (in ml) of liquid dairy per week residence 3 time 3: jan 1987 - dec90
mlldt3r4	int	%8.0g		* quantity (in ml) of liquid dairy per week residence 4 time 3: jan 1987 - dec90
sdrt3r1	byte	%15.0g	LABC	* did you consume solid dairy in residence 1 time 3: jan 1987 - dec 1990
sdrt3r2	byte	%15.0g	LABC	* did you consume solid dairy in residence 2 time 3: jan 1987 - dec 1990
sdrt3r3	byte	%15.0g	LABC	* did you consume solid dairy in residence 3 time 3: jan 1987 - dec 1990
sdrt3r4	byte	%15.0g	LABC	* did you consume solid dairy in residence 4 time 3: jan 1987 - dec 1990
ssdrt3r1	byte	%20.0g	LABN	* source of solid dairy in residence 1 time 3: jan 1987 - dec 1990
ssdrt3r2	byte	%20.0g	LABN	* source of solid dairy in residence 2 time 3: jan 1987 - dec 1990
ssdrt3r3	byte	%20.0g	LABN	* source of solid dairy in residence 3 time 3: jan 1987 - dec 1990
ssdrt3r4	byte	%20.0g	LABN	* source of solid dairy in residence 4 time 3: jan 1987 - dec 1990
gldt3r1	int	%8.0g		* quantity (in grams) of solid dairy per week res 1 time 3: jan 1987 - dec 1990
gldt3r2	int	%8.0g		* quantity (in grams) of solid dairy per week res 2 time 3: jan 1987 - dec 1990

gldt3r3	int	%8.0g		* quantity (in grams) of solid dairy per week res 3 time 3: jan 1987 - dec 1990
gldt3r4	int	%8.0g		* quantity (in grams) of solid dairy per week res 4 time 3: jan 1987 - dec 1990
pott3r1	byte	%15.0g	LABC	* did you consume potatoes in residence 1 time 3: jan 1987 - dec 1990
pott3r2	byte	%15.0g	LABC	* did you consume potatoes in residence 2 time 3: jan 1987 - dec 1990
pott3r3	byte	%15.0g	LABC	* did you consume potatoes in residence 3 time 3: jan 1987 - dec 1990
pott3r4	byte	%15.0g	LABC	* did you consume potatoes in residence 4 time 3: jan 1987 - dec 1990
spott3r1	byte	%20.0g	LABN	source of potatoes in residence 1 time 3: jan 1987 - dec 1990
spott3r2	byte	%20.0g	LABN	source of potatoes in residence 2 time 3: jan 1987 - dec 1990
spott3r3	byte	%20.0g	LABN	source of potatoes in residence 3 time 3: jan 1987 - dec 1990
spott3r4	byte	%20.0g	LABN	source of potatoes in residence 4 time 3: jan 1987 - dec 1990
gpott3r1	int	%8.0g		* quantity (in grams) of potatoes per week residence 1 time 3: jan 1987 - dec 1990
gpott3r2	int	%8.0g		* quantity (in grams) of potatoes per week residence 2 time 3: jan 1987 - dec 1990
gpott3r3	int	%8.0g		* quantity (in grams) of potatoes per week residence 3 time 3: jan 1987 - dec 1990
gpott3r4	int	%8.0g		* quantity (in grams) of potatoes per week residence 4 time 3: jan 1987 - dec 1990
prkt3r1	byte	%15.0g	LABC	did you consume pork in residence 1 time 3: jan 1987 - dec 1990
prkt3r2	byte	%15.0g	LABC	did you consume pork in residence 2 time 3: jan 1987 - dec 1990
prkt3r3	byte	%15.0g	LABC	did you consume pork in residence 3 time 3: jan 1987 - dec 1990
prkt3r4	byte	%15.0g	LABC	did you consume pork in residence 4 time 3: jan 1987 -

				dec 1990
sprkt3r1	byte	%20.0g	LABN	source of pork in residence 1 time 3: jan 1987 - dec 1990
sprkt3r2	byte	%20.0g	LABN	source of pork in residence 2 time 3: jan 1987 - dec 1990
sprkt3r3	byte	%20.0g	LABN	source of pork in residence 3 time 3: jan 1987 - dec 1990
sprkt3r4	byte	%20.0g	LABN	source of pork in residence 4 time 3: jan 1987 - dec 1990
gprkt3r1	long	%8.0g		* quantity (in grams) of pork per week residence 1 time 3: jan 1987 - dec 1990
gprkt3r2	long	%8.0g		* quantity (in grams) of pork per week residence 2 time 3: jan 1987 - dec 1990
gprkt3r3	long	%8.0g		* quantity (in grams) of pork per week residence 3 time 3: jan 1987 - dec 1990
gprkt3r4	int	%8.0g		* quantity (in grams) of pork per week residence 4 time 3: jan 1987 - dec 1990
beft3r1	byte	%15.0g	LABC	did you consume beef in residence 1 time 3: jan 1987 - dec 1990
beft3r2	byte	%15.0g	LABC	did you consume beef in residence 2 time 3: jan 1987 - dec 1990
beft3r3	byte	%15.0g	LABC	did you consume beef in residence 3 time 3: jan 1987 - dec 1990
beft3r4	byte	%15.0g	LABC	did you consume beef in residence 4 time 3: jan 1987 - dec 1990
sbft3r1	byte	%20.0g	LABN	source of beef in residence 1 time 3: jan 1987 - dec 1990
sbft3r2	byte	%20.0g	LABN	source of beef in residence 2 time 3: jan 1987 - dec 1990
sbft3r3	byte	%20.0g	LABN	source of beef in residence 3 time 3: jan 1987 - dec 1990
sbft3r4	byte	%20.0g	LABN	source of beef in residence 4 time 3: jan 1987 - dec 1990
gbft3r1	long	%8.0g		* quantity (in grams) of beef per week residence 1 time 3: jan 1987 - dec 1990
gbft3r2	int	%8.0g		* quantity (in grams) of beef per week residence 2 time 3: jan 1987 - dec 1990
gbft3r3	int	%8.0g		* quantity (in grams) of beef per week residence 3 time 3: jan

gbft3r4	int	%8.0g		1987 - dec 1990 * quantity (in grams) of beef per week residence 4 time 3: jan 1987 - dec 1990
pltt3r1	byte	%15.0g	LABC	did you consume poultry in residence 1 time 3: jan 1987 - dec 1990
pltt3r2	byte	%15.0g	LABC	did you consume poultry in residence 2 time 3: jan 1987 - dec 1990
pltt3r3	byte	%15.0g	LABC	did you consume poultry in residence 3 time 3: jan 1987 - dec 1990
pltt3r4	byte	%15.0g	LABC	did you consume poultry in residence 4 time 3: jan 1987 - dec 1990
spltt3r1	byte	%20.0g	LABN	source of paultry in residence 1 time 3: jan 1987 - dec 1990
spltt3r2	byte	%20.0g	LABN	source of paultry in residence 2 time 3: jan 1987 - dec 1990
spltt3r3	byte	%20.0g	LABN	source of paultry in residence 3 time 3: jan 1987 - dec 1990
spltt3r4	byte	%20.0g	LABN	source of paultry in residence 4 time 3: jan 1987 - dec 1990
gpltt3r1	long	%8.0g		* quantity (in grams) of paultry per week residence 1 time 3: jan 1987 - dec 1990
gpltt3r2	int	%8.0g		* quantity (in grams) of paultry per week residence 2 time 3: jan 1987 - dec 1990
gpltt3r3	int	%8.0g		* quantity (in grams) of paultry per week residence 3 time 3: jan 1987 - dec 1990
gpltt3r4	int	%8.0g		* quantity (in grams) of paultry per week residence 4 time 3: jan 1987 - dec 1990
msht3r1	byte	%15.0g	LABC	did you consume mushrooms in residence 1 time 3: jan 1987 - dec 1990
msht3r2	byte	%15.0g	LABC	did you consume mushrooms in residence 2 time 3: jan 1987 - dec 1990
msht3r3	byte	%15.0g	LABC	did you consume mushrooms in residence 3 time 3: jan 1987 - dec 1990
msht3r4	byte	%15.0g	LABC	did you consume mushrooms in residence 4 time 3: jan 1987 - dec 1990
smsht3r1	byte	%20.0g	LABN	source of mushrooms in residence

smsht3r2	byte	%20.0g	LABN	1 time 3: jan 1987 - dec 1990 source of mushrooms in residence
smsht3r3	byte	%20.0g	LABN	2 time 3: jan 1987 - dec 1990 source of mushrooms in residence
smsht3r4	byte	%20.0g	LABN	3 time 3: jan 1987 - dec 1990 source of mushrooms in residence
gmsht3r1	int	%8.0g		4 time 3: jan 1987 - dec 1990 * quantity (in grams) of mushroom per week residence 1 time 3: jan 1987 - dec 1990
gmsht3r2	int	%8.0g		* quantity (in grams) of mushroom per week residence 2 time 3: jan 1987 - dec 1990
gmsht3r3	int	%8.0g		* quantity (in grams) of mushroom per week residence 3 time 3: jan 1987 - dec 1990
gmsht3r4	int	%8.0g		* quantity (in grams) of mushroom per week residence 4 time 3: jan 1987 - dec 1990
sett4r1	str47	%30s		* town of residence 1 time 4: jan 1991-now
sett4r2	str32	%32s		town of residence 2 time 4: jan 1991-now
sett4r3	str32	%32s		town of residence 3 time 4: jan 1991-now
sett4r4	str32	%32s		town of residence 4 time 4: jan 1991-now
rait4r1	str32	%32s		raion of residence 1 time 4: jan 1991-now
rait4r2	str32	%32s		raion of residence 2 time 4: jan1991-now
rait4r3	str32	%32s		raion of residence 3 time 4: jan1991-now
rait4r4	str32	%32s		raion of residence 4 time 4: jan 1991-now
latdt4r1	int	%8.0g		* latitude in degrees residence 1 time 4: jan 1991-now
latdt4r2	int	%8.0g		* latitude in degrees residence 2 time 4: jan 1991-now
latdt4r3	int	%8.0g		* latitude in degrees residence 3 time 4: jan 1991-now
latdt4r4	int	%8.0g		* latitude in degrees residence 4 time 4: jan 1991-now
londt4r1	int	%8.0g		* longitude in degrees residence 1 time 4: jan 1991-now
londt4r2	int	%8.0g		* longitude in degrees residence 2 time 4: jan 1991-now
londt4r3	int	%8.0g		* longitude in degrees residence 3 time 4: jan 1991-now

londt4r4	int	%8.0g		* longitude in degrees residence 4 time 4: jan 1991-now
latmt4r1	int	%8.0g		* latitude in minutes residence 1 time 4: jan 1991-now
latmt4r2	int	%8.0g		* latitude in minutes residence 2 time 4: jan 1991-now
latmt4r3	int	%8.0g		* latitude in minutes residence 3 time 4: jan 1991-now
latmt4r4	int	%8.0g		* latitude in minutes residence 4 time 4: jan 1991-now
lonmt4r1	long	%8.0g		* longitude in minutes residence 1 time 4: jan 1991-now
lonmt4r2	int	%8.0g		* longitude in minutes residence 2 time 4: jan 1991-now
lonmt4r3	int	%8.0g		* longitude in minutes residence 3 time 4: jan 1991-now
lonmt4r4	int	%8.0g		* longitude in minutes residence 4 time 4: jan 1991-now
mntht4r1	int	%8.0g		* how long did you stay in residence 1 time 4: jan 1991-now
mntht4r2	int	%8.0g		* how long did you stay in residence 2 time 4: jan 1991-now
mntht4r3	int	%8.0g		* how long did you stay in residence 3 time 4: jan 1991-now
mntht4r4	byte	%8.0g		* how long did you stay in residence 4 time 4: jan 1991-now
oblt4r1	byte	%31.0g	LABG	oblast of the residence 1 time 4: jan 1991-now
oblt4r2	byte	%31.0g	LABG	oblast of the residence 2 time 4: jan 1991-now
oblt4r3	byte	%31.0g	LABG	oblast of the residence 3 time 4: jan 1991-now
oblt4r4	byte	%31.0g	LABG	oblast of the residence 4 time 4: jan 1991-now
latt4r1	byte	%15.0g	LABF	direction of latitude of residence 1 time 4: jan 1991-now
latt4r2	byte	%15.0g	LABF	direction of latitude of residence 2 time 4: jan 1991-now
latt4r3	byte	%15.0g	LABF	direction of latitude of residence 3 time 4: jan 1991-now
latt4r4	byte	%15.0g	LABF	direction of latitude of residence 4 time 4: jan

lont4r1	byte	%10.0g	lon	1991-now direction of longitude of residence 1 time 4: jan
lont4r2	byte	%10.0g	lon	1991-now direction of longitude of residence 2 time 4: jan
lont4r3	byte	%10.0g	lon	1991-now direction of longitude of residence 3 time 4: jan
lont4r4	byte	%10.0g	lon	1991-now direction of longitude of residence 4 time 4: jan
typet4r1	byte	%23.0g	LABL	1991-now type of residence 1 time 4: jan
typet4r2	byte	%23.0g	LABL	1991-now type of residence 2 time 4: jan
typet4r3	byte	%23.0g	LABL	1991-now type of residence 3 time 4: jan
typet4r4	byte	%23.0g	LABL	1991-now type of residence 4 time 4: jan
occt4r1	byte	%22.0g	LABM	1991-now occupation when in residence 1 time 4: jan 1991-now
occt4r2	byte	%22.0g	LABM	1991-now occupation when in residence 2 time 4: jan 1991-now
occt4r3	byte	%22.0g	LABM	1991-now occupation when in residence 3 time 4: jan 1991-now
occt4r4	byte	%22.0g	LABM	1991-now occupation when in residence 4 time 4: jan 1991-now
ldrt4r1	byte	%15.0g	LABC	1991-now did you consume liquid dairy products in residence 1 time 4: jan 1991-now
ldrt4r2	byte	%15.0g	LABC	1991-now did you consume liquid dairy products in residence 2 time 4: jan 1991-now
ldrt4r3	byte	%15.0g	LABC	1991-now did you consume liquid dairy products in residence 3 time 4: jan 1991-now
ldrt4r4	byte	%15.0g	LABC	1991-now did you consume liquid dairy products in residence 4 time 4: jan 1991-now
sldrt4r1	byte	%20.0g	LABN	* 1991-now source of liquid dairy products in residence 1 time 4: jan
sldrt4r2	byte	%20.0g	LABN	* 1991-now source of liquid dairy products in residence 2 time 4: jan
sldrt4r3	byte	%20.0g	LABN	* 1991-now source of liquid dairy products in residence 3 time 4: jan

sldrt4r4	byte	%20.0g	LABN	1991-now * source of liquid dairy products in residence 4 time 4: jan 1991-now
mlldt4r1	int	%8.0g		* quantity (in ml) of liquid dairy products in residence 1 time 4: jan 1991-now
mlldt4r2	int	%8.0g		* quantity (in ml) of liquid dairy products in residence 2 time 4: jan 1991-now
mlldt4r3	int	%8.0g		* quantity (in ml) of liquid dairy products in residence 3 time 4: jan 1991-now
mlldt4r4	int	%8.0g		* quantity (in ml) of liquid dairy products in residence 4 time 4: jan 1991-now
sdrt4r1	byte	%15.0g	LABC	* did you consume solid dairy products in residence 1 time 4: jan 1991-now
sdrt4r2	byte	%15.0g	LABC	* did you consume solid dairy products in residence 2 time 4: jan 1991-now
sdrt4r3	byte	%15.0g	LABC	* did you consume solid dairy products in residence 3 time 4: jan 1991-now
sdrt4r4	byte	%15.0g	LABC	* did you consume solid dairy products in residence 4 time 4: jan 1991-now
ssdrt4r1	byte	%20.0g	LABN	* source of solid dairy products in residence 1 time 4: jan 1991-now
ssdrt4r2	byte	%20.0g	LABN	* source of solid dairy products in residence 2 time 4: jan 1991-now
ssdrt4r3	byte	%20.0g	LABN	* source of solid dairy products in residence 3 time 4: jan 1991-now
ssdrt4r4	byte	%20.0g	LABN	* source of solid dairy products in residence 4 time 4: jan 1991-now
gldt4r1	long	%8.0g		* quantity (in grams) of solid dairy in residence 1 time 4: jan 1991-now
gldt4r2	long	%8.0g		* quantity (in grams) of solid dairy in residence 2 time 4: jan 1991-now
gldt4r3	long	%8.0g		* quantity (in grams) of solid dairy in residence 3 time 4: jan 1991-now

gldt4r4	int	%8.0g		* quantity (in grams) of solid dairy in residence 4 time 4: jan 1991-now
pott4r1	byte	%15.0g	LABC	did you consume potatoes in residence 1 time 4: jan 1991-now
pott4r2	byte	%15.0g	LABC	did you consume potatoes in residence 2 time 4: jan 1991-now
pott4r3	byte	%15.0g	LABC	did you consume potatoes in residence 3 time 4: jan 1991-now
pott4r4	byte	%15.0g	LABC	did you consume potatoes in residence 4 time 4: jan 1991-now
spott4r1	byte	%20.0g	LABN	* source of potatoes in residence 1 time 4: jan 1991-now
spott4r2	byte	%20.0g	LABN	* source of potatoes in residence 2 time 4: jan 1991-now
spott4r3	byte	%20.0g	LABN	* source of potatoes in residence 3 time 4: jan 1991-now
spott4r4	byte	%20.0g	LABN	* source of potatoes in residence 4 time 4: jan 1991-now
gpott4r1	long	%8.0g		* quantity of potatoes (in grams) per week in residence 1 time 4: jan 1991-now
gpott4r2	long	%8.0g		* quantity of potatoes (in grams) per week in residence 2 time 4: jan 1991-now
gpott4r3	int	%8.0g		* quantity of potatoes (in grams) per week in residence 3 time 4: jan 1991-now
gpott4r4	int	%8.0g		* quantity of potatoes (in grams) per week in residence 4 time 4: jan 1991-now
prkt4r1	byte	%15.0g	LABC	did you consume pork in residence 1 time 4: jan 1991-now
prkt4r2	byte	%15.0g	LABC	did you consume pork in residence 2 time 4: jan 1991-now
prkt4r3	byte	%15.0g	LABC	did you consume pork in residence 3 time 4: jan 1991-now
prkt4r4	byte	%15.0g	LABC	did you consume pork in residence 4 time 4: jan 1991-now
sprkt4r1	byte	%20.0g	LABN	* source of pork in residence 1 time 4: jan 1991-now

sprkt4r2	byte	%20.0g	LABN	* source of pork in residence 2 time 4: jan 1991-now
sprkt4r3	byte	%20.0g	LABN	* source of pork in residence 3 time 4: jan 1991-now
sprkt4r4	byte	%20.0g	LABN	* source of pork in residence 4 time 4: jan 1991-now
gprkt4r1	int	%8.0g		* quantity of pork (in grams) per week in residence 1 time 4: jan 1991-now
gprkt4r2	int	%8.0g		* quantity of pork (in grams) per week in residence 2 time 4: jan 1991-now
gprkt4r3	int	%8.0g		* quantity of pork (in grams) per week in residence 3 time 4: jan 1991-now
gprkt4r4	int	%8.0g		* quantity of pork (in grams) per week in residence 4 time 4: jan 1991-now
bef4r1	byte	%15.0g	LABC	did you consume beef in residence 1 time 4: jan 1991-now
bef4r2	byte	%15.0g	LABC	did you consume beef in residence 2 time 4: jan 1991-now
bef4r3	byte	%15.0g	LABC	did you consume beef in residence 3 time 4: jan 1991-now
bef4r4	byte	%15.0g	LABC	did you consume beef in residence 4 time 4: jan 1991-now
sbef4r1	byte	%20.0g	LABN	source of beef in residence 1 in time 4: jan 1991-now
sbef4r2	byte	%20.0g	LABN	source of beef in residence 2 in time 4: jan 1991-now
sbef4r3	byte	%20.0g	LABN	source of beef in residence 3 in time 4: jan 1991-now
sbef4r4	byte	%20.0g	LABN	source of beef in residence 4 in time 4: jan 1991-now
gbef4r1	long	%8.0g		* quantity of beef (in grams) per week in residence 1 in time 4: jan 1991-now
gbef4r2	int	%8.0g		* quantity of beef (in grams) per week in residence 2 in time 4: jan 1991-now
gbef4r3	int	%8.0g		* quantity of beef (in grams) per week in residence 3 in time 4: jan 1991-now
gbef4r4	int	%8.0g		* quantity of beef (in grams) per week in residence 4 in time 4:

				jan 1991-now
pltt4r1	byte	%15.0g	LABC	* did you consume poultry in residence 1 in time 4: jan 1991-now
pltt4r2	byte	%15.0g	LABC	* did you consume poultry in residence 2 in time 4: jan 1991-now
pltt4r3	byte	%15.0g	LABC	* did you consume poultry in residence 3 in time 4: jan 1991-now
pltt4r4	byte	%15.0g	LABC	* did you consume poultry in residence 4 in time 4: jan 1991-now
spltt4r1	byte	%20.0g	LABN	source of paultry in residence 1 in time 4: jan 1991-now
spltt4r2	byte	%20.0g	LABN	source of paultry in residence 2 in time 4: jan 1991-now
spltt4r3	byte	%20.0g	LABN	source of paultry in residence 3 in time 4: jan 1991-now
spltt4r4	byte	%20.0g	LABN	source of paultry in residence 4 in time 4: jan 1991-now
gpltt4r1	long	%8.0g		* quantity of paultry (in grams) per week in residence 1 in time 4: jan 1991-now
gpltt4r2	int	%8.0g		* quantity of paultry (in grams) per week in residence 2 in time 4: jan 1991-now
gpltt4r3	int	%8.0g		* quantity of paultry (in grams) per week in residence 3 in time 4: jan 1991-now
gpltt4r4	int	%8.0g		* quantity of paultry (in grams) per week in residence 4 in time 4: jan 1991-now
msht4r1	byte	%15.0g	LABC	* did you consume mushrooms in residence 1 in time 4: jan 1991-now
msht4r2	byte	%15.0g	LABC	* did you consume mushrooms in residence 2 in time 4: jan 1991-now
msht4r3	byte	%15.0g	LABC	* did you consume mushrooms in residence 3 in time 4: jan 1991-now
msht4r4	byte	%15.0g	LABC	* did you consume mushrooms in residence 4 in time 4: jan 1991-now
smsht4r1	byte	%20.0g	LABN	source of mushrooms in residence 1 in time 4: jan 1991-now
smsht4r2	byte	%20.0g	LABN	source of mushrooms in residence 2 in time 4: jan 1991-now

smsht4r3	byte	%20.0g	LABN	source of mushrooms in residence 2 in time 4: jan 1991-now
smsht4r4	byte	%20.0g	LABN	source of mushrooms in residence 3 in time 4: jan 1991-now
gmsht4r1	int	%8.0g		* quantity of mushroom (in grams) per week in residence 1 in time 4: jan 1991-now
gmsht4r2	int	%8.0g		* quantity of mushroom (in grams) per week in residence 2 in time 4: jan 1991-now
gmsht4r3	int	%8.0g		* quantity of mushroom (in grams) per week in residence 3 in time 4: jan 1991-now
gmsht4r4	int	%8.0g		* quantity of mushroom (in grams) per week in residence 4 in time 4: jan 1991-now
csflfrnd	byte	%15.0g	LABB	* let your feelings out to a friend?
csrearr	byte	%15.0g	LABB	* rearranged things around you so that your problem had the best chance of being s
csbrstrm	byte	%15.0g	LABB	brainstormed all possible solutions before deciding what to do?
csdist	byte	%15.0g	LABB	tried to distract yourself from the problem?
csaccsy	byte	%15.0g	LABB	accepted sympathy and understanding from someone?
cskpothe	byte	%15.0g	LABB	did all you could to keep others from seeing how bad things really were?
cstkpeop	byte	%15.0g	LABB	* talked to people about the situation because talking about it helped you to feel
cssetgoa	byte	%15.0g	LABB	set some goals for yourself to deal with the situation?
cswghopt	byte	%15.0g	LABB	weighed your options very carefully?
csddream	byte	%15.0g	LABB	daydreamed about a better time?
csdifsov	byte	%15.0g	LABB	tried different ways to solve the problem until you found one that worked?
cscofear	byte	%15.0g	LABB	confided your fears and worries to a friend or a relative?
csalone	byte	%15.0g	LABB	spent more time than usual alone?
cstldpep	byte	%15.0g	LABB	* told people about the situation because just talking about it helped you to come

csstngs	byte	%15.0g	LABB	thought about what needed to be done to straighten things out?
csflatt	byte	%15.0g	LABB	turned your full attention to solving the problem?
csactpl	byte	%15.0g	LABB	formed a plan of action in your mind?
cstv	byte	%15.0g	LABB	watched television more than usual?
csfrndpr	byte	%15.0g	LABB	went to someone (friend or professional) in order to help you feel better?
csstndfr	byte	%15.0g	LABB	stood firm and fought for what you wanted in the situation?
csavdppl	byte	%15.0g	LABB	avoided being with people in general?
csbhspr	byte	%15.0g	LABB	buried yourself in a hobby or sports activity to avoid the problem?
csfriend	byte	%15.0g	LABB	went to a friend to help you feel better about the problem?
csadvice	byte	%15.0g	LABB	went to a friend for advice on how to change the situation?
csacsymp	byte	%15.0g	LABB	accepted sympathy and understanding from friends who had the same problem?
cssleep	byte	%15.0g	LABB	slept more than usual?
csfantasy	byte	%15.0g	LABB	fantasized about how things could have been different?
csidnovl	byte	%15.0g	LABB	identified with characters in novels or movies?
cssolvpr	byte	%15.0g	LABB	tried to solve the problem?
cslvbe	byte	%15.0g	LABB	wished that people would just leave you alone?
csachelp	byte	%15.0g	LABB	accepted help from a friend or relative?
csreasur	byte	%15.0g	LABB	sought reassurance from those who know you best?
csplnact	byte	%15.0g	LABB	tried to carefully plan a course of action rather than acting on impulse?
psolv	byte	%8.0g		subscale i = "problem solving"
socsup	byte	%8.0g		subscale ii = "seeking social support"
avoid	byte	%8.0g		subscale iii = "avoidance"
hptired	byte	%12.0g	HPLabel	i'm tired all the time
hppainit	byte	%12.0g	HPLabel	i have pain at night
hpgtdwn	byte	%12.0g	HPLabel	things are getting me down
hpunpain	byte	%12.0g	HPLabel	i have unbearable pain
hpslepil	byte	%12.0g	HPLabel	i take pills to help me sleep

hpnojoy	byte	%12.0g	HPLabel	iíve forgotten what itís like to enjoy myself
hponedge	byte	%12.0g	HPLabel	iím feeling on edge
hpcngpos	byte	%12.0g	HPLabel	i find it painful to change position
hplonely	byte	%12.0g	HPLabel	i feel lonely
hplwkinr	byte	%12.0g	HPLabel	i can walk about only indoors
hpnobend	byte	%12.0g	HPLabel	i find it hard to bend
hpalefrt	byte	%12.0g	HPLabel	everything is an effort
hpwkgrly	byte	%12.0g	HPLabel	iím waking up in the early hours of the morning
hpnowlk	byte	%12.0g	HPLabel	iím unable to walk at all
hphrdcnt	byte	%12.0g	HPLabel	iím finding it hard to make contact with people
hpdaydrg	byte	%12.0g	HPLabel	the days seem to drag
hpstairs	byte	%12.0g	HPLabel	i have trouble getting up and down stairs and steps
hphrdrch	byte	%12.0g	HPLabel	i find it hard to reach for things
hplwkpai	byte	%12.0g	HPLabel	iím in pain when i walk
hptemper	byte	%12.0g	HPLabel	i lose my temper easily these days
hpnoclse	byte	%12.0g	HPLabel	i feel like there is nobody that i am close to
hpawake	byte	%12.0g	HPLabel	i lie awake for most of the night
hplocntr	byte	%12.0g	HPLabel	i feel as if iím losing control
hpstdpai	byte	%12.0g	HPLabel	iím in pain when iím standing
hphardre	byte	%12.0g	HPLabel	i find it hard to get dressed by myself
hpnoergy	byte	%12.0g	HPLabel	i soon run out of energy
hphrdstd	byte	%12.0g	HPLabel	i find it hard to stand for long (e.g. at the kitchen sink, waiting in line)
hpconpai	byte	%12.0g	HPLabel	iím in constant pain.
hplgslee	byte	%12.0g	HPLabel	it takes me a long time to get to sleep.
hpburden	byte	%12.0g	HPLabel	i feel i am a burden to people.
hpwryawk	byte	%12.0g	HPLabel	worry is keeping me awake at night.
hpnolive	byte	%12.0g	HPLabel	i feel that life is not worth living.
hpbadslp	byte	%12.0g	HPLabel	i sleep badly at night.
hpgtalng	byte	%12.0g	HPLabel	iím finding it hard to get along with people.
hphlpwlk	byte	%12.0g	HPLabel	i need help to walk about outside (e.g. a walking aid or someone to support me).
hpstrspn	byte	%12.0g	HPLabel	iím in pain when going up or

				down stairs.
hpamdprs	byte	%12.0g	HPLabel	i wake up feeling depressed
hpsitpai	byte	%12.0g	HPLabel	iím in pain when iím sitting.
enlev	double	%9.0g		energy level (el)
pain	double	%9.0g		pain (p)
emreac	double	%9.0g		emotional reaction (er)
sleep	double	%9.0g		sleep (s)
socisol	double	%9.0g		social isolation (si)
phabil	double	%9.0g		physical abilities (pa)
hprbrwk	byte	%12.0g	HPLabel	health causes problems at work
hprbrcln	byte	%12.0g	HPLabel	* health causes problems taking care of home
hprbrsc	byte	%12.0g	HPLabel	health causing problems with social life
hprbrho	byte	%12.0g	HPLabel	health causing problems with home life
hprbrsex	byte	%12.0g	HPLabel	health cauing problems with sex life
hprbrint	byte	%12.0g	HPLabel	health causing problems with interests and hobbies
hprbrvac	byte	%12.0g	HPLabel	health causing problems with vacations
hthprof	byte	%8.0g		health profile subscale
ffriend	byte	%18.0g	LABD	* before the chornobyl event in 1986 i had more close friends than i have now.
fchorn	byte	%18.0g	LABD	* if something happens that reminds me of chornobyl. i become very distressed and
fguilt	byte	%18.0g	LABD	i feel guilty over things i did around the time of chornobyl
fpush	byte	%18.0g	LABD	* since the event i find that if someone pushes me too far, i am likely to become
fnight	byte	%18.0g	LABD	i have nightmares about chornobyl.
fdead	byte	%18.0g	LABD	* when i think of some of the things i did at the time of chornobyl i wish i were
fnofeel	byte	%18.0g	LABD	since chornobyl, it seems as if i have no feelings.
flived	byte	%18.0g	LABD	i wonder why i lived when others died.
fsituat	byte	%18.0g	LABD	being in certain situations makes me feel as though i am back in the event.
flaugh	byte	%18.0g	LABD	* since chornobyl it seems that i do not laugh or cry about the same things that

fnoise	byte	%18.0g	LABD	since chornobyl unexpected noises make me jump.
falcoh	byte	%18.0g	LABD	* i have used alcohol or other drugs to help me sleep or to make me forget the eve
fafraid	byte	%18.0g	LABD	since chornobyl i have been afraid to sleep at night
fstayaw	byte	%18.0g	LABD	* i try to stay away from anything that will remind me of things which happened du
fremem	byte	%18.0g	LABD	i have difficulty remembering some things which happened during the event.
fanxio	byte	%18.0g	LABD	if something happens that reminds me of chornobyl, i get anxious and panicky.
fremind	byte	%18.0g	LABD	things i see or hear often remind me of the chornobyl event.
fdontth	byte	%18.0g	LABD	i often think about the event even when i don't mean to.
femot	byte	%18.0g	LABD	i am able to get emotionally close to others.
fkill	byte	%18.0g	LABD	lately i have felt like killing myself.
fasleep	byte	%18.0g	LABD	i fall asleep stay asleep and awaken only when the alarm goes off.
fdream	byte	%18.0g	LABD	* my dreams are so real that i awaken in a cold sweat and force myself to stay awa
fgoon	byte	%18.0g	LABD	i feel like i cannot go on.
fenjoy	byte	%18.0g	LABD	i still enjoy doing many things that i used to enjoy.
fconcen	byte	%18.0g	LABD	i have trouble concentrating on tasks.
fcomp	byte	%18.0g	LABD	i enjoy the company of others.
ffallas	byte	%18.0g	LABD	i fall asleep easily at night.
funder	byte	%18.0g	LABD	no one understands how i feel, not even my family.
fcool	byte	%18.0g	LABD	lately, i lose my cool and explode of minor everyday things.
falert	byte	%18.0g	LABD	i feel alert and on guard much of the time.
instsym	byte	%8.0g		intrusion symptom score
avoisym	byte	%8.0g		avoidance symptom score
aroussym	byte	%8.0g		arousal symptom score
suicsym	byte	%8.0g		suicidal/guilt score

bsnerv	byte	%20.0g	LABE	nervousness or shakiness inside
bsfaint	byte	%20.0g	LABE	faintness or dizziness
bsidea	byte	%20.0g	LABE	the idea that someone else can control your thoughts
bsothers	byte	%20.0g	LABE	feeling others are to blame for most of your troubles
bsnomem	byte	%20.0g	LABE	trouble remembering things
bsannoy	byte	%20.0g	LABE	feeling easily annoyed or irritated
bspain	byte	%20.0g	LABE	pains in the heart or chest
bsafraid	byte	%20.0g	LABE	feeling afraid in open spaces
bsendlif	byte	%20.0g	LABE	thoughts of ending your life
bstrust	byte	%20.0g	LABE	feeling that most people cannot be trusted
bseat	byte	%20.0g	LABE	poor appetite
bsscared	byte	%20.0g	LABE	suddenly scared for no reason
bstemper	byte	%20.0g	LABE	temper outbursts that you could not control
bslonely	byte	%20.0g	LABE	feeling lonely even when you are with people
bsblock	byte	%20.0g	LABE	feeling blocked in getting things done
bsalone	byte	%20.0g	LABE	feeling lonely
bsblue	byte	%20.0g	LABE	feeling blue
bsnoint	byte	%20.0g	LABE	feeling no interest in things
bsfear	byte	%20.0g	LABE	feeling fearful
bshurt	byte	%20.0g	LABE	your feelings being easily hurt
bsnofrd	byte	%20.0g	LABE	feeling that people are unfriendly or dislike you
bsinf	byte	%20.0g	LABE	feeling inferior to others
bsnausea	byte	%20.0g	LABE	nausea or upset stomach
bswatch	byte	%20.0g	LABE	feeling that you are watched or talked about by others
bsnoslp	byte	%20.0g	LABE	trouble falling asleep
bscheck	byte	%20.0g	LABE	having to check and double-check what you do
bsnodec	byte	%20.0g	LABE	difficulty making decisions
bsnotrav	byte	%20.0g	LABE	feeling afraid to travel on buses,undergrounds or trains
bsnobrth	byte	%20.0g	LABE	trouble getting your breath
bshtcold	byte	%20.0g	LABE	hot or cold spells
bsavoid	byte	%20.0g	LABE	having to avoid certain things, places, or activities because they frighten you
bsblank	byte	%20.0g	LABE	your mind going blank
bsnumb	byte	%20.0g	LABE	numbness or tingling in parts of your body
bspunish	byte	%20.0g	LABE	the idea that you should be punished for your sins

bshoples	byte	%20.0g	LABEL	feeling hopeless about the future
bsnothk	byte	%20.0g	LABEL	trouble concentrating
bsweak	byte	%20.0g	LABEL	feeling weak in parts of your body
bstense	byte	%20.0g	LABEL	feeling tense or keyed up
bsdeath	byte	%20.0g	LABEL	thoughts of death or dying
bsbeat	byte	%20.0g	LABEL	having urges to beat, injure or harm someone
bsbreak	byte	%20.0g	LABEL	having urges to break or smash things
bsconsc	byte	%20.0g	LABEL	feeling very self-conscious with others
bsuneasy	byte	%20.0g	LABEL	feeling uneasy in crowds
bsnoclse	byte	%20.0g	LABEL	never feeling close to another person
bspanic	byte	%20.0g	LABEL	spells of terror or panic
bsargue	byte	%20.0g	LABEL	getting into frequent arguments
bsnerv_a	byte	%20.0g	LABEL	feeling nervous when you are left alone
bscredit	byte	%20.0g	LABEL	others not giving you proper credit for your achievements
bsnosit	byte	%20.0g	LABEL	feeling so restless you couldn't sit still
bsworth	byte	%20.0g	LABEL	feelings of worthlessness
bsadvan	byte	%20.0g	LABEL	feeling that people will take advantage of you if you let them
bsguilt	byte	%20.0g	LABEL	feeling of guilt
bswrong	byte	%20.0g	LABEL	the idea that something is wrong with your mind
possym	int	%8.0g		positive symptom total
somatiz	byte	%8.0g		somatization
obsess	byte	%8.0g		obsession-compulsion
interper	byte	%8.0g		interpersonal sensitivity
depress	byte	%8.0g		depression
anxiety	byte	%8.0g		anxiety
hostilit	byte	%8.0g		hostility
phobanx	byte	%8.0g		phobic anxiety
paran	byte	%8.0g		paranoid ideation
psychot	byte	%8.0g		psychoticism
globseve	double	%9.0g		global severity
CSprbslv	float	%9.0g		Coping Problem Solving Subscale
CSsocspt	float	%9.0g		Coping social support subscale
CSavoid	float	%9.0g		Coping Avoidance subscale
WHP1el	float	%9.0g		
WHP2p	float	%9.0g		
WHP3er	float	%9.0g		
WHP4p	float	%9.0g		

WHP5s	float	%9.0g	
WHP6er	float	%9.0g	
WHP7er	float	%9.0g	
WHP8p	float	%9.0g	
WHP9si	float	%9.0g	
WHP10pa	float	%9.0g	
WHP11pa	float	%9.0g	
WHP12el	float	%9.0g	
WHP13s	float	%9.0g	
WHP14pa	float	%9.0g	
WHP15si	float	%9.0g	
WHP16er	float	%9.0g	
WHP17pa	float	%9.0g	
WHP18pa	float	%9.0g	
WHP19p	float	%9.0g	
WHP20er	float	%9.0g	
WHP21si	float	%9.0g	
WHP22s	float	%9.0g	
WHP23er	float	%9.0g	
WHP24p	float	%9.0g	
WHP25pa	float	%9.0g	
WHP26el	float	%9.0g	
WHP27pa	float	%9.0g	
WHP28ps	float	%9.0g	
WHP29s	float	%9.0g	
WHP30si	float	%9.0g	
WHP31er	float	%9.0g	
WHP32er	float	%9.0g	
WHP33s	float	%9.0g	
WHP34si	float	%9.0g	
WHP35pa	float	%9.0g	
WHP36p	float	%9.0g	
WHP37er	float	%9.0g	
WHP38p	float	%9.0g	
whp23er	float	%9.0g	
WHPel	float	%9.0g	Wtd Health Profile Pt 1 Energy Level Subscale
WHPpain	float	%9.0g	Wtd Health Profile Pain Pt 1 subscale
WHPer	float	%9.0g	Wtd Health Profile Emotional reaction Pt 1 subscale
WHPsleep	float	%9.0g	Wtd Health Profile Sleep Pt 1 subscale
WHPsociso	float	%9.0g	Wtd Health Profile Social Isolation Pt 1 subscale
WHPpa	float	%9.0g	Wtd Health Profile Physical Ability Pt 1 Subscale
HP2work	float	%9.0g	hp2fmt Nottingham Health profile subscale Part2: paid

				employment
HP2hmcare	float	%9.0g	hp2fmt	Hlth profile Pt2: Home cleaning, cooking and repairs
HP2probsoc	float	%9.0g	hp2fmt	Hlth profile Pt2: Hlth causing probs with social life
HP2pbfhm	float	%9.0g	hp2fmt	Hlth profile Pt2: Hlth causing probs with family members at home
HP2sxlife	float	%9.0g	hp2fmt	Hlth profile Pt2: Hlth causing probs with sex life
HP2inthob	float	%9.0g	hp2fmt	Hlth profile Pt2: Hlth probs interfering with interests & hobbies
HP2vacatn	float	%9.0g	hp2fmt	Hlth profile Pt2: Hlth probs interfering with vacations
BSItotal	float	%9.0g		Basic symptom inventory total scale score
lBSItotal	float	%9.0g		Ln(bsItotal)
BSIposymp	float	%9.0g		Brief Symptom inventory positive symptom total subscale
BSIglobsi	float	%9.0g		Brief Symptom Inventory Global Severity (mean) Index
BSIsoma	float	%9.0g		Basic symptom inventory obsessive compulsive subscale
BSIoc	float	%9.0g		Basic Symptom Inventory Obsessive compulsive subscale
BSIips	float	%9.0g		Basic symptom invenstory interpersonal sensitivity subscale
BSIdep	float	%9.0g		Basic symptom inventory Depression subscale
BSIanx	float	%9.0g		Basic symptom inventory Anxiety subscale
BSIphanx	float	%9.0g		Basic symptom inventory phobic anxiety subscale
BSIhos	float	%9.0g		Basic symptom invenstory hostility subscale
BSIpar	float	%9.0g		Basic symptom invenstory Paranoia subscale
BSIpsyc	float	%9.0g		Basic symptom inventory Psychoticism subscale score
testage1	float	%9.0g		
yrageck	float	%9.0g		
iday	float	%9.0g		
idates	str11	%11s		
idate	float	%td		Stata date of interview
bday	float	%9.0g		
bdates	str11	%11s		String birthdate
bdate	float	%td		Stata birthdate of respondent

moage	float	%9.0g		Age of respondent in months
yrag	float	%9.0g		Computed age of respondent
agerr	float	%9.0g		Error in age recording?
radhlwc1	float	%9.0g		Collapsed version of radhlw1 with a cut point of 0-49=0 and 50-100=1
radhlwc2	float	%9.0g		Collapsed version of radhlw2 with a cut point of 0-49=0 and 50-100=1
radhlwc3	float	%9.0g		Collapsed version of radhlw1 with a cut point of 0-49=0 and 50-100=1
fenjoyr	float	%15.0g	fnjr	I no longer enjoy many of the things I used to enjoy (reversal of fenjoy)
fallasr	float	%15.0g	fnjr	I do not fall asleep easily at night (reversal of fallas)
MiPTSD	float	%9.0g		Mississippi post-traumatic stress disorder scale
apprxage	float	%9.0g		
iy	float	%9.0g		Interview year
by	float	%9.0g		Birth year
bmo	float	%9.0g		Birth month
imo	float	%9.0g		Interview month
agemoadj	float	%9.0g		Adjustment to age in months
pos	float	%9.0g		indicator function
neg	float	%9.0g		indicator function
agemo	float	%9.0g		age in months
ageyrs	float	%9.0g		computed age of respondent in years
mincumdosew1	float	%8.0g		wave 1 avg minimum dose of CS137 in mGy ending 12/31/1986
avgcumdosew1	float	%8.0g		wave 1 avg mean CS137 dose in mGy ending 12/31/1986
maxcumdosew1	float	%8.0g		wave2 avg CS137 maximum dose ending 12/31/1986
minCumDosew2	float	%8.0g		Wave 2 average minimum CS137 dose in mGy ending 12/31/1996
avgCumDosew2	float	%8.0g		Average mean dose CS1337 in mGy for wave 2
maxXumDosew2	float	%8.0g		Avg Max dose in mGY for wave 2
minCumDosew3	float	%8.0g		Wave 3 avg minimum dose of CS137 ending in 12/31/2009
avgCumDosew3	float	%8.0g		Avg Mean dose of CS137 ending 12/31/2009
maxCumdosew3	float	%8.0g		Average maximum dose of CS137 ending in 12/31/2009 in mGy
reporttype	str45	%45s		Report type:
threewavepane~s	str77	%77s		Three-wave panel, cumulative

wave1summary	str15	%15s		doses Three-wave panel, cumulative doses
wave2summary	str10	%10s		
wave3summary	str10	%10s		
ranown2	long	%27.0g	ranown	Current raion of residence
townnown	long	%27.0g	townnown	Current town of residence
totltele	float	%9.0g		Total number of landline phones per raion
area	float	%22.0g	ar	Basis of sampling weights
areacodewt	float	%9.0g		Basis of sampling weight
combined	float	%24.0g	combi	Was this area combined with another to form final sampling weight?
oblnown	long	%8.0g	oblnown	Current Oblast of residence
numresp	float	%9.0g		Number of respondents per area
c	float	%9.0g		Constant of unity for subsample computation of cases per area
areaRespid	float	%9.0g		Number of respondents in sample per areacode
raionwt	float	%9.0g		inverse of sampling wt per raion
totalphones	float	%9.0g		Totoal number of phones in Kyiv and Zhitomyr Oblast
sampwt	float	%9.0g		Sampling weight
fpc1	float	%9.0g		Finite population correction
cptsd	float	%9.0g		Mean centered PTSD score
cbdep	float	%9.0g		Mean centered BSI depression score
cpxd	float	%9.0g		Mean centered interaction between PTSD and BSI Depression
pxd	float	%9.0g		Interaction between PTSD and BSI depression
genwt	float	%9.0g		Post-stratification gender proportion correction factor
agesq	float	%9.0g		
male	float	%9.0g		

* indicated variables have notes

Sorted by: **areacode**

3 . codebook

id							survey number (1-800)					
type: numeric (double)												
range: [1,803]							units: 1					
unique values: 703							missing .: 0/703					
mean: 420.006												
std. dev: 237.031												
percentiles:							10%	25%	50%	75%	90%	
							90	201	451	627	732	
areacode							Respondent's areacode					
type: numeric (int)												
range: [44,4598]							units: 1					
unique values: 55							missing .: 0/703					
mean: 1671.17												
std. dev: 2110.13												
percentiles:							10%	25%	50%	75%	90%	
							44	44	44	4144	4573	
age							Respondent's age					
type: numeric (byte)												
range: [28,84]							units: 1					
unique values: 51							missing .: 0/703					
mean: 49.7155												
std. dev: 12.043												
percentiles:							10%	25%	50%	75%	90%	
							35	39	50	59	68	

agew1a	Age at beginning of wave one
---------------	-------------------------------------

type: numeric (float)					
range:	[-986,62]		units:	1	
unique values:	56		missing .:	0/703	
mean:	24.7169				
std. dev:	40.073				
percentiles:	10%	25%	50%	75%	90%
	11	16	26	35	44

agew2a	Age at beginning of wave two
---------------	-------------------------------------

type: numeric (float)					
range:	[-985,63]		units:	1	
unique values:	56		missing .:	0/703	
mean:	25.7169				
std. dev:	40.073				
percentiles:	10%	25%	50%	75%	90%
	12	17	27	36	45

agew3a	Age at beginning of wave three
---------------	---------------------------------------

type: numeric (float)					
range:	[-975,73]		units:	1	
unique values:	56		missing .:	0/703	
mean:	35.7169				
std. dev:	40.073				
percentiles:	10%	25%	50%	75%	90%
	22	27	37	46	55

agew1b	Age at end of wave one
---------------	-------------------------------

```

        type:  numeric (float)

        range:  [-985,63]                units:  1
unique values:  56                      missing .:  0/703

        mean:   25.7169
        std. dev: 40.073

percentiles:      10%      25%      50%      75%      90%
                  12       17       27       36       45

```

agew2b

Age at end of wave two

```

        type:  numeric (float)

        range:  [-975,73]                units:  1
unique values:  56                      missing .:  0/703

        mean:   35.7169
        std. dev: 40.073

percentiles:      10%      25%      50%      75%      90%
                  22       27       37       46       55

```

agew3b

Age at end of wave three

```

        type:  numeric (float)

        range:  [-962,85]                units:  1
unique values:  55                      missing .:  0/703

        mean:   48.4339
        std. dev: 40.0472

percentiles:      10%      25%      50%      75%      90%
                  35       39       50       59       68

```

gender

respondent's gender

```

        type:  numeric (byte)
        label:  q14

```

range: [1,2] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	340	1	1. male
	363	2	2. female

female	Is respondent female?
---------------	------------------------------

type: numeric (**float**)
label: **sx**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	340	0	0. male
	363	1	1. female

educ	highest educational level the respondent have completed
-------------	--

type: numeric (**byte**)
label: **q25**

range: [1,8] units: 1
unique values: 8 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	1	1	1. did not graduate high school
	36	2	2. graduated high school
	242	3	3. technical degree
	38	4	4. did not finish college/bachelor's
	97	5	5. graduated college/bachelor's
	281	6	6. finished specialist/master's degree
	6	7	7. doctor of science/phd
	2	8	8. doctor of medicine/md

intbeg	started
---------------	----------------

type: numeric (**double**)

range: [18388,1.349e+10] units: 1
unique values: 308 missing .: 0/703

mean: 5.4e+09
std. dev: 6.6e+09

percentiles:	10%	25%	50%	75%	90%
	18448	18549	18674	1.3e+10	1.3e+10

intend

completed

type: numeric (**double**)

range: [18388,1.349e+10] units: 1
unique values: 308 missing .: 0/703

mean: 5.4e+09
std. dev: 6.6e+09

percentiles:	10%	25%	50%	75%	90%
	18448	18549	18674	1.3e+10	1.3e+10

modified

modified

type: numeric (**double**)

range: [18388,1.349e+10] units: 1
unique values: 308 missing .: 0/703

mean: 5.4e+09
std. dev: 6.6e+09

percentiles:	10%	25%	50%	75%	90%
	18448	18549	18674	1.3e+10	1.3e+10

intdate

date of interview

type: numeric daily date (**double**)

range: [17903,18693] units: 1
or equivalently: [06jan2009,07mar2011] units: **days**
unique values: 339 missing .: 0/703

percentiles:	10%	25%	50%	75%	90%
	18037	18217	18410	18548	18620
	20may2009	16nov2009	28may2010	13oct2010	24dec2010

```
type: string (str7), but longest is str3
```

```
examples:  "1"
           "2"
           "4"
           "5"
```

```
type: numeric daily date (long)
```

```
mean:    610.679 = 02sep1961 (+ 16 hours)
std. dev: 14632.1
```

percentiles:	10%	25%	50%	75%	90%
	-6475	-3174	108	3936	5451
	10apr1942	24apr1951	18apr1960	11oct1970	04dec1974

```
type: string (str32), but longest is str23
```

```
unique values:  324                missing "":  0/703
```

examples: "Gostomel"
 "Kyiv"
 "Kyiv"
 "Pribitka"

warning: variable has embedded blanks

raborn

birthplace raion

type: string (**str32**), but longest is str23

unique values: **189** missing "": **0/703**

examples: "Horolskiy"
 "Kyivskiy"
 "Kyivskiy"
 "Rokitnetskiy"

warning: variable has embedded blanks

latborn

latitude direction

type: numeric (**byte**)
 label: **LABF**

range: [1,1] units: **1**
 unique values: **1** missing .: **0/703**

tabulation:	Freq.	Numeric	Label
	703	1	1. north

lonborn

longitude direction

type: numeric (**byte**)
 label: **lon**

range: [1,1] units: **1**
 unique values: **1** missing .: **0/703**

tabulation:	Freq.	Numeric	Label
	703	1	1. east

latdborn	latitude in degrees
-----------------	----------------------------

type: numeric (int)					
range:	[37,67]	units: 1			
unique values:	23	missing .: 0/703			
mean:	49.7326				
std. dev:	2.11416				
percentiles:	10%	25%	50%	75%	90%
	48	49	50	50	51

londborn	longitude in degrees
-----------------	-----------------------------

type: numeric (int)					
range:	[10,177]	units: 1			
unique values:	45	missing .: 0/703			
mean:	31.4253				
std. dev:	9.75978				
percentiles:	10%	25%	50%	75%	90%
	28	29	30	30	35

latmborn	latitude in minutes
-----------------	----------------------------

type: numeric (int)					
range:	[0,99]	units: 1			
unique values:	95	missing .: 0/703			
mean:	45.4367				
std. dev:	21.1835				
percentiles:	10%	25%	50%	75%	90%
	18	35	44	52	80

lonmborn	longitude in minutes
-----------------	-----------------------------

```

type: numeric (int)

range: [0,98]
unique values: 95

units: 1
missing .: 0/703

mean: 50.2973
std. dev: 21.8259

percentiles:      10%      25%      50%      75%      90%
                  19       39       52       59       82

```

oblborn	birthplace oblast
----------------	--------------------------

```

type: numeric (byte)
label: LABG

range: [1,26]
unique values: 25

units: 1
missing .: 0/703

examples: 10    10. kyiv
           10    10. kyiv
           10    10. kyiv
           23    23. zhytomyr

```

town1	current town of residence
--------------	----------------------------------

```

type: string (str36), but longest is str23

unique values: 83
missing "": 0/703

examples: "Kyiv"
           "Kyiv"
           "Kyiv"
           "Lubar"

warning: variable has embedded blanks

```

townnow	current town of residence
----------------	----------------------------------

```

type: string (str36), but longest is str23

unique values: 80
missing "": 0/703

```

```
examples:  "Kyiv"
            "Kyiv"
            "Kyiv"
            "Lubar"
```

```
warning:  variable has embedded blanks
```

ranow	current raion of residence
--------------	-----------------------------------

```
type:  string (str32), but longest is str23
```

```
unique values:  51                               missing "":  0/703
```

```
examples:  "Kyivskiy"
            "Kyivskiy"
            "Kyivskiy"
            "Kyivskiy"
```

```
warning:  variable has embedded blanks
```

latnow	latitude direction
---------------	---------------------------

```
type:  numeric (byte)
label:  LABF
```

```
range:  [1,1]                                units:  1
unique values:  1                            missing .:  0/703
```

```
tabulation:  Freq.    Numeric  Label
              703          1  1. north
```

lonnow	longitude direction
---------------	----------------------------

```
type:  numeric (byte)
label:  lon
```

```
range:  [1,1]                                units:  1
unique values:  1                            missing .:  0/703
```

```
tabulation:  Freq.    Numeric  Label
              703          1  1. east
```

latdnow	latitude in degrees
----------------	----------------------------

```
type: numeric (int)
range: [46,51]
unique values: 5
units: 1
missing .: 0/703
```

```
tabulation: Freq. Value
              2  46
              4  48
             58  49
            624  50
             15  51
```

londnow	longitude in degrees
----------------	-----------------------------

```
type: numeric (int)
range: [22,91]
unique values: 9
units: 1
missing .: 0/703
```

```
tabulation: Freq. Value
              1  22
             16  27
             70  28
             30  29
            561  30
             15  31
              6  36
              3  39
              1  91
```

latmnow	latitude in minutes
----------------	----------------------------

```
type: numeric (long)
range: [5,96]
unique values: 64
units: 1
missing .: 0/703
```

```
mean: 44.3001
std. dev: 14.818
```

percentiles:	10%	25%	50%	75%	90%
	25	44	44	44	58

lonmnow

longitude in minutes

type: numeric (**long**)

range: [**2,98**]

units: **1**

unique values: **68**

missing .: **0/703**

mean: **52.0441**

std. dev: **15.9988**

percentiles:	10%	25%	50%	75%	90%
	30	52	52	52	73

oblnow

current oblast

type: numeric (**byte**)

label: **LABG**

range: [**5,23**]

units: **1**

unique values: **3**

missing .: **0/703**

tabulation:	Freq.	Numeric	Label
	1	5	5. dontsk
	603	10	10. kyiv
	99	23	23. zhytomyr

marrw1

cohabitation/marital status in 1986

type: numeric (**byte**)

label: **LABH**

range: [**0,6**]

units: **1**

unique values: **7**

missing .: **0/703**

marrw2 cohabitation/marital status in 1996

marrw3 cohabitation/marital status now

tabulation:	Freq.	Numeric	Label
	64	1	1. single
	32	2	2. cohabitating
	489	3	3. married
	8	4	4. separated
	49	5	5. divorced
	61	6	6. widowed

childw1	number of children in 1986
----------------	-----------------------------------

```
type: numeric (int)

range: [0,5]           units: 1
unique values: 6       missing .: 3/703
```

```
tabulation: Freq.  Value
             339    0
             157    1
             184    2
              18    3
               1    4
               1    5
               3    .
```

childw2	number of children in 1996
----------------	-----------------------------------

```
type: numeric (int)

range: [0,5]           units: 1
unique values: 6       missing .: 0/703
```

```
tabulation: Freq.  Value
             202    0
             228    1
             248    2
              22    3
               2    4
               1    5
```

childw3	number of children now
----------------	-------------------------------

```
type: numeric (int)

range: [0,5]           units: 1
unique values: 6       missing .: 0/703
```

```

tabulation:  Freq.  Value
              109    0
              254    1
              301    2
               35    3
               3    4
               1    5

```

emplw1

mode of employment in 1986

```

type:  numeric (byte)
label:  LABI

```

```

range:  [0,5]
unique values:  6
units:  1
missing .:  0/703

```

```

tabulation:  Freq.  Numeric  Label
              14      0  0. not answered
             481      1  1. full time
              64      2  2. part time
               2      3  3. voluntary
               5      4  4. retired
             137      5  5. unemployed

```

emplw2

mode of employment in 1996

```

type:  numeric (byte)
label:  LABI

```

```

range:  [0,5]
unique values:  6
units:  1
missing .:  0/703

```

```

tabulation:  Freq.  Numeric  Label
               7      0  0. not answered
             530      1  1. full time
              75      2  2. part time
               2      3  3. voluntary
              44      4  4. retired
              45      5  5. unemployed

```

emplw3

mode of employment now

```

        type: numeric (byte)
        label: LABI

        range: [1,5]
        unique values: 5
        units: 1
        missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	434	1	1. full time
	57	2	2. part time
	1	3	3. voluntary
	175	4	4. retired
	36	5	5. unemployed

occ1w1 **profess executive administration in 1986**

```

        type: numeric (byte)
        label: LABJ

        range: [0,1]
        unique values: 2
        units: 1
        missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	556	0	0. not selected
	147	1	1. selected

occ2w1 **technical sales admin support in 1986**

```

        type: numeric (byte)
        label: LABJ

        range: [0,1]
        unique values: 2
        units: 1
        missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	614	0	0. not selected
	89	1	1. selected

occ3w1 **service occup protective services in 1986**

```

        type: numeric (byte)
        label: LABJ

```

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	657	0	0. not selected
	46	1	1. selected

occ4w1 precision prod mechan craft construction in 1986

type: numeric (byte)
label: LABJ

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	654	0	0. not selected
	49	1	1. selected

occ5w1 factory laborer machinist transp cleaner in 1986

type: numeric (byte)
label: LABJ

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	680	0	0. not selected
	23	1	1. selected

occ6w1 farming agricul forestry fishing trapping logging in 1986

type: numeric (byte)
label: LABJ

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	689	0	0. not selected
	14	1	1. selected

occ7w1 **homemaking or caregiving in 1986**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Numeric Label
684 0 0. not selected
19 1 1. selected

occ8w1 **student in 1986**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Numeric Label
469 0 0. not selected
234 1 1. selected

occ1w2 **profess executive administration in 1996**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Numeric Label
496 0 0. not selected
207 1 1. selected

occ2w2 **technical sales admin support in 1996**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	577	0	0. not selected
	126	1	1. selected

occ3w2 service occup protective services in 1996

type: numeric (byte)
label: LABJ

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	632	0	0. not selected
	71	1	1. selected

occ4w2 precision prod mechan craft construction in 1996

type: numeric (byte)
label: LABJ

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	644	0	0. not selected
	59	1	1. selected

occ5w2 factory laborer machinist transp cleaner in 1996

type: numeric (byte)
label: LABJ

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	673	0	0. not selected
	30	1	1. selected

occ6w2 **farming agricul forestry fishing trapping logging in 1996**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Numeric Label
 689 0 0. not selected
 14 1 1. selected

occ7w2 **homemaking caregiving in 1996**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Numeric Label
 656 0 0. not selected
 47 1 1. selected

occ8w2 **student in 1996**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Numeric Label
 632 0 0. not selected
 71 1 1. selected

occlw3 **professional executive administration now**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	514	0	0. not selected
	189	1	1. selected

occ2w3

technical sales admin support now

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	582	0	0. not selected
	121	1	1. selected

occ3w3

service occup protective services now

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	628	0	0. not selected
	75	1	1. selected

occ4w3

precision prod mechan craft construction now

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	660	0	0. not selected
	43	1	1. selected

occ5w3 **factory laborer machinist transp cleaner now**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Numeric Label
680 0 0. not selected
23 1 1. selected

occ6w3 **farming agricul forestry fishing trapping logging now**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Numeric Label
695 0 0. not selected
8 1 1. selected

occ7w3 **homemaking or caregiving now**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Numeric Label
536 0 0. not selected
167 1 1. selected

occ8w3 **student now**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	702	0	0. not selected
	1	1	1. selected

inclw1 **Income is not sufficient for basic neccessities in 1986**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	612	0	0. not selected
	91	1	1. selected

inc2w1 **Income is just sufficient for basic neccessities in 1986**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	421	0	0. not selected
	282	1	1. selected

inc3w1 **Income is sufficient for basics plus extra purchases/savings in 1986**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	509	0	0. not selected
	194	1	1. selected

inc4w1 **Income allows to comfortably afford luxury items in 1986**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Numeric Label
 655 0 0. not selected
 48 1 1. selected

inc1w2 **Income is not sufficient for basic neccessities in 1996**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Numeric Label
 627 0 0. not selected
 76 1 1. selected

inc2w2 **Income is just sufficient for basic neccessities in 1996**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Numeric Label
 394 0 0. not selected
 309 1 1. selected

inc3w2 **Income is sufficient for basics plus extra purchases/savings in 1996**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	488	0	0. not selected
	215	1	1. selected

inc4w2 **Income allows to comfortably afford luxury items in 1996**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	681	0	0. not selected
	22	1	1. selected

inclw3 **Income is not sufficient for basic neccessities NOW**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	605	0	0. not selected
	98	1	1. selected

inc2w3 **Income is just sufficient for basic neccessities NOW**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	407	0	0. not selected
	296	1	1. selected

inc3w3 **Income is sufficient for basics plus extra purchases/savings NOW**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Numeric Label
 498 0 0. not selected
 205 1 1. selected

inc4w3 **Income allows to comfortably afford luxury items NOW**

type: numeric (**byte**)
label: **LABJ**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Numeric Label
 681 0 0. not selected
 22 1 1. selected

jsw1 **Job satisfaction on a scale of 0-100% in 1986**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 19 missing .: 0/703

mean: 60.7852
std. dev: 42.5573

percentiles: 10% 25% 50% 75% 90%
 0 0 80 100 100

jsw2 **Job satisfaction on a scale of 0-100% in 1996**

type: numeric (**byte**)

```

        range:  [0,100]
unique values: 23
        units:  1
missing .: 0/703

```

```

        mean:    65.074
    std. dev:    36.1188

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        50       80       100     100

```

```

jsw3                                Job satisfaction on a scale of 0-100% NOW

```

```

        type:  numeric (byte)

```

```

        range:  [0,100]
unique values: 25
        units:  1
missing .: 0/703

```

```

        mean:    55.3969
    std. dev:    39.3488

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0       70       90     100

```

```

deaw1                                Total number of death experienced in time period 1986

```

```

        type:  numeric (byte)

```

```

        range:  [0,10]
unique values: 5
        units:  1
missing .: 0/703

```

```

tabulation:  Freq.  Value
              590    0
              74    1
              30    2
               8    3
               1   10

```

```

deaw2                                Total number of death experienced in time period 1996

```

```

        type:  numeric (byte)

```

```

        range:  [0,7]
unique values: 7
        units:  1
missing .: 0/703

```

tabulation:	Freq.	Value
	510	0
	151	1
	32	2
	6	3
	2	4
	1	5
	1	7

deaw3	Total number of death experienced in time period 1996-NOW
--------------	--

type: numeric (**byte**)

range:	[0,8]	units:	1
unique values:	6	missing .:	0/703

tabulation:	Freq.	Value
	404	0
	193	1
	71	2
	26	3
	8	4
	1	8

dvcew1	Total number of divorces experienced in time period 1976-1986
---------------	--

type: numeric (**byte**)

range:	[0,1]	units:	1
unique values:	2	missing .:	0/703

tabulation:	Freq.	Value
	690	0
	13	1

dvcew2	Total number of divorces experienced in time period 1987-1996
---------------	--

type: numeric (**byte**)

range:	[0,1]	units:	1
unique values:	2	missing .:	0/703

```

tabulation:  Freq.  Value
              677    0
              26    1

```

dvcew3 Total number of divorces experienced in time period 1996-NOW

```

type:  numeric (byte)

range:  [0,1]                      units:  1
unique values: 2                  missing .: 0/703

tabulation:  Freq.  Value
              652    0
              51    1

```

sepaw1 Total number of separations experienced in time period 1976-1986

```

type:  numeric (byte)

range:  [0,1]                      units:  1
unique values: 2                  missing .: 0/703

tabulation:  Freq.  Value
              693    0
              10    1

```

sepaw2 Total number of separations experienced in time period 1987-1996

```

type:  numeric (byte)

range:  [0,1]                      units:  1
unique values: 2                  missing .: 0/703

tabulation:  Freq.  Value
              689    0
              14    1

```

sepaw3 Total number of separations experienced in time period 1996-NOW

```

type:  numeric (byte)

```



```

        range:  [0,1]
unique values:  2
        units:  1
missing .:  0/703

```

```

tabulation:  Freq.  Value
              672    0
              31    1

```

```

accdw1           Total number of accidents experienced in time period 1976-1986

```

```

        type:  numeric (byte)

```

```

        range:  [0,2]
unique values:  3
        units:  1
missing .:  0/703

```

```

tabulation:  Freq.  Value
              682    0
              20    1
               1    2

```

```

accdw2           Total number of accidents experienced in time period 1987-1996

```

```

        type:  numeric (byte)

```

```

        range:  [0,3]
unique values:  4
        units:  1
missing .:  0/703

```

```

tabulation:  Freq.  Value
              644    0
              52    1
               5    2
               2    3

```

```

accdw3           Total number of accidents experienced in time period 1996-NOW

```

```

        type:  numeric (byte)

```

```

        range:  [0,2]
unique values:  3
        units:  1
missing .:  0/703

```

```

tabulation:  Freq.  Value
              636    0
              62    1
               5    2

```

cataw1 Total number of disasters experienced in time period 1976-1986

```

type:  numeric (byte)

range:  [0,1]                      units:  1
unique values:  2                  missing .:  0/703

tabulation:  Freq.  Value
              577    0
              126    1

```

cataw2 Total number of disasters experienced in time period 1987-1996

```

type:  numeric (byte)

range:  [0,1]                      units:  1
unique values:  2                  missing .:  0/703

tabulation:  Freq.  Value
              700    0
               3    1

```

cataw3 Total number of disasters experienced in time period 1996-NOW

```

type:  numeric (byte)

range:  [0,1]                      units:  1
unique values:  2                  missing .:  0/703

tabulation:  Freq.  Value
              698    0
               5    1

```

illw1 Total number of illnesses experienced in time period 1976-1986

```

type: numeric (byte)

range: [0,4]
unique values: 5

units: 1
missing .: 0/703

```

```

tabulation: Freq. Value
             627  0
             56  1
             18  2
              1  3
              1  4

```

```

illw2                Total number of illnesses experienced in time period 1987-1996

```

```

type: numeric (byte)

range: [0,9]
unique values: 6

units: 1
missing .: 0/703

```

```

tabulation: Freq. Value
             533  0
             117  1
              39  2
              10  3
               3  4
               1  9

```

```

illw3                Total number of illnesses experienced in time period 1996-NOW

```

```

type: numeric (byte)

range: [0,6]
unique values: 7

units: 1
missing .: 0/703

```

```

tabulation: Freq. Value
             460  0
             144  1
              49  2
              27  3
              13  4
               8  5
               2  6

```

movew1	Total number of moves experienced in time period 1976-1986
---------------	---

type: numeric (**byte**)

range:	[0,6]	units:	1
unique values:	5	missing .:	0/703

tabulation:	Freq.	Value
	660	0
	40	1
	1	2
	1	3
	1	6

movew2	Total number of moves experienced in time period 1987-1996
---------------	---

type: numeric (**byte**)

range:	[0,3]	units:	1
unique values:	4	missing .:	0/703

tabulation:	Freq.	Value
	615	0
	81	1
	5	2
	2	3

movew3	Total number of moves experienced in time period 1996-NOW
---------------	--

type: numeric (**byte**)

range:	[0,3]	units:	1
unique values:	4	missing .:	0/703

tabulation:	Freq.	Value
	666	0
	34	1
	2	2
	1	3

shjobw1	Percentage of strains and hassles related to job in 1986				
----------------	---	--	--	--	--

type: numeric (byte)					
range:	[0,100]		units: 1		
unique values:	24		missing .: 0/703		
mean:	47.7866				
std. dev:	37.2795				
percentiles:	10%	25%	50%	75%	90%
	0	10	50	80	100

shjobw2	Percentage of strains and hassles related to job in 1996				
----------------	---	--	--	--	--

type: numeric (byte)					
range:	[0,100]		units: 1		
unique values:	20		missing .: 0/703		
mean:	51.7297				
std. dev:	39.3839				
percentiles:	10%	25%	50%	75%	90%
	0	10	50	100	100

shjobw3	Percentage of strains and hassles related to job NOW				
----------------	---	--	--	--	--

type: numeric (byte)					
range:	[0,100]		units: 1		
unique values:	20		missing .: 1/703		
mean:	35.5328				
std. dev:	36.1812				
percentiles:	10%	25%	50%	75%	90%
	0	0	29.5	60	100

shfamw1	Percentage of strains and hassles related to family in 1986				
----------------	--	--	--	--	--

```

type: numeric (byte)

range: [0,100]           units: 1
unique values: 19        missing .: 1/703

mean: 36.9886
std. dev: 37.735

percentiles:      10%      25%      50%      75%      90%
                  0        0        20        70        100

```

shfamw2 **Percentage of strains and hassles related to family in 1996**

```

type: numeric (byte)

range: [0,100]           units: 1
unique values: 23        missing .: 2/703

mean: 34.1655
std. dev: 36.1951

percentiles:      10%      25%      50%      75%      90%
                  0        0        20        60        100

```

shfamw3 **Percentage of strains and hassles related to family NOW**

```

type: numeric (byte)

range: [0,100]           units: 1
unique values: 24        missing .: 0/703

mean: 53.0413
std. dev: 35.798

percentiles:      10%      25%      50%      75%      90%
                  0        20        50        90        100

```

shhlw1 **Percentage of strains and hassles related to health in 1986**

```

type: numeric (byte)

```

range: [0,100] units: 1
unique values: 25 missing.: 0/703

mean: 34.8435
std. dev: 34.7609

percentiles:	10%	25%	50%	75%	90%
	0	0	24	60	100

shhlw2 **Percentage of strains and hassles related to health in 1996**

type: numeric (byte)

range: [0,100] units: 1
unique values: 24 missing.: 0/703

mean: 47.9189
std. dev: 39.4552

percentiles:	10%	25%	50%	75%	90%
	0	0	50	90	100

shhlw3 **Percentage of strains and hassles related to health NOW**

type: numeric (byte)

range: [0,100] units: 1
unique values: 19 missing.: 0/703

mean: 40.2134
std. dev: 34.8795

percentiles:	10%	25%	50%	75%	90%
	0	0	40	70	100

shfincw1 **Percentage of strains and hassles related to finances in 1986**

type: numeric (byte)

range: [0,100] units: 1
unique values: 23 missing.: 1/703

mean: 32.5513
std. dev: 35.7632

percentiles:	10%	25%	50%	75%	90%
	0	0	20	59	100

shfincw2 **Percentage of strains and hassles related to finances in 1996**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	21	missing .:	0/703

mean: 32.1181
std. dev: 35.8814

percentiles:	10%	25%	50%	75%	90%
	0	0	20	60	100

shfincw3 **Percentage of strains and hassles related to finances NOW**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	22	missing .:	0/703

mean: 49.202
std. dev: 36.0166

percentiles:	10%	25%	50%	75%	90%
	0	10	50	80	100

shhousw1 **Percentage of strains and hassles related to housing in 1986**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	22	missing .:	1/703

mean: 29.0242
std. dev: 35.4542

percentiles:	10%	25%	50%	75%	90%
	0	0	10	50	90

shhousw2 Percentage of strains and hassles related to housing in 1996

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 27       missing.: 0/703

mean: 40.7084
std. dev: 40.8955

percentiles:    10%    25%    50%    75%    90%
                0      0     30     80    100

```

shhousw3 Percentage of strains and hassles related to housing NOW

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 19       missing.: 0/703

mean: 28.8179
std. dev: 35.4265

percentiles:    10%    25%    50%    75%    90%
                0      0     10     50    100

```

shrelaw1 Percentage of strains and hassles related to relationships in 1986

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 22       missing.: 0/703

mean: 28.6302
std. dev: 36.1558

percentiles:    10%    25%    50%    75%    90%
                0      0     10     50    100

```

shrelaw2 Percentage of strains and hassles related to relationships in 1996

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 23 missing .: 1/703

mean: 25.5584
std. dev: 33.343

percentiles: 10% 25% 50% 75% 90%
 0 0 10 50 90

shrelaw3 Percentage of strains and hassles related to relationships NOW

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 21 missing .: 0/703

mean: 31.3257
std. dev: 35.17

percentiles: 10% 25% 50% 75% 90%
 0 0 20 50 90

suprtw1 Level of support (in percent) from partner in 1986

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 20 missing .: 1/703

mean: 11.9957
std. dev: 29.8854

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 70

suprtw2 Level of support (in percent) from partner in 1996

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 23      missing .: 0/703

mean: 60.2859
std. dev: 40.5419

percentiles:    10%    25%    50%    75%    90%
                0      20     70     100    100

```

suprtw3 **Level of support (in percent) from partner NOW**

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 23      missing .: 0/703

mean: 60.1223
std. dev: 42.3597

percentiles:    10%    25%    50%    75%    90%
                0      0     80     100    100

```

sufamw1 **Level of support (in percent) from family in 1986**

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 20      missing .: 1/703

mean: 14.6068
std. dev: 32.2681

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0     100

```

sufamw2 **Level of support (in percent) from family in 1996**

```

type: numeric (byte)

```

range: [0,100] units: 1
unique values: 22 missing .: 0/703

mean: 65.0398
std. dev: 38.349

percentiles:	10%	25%	50%	75%	90%
	0	40	80	100	100

sufamw3

Level of support (in percent) from family in NOW

type: numeric (byte)

range: [0,100] units: 1
unique values: 20 missing .: 2/703

mean: 58.6434
std. dev: 42.5036

percentiles:	10%	25%	50%	75%	90%
	0	0	73	100	100

suchrw1 Level of support (in percent) from Chernobyl survivor benefits in 1986

type: numeric (byte)

range: [0,100] units: 1
unique values: 17 missing .: 3/703

mean: 2.34286
std. dev: 10.443

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

suchrw2 Level of support (in percent) from Chernobyl survivor benefits in 1996

type: numeric (byte)

range: [0,100] units: 1
unique values: 22 missing .: 0/703

mean: 56.1479
std. dev: 43.1146

percentiles:	10%	25%	50%	75%	90%
	0	0	60	100	100

suchrw3 **Level of support (in percent) from Chernobyl survivor benefits NOW**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	21	missing .:	0/703

mean: 36.3599
std. dev: 44.1648

percentiles:	10%	25%	50%	75%	90%
	0	0	0	100	100

phlthw1 **level of general physical health in 1986**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	20	missing .:	0/703

mean: 91.0242
std. dev: 16.1474

percentiles:	10%	25%	50%	75%	90%
	70	90	100	100	100

phlthw2 **level of general physical health in 1996**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	23	missing .:	0/703

mean: 81.7312
std. dev: 18.2655

percentiles:	10%	25%	50%	75%	90%
	60	70	80	100	100

phlthw3	level of general physical health now
----------------	---

type: numeric (byte)					
range:	[0,100]	units:	1		
unique values:	25	missing .:	0/703		
mean:	68.404				
std. dev:	21.3228				
percentiles:	10%	25%	50%	75%	90%
	40	50	70	80	100

mhlthw1	level of general psychological/mental health in 1986
----------------	---

type: numeric (byte)					
range:	[0,100]	units:	1		
unique values:	20	missing .:	0/703		
mean:	92.6159				
std. dev:	15.9229				
percentiles:	10%	25%	50%	75%	90%
	75	90	100	100	100

mhlthw2	level of general psychological/mental health in 1996
----------------	---

type: numeric (byte)					
range:	[0,100]	units:	1		
unique values:	24	missing .:	0/703		
mean:	87.8819				
std. dev:	17.5521				
percentiles:	10%	25%	50%	75%	90%
	60	80	100	100	100

mhlthw3	level of general psychological/mental health now				
----------------	---	--	--	--	--

type:	numeric (byte)				
range:	[0,100]				units: 1
unique values:	21				missing .: 0/703
mean:	80.4908				
std. dev:	21.586				
percentiles:	10%	25%	50%	75%	90%
	50	70	90	100	100

nil1w1	name of illness 1 in time period from 1977 to 1986				
---------------	---	--	--	--	--

type:	numeric (byte)				
label:	i11862				
range:	[2,18]				units: 1
unique values:	15				missing .: 519/703
examples:	13	13. respiratory			
	.				
	.				
	.				

nil2w1	name of illness 2 in time period from 1977 to 1986				
---------------	---	--	--	--	--

type:	numeric (byte)				
label:	i11862				
range:	[2,18]				units: 1
unique values:	15				missing .: 647/703
examples:	.				
	.				
	.				
	.				

nil3w1	name of illness 3 in time period from 1977 to 1986				
---------------	---	--	--	--	--

```

      type: numeric (byte)
      label: ill862

      range: [2,15]
unique values: 8
units: 1
missing .: 689/703

```

tabulation:	Freq.	Numeric	Label
	1	2	2. cardiovascular
	1	4	4. endocrine/metabolic
	2	6	6. genitourinary
	1	8	8. infectious
	4	9	9. musculoskeletal
	1	12	12. peripheral vascular
	3	13	13. respiratory
	1	15	15. tumors
	689	.	

nil4w1	name of illness 4 in time period from 1977 to 1986
---------------	---

```

      type: numeric (byte)
      label: ill862

      range: [13,14]
unique values: 2
units: 1
missing .: 700/703

```

tabulation:	Freq.	Numeric	Label
	1	13	13. respiratory
	2	14	14. rheumatologic
	700	.	

nil5w1	name of illness 5 in time period from 1977 to 1986
---------------	---

```

      type: numeric (byte)
      label: ill862

      range: [2,2]
unique values: 1
units: 1
missing .: 702/703

```

tabulation:	Freq.	Numeric	Label
	1	2	2. cardiovascular
	702	.	

nil6w1	name of illness 6 in time period from 1977 to 1986
---------------	---

type:	numeric (byte)		
label:	i11862		
range:	[.,.]	units:	.
unique values:	0	missing .:	703/703
tabulation:	Freq.	Numeric	Label
	703	.	

nil7w1	name of illness 7 in time period from 1977 to 1986
---------------	---

type:	numeric (byte)		
label:	i11862		
range:	[.,.]	units:	.
unique values:	0	missing .:	703/703
tabulation:	Freq.	Numeric	Label
	703	.	

nil8w1	name of illness 8 in time period from 1977 to 1986
---------------	---

type:	numeric (byte)		
label:	i11862		
range:	[.,.]	units:	.
unique values:	0	missing .:	703/703
tabulation:	Freq.	Numeric	Label
	703	.	

nil9w1	name of illness 9 in time period from 1977 to 1986
---------------	---

type:	numeric (byte)		
label:	i11862		
range:	[.,.]	units:	.
unique values:	0	missing .:	703/703

```

tabulation:  Freq.    Numeric    Label
              703          .

```

```

nil10w1                name of illness 10 in time period from 1977 to 1986

```

```

      type:  numeric (byte)
      label: il1862

      range:  [.,.]                      units:  .
unique values: 0                          missing .: 703/703

      tabulation:  Freq.    Numeric    Label
                   703          .

```

```

dil1w1                date of onset for illness 1 in time period from 1977 to 1986

```

```

      type:  numeric daily date (long)

      range:  [-137775,11078]              units:  1
or equivalently: [14oct1582,01may1990]      units:  days
unique values: 127                        missing .: 519/703

      mean:    6802.4 = 16aug1978 (+ 10 hours)
      std. dev: 15328.2

      percentiles:      10%      25%      50%      75%      90%
                       5479      7523      9268.5      9648      9779
                       01jan1975 06aug1980 17may1985 01jun1986 10oct1986

```

```

dil2w1                date of onset for illness 2 in time period from 1977 to 1986

```

```

      type:  numeric daily date (long)

      range:  [-619,10534]                  units:  1
or equivalently: [22apr1958,03nov1988]      units:  days
unique values: 46                          missing .: 647/703

      mean:    8227.14 = 11jul1982 (+ 3 hours)
      std. dev: 2294.4

```

percentiles:	10%	25%	50%	75%	90%
	5114	7339.5	9147.5	9647	9797
	01jan1974	04feb1980	16jan1985	31may1986	28oct1986

dil3w1 **date of onset for illness 3 in time period from 1977 to 1986**

type: numeric daily date (**long**)

range: [5479,10293] units: 1
or equivalently: [01jan1975,07mar1988] units: **days**
unique values: 13 missing .: 689/703

mean: 8984.14 = 06aug1984 (+ 3 hours)
std. dev: 1332.39

percentiles:	10%	25%	50%	75%	90%
	7305	8830	9614	9831	9981
	01jan1980	05mar1984	28apr1986	01dec1986	30apr1987

dil4w1 **date of onset for illness 4 in time period from 1977 to 1986**

type: numeric daily date (**long**)

range: [9617,9831] units: 1
or equivalently: [01may1986,01dec1986] units: **days**
unique values: 3 missing .: 700/703

tabulation: Freq. Value

1	9617	01may1986
1	9772	03oct1986
1	9831	01dec1986
700	.	.

dil5w1 **date of onset for illness 5 in time period from 1977 to 1986**

type: numeric daily date (**long**)

range: [9831,9831] units: 1
or equivalently: [01dec1986,01dec1986] units: **days**
unique values: 1 missing .: 702/703

```

tabulation:  Freq.  Value
              1  9831   01dec1986
              702  .           .

```

```

dil6w1           date of onset for illness 6 in time period from 1977 to 1986

```

```

type:  numeric daily date (long)

range:  [.,.]           units:  .
or equivalently:  [.,.]       units:  days
unique values:  0           missing .:  703/703

tabulation:  Freq.  Value
              703  .           .

```

```

dil7w1           date of onset for illness 7 in time period from 1977 to 1986

```

```

type:  numeric daily date (long)

range:  [.,.]           units:  .
or equivalently:  [.,.]       units:  days
unique values:  0           missing .:  703/703

tabulation:  Freq.  Value
              703  .           .

```

```

dil8w1           date of onset for illness 8 in time period from 1977 to 1986

```

```

type:  numeric daily date (long)

range:  [.,.]           units:  .
or equivalently:  [.,.]       units:  days
unique values:  0           missing .:  703/703

tabulation:  Freq.  Value
              703  .           .

```

```

dil9w1           date of onset for illness 9 in time period from 1977 to 1986

```

```

type:  numeric daily date (long)

```

```

range: [.,.] units: .
or equivalently: [.,.] units: days
unique values: 0 missing .: 703/703

```

```

tabulation: Freq. Value
              703 . .

```

dill10w1 **date of onset for illness 10 in time period from 1977 to 1986**

```

type: numeric daily date (long)

```

```

range: [.,.] units: .
or equivalently: [.,.] units: days
unique values: 0 missing .: 703/703

```

```

tabulation: Freq. Value
              703 . .

```

drill1w1 **duration of illness 1 in years in time period from 1977 to 1986**

```

type: numeric (float)

```

```

range: [0,50] units: .1
unique values: 33 missing .: 534/703

```

```

mean: 17.6751
std. dev: 12.8923

```

```

percentiles:      10%      25%      50%      75%      90%
                  0         1        23        25        32

```

drill2w1 **duration of illness 2 in years in time period from 1977 to 1986**

```

type: numeric (float)

```

```

range: [0,51] units: .1
unique values: 21 missing .: 649/703

```

```

mean: 17.4648
std. dev: 13.7635

```

percentiles:	10%	25%	50%	75%	90%
	0	1	23	28	31

dril3w1 duration of illness 3 in years in time period from 1977 to 1986

type: numeric (**byte**)

range:	[0,34]	units:	1
unique values:	7	missing .:	689/703

tabulation:	Freq.	Value
	4	0
	3	1
	1	5
	3	24
	1	25
	1	29
	1	34
	689	.

dril4w1 duration of illness 4 in years in time period from 1977 to 1986

type: numeric (**byte**)

range:	[2,24]	units:	1
unique values:	3	missing .:	700/703

tabulation:	Freq.	Value
	1	2
	1	22
	1	24
	700	.

dril5w1 duration of illness 5 in years in time period from 1977 to 1986

type: numeric (**byte**)

range:	[24,24]	units:	1
unique values:	1	missing .:	702/703

```

tabulation:  Freq.  Value
              1   24
            702   .

```

dril6w1 duration of illness 6 in years in time period from 1977 to 1986

```

              type:  numeric (byte)

              range:  [.,.]                units:  .
unique values:  0                                missing .:  703/703

              tabulation:  Freq.  Value
                        703   .

```

dril7w1 duration of illness 7 in years in time period from 1977 to 1986

```

              type:  numeric (byte)

              range:  [.,.]                units:  .
unique values:  0                                missing .:  703/703

              tabulation:  Freq.  Value
                        703   .

```

dril8w1 duration of illness 8 in years in time period from 1977 to 1986

```

              type:  numeric (byte)

              range:  [.,.]                units:  .
unique values:  0                                missing .:  703/703

              tabulation:  Freq.  Value
                        703   .

```

dril9w1 duration of illness 9 in years in time period from 1977 to 1986

```

              type:  numeric (byte)

              range:  [.,.]                units:  .
unique values:  0                                missing .:  703/703

```

```

tabulation:  Freq.  Value
              703  .

```

```

drill10w1           duration of illness 10 in years in time period from 1977 to 1986

```

```

              type:  numeric (byte)

              range:  [.,.]                      units:  .
unique values:  0                               missing .:  703/703

              tabulation:  Freq.  Value
                          703  .

```

```

pillw1             persistence of illness 1 in time period fro 1977 to 1986

```

```

              type:  numeric (byte)
              label:  LABC

              range:  [0,2]                      units:  1
unique values:  3                               missing .:  0/703

              tabulation:  Freq.    Numeric  Label
                          520          0  0. not answered
                          117          1  1. yes
                          66           2  2. no

```

```

pill2w1           persistence of illness 2 in time period fro 1977 to 1986

```

```

              type:  numeric (byte)
              label:  LABC

              range:  [0,2]                      units:  1
unique values:  3                               missing .:  0/703

              tabulation:  Freq.    Numeric  Label
                          647          0  0. not answered
                          41           1  1. yes
                          15           2  2. no

```

```

pill3w1           persistence of illness 3 in time period fro 1977 to 1986

```

```

        type: numeric (byte)
        label: LABC

        range: [0,2]
unique values: 3
                                units: 1
                                missing .: 0/703

```

```

tabulation:  Freq.    Numeric  Label
              689         0  0. not answered
              8          1  1. yes
              6          2  2. no

```

pil4w1 **persistence of illness 4 in time period fro 1977 to 1986**

```

        type: numeric (byte)
        label: LABC

        range: [0,2]
unique values: 3
                                units: 1
                                missing .: 0/703

```

```

tabulation:  Freq.    Numeric  Label
              700         0  0. not answered
              2          1  1. yes
              1          2  2. no

```

pil5w1 **persistence of illness 5 in time period fro 1977 to 1986**

```

        type: numeric (byte)
        label: LABC

        range: [0,1]
unique values: 2
                                units: 1
                                missing .: 0/703

```

```

tabulation:  Freq.    Numeric  Label
              702         0  0. not answered
              1          1  1. yes

```

pil6w1 **persistence of illness 6 in time period fro 1977 to 1986**

```

        type: numeric (byte)
        label: LABC

```

range: [0,0] units: 1
unique values: 1 missing .: 0/703

tabulation: Freq. Numeric Label
703 0 0. not answered

pil7w1 persistence of illness 7 in time period fro 1977 to 1986

type: numeric (**byte**)
label: **LABC**

range: [0,0] units: 1
unique values: 1 missing .: 0/703

tabulation: Freq. Numeric Label
703 0 0. not answered

pil8w1 persistence of illness 8 in time period fro 1977 to 1986

type: numeric (**byte**)
label: **LABC**

range: [0,0] units: 1
unique values: 1 missing .: 0/703

tabulation: Freq. Numeric Label
703 0 0. not answered

pil9w1 persistence of illness 9 in time period fro 1977 to 1986

type: numeric (**byte**)
label: **LABC**

range: [0,0] units: 1
unique values: 1 missing .: 0/703

tabulation: Freq. Numeric Label
703 0 0. not answered

pil10w1 persistence of illness 10 in time period fro 1977 to 1986

```

        type: numeric (byte)
        label: LABC

        range: [0,0]                      units: 1
unique values: 1                      missing .: 0/703

        tabulation: Freq.   Numeric   Label
                   703       0   0. not answered

```

```

ni11w2                                name of illness 1 in time period from 1987-1996

```

```

        type: numeric (byte)
        label: i11862

        range: [1,18]                      units: 1
unique values: 17                      missing .: 400/703

        examples: 5      5. gastrointestinal
                  16     16. tumors
                  .
                  .

```

```

ni12w2                                name of illness 2 in time period from 1987-1996

```

```

        type: numeric (byte)
        label: i11862

        range: [2,18]                      units: 1
unique values: 15                      missing .: 576/703

        examples: .
                  .
                  .
                  .

```

```

ni13w2                                name of illness 3 in time period from 1987-1996

```

```

        type: numeric (byte)
        label: i11862

        range: [2,18]                      units: 1
unique values: 12                      missing .: 664/703

```

```
examples: .
          .
          .
          .
```

```
nil4w2                                name of illness 4 in time period from 1987-1996
```

```

      type: numeric (byte)
      label: ill862

      range: [2,14]                      units: 1
unique values: 8                        missing .: 694/703
```

```

tabulation:  Freq.   Numeric  Label
              1         2   2. cardiovascular
              1         5   5. gastrointestinal
              2         6   6. genitourinary
              1         7   7. hematological
              1         9   9. musculoskeletal
              1        12  12. peripheral vascular
              1        13  13. respiratory
              1        14  14. rheumatologic
             694         .
```

```
nil5w2                                name of illness 5 in time period from 1987-1996
```

```

      type: numeric (byte)
      label: ill862

      range: [10,16]                     units: 1
unique values: 2                        missing .: 699/703
```

```

tabulation:  Freq.   Numeric  Label
              3        10  10. neurological
              1        16  16. tumors
             699         .
```

```
nil6w2                                name of illness 6 in time period from 1987-1996
```

```

      type: numeric (byte)
      label: ill862
```

```

range: [13,13] units: 1
unique values: 1 missing .: 702/703

```

```

tabulation: Freq. Numeric Label
             1      13 13. respiratory
             702      .

```

```

nil7w2 name of illness 7 in time period from 1987-1996

```

```

type: numeric (byte)
label: i11862

```

```

range: [16,16] units: 1
unique values: 1 missing .: 702/703

```

```

tabulation: Freq. Numeric Label
             1      16 16. tumors
             702      .

```

```

nil8w2 name of illness 8 in time period from 1987-1996

```

```

type: numeric (byte)
label: i11862

```

```

range: [.,.] units: .
unique values: 0 missing .: 703/703

```

```

tabulation: Freq. Numeric Label
             703      .

```

```

nil9w2 name of illness 9 in time period from 1987-1996

```

```

type: numeric (byte)
label: i11862

```

```

range: [.,.] units: .
unique values: 0 missing .: 703/703

```

```

tabulation: Freq. Numeric Label
             703      .

```

dil3w2 **date of onset of illness 3 in time period from 1987-1996**

type: numeric daily date (**long**)

range: [9612,13403] units: 1
or equivalently: [26apr1986,11sep1996] units: **days**
unique values: 32 missing .: 665/703

mean: 11537.6 = 03aug1991 (+ 15 hours)
std. dev: 1114.55

percentiles: 10% 25% 50% 75% 90%
 9862 10755 11368 12239 13149
 01jan1987 12jun1989 15feb1991 05jul1993 01jan1996

dil4w2 **date of onset of illness 4 in time period from 1987-1996**

type: numeric daily date (**long**)

range: [9616,13880] units: 1
or equivalently: [30apr1986,01jan1998] units: **days**
unique values: 9 missing .: 694/703

tabulation: Freq. Value
 1 9616 30apr1986
 1 10227 01jan1988
 1 11688 01jan1992
 1 11767 20mar1992
 1 12419 01jan1994
 1 12770 18dec1994
 1 12784 01jan1995
 1 12861 19mar1995
 1 13880 01jan1998
 694 . .

dil5w2 **date of onset of illness 5 in time period from 1987-1996**

type: numeric daily date (**long**)

range: [10088,12419] units: 1
or equivalently: [15aug1987,01jan1994] units: **days**
unique values: 4 missing .: 699/703

```

tabulation:  Freq.  Value
              1  10088  15aug1987
              1  11688  01jan1992
              1  12054  01jan1993
              1  12419  01jan1994
              699  .

```

```

dil6w2                                date of onset of illness 6 in time period from 1987-1996

```

```

type:  numeric daily date (long)

range:  [11017,11017]                      units:  1
or equivalently:  [01mar1990,01mar1990]      units:  days
unique values:  1                          missing .:  702/703

tabulation:  Freq.  Value
              1  11017  01mar1990
              702  .

```

```

dil7w2                                date of onset of illness 7 in time period from 1987-1996

```

```

type:  numeric daily date (long)

range:  [12539,12539]                      units:  1
or equivalently:  [01may1994,01may1994]      units:  days
unique values:  1                          missing .:  702/703

tabulation:  Freq.  Value
              1  12539  01may1994
              702  .

```

```

dil8w2                                date of onset of illness 8 in time period from 1987-1996

```

```

type:  numeric daily date (long)

range:  [.,.]                              units:  .
or equivalently:  [.,.]                    units:  days
unique values:  0                          missing .:  703/703

tabulation:  Freq.  Value
              703  .

```

dil9w2 **date of onset of illness 9 in time period from 1987-1996**

type: numeric daily date (**long**)

range: [.,.] units: .
or equivalently: [.,.] units: **days**
unique values: **0** missing .: **703/703**

tabulation: Freq. Value
 703 . .

dil10w2 **date of onset of illness 10 in time period from 1987-1996**

type: numeric daily date (**long**)

range: [.,.] units: .
or equivalently: [.,.] units: **days**
unique values: **0** missing .: **703/703**

tabulation: Freq. Value
 703 . .

dril1w2 **duration of illness 1 in years in time period from 1987 to 1996**

type: numeric (**float**)

range: [**0,34**] units: **.1**
unique values: **27** missing .: **411/703**

mean: **13.6582**
std. dev: **7.34059**

percentiles: 10% 25% 50% 75% 90%
 1 **9** **15** **20** **22**

dril2w2 **duration of illness 2 in years in time period from 1987 to 1996**

type: numeric (**float**)

range: [1,27] units: 1
unique values: 23 missing .: 580/703

mean: 13.4228
std. dev: 7.11845

percentiles:	10%	25%	50%	75%	90%
	1	8	15	19	22

dril3w2 duration of illness 3 in years in time period from 1987 to 1996

type: numeric (**byte**)

range: [0,23] units: 1
unique values: 14 missing .: 666/703

mean: 12.3784
std. dev: 7.69326

percentiles:	10%	25%	50%	75%	90%
	1	4	15	19	20

dril4w2 duration of illness 4 in years in time period from 1987 to 1996

type: numeric (**byte**)

range: [2,18] units: 1
unique values: 6 missing .: 694/703

tabulation:	Freq.	Value
	1	2
	1	5
	1	10
	3	15
	2	16
	1	18
	694	.

dril5w2 duration of illness 5 in years in time period from 1987 to 1996

type: numeric (**byte**)

range: [1,18] units: 1
unique values: 4 missing .: 699/703

tabulation: Freq. Value
1 1
1 2
1 16
1 18
699 .

dril6w2 duration of illness 6 in years in time period from 1987 to 1996

type: numeric (byte)

range: [20,20] units: 10
unique values: 1 missing .: 702/703

tabulation: Freq. Value
1 20
702 .

dril7w2 duration of illness 7 in years in time period from 1987 to 1996

type: numeric (byte)

range: [16,16] units: 1
unique values: 1 missing .: 702/703

tabulation: Freq. Value
1 16
702 .

dril8w2 duration of illness 8 in years in time period from 1987 to 1996

type: numeric (byte)

range: [.,.] units: .
unique values: 0 missing .: 703/703

tabulation: Freq. Value
703 .

dril9w2 **duration of illness 9 in years in time period from 1987 to 1996**

type: numeric (**byte**)

range: [.,.] units: .
unique values: 0 missing .: 703/703

tabulation: Freq. Value
 703 .

dril10w2 **duration of illness 10 in years in time period from 1987 to 1996**

type: numeric (**byte**)

range: [.,.] units: .
unique values: 0 missing .: 703/703

tabulation: Freq. Value
 703 .

pillw2 **persistence of illness 1 in time period from 1987 to 1996**

type: numeric (**byte**)
label: **LABC**

range: [0,2] units: 1
unique values: 3 missing .: 2/703

tabulation: Freq. Numeric Label
 399 0 0. not answered
 218 1 1. yes
 84 2 2. no
 2 .

pill2w2 **persistence of illness 2 in time period from 1987 to 1996**

type: numeric (**byte**)
label: **LABC**

range: [0,2] units: 1
unique values: 3 missing .: 2/703

tabulation:	Freq.	Numeric	Label
	575	0	0. not answered
	93	1	1. yes
	33	2	2. no
	2	.	

pil3w2 persistence of illness 3 in time period from 1987 to 1996

type: numeric (byte)
label: LABC

range: [0,2] units: 1
unique values: 3 missing .: 3/703

tabulation:	Freq.	Numeric	Label
	662	0	0. not answered
	25	1	1. yes
	13	2	2. no
	3	.	

pil4w2 persistence of illness 4 in time period from 1987 to 1996

type: numeric (byte)
label: LABC

range: [0,2] units: 1
unique values: 3 missing .: 3/703

tabulation:	Freq.	Numeric	Label
	691	0	0. not answered
	7	1	1. yes
	2	2	2. no
	3	.	

pil5w2 persistence of illness 5 in time period from 1987 to 1996

type: numeric (byte)
label: LABC

range: [0,2] units: 1
unique values: 3 missing .: 3/703

tabulation:	Freq.	Numeric	Label
	696	0	0. not answered
	2	1	1. yes
	2	2	2. no
	3	.	

pil6w2 persistence of illness 6 in time period from 1987 to 1996

type: numeric (byte)
label: LABC

range: [0,1] units: 1
unique values: 2 missing .: 3/703

tabulation:	Freq.	Numeric	Label
	699	0	0. not answered
	1	1	1. yes
	3	.	

pil7w2 persistence of illness 7 in time period from 1987 to 1996

type: numeric (byte)
label: LABC

range: [0,1] units: 1
unique values: 2 missing .: 3/703

tabulation:	Freq.	Numeric	Label
	699	0	0. not answered
	1	1	1. yes
	3	.	

pil8w2 persistence of illness 8 in time period from 1987 to 1996

type: numeric (byte)
label: LABC

range: [0,0] units: 1
unique values: 1 missing .: 3/703

tabulation:	Freq.	Numeric	Label
	700	0	0. not answered
	3	.	

pil9w2 **persistence of illness 9 in time period from 1987 to 1996**

type: numeric (**byte**)
label: **LABC**

range: [0,0] units: 1
unique values: 1 missing .: 3/703

tabulation:	Freq.	Numeric	Label
	700	0	0. not answered
	3	.	

pil10w2 **persistence of illness 10 in time period from 1987 to 1996**

type: numeric (**byte**)
label: **LABC**

range: [0,0] units: 1
unique values: 1 missing .: 3/703

tabulation:	Freq.	Numeric	Label
	700	0	0. not answered
	3	.	

nillw3 **name of illness 1 in time period now**

type: numeric (**byte**)
label: **ill1862**

range: [1,18] units: 1
unique values: 16 missing .: 192/703

examples: 4 4. endocrine/metabolic
6 6. genitourinary
13 13. respiratory
.

nil2w3	name of illness 2 in time period now
---------------	---

type:	numeric (byte)	
label:	i11862	
range:	[1,18]	units: 1
unique values:	17	missing .: 390/703
examples:	6	6. genitourinary
	16	16. tumors
	.	
	.	

nil3w3	name of illness 3 in time period now
---------------	---

type:	numeric (byte)	
label:	i11862	
range:	[2,18]	units: 1
unique values:	15	missing .: 535/703
examples:	13	13. respiratory
	.	
	.	
	.	

nil4w3	name of illness 4 in time period now
---------------	---

type:	numeric (byte)	
label:	i11862	
range:	[2,18]	units: 1
unique values:	12	missing .: 621/703
examples:	.	
	.	
	.	
	.	

nil5w3	name of illness 5 in time period now
---------------	---

```

        type:  numeric (byte)
        label:  ill1862

        range:  [2,18]
unique values:  15
                                units:  1
                                missing .:  652/703

        examples:  .
                   .
                   .
                   .

```

nil6w3

name of illness 6 in time period now

```

        type:  numeric (byte)
        label:  ill1862

        range:  [2,18]
unique values:  12
                                units:  1
                                missing .:  678/703

        examples:  .
                   .
                   .
                   .

```

nil7w3

name of illness 7 in time period now

```

        type:  numeric (byte)
        label:  ill1862

        range:  [6,17]
unique values:  8
                                units:  1
                                missing .:  693/703

```

```

tabulation:  Freq.   Numeric  Label
              1         6  6. genitourinary
              1         7  7. hematological
              1         9  9. musculoskeletal
              1        10 10. neurological
              1        12 12. peripheral vascular
              2        13 13. respiratory
              2        16 16. tumors
              1        17 17. substance use
             693         .

```

name of illness 8 in time period now

tabulation:	Freq.	Numeric	Label
	1	6	6. genitourinary
	2	9	9. musculoskeletal
	1	12	12. peripheral vascular
	1	14	14. rheumatologic
	1	16	16. tumors
	697	.	

name of illness 9 in time period now

tabulation:	Freq.	Numeric	Label
	1	8	8. infectious
	1	13	13. respiratory
	1	16	16. tumors
	700	.	

name of illness 10 in time period now

```

tabulation:  Freq.   Numeric  Label
              703         .

```

dillw3	date of onset of illness 1 now
---------------	---------------------------------------

```

      type:  numeric daily date (long)

      range:  [-137775,18573]          units:  1
or equivalently: [14oct1582,07nov2010]  units:  days
      unique values: 327                missing .: 194/703

      mean:   15010.6 = 04feb2001 (+ 16 hours)
      std. dev: 7114.46

      percentiles:      10%      25%      50%      75%      90%
                        13515    14245    15341    16957    17734
                        01jan1997 01jan1999 01jan2002 05jun2006 21jul2008
```

dil2w3	date of onset of illness 2 now
---------------	---------------------------------------

```

      type:  numeric daily date (long)

      range:  [5072,18534]             units:  1
or equivalently: [20nov1973,29sep2010]  units:  days
      unique values: 230                missing .: 389/703

      mean:   15645.9 = 01nov2002 (+ 22 hours)
      std. dev: 1902.02

      percentiles:      10%      25%      50%      75%      90%
                        13880    14610    15958    17123    17684
                        01jan1998 01jan2000 10sep2003 18nov2006 01jun2008
```

dil3w3	date of onset of illness 3 now
---------------	---------------------------------------

```

      type:  numeric daily date (long)

      range:  [-137775,18322]          units:  1
or equivalently: [14oct1582,01mar2010]  units:  days
      unique values: 124                missing .: 536/703

      mean:   15029.4 = 23feb2001 (+ 10 hours)
      std. dev: 12054
```

percentiles:	10%	25%	50%	75%	90%
	13515	15007	16472	17343	17878
	01jan1997	01feb2001	05feb2005	26jun2007	12dec2008

dil4w3

date of onset of illness 4 now

type: numeric daily date (**long**)

range:	[9616,18322]	units:	1
or equivalently:	[30apr1986,01mar2010]	units:	days
unique values:	65	missing .:	621/703

mean: 15793.7 = 29mar2003 (+ 16 hours)
 std. dev: 1949.12

percentiles:	10%	25%	50%	75%	90%
	13515	14762	16437	17167	17720
	01jan1997	01jun2000	01jan2005	01jan2007	07jul2008

dil5w3

date of onset of illness 5 now

type: numeric daily date (**long**)

range:	[9616,18484]	units:	1
or equivalently:	[30apr1986,10aug2010]	units:	days
unique values:	35	missing .:	651/703

mean: 16029.1 = 20nov2003 (+ 2 hours)
 std. dev: 1996.7

percentiles:	10%	25%	50%	75%	90%
	14245	14610	16437	17519	18100
	01jan1999	01jan2000	01jan2005	19dec2007	22jul2009

dil6w3

date of onset of illness 6 now

type: numeric daily date (**long**)

range:	[10088,18053]	units:	1
or equivalently:	[15aug1987,05jun2009]	units:	days
unique values:	21	missing .:	676/703

mean: 16564 = 08may2005
 std. dev: 1622.05

percentiles: 10% 25% 50% 75% 90%
 15706 16071 16833 17532 17988
 01jan2003 01jan2004 01feb2006 01jan2008 01apr2009

dil7w3 **date of onset of illness 7 now**

type: numeric daily date (**long**)

range: [14610,17167] units: 1
 or equivalently: [01jan2000,01jan2007] units: **days**
 unique values: 6 missing .: 693/703

tabulation: Freq. Value
 1 14610 01jan2000
 1 15706 01jan2003
 1 16071 01jan2004
 4 16437 01jan2005
 2 16802 01jan2006
 1 17167 01jan2007
 693 . .

dil8w3 **date of onset of illness 8 now**

type: numeric daily date (**long**)

range: [14976,17167] units: 1
 or equivalently: [01jan2001,01jan2007] units: **days**
 unique values: 4 missing .: 697/703

tabulation: Freq. Value
 1 14976 01jan2001
 3 16437 01jan2005
 1 16680 01sep2005
 1 17167 01jan2007
 697 . .

dil9w3 **date of onset of illness 9 now**

type: numeric daily date (**long**)

```

range: [16437,17532] units: 1
or equivalently: [01jan2005,01jan2008] units: days
unique values: 3 missing.: 700/703

```

```

tabulation: Freq. Value
              1 16437 01jan2005
              1 17167 01jan2007
              1 17532 01jan2008
            700 . .

```

dil10w3

date of onset of illness 10 now

```

type: numeric daily date (long)

```

```

range: [17684,17684] units: 1
or equivalently: [01jun2008,01jun2008] units: days
unique values: 1 missing.: 702/703

```

```

tabulation: Freq. Value
              1 17684 01jun2008
            702 . .

```

drillw3

duration of illness 1 now (in years)

```

type: numeric (int)

```

```

range: [0,48] units: 1
unique values: 26 missing.: 212/703

```

```

mean: 7.15275
std. dev: 6.13414

```

```

percentiles:      10%      25%      50%      75%      90%
                  1         2         6        10        13

```

dril2w3

duration of illness 2 now (in years)

```

type: numeric (int)

```

```

range: [0,37] units: 1
unique values: 24 missing.: 397/703

```

dril3w3 duration of illness 3 now (in years)

dril4w3 duration of illness 4 now (in years)

[illegible]

percentiles:	10%	25%	50%	75%	90%
	1	1	5	9	10

dril6w3	duration of illness 6 now (in years)
----------------	---

```

type: numeric (int)

range: [1,7]           units: 1
unique values: 7       missing .: 679/703

```

```

tabulation: Freq.  Value
              5    1
              5    2
              3    3
              1    4
              4    5
              2    6
              4    7
            679    .

```

dril7w3	duration of illness 7 now (in years)
----------------	---

```

type: numeric (int)

range: [3,10]          units: 1
unique values: 6       missing .: 693/703

```

```

tabulation: Freq.  Value
              2    3
              1    4
              4    5
              1    6
              1    7
              1   10
            693    .

```

dril8w3	duration of illness 8 now (in years)
----------------	---

```

type: numeric (int)

range: [3,9]           units: 1
unique values: 3       missing .: 697/703

```



```

tabulation:  Freq.  Value
              1    3
              4    5
              1    9
            697    .

```

dril9w3

duration of illness 9 now (in years)

```

type:  numeric (int)

range:  [2,5]          units:  1
unique values:  3      missing .:  700/703

```

```

tabulation:  Freq.  Value
              1    2
              1    3
              1    5
            700    .

```

dril10w3

duration of illness 10 now (in years)

```

type:  numeric (int)

range:  [2,2]          units:  1
unique values:  1      missing .:  702/703

```

```

tabulation:  Freq.  Value
              1    2
            702    .

```

pillw3

persistence of illness 1 now

```

type:  numeric (byte)
label:  LABC

range:  [0,2]          units:  1
unique values:  3      missing .:  0/703

```

```

tabulation:  Freq.  Numeric  Label
              192         0  0. not answered
              390         1  1. yes
              121         2  2. no

```

persistence of illness 2 now

tabulation:	Freq.	Numeric	Label
	391	0	0. not answered
	236	1	1. yes
	76	2	2. no

persistence of illness 3 now

tabulation:	Freq.	Numeric	Label
	535	0	0. not answered
	132	1	1. yes
	36	2	2. no

persistence of illness 4 now

tabulation:	Freq.	Numeric	Label
	622	0	0. not answered
	69	1	1. yes
	12	2	2. no

persistence of illness 5 now

```

        type: numeric (byte)
        label: LABC

        range: [0,2]
unique values: 3
                                units: 1
                                missing .: 0/703

```

```

tabulation:  Freq.    Numeric  Label
              651         0  0. not answered
              41         1  1. yes
              11         2  2. no

```

pil6w3

persistence of illness 6 now

```

        type: numeric (byte)
        label: LABC

        range: [0,2]
unique values: 3
                                units: 1
                                missing .: 0/703

```

```

tabulation:  Freq.    Numeric  Label
              677         0  0. not answered
              22         1  1. yes
               4         2  2. no

```

pil7w3

persistence of illness 7 now

```

        type: numeric (byte)
        label: LABC

        range: [0,1]
unique values: 2
                                units: 1
                                missing .: 0/703

```

```

tabulation:  Freq.    Numeric  Label
              694         0  0. not answered
               9         1  1. yes

```

pil8w3

persistence of illness 8 now

```

        type: numeric (byte)
        label: LABC

```

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	697	0	0. not answered
	6	1	1. yes

pil9w3

persistence of illness 9 now

type: numeric (**byte**)
label: **LABC**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	700	0	0. not answered
	3	1	1. yes

pill0w3

persistence of illness 10 now

type: numeric (**byte**)
label: **LABC**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	702	0	0. not answered
	1	1	1. yes

aborw1

number of pregnancy terminations in time period 1976-1986

type: numeric (**byte**)

range: [0,12] units: 1
unique values: 7 missing .: 0/703

tabulation:	Freq.	Value
	648	0
	29	1
	20	2
	3	3
	1	4
	1	5
	1	12

aborw2	number of pregnancy terminations in time period 1987-1996
---------------	--

type: numeric (**byte**)

range:	[0,5]	units:	1
unique values:	6	missing .:	0/703

tabulation:	Freq.	Value
	628	0
	44	1
	25	2
	3	3
	2	4
	1	5

aborw3	number of pregnancy terminations in time period 1997-now
---------------	---

type: numeric (**byte**)

range:	[0,3]	units:	1
unique values:	4	missing .:	0/703

tabulation:	Freq.	Value
	668	0
	27	1
	6	2
	2	3

contw1	use of any contraception method in 1976-1986
---------------	---

type: numeric (**byte**)
label: **LABC**

range: [0,2] units: 1
unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	20	0	0. not answered
	324	1	1. yes
	359	2	2. no

contw2 use of any contraception method in 1987-1996

type: numeric (**byte**)
label: **LABC**

range: [0,2] units: 1
unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	10	0	0. not answered
	433	1	1. yes
	260	2	2. no

contw3 use of any contraception method in 1997-now

type: numeric (**byte**)
label: **LABC**

range: [0,2] units: 1
unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	11	0	0. not answered
	350	1	1. yes
	342	2	2. no

ncontw1 use of natural contraception in 1976-1986

type: numeric (**byte**)
label: **LABC**

range: [0,2] units: 1
unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	17	0	0. not answered
	250	1	1. yes
	436	2	2. no

ncontw2	use of natural contraception in 1987-1996
----------------	--

type:	numeric (byte)	
label:	LABC	
range:	[0,2]	units: 1
unique values:	3	missing .: 0/703

tabulation:	Freq.	Numeric	Label
	12	0	0. not answered
	300	1	1. yes
	391	2	2. no

ncontw3	use of natural contraception in 1997-now
----------------	---

type:	numeric (byte)	
label:	LABC	
range:	[0,2]	units: 1
unique values:	3	missing .: 0/703

tabulation:	Freq.	Numeric	Label
	12	0	0. not answered
	231	1	1. yes
	460	2	2. no

smokw1	number of cigarettes per week in 1976-1986
---------------	---

type:	numeric (int)	
range:	[0,280]	units: 1
unique values:	26	missing .: 3/703
mean:	14.0914	
std. dev:	37.4884	

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	60

smokw2	number of cigarettes per week in 1987-1996
---------------	---

```

type: numeric (int)

range: [0,280]          units: 1
unique values: 29       missing .: 0/703

mean: 20.5562
std. dev: 42.3214

percentiles:    10%    25%    50%    75%    90%
                0      0      0      10     100

```

smokw3	number of cigarettes per week in 1997-now
---------------	--

```

type: numeric (int)

range: [0,280]          units: 1
unique values: 29       missing .: 0/703

mean: 19.5206
std. dev: 42.0203

percentiles:    10%    25%    50%    75%    90%
                0      0      0      10     100

```

beerw1	nuber of beers per week in 1976-1986
---------------	---

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 12       missing .: 1/703

mean: 1.12536
std. dev: 4.25254

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      3

```

beerw2	nuber of beers per week in 1987-1996
---------------	---

```

      type:  numeric (byte)

      range:  [0,50]
unique values: 14
                                units:  1
                                missing .: 2/703

      mean:   1.51783
      std. dev: 2.85983

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        4
```

beerw3	nuber of beers per week in 1997-now
---------------	--

```

      type:  numeric (byte)

      range:  [0,20]
unique values: 13
                                units:  1
                                missing .: 1/703

      mean:   1.48433
      std. dev: 2.32315

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        4
```

liqw1	number of spirits per week in 1976-1986
--------------	--

```

      type:  numeric (byte)

      range:  [0,30]
unique values: 13
                                units:  1
                                missing .: 2/703

      mean:   1.01712
      std. dev: 2.26015

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        3
```

liqw2	number of spirits per week in 1987-1996
--------------	--

```

type: numeric (byte)

range: [0,30] units: 1
unique values: 12 missing .: 0/703

mean: 1.33713
std. dev: 2.33123

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      4

```

liqw3 **number of spirits per week in 1997–now**

```

type: numeric (byte)

range: [0,45] units: 1
unique values: 13 missing .: 0/703

mean: 1.29161
std. dev: 3.04459

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      4

```

pillw1 **number of pills for pain per week in 1976–1986**

```

type: numeric (byte)

range: [0,21] units: 1
unique values: 13 missing .: 0/703

mean: .587482
std. dev: 2.06392

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1

```

pillw2 **number of pills for pain per week in 1987–1996**

```

type: numeric (byte)

```

range: [0,35] units: 1
unique values: 16 missing .: 0/703

mean: 1.24893
std. dev: 3.3238

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

pillw3 **number of pills for pain per week in 1997-now**

type: numeric (**byte**)

range: [0,63] units: 1
unique values: 20 missing .: 0/703

mean: 2.54623
std. dev: 5.32749

percentiles:	10%	25%	50%	75%	90%
	0	0	1	3	7

medcow1 **number of medical visits for a medical condition per year 1976-1986**

type: numeric (**byte**)

range: [0,24] units: 1
unique values: 15 missing .: 1/703

mean: 1.88319
std. dev: 3.48513

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	5

medcow2 **number of medical visits for a medical condition per year 1987-1996**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 20 missing .: 0/703

mean: 2.86486
std. dev: 5.6012

percentiles:	10%	25%	50%	75%	90%
	0	0	2	4	6

medcow3 **number of medical visits for a medical condition per year 1997-now**

type: numeric (**byte**)

range:	[0,50]	units:	1
unique values:	20	missing .:	3/703

mean: 3.39286
std. dev: 4.46749

percentiles:	10%	25%	50%	75%	90%
	0	1	2	4	10

hospw1

number of days per year as a patient in a clinic for medical condition in 197
> 6-

type: numeric (**int**)

range:	[0,200]	units:	1
unique values:	25	missing .:	1/703

mean: 3.19943
std. dev: 11.9528

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	10

hospw2

number of days per year as a patient in a clinic for medical condition in 198
> 7-

type: numeric (**int**)

range:	[0,200]	units:	1
unique values:	32	missing .:	0/703

```

            mean:    5.28876
        std. dev:    14.37

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        3       20

```

hospw3

number of days per year as a patient in a clinic for medical condition in 199
> 7-

```

            type:  numeric (int)

            range:  [0,150]                units:  1
unique values:  39                                missing .:  0/703

            mean:    8.21622
        std. dev:    17.1144

percentiles:      10%      25%      50%      75%      90%
                  0        0        0       10       27

```

vishphw1

number of visits per year to a homeopath for a physical condition in 1976-1986
>

```

            type:  numeric (byte)

            range:  [0,10]                units:  1
unique values:   7                                missing .: 130/703

tabulation:  Freq.  Value
              557    0
               7    1
               5    2
               1    3
               1    4
               1    5
               1   10
             130    .

```

vishphw2
number of visits per year to a homeopath for a physical condition in 1987-1996
>

type: numeric (**byte**)

range: [0,10] units: 1
unique values: 6 missing .: 126/703

tabulation: Freq. Value

531	0
24	1
14	2
2	3
5	5
1	10
126	.

vishphw3
number of visits per year to a homeopath for a physical condition in 1997-now

type: numeric (**byte**)

range: [0,30] units: 1
unique values: 10 missing .: 126/703

mean: .311958
std. dev: 1.63928

percentiles: 10% 25% 50% 75% 90%

	0	0	0	0	1
--	---	---	---	---	---

mhoutw1
number of medical visits for a mental health condition per year 1976-1986

type: numeric (**byte**)

range: [0,12] units: 1
unique values: 5 missing .: 127/703

```

tabulation:  Freq.  Value
              567    0
              6     1
              1     2
              1     4
              1    12
            127    .

```

mhoutw2

number of medical visits for a mental health condition per year 1987-1996

type: numeric (**byte**)

```

range:  [0,12]           units:  1
unique values: 6         missing .: 124/703

```

```

tabulation:  Freq.  Value
              567    0
              5     1
              4     2
              1     3
              1     5
              1    12
            124    .

```

mhoutw3

number of medical visits for a mental health condition per year 1997-now

type: numeric (**byte**)

```

range:  [0,12]           units:  1
unique values: 8         missing .: 126/703

```

```

tabulation:  Freq.  Value
              553    0
              13     1
               2     2
               4     3
               1     4
               1     5
               2    10
               1    12
            126    .

```

mhinw1

**number of days per year as a patient in a clinic for a mental health in 1976-
> 19**

type: numeric (**byte**)

range: [0,30]

units: 1

unique values: 3

missing .: 125/703

tabulation: Freq. Value
576 0
1 21
1 30
125 .

mhinw2

**number of days per year as a patient in a clinic for a mental health in 1987-
> 19**

type: numeric (**int**)

range: [0,200]

units: 1

unique values: 7

missing .: 125/703

tabulation: Freq. Value
571 0
2 2
1 10
1 20
1 21
1 40
1 200
125 .

mhinw3

**number of days per year as a patient in a clinic for a mental health in 1997-
> no**

type: numeric (**byte**)

range: [0,30]

units: 1

unique values: 8

missing .: 126/703

tabulation:	Freq.	Value
	568	0
	1	3
	1	7
	2	14
	1	21
	1	24
	2	28
	1	30
	126	.

vishpw1

number of visits per year to a homeopath for a mental health condition in 1976
> -1

type:	numeric (byte)		
range:	[0,3]	units:	1
unique values:	4	missing .:	125/703

tabulation:	Freq.	Value
	574	0
	2	1
	1	2
	1	3
	125	.

vishpw2

number of visits per year to a homeopath for a mental health condition in 1987
> -1

type:	numeric (byte)		
range:	[0,5]	units:	1
unique values:	5	missing .:	125/703

tabulation:	Freq.	Value
	569	0
	4	1
	2	2
	2	3
	1	5
	125	.

vishpw3

number of visits per year to a homeopath for a mental health condition in 1997
> -n

type: numeric (**byte**)

range: [0,5] units: 1
unique values: 5 missing .: 125/703

tabulation: Freq. Value

	566	0
	5	1
	4	2
	2	3
	1	5
	125	.

goferw1 **level of fear in percent from going outdoors in 1976-1986**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 16 missing .: 0/703

mean: 25.4282
std. dev: 35.046

percentiles: 10% 25% 50% 75% 90%

	0	0	0	50	100
--	---	---	---	----	-----

goferw2 **level of fear in percent from going outdoors in 1987-1996**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 15 missing .: 1/703

mean: 7.70513
std. dev: 17.0957

percentiles: 10% 25% 50% 75% 90%

	0	0	0	0	30
--	---	---	---	---	----

goferw3 **level of fear in percent from going outdoors in 1997-now**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 15 missing .: 0/703

mean: 6.3798
std. dev: 16.3218

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 20

fdferw1
level of fear in percent from consuming foods contaminated with radiation in 1
> 97

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 23 missing .: 0/703

mean: 34.9303
std. dev: 38.5157

percentiles: 10% 25% 50% 75% 90%
 0 0 20 70 100

fdferw2
level of fear in percent from consuming foods contaminated with radiation in 1
> 98

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 17 missing .: 0/703

mean: 15.7226
std. dev: 26.8673

percentiles: 10% 25% 50% 75% 90%
 0 0 0 20 50

fdferw3

**level of fear in percent from consuming foods contaminated with radiation in 1
> 99**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 17 missing .: 0/703

mean: 12.357
std. dev: 24.4693

percentiles:	10%	25%	50%	75%	90%
	0	0	0	10	50

trgovw1

level of trust in government reports about chornobyl in time period 1976-1986

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 18 missing .: 125/703

mean: 36.5986
std. dev: 36.7863

percentiles:	10%	25%	50%	75%	90%
	0	0	30	60	100

trgovw2

level of trust in government reports about chornobyl in time period 1987-1996

type: numeric (**int**)

range: [0,100] units: 1
unique values: 19 missing .: 125/703

mean: 41.1834
std. dev: 32.4849

percentiles:	10%	25%	50%	75%	90%
	0	10	50	60	90

trgovw3

level of trust in government reports about chornobyl in time period 1997-now

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 18 missing .: 125/703

mean: 41.1713
std. dev: 33.3439

percentiles:	10%	25%	50%	75%	90%
	0	10	40	70	90

trrepw1

level of trust in medical/scientific reports about chornobyl in time period 1 > 97

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 17 missing .: 125/703

mean: 41.6644
std. dev: 36.2148

percentiles:	10%	25%	50%	75%	90%
	0	0	40	70	100

trrepw2

level of trust in medical/scientific reports about chornobyl in time period 1 > 98

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 19 missing .: 125/703

mean: 48.1713
std. dev: 31.7854

percentiles:	10%	25%	50%	75%	90%
	0	20	50	70	100

trrepw3

level of trust in medical/scientific reports about chornobyl in time period 19
> 97

type: numeric (**byte**)

range: [0,100]

units: 1

unique values: 18

missing .: 125/703

mean: 48.7941

std. dev: 32.0435

percentiles:	10%	25%	50%	75%	90%
	0	20	50	70	100

townacc

village/ town/ city at time of accident
>

type: string (**str32**), but longest is str23

unique values: 140

missing "": 0/703

examples: "Korosten"

"Kyiv"

"Kyiv"

"Mironivka"

warning: variable has embedded blanks

raiacc

raion at the time of Chornobyl accident

type: string (**str32**), but longest is str23

unique values: 90

missing "": 0/703

examples: "Korostenskiy"
 "Kyivskiy"
 "Kyivskiy"
 "Kyivskiy"

warning: variable has embedded blanks

latacc	latitude of residence at time of accident
---------------	--

```

      type: numeric (byte)
      label: LABF

      range: [1,1]                      units: 1
unique values: 1                      missing .: 0/703

      tabulation: Freq.   Numeric   Label
                   703           1   1. north
  
```

lonacc	longitude of residence at time of accident
---------------	---

```

      type: numeric (byte)
      label: lon

      range: [1,1]                      units: 1
unique values: 1                      missing .: 0/703

      tabulation: Freq.   Numeric   Label
                   703           1   1. east
  
```

latdacc	latitude (in degrees) at time of accident
----------------	--

```

      type: numeric (int)

      range: [30,69]                    units: 1
unique values: 12                      missing .: 0/703

      mean:    49.8862
      std. dev: 1.29919

      percentiles:    10%    25%    50%    75%    90%
                      49     50     50     50     50
  
```

londacc	longitude (in degrees) at time of accident				
----------------	---	--	--	--	--

type: numeric (int)					
range:	[12,104]		units:	1	
unique values:	25		missing .:	0/703	
mean:	29.9232				
std. dev:	3.85082				
percentiles:	10%	25%	50%	75%	90%
	28	30	30	30	30

latmacc	latitude (in minutes) at time of accident				
----------------	--	--	--	--	--

type: numeric (long)					
range:	[0,96]		units:	1	
unique values:	81		missing .:	0/703	
mean:	44.027				
std. dev:	16.4461				
percentiles:	10%	25%	50%	75%	90%
	24	44	44	44	59

lonmacc	longitude (in minutes) at time of accident				
----------------	---	--	--	--	--

type: numeric (int)					
range:	[0,98]		units:	1	
unique values:	85		missing .:	0/703	
mean:	50.7809				
std. dev:	18.1454				
percentiles:	10%	25%	50%	75%	90%
	24	52	52	52	74

**oblacc{right:oblast of residence at time of accident
}**

type: numeric (**byte**)
label: **LABG**

range: [0,26] units: 1
unique values: 22 missing .: 0/703

examples: 10 10. kyiv
 10 10. kyiv
 10 10. kyiv
 10 10. kyiv

kmacc distance of residence from the chornobyl plant (in kilometers)

type: numeric (**int**)

range: [0,3000] units: 1
unique values: 86 missing .: 0/703

mean: 185.647
std. dev: 198.472

percentiles: 10% 25% 50% 75% 90%
 100 130 130 180 280

townwork village/town/ city of w/s at time of accident

type: string (**str32**), but longest is str23

unique values: 140 missing "": 0/703

examples: "Kremenchuk"
 "Kyiv"
 "Kyiv"
 "Mironivka"

warning: variable has embedded blanks

raion of w/s at time of accident

```
warning: variable has embedded blanks
```

latitude of place of work/study at time of accident

```

tabulation:  Freq.    Numeric  Label
              703         1  1. north

```

longitude of place of work/study at time of accident

tabulation:	Freq.	Numeric	Label
	703	1	1. east

latitude (in degrees) of place of work/study at time of accident

```
type:  numeric (int)
```

range: [40,69] units: 1
unique values: 11 missing .: 0/703

mean: 49.9203
std. dev: 1.0632

percentiles:	10%	25%	50%	75%	90%
	49	50	50	50	50

lonwork longitude (in degrees) of place of work/study at time of accident

type: numeric (int)

range: [12,104] units: 1
unique values: 27 missing .: 0/703

mean: 30.1465
std. dev: 4.77886

percentiles:	10%	25%	50%	75%	90%
	28	30	30	30	30

latmwork latitude (in minutes) of place of work/study at time of accident

type: numeric (int)

range: [0,96] units: 1
unique values: 81 missing .: 0/703

mean: 44.0299
std. dev: 16.5617

percentiles:	10%	25%	50%	75%	90%
	24	43	44	44	59

lonmwork longitude (in minutes) of place of work/study at time of accident

type: numeric (int)

range: [0,98] units: 1
unique values: 88 missing .: 0/703

mean: 50.3826
std. dev: 18.2716

percentiles:	10%	25%	50%	75%	90%
	24	47	52	52	74

oblwork	oblast of work /study at the time of accident
---------	---

type: numeric (**byte**)
label: **LABG**

range:	[0,26]	units:	1
unique values:	22	missing .:	0/703

examples:	10	10. kyiv
	10	10. kyiv
	10	10. kyiv
	10	10. kyiv

kmwork

approximately how far away was your w/s from the chornobyl plant (in kilometer > s)

type: numeric (**int**)

range:	[0,3000]	units:	1
unique values:	89	missing .:	0/703

mean: 183.752
std. dev: 198.894

percentiles:	10%	25%	50%	75%	90%
	97	130	130	175	280

injself	were you injured as a result of the chornobyl accident in 1986?
---------	---

type: numeric (**byte**)
label: **LABC**

range:	[1,2]	units:	1
unique values:	2	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	422	1	1. yes
	281	2	2. no

injselfr **Were u injured because of Chornobyl acc in 1986?**

type: numeric (**float**)
label: **dum**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	281	0	0. no
	422	1	1. yes

injoth **was anyone you know injured as a result of the chornobyl accident?**

type: numeric (**byte**)
label: **LABC**

range: [1,2] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	559	1	1. yes
	144	2	2. no

injothr **Was anyone u know injured by Chornobyl accident?**

type: numeric (**float**)
label: **inj**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	144	0	0. no
	559	1	1. yes

evacself**were you evacuated as a result of the chornobyl accident and its aftermath?**

```
      type:  numeric (byte)
      label:  LABC

      range:  [1,2]                      units:  1
unique values: 2                      missing .:  0/703

      tabulation:  Freq.    Numeric  Label
                   29         1    1. yes
                   674        2    2. no
```

evacselfr**Were u evacuated because of Chornobyl accident in 1986?**

```
      type:  numeric (float)
      label:  dum

      range:  [0,1]                      units:  1
unique values: 2                      missing .:  0/703

      tabulation:  Freq.    Numeric  Label
                   674         0    0. no
                   29         1    1. yes
```

reself**were you relocated?**

```
      type:  numeric (byte)
      label:  LABC

      range:  [1,2]                      units:  1
unique values: 2                      missing .:  0/703

      tabulation:  Freq.    Numeric  Label
                   16         1    1. yes
                   687        2    2. no
```

reselfr**Were u relocated because of Chornobyl accident?**

```

        type: numeric (float)
        label: dum

        range: [0,1]
        unique values: 2
        units: 1
        missing .: 0/703

```

```

tabulation: Freq.   Numeric   Label
             687       0    0. no
             16       1    1. yes

```

```

townrel                                village/ town/ city of relocated residence

```

```

        type: string (str244), but longest is str32
        unique values: 14
        missing "": 212/703

        examples: ""
                  ""
                  ""
                  ""

        warning: variable has leading and trailing blanks

```

```

rarel                                raion of relocated residence

```

```

        type: string (str244), but longest is str32
        unique values: 13
        missing "": 210/703

        examples: ""
                  ""
                  ""
                  ""

        warning: variable has leading and trailing blanks

```

```

latrel                                latitude of relocated residence

```

```

        type: numeric (byte)
        label: LABF

```

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	687	0	0. not answered
	16	1	1. north

lonrel longitude of relocated residence

type: numeric (**byte**)
label: **lon**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	687	0	0. missing
	16	1	1. east

latdrel latitude in degrees of relocated residence

type: numeric (**int**)

range: [44,51] units: 1
unique values: 4 missing .: 687/703

tabulation:	Freq.	Value
	1	44
	1	48
	12	50
	2	51
	687	.

londrel longitude in degrees of relocated residence

type: numeric (**int**)

range: [14,96] units: 1
unique values: 8 missing .: 687/703


```

tabulation:  Freq.  Value
              1   14
              1   26
              3   28
              3   29
              5   30
              1   31
              1   35
              1   96
            687   .

```

```

latmrel                                latitude in minutes of relocated residence

```

```

              type:  numeric (int)

              range:  [13,3000]                      units:  1
unique values:  12                                     missing .:  687/703

              mean:   226.625
              std. dev: 739.912

percentiles:      10%      25%      50%      75%      90%
                  23       28       34       54       93

```

```

lonmrel                                longitude in minutes of relocated residence

```

```

              type:  numeric (int)

              range:  [10,4700]                      units:  1
unique values:  13                                     missing .:  687/703

              mean:   342.688
              std. dev: 1162.19

percentiles:      10%      25%      50%      75%      90%
                  19      37.5      55      71.5      91

```

```

defnw1
consider hazardous (in percent) - deficiencies in essential nutrition in 1986

```

```

              type:  numeric (byte)

```

range: [0,100] units: 1
unique values: 27 missing .: 1/703

mean: 54.916
std. dev: 34.5218

percentiles:	10%	25%	50%	75%	90%
	0	30	50	90	100

defnw2

consider hazardous (in percent) - deficiencies in essential nutrition in 1996

type: numeric (byte)

range: [0,100] units: 1
unique values: 21 missing .: 0/703

mean: 57.734
std. dev: 36.1443

percentiles:	10%	25%	50%	75%	90%
	0	30	50	100	100

defnw3

consider hazardous (in percent) - deficiencies in essential nutrition NOW

type: numeric (byte)

range: [0,100] units: 1
unique values: 22 missing .: 0/703

mean: 62.8208
std. dev: 30.8263

percentiles:	10%	25%	50%	75%	90%
	20	40	60	100	100

efradw1

consider hazardous (in percent) - effects of radiation in 1986

type: numeric (byte)

range: [0,100] units: 1
unique values: 18 missing .: 0/703

mean: 58.6302
std. dev: 35.139

percentiles:	10%	25%	50%	75%	90%
	0	30	50	100	100

efradw2 consider hazardous (in percent) - effects of radiation in 1996

type: numeric (byte)

range: [0,100] units: 1
unique values: 21 missing .: 0/703

mean: 77.1152
std. dev: 28.5079

percentiles:	10%	25%	50%	75%	90%
	30	50	90	100	100

efradw3 consider hazardous (in percent) - effects of radiation NOW

type: numeric (byte)

range: [0,100] units: 1
unique values: 28 missing .: 0/703

mean: 52.7041
std. dev: 40.377

percentiles:	10%	25%	50%	75%	90%
	0	10	50	100	100

ecprw1 consider hazardous (in percent) - economic problems in 1986

type: numeric (byte)

range: [0,100] units: 1
unique values: 20 missing .: 1/703

mean: 29.8732
std. dev: 33.7065

percentiles:	10%	25%	50%	75%	90%
	0	0	20	50	90

ecprw2 **consider hazardous (in percent) - economic problems in 1996**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	24	missing .:	0/703

mean: 45.4367
std. dev: 35.6258

percentiles:	10%	25%	50%	75%	90%
	0	5	50	80	100

ecprw3 **consider hazardous (in percent) - economic problems, NOW**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	21	missing .:	0/703

mean: 55.5889
std. dev: 37.0045

percentiles:	10%	25%	50%	75%	90%
	0	20	50	100	100

polprw1 **consider hazardous (in percent) - political problems in 1986**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	21	missing .:	0/703

mean: 58.6885
std. dev: 39.5325

percentiles:	10%	25%	50%	75%	90%
	0	14	70	100	100

polprw2 **consider hazardous (in percent) - political problems in 1996**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	23	missing .:	0/703

mean: **45.6117**
std. dev: **37.6479**

percentiles:	10%	25%	50%	75%	90%
	0	0	50	80	100

polprw3 **consider hazardous (in percent) - political problems NOW**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	23	missing .:	0/703

mean: **61.3172**
std. dev: **35.8074**

percentiles:	10%	25%	50%	75%	90%
	0	30	60	100	100

airw1 **consider hazardous (in percent) - air and water pollution in 1986**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	21	missing .:	1/703

mean: **63.7906**
std. dev: **35.2968**

percentiles:	10%	25%	50%	75%	90%
	10	40	64	100	100

airw2 **consider hazardous (in percent) - air and water pollution in 1996**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 26 missing .: 0/703

mean: 29.5875
std. dev: 35.6031

percentiles: 10% 25% 50% 75% 90%
 0 0 10 50 100

airw3 **consider hazardous (in percent) - air and water pollution NOW**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 24 missing .: 0/703

mean: 39.2077
std. dev: 36.971

percentiles: 10% 25% 50% 75% 90%
 0 0 30 70 100

radw1 **believed % of the radioactively contaminated area in 1986**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 14 missing .: 8/703

mean: 44.0863
std. dev: 37.8678

percentiles: 10% 25% 50% 75% 90%
 0 0 40 80 100

radw2 **believed % of the radioactively contaminated area in 1996**

```

type: numeric (byte)

range: [0,100] units: 1
unique values: 17 missing .: 7/703

mean: 38.1767
std. dev: 32.1512

percentiles:      10%      25%      50%      75%      90%
                  0        0        40        60        90

```

radw3 **believed % of the radioactively contaminated area NOW**

```

type: numeric (byte)

range: [0,100] units: 1
unique values: 17 missing .: 7/703

mean: 35.1925
std. dev: 31.9106

percentiles:      10%      25%      50%      75%      90%
                  0        0        30        50        90

```

radchw1 **believed % of polution related to chornobyl in 1986**

```

type: numeric (byte)

range: [0,100] units: 1
unique values: 22 missing .: 0/703

mean: 57.3798
std. dev: 36.7571

percentiles:      10%      25%      50%      75%      90%
                  0        30        60        100       100

```

radchw2 **believed % of polution related to chornobyl in 1996**

```

type: numeric (byte)

```

range: [0,100] units: 1
unique values: 21 missing .: 0/703

mean: 55.8321
std. dev: 34.628

percentiles:	10%	25%	50%	75%	90%
	0	30	50	90	100

radchw3 **believed % of polution related to chornobyl NOW**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 26 missing .: 0/703

mean: 53.973
std. dev: 35.025

percentiles:	10%	25%	50%	75%	90%
	0	30	50	90	100

radtlw1 **believed % of cumulative radiation exposed to in a lifetime in 1986**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 18 missing .: 1/703

mean: 57.9174
std. dev: 37.6348

percentiles:	10%	25%	50%	75%	90%
	0	20	60	100	100

radtlw2 **believed % of cumulative radiation exposed to in a lifetime in 1996**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 26 missing .: 0/703

mean: 58.2617
std. dev: 35.3115

percentiles:	10%	25%	50%	75%	90%
	0	30	60	100	100

radtlw3 **believed % of cumulative radiation exposed to in a lifetime NOW**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	23	missing .:	0/703

mean: 58.4765
std. dev: 35.6742

percentiles:	10%	25%	50%	75%	90%
	0	30	60	100	100

radhlw1 **how much believed personal health is affected by radiation in 1986**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	21	missing .:	1/703

mean: 51.3818
std. dev: 37.6374

percentiles:	10%	25%	50%	75%	90%
	0	20	50	100	100

radhlw2 **how much believed personal health is affected by radiation in 1996**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	21	missing .:	0/703

mean: 53.5718
std. dev: 35.2706

percentiles:	10%	25%	50%	75%	90%
	5	20	50	100	100

radhlw3

Observed

type: numeric (**byte**)

range: [0,100]
unique values: 22

units: 1
missing .: 0/703

mean: 54.4154
std. dev: 35.7569

percentiles:	10%	25%	50%	75%	90%
	5	20	50	100	100

radfmw1

how much believed family health is affected by radiation in 1986

type: numeric (**byte**)

range: [0,100]
unique values: 20

units: 1
missing .: 0/703

mean: 55.6188
std. dev: 36.3187

percentiles:	10%	25%	50%	75%	90%
	0	20	50	100	100

radfmw2

how much believed family health is affected by radiation in 1996

type: numeric (**byte**)

range: [0,100]
unique values: 23

units: 1
missing .: 0/703

mean: 62.1494
std. dev: 33.7526

percentiles:	10%	25%	50%	75%	90%
	15	40	60	100	100

radfmw3 **how much believed family health is affected by radiation NOW**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 22 missing .: 0/703

mean: 62.8435
std. dev: 34.8685

percentiles: 10% 25% 50% 75% 90%
 10 30 60 100 100

source
what was your initial source of information about the chornobyl plant accident
> ?

type: numeric (**byte**)
label: **q85**

range: [0,6] units: 1
unique values: 7 missing .: 0/703

tabulation: Freq. Numeric Label

	2	0	0. not answered
	31	1	1. government official
	41	2	2. military
	41	3	3. local authority
	13	4	4. local police
	349	5	5. family/friends/neighbors
	226	6	6. media (tv, radio, newspaper)

dafter
how many days lapsed after Chornobyl accident before you heard about the accid
> en

type: numeric (**int**)

range: [0,850] units: 1
unique values: 18 missing .: 10/703

mean: 4.88312
std. dev: 32.3433

percentiles:	10%	25%	50%	75%	90%
	1	2	3	5	7

dauthw1 level of danger by authorities (in percent) in 1986

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	26	missing .:	0/703

mean: 35.1138
std. dev: 31.7536

percentiles:	10%	25%	50%	75%	90%
	0	5	30	50	90

dauthw2 level of danger by authorities (in percent) in 1996

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	22	missing .:	0/703

mean: 52.8976
std. dev: 31.7035

percentiles:	10%	25%	50%	75%	90%
	10	30	50	80	100

dauthw3 level of danger by authorities (in percent) NOW

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	22	missing .:	1/703

mean: 55.5812
std. dev: 34.6127

percentiles:	10%	25%	50%	75%	90%
	0	30	50	90	100

medw1 **level of danger by general media (in percent) in 1986**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	23	missing .:	0/703

mean: 37.9972
std. dev: 32.9783

percentiles:	10%	25%	50%	75%	90%
	0	10	30	60	100

medw2 **level of danger by general media (in percent) in 1996**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	23	missing .:	0/703

mean: 55.6387
std. dev: 31.7563

percentiles:	10%	25%	50%	75%	90%
	10	30	50	80	100

medw3 **level of danger by general media (in percent) NOW**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	19	missing .:	0/703

mean: 57.6856
std. dev: 34.6492

percentiles:	10%	25%	50%	75%	90%
	0	30	60	90	100

neiw1	level of danger by neighbors (in percent) in 1986				
--------------	--	--	--	--	--

type:	numeric (byte)				
range:	[0,100]		units:	1	
unique values:	26		missing .:	0/703	
mean:	71.2404				
std. dev:	32.129				
percentiles:	10%	25%	50%	75%	90%
	20	50	80	100	100

neiw2	level of danger by neighbors (in percent) in 1996				
--------------	--	--	--	--	--

type:	numeric (byte)				
range:	[0,100]		units:	1	
unique values:	21		missing .:	0/703	
mean:	72.2859				
std. dev:	28.6236				
percentiles:	10%	25%	50%	75%	90%
	30	50	80	100	100

neiw3	level of danger by neighbors (in percent) NOW				
--------------	--	--	--	--	--

type:	numeric (byte)				
range:	[0,100]		units:	1	
unique values:	15		missing .:	0/703	
mean:	72.9004				
std. dev:	31.3101				
percentiles:	10%	25%	50%	75%	90%
	20	50	90	100	100

toxic

all radioactive materials remain toxic for thousands of years (% of agreement)
>

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 19 missing .: 0/703

mean: 71.9659
std. dev: 33.7902

percentiles: 10% 25% 50% 75% 90%
 10 50 90 100 100

repair

body has capability to repair tissue damage caused by exposure (% of agreement)
> t)

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 20 missing .: 0/703

mean: 35.4481
std. dev: 35.6165

percentiles: 10% 25% 50% 75% 90%
 0 0 20 50 100

skin a suntan is caused by radiating damage to the skin (% of agreement)

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 27 missing .: 1/703

mean: 36.4658
std. dev: 39.9162

percentiles: 10% 25% 50% 75% 90%
 0 0 20 70 100

near
radiation from a nuclear plant site is more concentrated near the plant (% of
> ag

```

      type:  numeric (byte)

      range:  [0,100]                units:  1
unique values: 17                    missing .: 0/703

      mean:   75.2518
      std. dev: 33.1111

percentiles:      10%      25%      50%      75%      90%
                  20       50      100      100      100

```

cloud **radioactive fallout is only harmful when visible (% of agreement)**

```

      type:  numeric (byte)

      range:  [0,100]                units:  1
unique values: 20                    missing .: 0/703

      mean:   27.8208
      std. dev: 36.1606

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        50      100

```

world
the chornobyl accident has affected people around the world (% of agreement)

```

      type:  numeric (byte)

      range:  [0,100]                units:  1
unique values: 18                    missing .: 0/703

      mean:   84.9886
      std. dev: 25.443

percentiles:      10%      25%      50%      75%      90%
                  50       80      100      100      100

```

healthef**a person exposed to any radiation likely to suffer from (% of agreement)**

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 25       missing.: 0/703

mean: 68.2902
std. dev: 30.2614

percentiles:    10%    25%    50%    75%    90%
                30     50     70     100    100
```

carcin**a person exposed to carcinogen is likely to get cancer (% of agreement)**

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 21       missing.: 0/703

mean: 67.4964
std. dev: 30.9349

percentiles:    10%    25%    50%    75%    90%
                20     50     70     100    100
```

woman**pregnant exposed to radiation likely to give birth to children with defects (> %**

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 24       missing.: 0/703

mean: 61.3926
std. dev: 30.8749

percentiles:    10%    25%    50%    75%    90%
                20     40     60     90    100
```

saferad **there is no safe level of radiation (% of agreement)**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 20 missing .: 0/703

mean: 48.3414
std. dev: 41.9663

percentiles: 10% 25% 50% 75% 90%
 0 0 50 100 100

goodrad **small doses can actually improve one's health (% of agreement)**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 21 missing .: 0/703

mean: 44.6828
std. dev: 36.9318

percentiles: 10% 25% 50% 75% 90%
 0 10 40 80 100

kzchorn
in k/z most cases of cancer in humans are known to be caused by radiation from
>

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 19 missing .: 0/703

mean: 73.8962
std. dev: 26.9769

percentiles: 10% 25% 50% 75% 90%
 40 50 80 100 100

kzunder

**people in k/z underestimate the risks assoicated with radiation (% of agreemen
> t)**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 21 missing .: 0/703

mean: 74.8435
std. dev: 27.3252

percentiles:	10%	25%	50%	75%	90%
	50	50	80	100	100

chsize

**the radioactive fallout from chornobyl affected more people than the radioacti
> ve**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 20 missing .: 0/703

mean: 74.2888
std. dev: 28.8932

percentiles:	10%	25%	50%	75%	90%
	40	50	80	100	100

icdxcnt

count of icdx illnesses

type: numeric (**float**)

range: [0,12] units: 1
unique values: 13 missing .: 0/703

mean: 2.67141
std. dev: 2.10247

percentiles:	10%	25%	50%	75%	90%
	0	1	2	4	5

icddx1**icd ñ 10 code illness 1**

type: string (**str32**)

unique values: **177**

missing "": **38/703**

examples: **"300.01"**

"410"

"493"

"601"

warning: variable has leading and trailing blanks

icddx2**icd ñ 10 code illness 2**

type: string (**str32**)

unique values: **148**

missing "": **147/703**

examples: **" "**

"278"

"454"

"575.8"

warning: variable has leading and trailing blanks

icddx3**icd ñ 10 code illness 3**

type: string (**str32**)

unique values: **122**

missing "": **212/703**

examples: **" "**

" "

"250"

"535"

warning: variable has leading and trailing blanks

icddx4**icd ñ 10 code illness 4**

```

        type:  string (str32)

unique values:  99                      missing "":  249/703

examples:  ""
           ""
           ""
           "401"

warning:  variable has leading and trailing blanks

```

icddx5	icd ñ 10 code illness 5
---------------	--------------------------------

```

        type:  string (str32)

unique values:  57                      missing "":  267/703

examples:  ""
           ""
           ""
           ""

warning:  variable has leading and trailing blanks

```

icddx6	icd ñ 10 code illness 6
---------------	--------------------------------

```

        type:  string (str32)

unique values:  45                      missing "":  246/703

examples:  ""
           ""
           ""
           ""

warning:  variable has leading and trailing blanks

```

icddx7	icd ñ 10 code illness 7
---------------	--------------------------------

```

        type:  string (str32)

unique values:  32                      missing "":  189/703

```

```
examples: ""
          ""
          ""
          ""
```

```
warning: variable has leading and trailing blanks
```

icddx8**icd ñ 10 code illness 8**

```
type: string (str32)
```

```
unique values: 17
```

```
missing "": 173/703
```

```
examples: ""
          ""
          ""
          ""
```

```
warning: variable has leading and trailing blanks
```

icddx9**icd ñ 10 code illness 9**

```
type: string (str32)
```

```
unique values: 9
```

```
missing "": 173/703
```

```
tabulation: Freq. Value
             173  ""
             517  ""
               1  "242"
               1  "367.1"
               2  "401"
               1  "564.1"
               5  "575.1"
               1  "590"
               1  "628"
               1  "715"
```

```
warning: variable has leading and trailing blanks
```

icddx10**icd ñ 10 code illness 10**

```

type: string (str32)

unique values: 11                                missing "": 176/703

examples: ""
          ""
          ""
          ""

warning: variable has leading and trailing blanks

```

icddx11

icd ñ 10 code illness 11

```

type: string (str32)

unique values: 8                                missing "": 176/703

tabulation: Freq. Value
             176 ""
             519 ""
               1 "333"
               1 "401"
               1 "486"
               1 "575.1"
               1 "577.1"
               2 "593"
               1 "626"

warning: variable has leading and trailing blanks

```

icddx12

icd ñ 10 code illness 12

```

type: string (str32)

unique values: 6                                missing "": 157/703

tabulation: Freq. Value
             157 ""
             541 ""
               1 "218.9"
               1 "437.8"
               1 "466"
               1 "558"
               1 "732"

```

warning: variable has leading and trailing blanks

dxdat_1	date of original onset (mm/dd/yyyy) illness 1				
----------------	--	--	--	--	--

type: numeric daily date (**long**)

range:	[-137774,18618]	units:	1
or equivalently:	[15oct1582,22dec2010]	units:	days
unique values:	491	missing .:	78/703

mean: **12004.3 = 12nov1992** (+ 7 hours)
std. dev: **6920.75**

percentiles:	10%	25%	50%	75%	90%
	8114	9740	12054	14701	17226
	20mar1982	01sep1986	01jan1993	01apr2000	01mar2007

dxdat_2	date of original onset (mm/dd/yyyy) illness 2				
----------------	--	--	--	--	--

type: numeric daily date (**long**)

range:	[5689,18534]	units:	1
or equivalently:	[30jul1975,29sep2010]	units:	days
unique values:	386	missing .:	231/703

mean: **13755.7 = 29aug1997** (+ 18 hours)
std. dev: **3007.43**

percentiles:	10%	25%	50%	75%	90%
	9779	11063	14239	16482	17752
	10oct1986	16apr1990	26dec1998	15feb2005	08aug2008

dxdat_3	date of original onset (mm/dd/yyyy) illness 3				
----------------	--	--	--	--	--

type: numeric daily date (**long**)

range:	[-137774,18561]	units:	1
or equivalently:	[15oct1582,26oct2010]	units:	days
unique values:	286	missing .:	389/703

mean: **14000.7 = 01may1998** (+ 17 hours)
std. dev: **9000.3**

percentiles:	10%	25%	50%	75%	90%
	10318	12346	14766	16802	17684
	01apr1988	20oct1993	05jun2000	01jan2006	01jun2008

dxdat_4	date of original onset (mm/dd/yyyy) illness 4
----------------	--

```

type: numeric daily date (long)

range: [-137774,18383] units: 1
or equivalently: [15oct1582,01may2010] units: days
unique values: 170 missing.: 514/703

mean: 13911.2 = 01feb1998 (+ 5 hours)
std. dev: 11387.1

percentiles:      10%      25%      50%      75%      90%
                  10379    13270    15066    16802    17660
                  01jun1988 01may1996 01apr2001 01jan2006 08may2008

```

dxdat_5	date of original onset (mm/dd/yyyy) illness 5
----------------	--

```

type: numeric daily date (long)

range: [7305,18394] units: 1
or equivalently: [01jan1980,12may2010] units: days
unique values: 108 missing.: 593/703

mean: 15244.8 = 26sep2001 (+ 19 hours)
std. dev: 2481.24

percentiles:      10%      25%      50%      75%      90%
                  11550.5    14092    15819    17106    17837.5
                  16aug1991 01aug1998 24apr2003 01nov2006 01nov2008

```

dxdat_6	date of original onset (mm/dd/yyyy) illness 6
----------------	--

```

type: numeric daily date (long)

range: [9831,18353] units: 1
or equivalently: [01dec1986,01apr2010] units: days
unique values: 56 missing.: 641/703

```

percentiles:	10%	25%	50%	75%	90%
	12509	14184	16426.5	17287	17912
	01apr1994	01nov1998	21dec2004	01may2007	15jan2009

```

      type:  numeric daily date (long)
      range:  [9831,18241]                      units:  1
or equivalently: [01dec1986,10dec2009]          units:  days
      unique values: 32                        missing .: 670/703

```

percentiles:	10%	25%	50%	75%	90%
	10669	13118	16162	17667	18141
	18mar1989	01dec1995	01apr2004	15may2008	01sep2009

```

      type:  numeric daily date (long)
      range:  [8043,18322]                units:  1
or equivalently: [08jan1982,01mar2010]    units:  days
      unique values: 16                  missing .: 687/703

```

percentiles:	10%	25%	50%	75%	90%
	9191	11474.5	14595	16603.5	18263
	01mar1985	01jun1991	17dec1999	16jun2005	01jan2010

```
type: numeric daily date (long)
```

```

range: [9831,18353] units: 1
or equivalently: [01dec1986,01apr2010] units: days
unique values: 12 missing .: 691/703

```

```

mean: 14794.8 = 03jul2000 (+ 20 hours)
std. dev: 2753.87

```

```

percentiles:      10%      25%      50%      75%      90%
                10348    13713    15020.5    16801.5    18322
                01may1988 18jul1997 14feb2001 31dec2005 01mar2010

```

```

dxdat_10                                date of original onset (mm/dd/yyyy) illness 10

```

```

type: numeric daily date (long)

```

```

range: [9831,18322] units: 1
or equivalently: [01dec1986,01mar2010] units: days
unique values: 11 missing .: 692/703

```

```

mean: 15619.5 = 06oct2002 (+ 13 hours)
std. dev: 2436.27

```

```

percentiles:      10%      25%      50%      75%      90%
                13880    14426    16040    17532    17745
                01jan1998 01jul1999 01dec2003 01jan2008 01aug2008

```

```

dxdat_11                                date of original onset (mm/dd/yyyy) illness 11

```

```

type: numeric daily date (long)

```

```

range: [9831,18322] units: 1
or equivalently: [01dec1986,01mar2010] units: days
unique values: 9 missing .: 694/703

```

```

tabulation:  Freq.  Value
              1  9831   01dec1986
              1 14184   01nov1998
              1 15706   01jan2003
              1 16223   01jun2004
              1 17287   01may2007
              1 17684   01jun2008
              1 18141   01sep2009
              1 18171   01oct2009
              1 18322   01mar2010
            694  .      .

```

```

dxdat_12                                date of original onset (mm/dd/yyyy) illness 12

```

```

type:  numeric daily date (long)

range:  [15522,18322]                units:  1
or equivalently: [01jul2002,01mar2010]  units:  days
unique values:  5                      missing .:  698/703

```

```

tabulation:  Freq.  Value
              1 15522   01jul2002
              1 16833   01feb2006
              1 16892   01apr2006
              1 17623   01apr2008
              1 18322   01mar2010
            698  .      .

```

```

dxnum1                                number of years the disease persisted illness 1

```

```

type:  numeric (byte)

range:  [0,50]                units:  1
unique values:  38            missing .:  16/703

```

```

mean:  9.02329
std. dev:  9.79957

percentiles:      10%      25%      50%      75%      90%
                  1        1        5       15       25

```

```

dxnum2                                number of years the disease persisted illness 2

```

range: [0,30] units: 1
unique values: 21 missing.: 101/703

mean: 1.00997
std. dev: 3.31786

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	3

dxnum6 number of years the disease persisted illness 6

type: numeric (int)

range: [0,25] units: 1
unique values: 17 missing.: 120/703

mean: .572899
std. dev: 2.57488

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

dxnum7 number of years the disease persisted illness 7

type: numeric (float)

range: [0,25] units: 1
unique values: 15 missing.: 123/703

mean: .362069
std. dev: 2.1109

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

dxnum8 number of years the disease persisted illness 8

type: numeric (float)

range: [0,26] units: 1
unique values: 8 missing.: 125/703

```

tabulation:  Freq.  Value
              563    0
              5     1
              1     2
              3     9
              1    12
              2    13
              2    25
              1    26
            125    .

```

dxnum9	number of years the disease persisted illness 9
---------------	--

```

type:  numeric (int)

```

```

range:  [0,25]
unique values:  4
units:  1
missing .:  125/703

```

```

tabulation:  Freq.  Value
              567    0
              8     1
              2    13
              1    25
            125    .

```

dxnum10	number of years the disease persisted illness 10
----------------	---

```

type:  numeric (int)

```

```

range:  [0,25]
unique values:  8
units:  1
missing .:  125/703

```

```

tabulation:  Freq.  Value
              568    0
              4     1
              1     3
              1     4
              1     5
              1    12
              1    13
              1    25
            125    .

```



```

tabulation:  Freq.  Value
              663    0
              11   10
               7   20
               3   30
               7   40
               2   50
               1   70
               2   80
               7  100

```

```

deprl1981                                level of depression (in percentage) in 1981

```

```

type:  numeric (byte)

range:  [0,100]                units:  1
unique values: 10              missing .: 0/703

mean:    1.60028
std. dev: 10.0727

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      0

```

```

deprl1982                                level of depression (in percentage) in 1982

```

```

type:  numeric (byte)

range:  [0,100]                units:  10
unique values: 9              missing .: 0/703

tabulation:  Freq.  Value
              666    0
              11   10
              10   20
               5   30
               3   40
               2   50
               1   60
               1   70
               4  100

```

deprl1983	level of depression (in percentage) in 1983
------------------	--

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 10       missing .: 0/703

mean: 1.36415
std. dev: 8.82182

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
```

deprl1984	level of depression (in percentage) in 1984
------------------	--

```
type: numeric (byte)

range: [0,100]          units: 10
unique values: 9        missing .: 0/703

tabulation:  Freq.  Value
              670    0
              11    10
               7    20
               4    30
               1    40
               5    50
               1    70
               2    80
               2   100
```

deprl1985	level of depression (in percentage) in 1985
------------------	--

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 12       missing .: 0/703

mean: 2.55903
std. dev: 13.3786
```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

deprl1986	level of depression (in percentage) in 1986
------------------	--

```

type: numeric (byte)

range: [0,100]          units: 10
unique values: 11       missing .: 0/703

mean: 14.0967
std. dev: 30.3071

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      60

```

deprl1987	level of depression (in percentage) in 1987
------------------	--

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 14       missing .: 0/703

mean: 9.81792
std. dev: 24.7434

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      50

```

deprl1988	level of depression (in percentage) in 1988
------------------	--

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 18       missing .: 0/703

mean: 9.77525
std. dev: 24.7736

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      40

```

deprl1989	level of depression (in percentage) in 1989
------------------	--

type:	numeric (byte)				
range:	[0,100]		units:	1	
unique values:	16		missing .:	0/703	
mean:	7.79516				
std. dev:	21.3057				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	30

deprl1990	level of depression (in percentage) in 1990
------------------	--

type:	numeric (byte)				
range:	[0,100]		units:	1	
unique values:	15		missing .:	0/703	
mean:	8.36558				
std. dev:	21.9921				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	30

deprl1991	level of depression (in percentage) in 1991
------------------	--

type:	numeric (byte)				
range:	[0,100]		units:	1	
unique values:	16		missing .:	0/703	
mean:	7.70413				
std. dev:	21.7648				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	30

deprl1992	level of depression (in percentage) in 1992
------------------	--

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 14      missing .: 0/703

mean: 9.0256
std. dev: 23.5584

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      40

```

depr11993 **level of depression (in percentage) in 1993**

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 15      missing .: 0/703

mean: 8.96444
std. dev: 23.652

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      30

```

depr11994 **level of depression (in percentage) in 1994**

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 14      missing .: 0/703

mean: 9.69417
std. dev: 24.3669

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      40

```

depr11995 **level of depression (in percentage) in 1995**

```

type: numeric (byte)

```

range: [0,100] units: 1
unique values: 15 missing .: 0/703

mean: 9.734
std. dev: 24.639

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	48

deprl1996	level of depression (in percentage) in 1996
------------------	--

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 15 missing .: 0/703

mean: 10.9033
std. dev: 25.6555

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	50

deprl1997	level of depression (in percentage) in 1997
------------------	--

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 16 missing .: 0/703

mean: 9.99858
std. dev: 25.1368

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	40

deprl1998	level of depression (in percentage) in 1998
------------------	--

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 17 missing .: 0/703

mean: 10.7681
std. dev: 24.9986

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	50

deprl1999	level of depression (in percentage) in 1999
-----------	---

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	16	missing .:	0/703

mean: 11.0199
std. dev: 25.2721

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	50

deprl2000	level of depression (in percentage) in 2000
-----------	---

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	16	missing .:	0/703

mean: 11.9346
std. dev: 26.5331

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	50

deprl2001	level of depression (in percentage) in 2001
-----------	---

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	18	missing .:	0/703

mean: 11.33
std. dev: 26.0593

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	50

depr12002	level of depression (in percentage) in 2002
------------------	--

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 19       missing .: 0/703

mean: 10.7994
std. dev: 25.2326

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      50

```

depr12003	level of depression (in percentage) in 2003
------------------	--

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 19       missing .: 0/703

mean: 10.3115
std. dev: 24.324

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      40

```

depr12004	level of depression (in percentage) in 2004
------------------	--

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 15       missing .: 0/703

mean: 10.5306
std. dev: 24.8314

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      50

```

deprl2005	level of depression (in percentage) in 2005				
------------------	--	--	--	--	--

type: numeric (byte)					
range:	[0,100]		units: 1		
unique values:	18		missing .: 0/703		
mean:	11.4666				
std. dev:	26.027				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	50

deprl2006	level of depression (in percentage) in 2006				
------------------	--	--	--	--	--

type: numeric (byte)					
range:	[0,100]		units: 1		
unique values:	16		missing .: 0/703		
mean:	11.303				
std. dev:	25.0601				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	10	50

deprl2007	level of depression (in percentage) in 2007				
------------------	--	--	--	--	--

type: numeric (byte)					
range:	[0,100]		units: 1		
unique values:	17		missing .: 0/703		
mean:	11.4111				
std. dev:	24.2469				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	10	50

deprl2008	level of depression (in percentage) in 2008				
------------------	--	--	--	--	--

```

type: numeric (byte)

range: [0,100] units: 1
unique values: 19 missing .: 0/703

mean: 13.6373
std. dev: 26.4239

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        10        50

```

depr12009 level of depression (in percentage) in 2009

```

type: numeric (byte)

range: [0,100] units: 1
unique values: 21 missing .: 0/703

mean: 14.6174
std. dev: 27.4707

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        20        50

```

depr12010 level of depression (in percentage) in 2010

```

type: numeric (byte)

range: [0,100] units: 1
unique values: 17 missing .: 0/703

mean: 12.3044
std. dev: 25.6529

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        10        50

```

anxl1980 level of anxiety (in percentage) in 1980

```

type: numeric (byte)

```

range: [0,100] units: 1
unique values: 11 missing .: 0/703

mean: 1.82219
std. dev: 11.2666

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

anxl1981	level of anxiety (in percentage) in 1981
-----------------	---

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 9 missing .: 0/703

tabulation:	Freq.	Value
	680	0
	1	3
	2	5
	7	10
	3	20
	3	30
	1	40
	2	50
	4	100

anxl1982	level of anxiety (in percentage) in 1982
-----------------	---

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 7 missing .: 0/703

tabulation:	Freq.	Value
	676	0
	1	3
	2	5
	8	10
	7	20
	5	50
	4	100

anxl1983	level of anxiety (in percentage) in 1983
-----------------	---

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	8	missing .:	0/703

tabulation: Freq. Value

678	0
1	3
2	5
8	10
4	20
1	30
3	50
6	100

anxl1984	level of anxiety (in percentage) in 1984
-----------------	---

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	10	missing .:	0/703

mean: 1.60455
std. dev: 10.1044

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

anxl1985	level of anxiety (in percentage) in 1985
-----------------	---

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	10	missing .:	0/703

mean: 1.99858
std. dev: 11.535

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

anxl1986	level of anxiety (in percentage) in 1986
-----------------	---

type:	numeric (byte)				
range:	[0,100]		units:	1	
unique values:	17		missing .:	0/703	
mean:	23.2432				
std. dev:	36.6095				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	40	100

anxl1987	level of anxiety (in percentage) in 1987
-----------------	---

type:	numeric (byte)				
range:	[0,100]		units:	1	
unique values:	17		missing .:	0/703	
mean:	12.4993				
std. dev:	28.0635				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	50

anxl1988	level of anxiety (in percentage) in 1988
-----------------	---

type:	numeric (byte)				
range:	[0,100]		units:	1	
unique values:	14		missing .:	0/703	
mean:	11.5263				
std. dev:	27.1461				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	50

anxl1989	level of anxiety (in percentage) in 1989
-----------------	---

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 14      missing .: 0/703

mean: 9.00142
std. dev: 23.1855

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      40

```

```

anxl1990                                level of anxiety (in percentage) in 1990

```

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 14      missing .: 0/703

mean: 10.2674
std. dev: 25.1696

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      50

```

```

anxl1991                                level of anxiety (in percentage) in 1991

```

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 16      missing .: 0/703

mean: 9.77952
std. dev: 24.3499

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      40

```

```

anxl1992                                level of anxiety (in percentage) in 1992

```

```

type: numeric (byte)

```

range: [0,100] units: 1
unique values: 16 missing .: 0/703

mean: 11.155
std. dev: 26.253

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	50

anxl1993 level of anxiety (in percentage) in 1993

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 17 missing .: 0/703

mean: 10.0839
std. dev: 24.5979

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	40

anxl1994 level of anxiety (in percentage) in 1994

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 16 missing .: 0/703

mean: 9.71977
std. dev: 24.3035

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	40

anxl1995 level of anxiety (in percentage) in 1995

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 18 missing .: 0/703

mean: 9.36842
std. dev: 23.8548

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	40

anxl1996	level of anxiety (in percentage) in 1996
----------	--

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	15	missing .:	0/703

mean: 11.0299
std. dev: 26.1986

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	50

anxl1997	level of anxiety (in percentage) in 1997
----------	--

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	15	missing .:	0/703

mean: 10.8307
std. dev: 26.1077

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	50

anxl1998	level of anxiety (in percentage) in 1998
----------	--

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	17	missing .:	0/703

mean: 11.0171
std. dev: 25.6338

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	50

anxl1999	level of anxiety (in percentage) in 1999
-----------------	---

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 17        missing .: 0/703

mean: 10.9858
std. dev: 25.4031

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      50

```

anxl2000	level of anxiety (in percentage) in 2000
-----------------	---

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 15        missing .: 0/703

mean: 12.2162
std. dev: 26.6531

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      50

```

anxl2001	level of anxiety (in percentage) in 2001
-----------------	---

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 15        missing .: 0/703

mean: 10.9687
std. dev: 25.4357

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      50

```

anxl2002	level of anxiety (in percentage) in 2002
-----------------	---

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 16        missing .: 0/703

mean: 11.0057
std. dev: 25.3396

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      50
```

anxl2003	level of anxiety (in percentage) in 2003
-----------------	---

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 17        missing .: 0/703

mean: 10.798
std. dev: 25.262

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      50
```

anxl2004	level of anxiety (in percentage) in 2004
-----------------	---

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 15        missing .: 0/703

mean: 11.7909
std. dev: 26.0819

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      50
```

anxl2005	level of anxiety (in percentage) in 2005
-----------------	---

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 15      missing .: 0/703

mean: 13.6686
std. dev: 28.6506

percentiles:    10%    25%    50%    75%    90%
                0      0      0      10     50

```

```

anxl2006                                level of anxiety (in percentage) in 2006

```

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 14      missing .: 0/703

mean: 12.3058
std. dev: 26.8252

percentiles:    10%    25%    50%    75%    90%
                0      0      0      10     50

```

```

anxl2007                                level of anxiety (in percentage) in 2007

```

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 17      missing .: 0/703

mean: 12.5761
std. dev: 26.561

percentiles:    10%    25%    50%    75%    90%
                0      0      0      10     50

```

```

anxl2008                                level of anxiety (in percentage) in 2008

```

```

type: numeric (byte)

```

range: [0,100] units: 1
unique values: 14 missing .: 0/703

mean: 14.9872
std. dev: 28.8892

percentiles:	10%	25%	50%	75%	90%
	0	0	0	20	60

anxl2009 level of anxiety (in percentage) in 2009

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 19 missing .: 0/703

mean: 14.9545
std. dev: 29.0086

percentiles:	10%	25%	50%	75%	90%
	0	0	0	20	60

anxl2010 level of anxiety (in percentage) in 2010

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 19 missing .: 0/703

mean: 14.3826
std. dev: 28.7174

percentiles:	10%	25%	50%	75%	90%
	0	0	0	10	56

pdisl1980 level of somatic/physical discomforts (in percentage) in 1980

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 11 missing .: 0/703

mean: 1.55761
std. dev: 8.43691

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

pdisl1981 **level of somatic/physical discomforts (in percentage) in 1981**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	11	missing .:	0/703

mean: 1.45804
std. dev: 8.22411

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

pdisl1982 **level of somatic/physical discomforts (in percentage) in 1982**

type: numeric (**byte**)

range:	[0,80]	units:	1
unique values:	10	missing .:	0/703

mean: 1.42532
std. dev: 7.20634

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

pdisl1983 **level of somatic/physical discomforts (in percentage) in 1983**

type: numeric (**byte**)

range:	[0,90]	units:	1
unique values:	11	missing .:	0/703

mean: 1.96871
std. dev: 9.17939

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

pdisl1984 level of somatic/physical discomforts (in percentage) in 1984

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	10	missing .:	0/703

mean: 1.98435
std. dev: 8.97185

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

pdisl1985 level of somatic/physical discomforts (in percentage) in 1985

type: numeric (**byte**)

range:	[0,80]	units:	1
unique values:	10	missing .:	0/703

mean: 2.00142
std. dev: 8.41947

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

pdisl1986 level of somatic/physical discomforts (in percentage) in 1986

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	14	missing .:	0/703

mean: 12.3926
std. dev: 27.1665

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	50

pdisl1987 level of somatic/physical discomforts (in percentage) in 1987

```

      type:  numeric (byte)

      range:  [0,100]
unique values: 17
                        units: 1
                        missing .: 0/703

      mean:   10.0683
      std. dev: 23.7468

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        40

```

pdisl1988 level of somatic/physical discomforts (in percentage) in 1988

```

      type:  numeric (byte)

      range:  [0,100]
unique values: 15
                        units: 1
                        missing .: 0/703

      mean:    8.59744
      std. dev: 21.3626

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        30

```

pdisl1989 level of somatic/physical discomforts (in percentage) in 1989

```

      type:  numeric (byte)

      range:  [0,100]
unique values: 15
                                units:  1
                                missing .: 0/703

      mean:   8.16074
std. dev:   19.5006

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        30

```

pdisl1990 level of somatic/physical discomforts (in percentage) in 1990

```

      type:  numeric (byte)

      range:  [0,100]                units:  1
unique values: 18                missing .:  0/703

      mean:   8.04836
      std. dev: 18.9816

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        30

```

pdisl1991 level of somatic/physical discomforts (in percentage) in 1991

```

      type:  numeric (byte)

      range:  [0,100]                units:  1
unique values: 15                missing .:  0/703

      mean:   8.19772
      std. dev: 19.2471

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        30

```

pdisl1992 level of somatic/physical discomforts (in percentage) in 1992

```

      type:  numeric (byte)

      range:  [0,100]                units:  1
unique values: 14                missing .:  0/703

      mean:   8.5761
      std. dev: 19.41

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        5        30

```

pdisl1993 level of somatic/physical discomforts (in percentage) in 1993

```

      type:  numeric (byte)

```


range: [0,100] units: 1
unique values: 15 missing .: 0/703

mean: 8.633
std. dev: 19.0792

percentiles:	10%	25%	50%	75%	90%
	0	0	0	5	30

pdisl1994 **level of somatic/physical discomforts (in percentage) in 1994**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 16 missing .: 0/703

mean: 8.66145
std. dev: 19.4838

percentiles:	10%	25%	50%	75%	90%
	0	0	0	5	30

pdisl1995 **level of somatic/physical discomforts (in percentage) in 1995**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 18 missing .: 0/703

mean: 7.42532
std. dev: 17.934

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	30

pdisl1996 **level of somatic/physical discomforts (in percentage) in 1996**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 14 missing .: 0/703

mean: 7.79232
std. dev: 18.4901

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	30

pdisl1997 **level of somatic/physical discomforts (in percentage) in 1997**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	14	missing .:	0/703

mean: 6.78805
std. dev: 17.8396

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	30

pdisl1998 **level of somatic/physical discomforts (in percentage) in 1998**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	15	missing .:	0/703

mean: 8.32006
std. dev: 18.8901

percentiles:	10%	25%	50%	75%	90%
	0	0	0	5	30

pdisl1999 **level of somatic/physical discomforts (in percentage) in 1999**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	15	missing .:	0/703

mean: 8.21906
std. dev: 19.0831

percentiles:	10%	25%	50%	75%	90%
	0	0	0	5	30

pdisl2000 level of somatic/physical discomforts (in percentage) in 2000

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 17       missing.: 0/703

mean: 9.76814
std. dev: 20.9113

percentiles:    10%    25%    50%    75%    90%
                0      0      0      10     40

```

pdisl2001 level of somatic/physical discomforts (in percentage) in 2001

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 18       missing.: 0/703

mean: 8.59033
std. dev: 19.7791

percentiles:    10%    25%    50%    75%    90%
                0      0      0      10     30

```

pdisl2002 level of somatic/physical discomforts (in percentage) in 2002

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 17       missing.: 0/703

mean: 8.95164
std. dev: 18.9438

percentiles:    10%    25%    50%    75%    90%
                0      0      0      10     30

```

```

      type:    numeric (byte)

      range:   [0,100]                      units:    1
unique values: 18                          missing .:  0/703

      mean:    8.74111
      std. dev: 18.3939

percentiles:          10%           25%           50%           75%           90%
                     0             0             0            10            30

```

```

      type:  numeric (byte)

      range:  [0,100]
unique values: 17
                                units:  1
                                missing .: 0/703

      mean:   9.33997
    std. dev: 18.6911

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        10        30

```

```

type:      numeric (byte)

range:     [0,100]
unique values: 18
units:      1
missing .:  0/703

mean:      10.7055
std. dev:  21.1075

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        10        40

```

Tuesday, October 25, 2011 12:51 PM Page 248

```

        type:  numeric (byte)

        range:  [0,100]                units:  1
unique values:  17                    missing .:  0/703

        mean:   11.1991
        std. dev: 21.1435

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        10        40

```

pdisl2007 level of somatic/physical discomforts (in percentage) in 2007

```

        type:  numeric (byte)

        range:  [0,100]                units:  1
unique values:  15                    missing .:  0/703

        mean:   11.9033
        std. dev: 20.9744

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        20        50

```

pdisl2008 level of somatic/physical discomforts (in percentage) in 2008

```

        type:  numeric (byte)

        range:  [0,100]                units:  1
unique values:  18                    missing .:  0/703

        mean:   13.6174
        std. dev: 22.5286

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        20        50

```

pdisl2009 level of somatic/physical discomforts (in percentage) in 2009

```

        type:  numeric (byte)

```

range: [0,100] units: 1
unique values: 19 missing .: 0/703

mean: 14.0583
std. dev: 23.0254

percentiles:	10%	25%	50%	75%	90%
	0	0	0	20	50

pdisl2010 **level of somatic/physical discomforts (in percentage) in 2010**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 19 missing .: 0/703

mean: 11.3016
std. dev: 22.6061

percentiles:	10%	25%	50%	75%	90%
	0	0	0	10	50

emrel1980 **intensity of ptsd reactions in 1980**

type: numeric (**byte**)

range: [0,100] units: 10
unique values: 8 missing .: 0/703

tabulation:	Freq.	Value
	681	0
	5	10
	3	20
	2	40
	3	50
	1	60
	3	80
	5	100

emrel1981 **intensity of ptsd reactions in 1981**

type: numeric (**byte**)

range: [0,100]
unique values: 5

units: 10
missing .: 0/703

tabulation: Freq. Value
693 0
3 10
1 20
3 50
3 100

emrel1982

intensity of ptsd reactions in 1982

type: numeric (byte)

range: [0,100]
unique values: 8

units: 10
missing .: 0/703

tabulation: Freq. Value
692 0
2 10
2 20
1 40
2 50
1 60
1 80
2 100

emrel1983

intensity of ptsd reactions in 1983

type: numeric (byte)

range: [0,100]
unique values: 7

units: 10
missing .: 0/703

tabulation: Freq. Value
689 0
3 10
1 20
4 50
1 60
2 70
3 100

emrel1984

intensity of ptsd reactions in 1984

type: numeric (**byte**)

range: [0,100]

units: 10

unique values: 7

missing .: 0/703

tabulation: Freq. Value

688	0
3	10
1	20
1	30
3	50
1	70
6	100

emrel1985

intensity of ptsd reactions in 1985

type: numeric (**byte**)

range: [0,100]

units: 1

unique values: 9

missing .: 0/703

tabulation: Freq. Value

683	0
3	10
1	12
1	15
1	20
4	50
1	60
1	70
8	100

emrel1986

intensity of ptsd reactions in 1986

type: numeric (**byte**)

range: [0,100]

units: 1

unique values: 12

missing .: 0/703

mean: 21.1309
std. dev: 36.3315

percentiles:	10%	25%	50%	75%	90%
	0	0	0	40	100

emrel1987

intensity of ptsd reactions in 1987

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	10	missing .:	0/703

mean: 6.14083
std. dev: 21.2407

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

emrel1988

intensity of ptsd reactions in 1988

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	11	missing .:	0/703

mean: 4.99147
std. dev: 18.6299

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

emrel1989

intensity of ptsd reactions in 1989

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	12	missing .:	0/703

mean: 3.75107
std. dev: 16.5172

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

emrel1990

intensity of ptsd reactions in 1990

type: numeric (**byte**)

range: [0,100]

units: 10

unique values: 10

missing .: 0/703

mean: 4.35277

std. dev: 18.0487

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

emrel1991

intensity of ptsd reactions in 1991

type: numeric (**byte**)

range: [0,100]

units: 1

unique values: 12

missing .: 0/703

mean: 3.60882

std. dev: 16.1172

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

emrel1992

intensity of ptsd reactions in 1992

type: numeric (**byte**)

range: [0,100]

units: 1

unique values: 12

missing .: 0/703

mean: 4.4808

std. dev: 18.2002

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

emrel1993	intensity of ptsd reactions in 1993
------------------	--

type:	numeric (byte)				
range:	[0,100]		units:	1	
unique values:	11		missing .:	0/703	
mean:	3.57326				
std. dev:	16.2516				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

emrel1994	intensity of ptsd reactions in 1994
------------------	--

type:	numeric (byte)				
range:	[0,100]		units:	10	
unique values:	10		missing .:	0/703	
mean:	3.52774				
std. dev:	15.1935				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

emrel1995	intensity of ptsd reactions in 1995
------------------	--

type:	numeric (byte)				
range:	[0,100]		units:	1	
unique values:	13		missing .:	0/703	
mean:	4.47084				
std. dev:	17.7048				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

emrel1996	intensity of ptsd reactions in 1996
------------------	--

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 13      missing .: 0/703

mean: 4.13514
std. dev: 17.4601

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

```

emrel1997                                intensity of ptsd reactions in 1997

```

```

type: numeric (byte)

range: [0,100]          units: 10
unique values: 10      missing .: 0/703

mean: 4.2532
std. dev: 17.8942

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

```

emrel1998                                intensity of ptsd reactions in 1998

```

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 15      missing .: 0/703

mean: 3.99573
std. dev: 17.4055

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

```

emrel1999                                intensity of ptsd reactions in 1999

```

```

type: numeric (byte)

```

range: [0,100] units: 1
unique values: 11 missing .: 0/703

mean: 3.17354
std. dev: 14.8603

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

emrel2000

intensity of ptsd reactions in 2000

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 12 missing .: 0/703

mean: 5.63158
std. dev: 20.4007

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

emrel2001

intensity of ptsd reactions in 2001

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 13 missing .: 0/703

mean: 5.37269
std. dev: 20.1608

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

emrel2002

intensity of ptsd reactions in 2002

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 11 missing .: 0/703

mean: 3.51351
std. dev: 16.0116

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

emrel2003

intensity of ptsd reactions in 2003

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	13	missing .:	0/703

mean: 4.09104
std. dev: 17.7831

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

emrel2004

intensity of ptsd reactions in 2004

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	11	missing .:	0/703

mean: 5.19915
std. dev: 19.3529

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

emrel2005

intensity of ptsd reactions in 2005

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	12	missing .:	0/703

mean: 6.03556
std. dev: 20.8707

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

emrel2006	intensity of ptsd reactions in 2006
------------------	--

```

type: numeric (byte)

range: [0,100]          units: 10
unique values: 10       missing .: 0/703

mean: 5.06401
std. dev: 19.5013

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

emrel2007	intensity of ptsd reactions in 2007
------------------	--

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 13       missing .: 0/703

mean: 4.39829
std. dev: 17.5007

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

emrel2008	intensity of ptsd reactions in 2008
------------------	--

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 15       missing .: 0/703

mean: 7.44239
std. dev: 22.989

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      20

```

emrel2009**intensity of ptsd reactions in 2009**

```
      type:  numeric (byte)

      range:  [0,100]
unique values: 15                                units:  1
                                                    missing .:  0/703

      mean:   6.73684
      std. dev: 21.2156

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        25
```

emrel2010**intensity of ptsd reactions in 2010**

```
      type:  numeric (byte)

      range:  [0,100]
unique values: 12                                units:  1
                                                    missing .:  0/703

      mean:   3.98862
      std. dev: 16.5832

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0
```

hlthl1980**intensity of work related problems due to health in 1980**

```
      type:  numeric (byte)

      range:  [0,100]
unique values: 9                                units:  1
                                                    missing .:  0/703
```



```

tabulation:  Freq.  Value
              689    0
              1     5
              1    10
              4    20
              3    30
              1    40
              2    50
              1    60
              1   100

```

```

hlthl1981          intensity of work related problems due to health in 1981

```

```

type:  numeric (byte)

range:  [0,50]          units:  1
unique values:  7       missing .:  0/703

```

```

tabulation:  Freq.  Value
              692    0
              1     5
              2    10
              2    20
              2    30
              1    40
              3    50

```

```

hlthl1982          intensity of work related problems due to health in 1982

```

```

type:  numeric (byte)

range:  [0,100]         units:  1
unique values:  10      missing .:  0/703

```

```

mean:    .960171
std. dev: 7.61211

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

```

hlthl1983          intensity of work related problems due to health in 1983

```

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 9        missing .: 0/703

```

```

tabulation: Freq.  Value
             686   0
              1   3
              1   5
              4  10
              3  20
              4  30
              2  50
              1  70
              1 100

```

```

hlthl1984          intensity of work related problems due to health in 1984

```

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 10       missing .: 0/703

```

```

mean: .778094
std. dev: 6.4277

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

```

hlthl1985          intensity of work related problems due to health in 1985

```

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 10       missing .: 0/703

```

```

mean: 1.19203
std. dev: 8.24613

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

hlthl1986	intensity of work related problems due to health in 1986
------------------	---

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 13       missing .: 0/703

mean: 5.70982
std. dev: 19.4931

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      10
```

hlthl1987	intensity of work related problems due to health in 1987
------------------	---

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 14       missing .: 0/703

mean: 4.65292
std. dev: 17.528

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
```

hlthl1988	intensity of work related problems due to health in 1988
------------------	---

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 13       missing .: 0/703

mean: 4.22475
std. dev: 16.5531

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
```

hlthl1989	intensity of work related problems due to health in 1989
------------------	---

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 9        missing .: 0/703

```

```

tabulation: Freq.  Value
             642    0
              3    5
              5   10
             10   20
             11   30
              3   40
             14   50
              3   60
             12  100

```

```

hlthl1990          intensity of work related problems due to health in 1990

```

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 10       missing .: 0/703

```

```

mean: 4.08962
std. dev: 15.0269

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        5

```

```

hlthl1991          intensity of work related problems due to health in 1991

```

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 10       missing .: 0/703

```

```

mean: 3.25747
std. dev: 13.3408

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

hlthl1992	intensity of work related problems due to health in 1992
------------------	---

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 12       missing .: 0/703

mean: 4.44523
std. dev: 15.7497

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      10
```

hlthl1993	intensity of work related problems due to health in 1993
------------------	---

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 14       missing .: 0/703

mean: 4.1707
std. dev: 15.629

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      5
```

hlthl1994	intensity of work related problems due to health in 1994
------------------	---

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 11       missing .: 0/703

mean: 3.88336
std. dev: 14.5785

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      5
```

hlthl1995	intensity of work related problems due to health in 1995
------------------	---

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 10        missing .: 0/703

mean: 3.47795
std. dev: 13.2917

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

```

hlthl1996          intensity of work related problems due to health in 1996

```

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 15        missing .: 0/703

mean: 5.33286
std. dev: 17.5392

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      20

```

```

hlthl1997          intensity of work related problems due to health in 1997

```

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 11        missing .: 0/703

mean: 4.49218
std. dev: 16.2818

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      10

```

```

hlthl1998          intensity of work related problems due to health in 1998

```

```

type: numeric (byte)

```

range: [0,100] units: 1
unique values: 12 missing .: 0/703

mean: 4.99716
std. dev: 16.4626

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	20

hlthl1999	intensity of work related problems due to health in 1999
-----------	--

type: numeric (byte)

range: [0,100] units: 1
unique values: 12 missing .: 0/703

mean: 5.20199
std. dev: 16.4655

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	20

hlthl2000	intensity of work related problems due to health in 2000
-----------	--

type: numeric (byte)

range: [0,100] units: 1
unique values: 13 missing .: 0/703

mean: 6.67852
std. dev: 19.3141

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	30

hlthl2001	intensity of work related problems due to health in 2001
-----------	--

type: numeric (byte)

range: [0,100] units: 1
unique values: 13 missing .: 0/703

mean: 5.07255
std. dev: 17.2988

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	20

hlthl2002	intensity of work related problems due to health in 2002
-----------	--

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	14	missing .:	0/703

mean: 4.69559
std. dev: 16.167

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	10

hlthl2003	intensity of work related problems due to health in 2003
-----------	--

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	15	missing .:	0/703

mean: 4.70413
std. dev: 15.9465

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	15

hlthl2004	intensity of work related problems due to health in 2004
-----------	--

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	15	missing .:	0/703

mean: 4.78521
std. dev: 15.6524

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	20

hlthl2005	intensity of work related problems due to health in 2005
------------------	---

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 18        missing .: 0/703

mean: 6.54196
std. dev: 19.437

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      30

```

hlthl2006	intensity of work related problems due to health in 2006
------------------	---

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 16        missing .: 0/703

mean: 6.28165
std. dev: 18.2321

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      30

```

hlthl2007	intensity of work related problems due to health in 2007
------------------	---

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 17        missing .: 0/703

mean: 6.3926
std. dev: 18.1989

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      30

```

hlthl2008	intensity of work related problems due to health in 2008
------------------	---

```
type: numeric (byte)

range: [0,100]           units: 1
unique values: 19        missing .: 0/703

mean: 7.52632
std. dev: 20.5237

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        30
```

hlthl2009	intensity of work related problems due to health in 2009
------------------	---

```
type: numeric (byte)

range: [0,100]           units: 1
unique values: 16        missing .: 0/703

mean: 8.55334
std. dev: 22.0982

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        30
```

hlthl2010	intensity of work related problems due to health in 2010
------------------	---

```
type: numeric (byte)

range: [0,100]           units: 1
unique values: 14        missing .: 0/703

mean: 5.99858
std. dev: 19.1572

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        20
```

homel1980

intensity of home related problems due to health in 1980

>

type: numeric (**byte**)

range: [0,70]

units: 1

unique values: 8

missing .: 0/703

tabulation:	Freq.	Value
	685	0
	1	1
	8	10
	3	20
	2	30
	1	40
	2	50
	1	70

homel1981

intensity of home related problems due to health in 1981

type: numeric (**byte**)

range: [0,70]

units: 1

unique values: 7

missing .: 0/703

tabulation:	Freq.	Value
	690	0
	1	1
	6	10
	3	20
	1	40
	1	50
	1	70

homel1982

intensity of home related problems due to health in 1982

type: numeric (**byte**)

range: [0,100]

units: 1

unique values: 10

missing .: 0/703

mean: .840683
std. dev: 6.7309

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

homel1983 **intensity of home related problems due to health in 1983**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	8	missing .:	0/703

tabulation:	Freq.	Value
	688	0
	1	1
	8	10
	1	20
	2	30
	1	40
	1	70
	1	100

homel1984 **intensity of home related problems due to health in 1984**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	10	missing .:	0/703

mean: .726885
std. dev: 6.30759

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

homel1985 **intensity of home related problems due to health in 1985**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	10	missing .:	0/703

mean: .955903
std. dev: 7.4497

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

homel1986	intensity of home related problems due to health in 1986
-----------	--

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	13	missing .:	0/703

mean: 5.51351
std. dev: 19.5318

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	10

homel1987	intensity of home related problems due to health in 1987
-----------	--

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	13	missing .:	0/703

mean: 4.04836
std. dev: 17.331

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

homel1988	intensity of home related problems due to health in 1988
-----------	--

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	13	missing .:	0/703

mean: 4.1138
std. dev: 16.0606

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

homel1989	intensity of home related problems due to health in 1989
------------------	---

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 13        missing .: 0/703

mean: 3.43243
std. dev: 13.8229

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

homel1990	intensity of home related problems due to health in 1990
------------------	---

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 14        missing .: 0/703

mean: 3.15363
std. dev: 12.2472

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

homel1991	intensity of home related problems due to health in 1991
------------------	---

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 13        missing .: 0/703

mean: 2.71408
std. dev: 11.4206

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

homel1992	intensity of home related problems due to health in 1992
------------------	---

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 13       missing .: 0/703

mean: 3.64011
std. dev: 13.9479

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      5
```

homel1993	intensity of home related problems due to health in 1993
------------------	---

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 13       missing .: 0/703

mean: 3.72831
std. dev: 13.9968

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      5
```

homel1994	intensity of home related problems due to health in 1994
------------------	---

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 12       missing .: 0/703

mean: 3.38691
std. dev: 13.6102

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
```

homel1995	intensity of home related problems due to health in 1995
------------------	---

```

type: numeric (byte)

range: [0,100] units: 1
unique values: 13 missing .: 0/703

mean: 3.10669
std. dev: 12.5135

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

homel1996 **intensity of home related problems due to health in 1996**

```

type: numeric (byte)

range: [0,100] units: 1
unique values: 15 missing .: 0/703

mean: 4.47795
std. dev: 15.3567

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        10

```

homel1997 **intensity of home related problems due to health in 1997**

```

type: numeric (byte)

range: [0,100] units: 1
unique values: 13 missing .: 0/703

mean: 3.97724
std. dev: 14.5838

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        10

```

homel1998 **intensity of home related problems due to health in 1998**

```

type: numeric (byte)

```


range: [0,100] units: 1
unique values: 15 missing .: 0/703

mean: 4.88051
std. dev: 16.0061

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	10

homel1999	intensity of home related problems due to health in 1999
-----------	--

type: numeric (byte)

range: [0,100] units: 1
unique values: 13 missing .: 0/703

mean: 4.47653
std. dev: 14.7168

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	10

homel2000	intensity of home related problems due to health in 2000
-----------	--

type: numeric (byte)

range: [0,100] units: 1
unique values: 15 missing .: 0/703

mean: 5.73684
std. dev: 17.035

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	20

homel2001	intensity of home related problems due to health in 2001
-----------	--

type: numeric (byte)

range: [0,100] units: 1
unique values: 15 missing .: 0/703

mean: 4.73115
std. dev: 15.7591

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	10

homel2002	intensity of home related problems due to health in 2002
-----------	--

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	15	missing .:	0/703

mean: 4.93883
std. dev: 15.482

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	20

homel2003	intensity of home related problems due to health in 2003
-----------	--

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	15	missing .:	0/703

mean: 5.1707
std. dev: 15.3746

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	20

homel2004	intensity of home related problems due to health in 2004
-----------	--

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	15	missing .:	0/703

mean: 5.30156
std. dev: 15.178

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	20

homel2005	intensity of home related problems due to health in 2005
------------------	---

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 15       missing.: 0/703

mean: 6.86771
std. dev: 18.3074

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      30

```

homel2006	intensity of home related problems due to health in 2006
------------------	---

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 19       missing.: 0/703

mean: 7.33001
std. dev: 18.0704

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      30

```

homel2007	intensity of home related problems due to health in 2007
------------------	---

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 16       missing.: 0/703

mean: 6.87767
std. dev: 17.6201

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      30

```

homel2008	intensity of home related problems due to health in 2008
------------------	---

```

      type:  numeric (byte)

      range:  [0,100]
unique values: 18                                units:  1
                                                    missing .:  0/703

      mean:   7.9431
      std. dev: 19.3745

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        30
```

homel2009	intensity of home related problems due to health in 2009
------------------	---

```

      type:  numeric (byte)

      range:  [0,100]
unique values: 16                                units:  1
                                                    missing .:  0/703

      mean:   8.734
      std. dev: 20.4397

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        30
```

homel2010	intensity of home related problems due to health in 2010
------------------	---

```

      type:  numeric (byte)

      range:  [0,100]
unique values: 17                                units:  1
                                                    missing .:  0/703

      mean:   6.39829
      std. dev: 18.1006

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        30
```

solil1980	intensity of social life related problems due to health in 1980
------------------	--

```

type: numeric (byte)

range: [0,50]          units: 10
unique values: 5        missing .: 0/703

```

```

tabulation: Freq.  Value
             693   0
             4   10
             3   20
             2   30
             1   50

```

solil1981 intensity of social life related problems due to health in 1981

```

type: numeric (byte)

range: [0,50]          units: 10
unique values: 5        missing .: 0/703

```

```

tabulation: Freq.  Value
             695   0
             2   10
             3   20
             2   30
             1   50

```

solil1982 intensity of social life related problems due to health in 1982

```

type: numeric (byte)

range: [0,80]          units: 10
unique values: 7        missing .: 0/703

```

```

tabulation: Freq.  Value
             691   0
             4   10
             2   20
             3   30
             1   50
             1   60
             1   80

```

solil1983 intensity of social life related problems due to health in 1983

type: numeric (**byte**)

range: [0,100] units: 10
unique values: 6 missing .: 0/703

tabulation: Freq. Value

695	0
2	10
1	20
3	30
1	50
1	100

solil1984 intensity of social life related problems due to health in 1984

type: numeric (**byte**)

range: [0,90] units: 10
unique values: 8 missing .: 0/703

tabulation: Freq. Value

694	0
2	10
1	20
2	30
1	40
1	50
1	80
1	90

solil1985 intensity of social life related problems due to health in 1985

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 10 missing .: 0/703

mean: .698435
std. dev: 6.27232

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

solil1986 intensity of social life related problems due to health in 1986

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	15	missing .:	0/703

mean: 5.31294
std. dev: 19.5994

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

solil1987 intensity of social life related problems due to health in 1987

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	11	missing .:	0/703

mean: 4.23329
std. dev: 17.3635

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

solil1988 intensity of social life related problems due to health in 1988

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	11	missing .:	0/703

mean: 3.266
std. dev: 14.5133

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

solil1989 intensity of social life related problems due to health in 1989

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 13 missing .: 0/703

mean: 2.47084
std. dev: 11.6682

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

solil1990 intensity of social life related problems due to health in 1990

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 10 missing .: 0/703

mean: 2.54765
std. dev: 11.6415

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

solil1991 intensity of social life related problems due to health in 1991

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 12 missing .: 0/703

mean: 2.48933
std. dev: 11.4949

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

solil1992 intensity of social life related problems due to health in 1992

```

        type:  numeric (byte)

        range:  [0,100]                units:  1
unique values:  12                    missing .:  0/703

        mean:   3.14794
        std. dev: 13.4931

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

solil1993 intensity of social life related problems due to health in 1993

```

        type:  numeric (byte)

        range:  [0,100]                units:  1
unique values:  13                    missing .:  0/703

        mean:   2.89474
        std. dev: 12.6602

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

solil1994 intensity of social life related problems due to health in 1994

```

        type:  numeric (byte)

        range:  [0,100]                units:  1
unique values:  12                    missing .:  0/703

        mean:   2.64011
        std. dev: 11.5732

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

solil1995 intensity of social life related problems due to health in 1995

```

        type:  numeric (byte)

```

range: [0,100] units: 1
unique values: 12 missing .: 0/703

mean: 2.40398
std. dev: 11.0156

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

solil1996 intensity of social life related problems due to health in 1996

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 16 missing .: 0/703

mean: 3.5633
std. dev: 14.4362

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

solil1997 intensity of social life related problems due to health in 1997

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 13 missing .: 0/703

mean: 3.29872
std. dev: 14.5132

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

solil1998 intensity of social life related problems due to health in 1998

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 14 missing .: 0/703

mean: 3.60028
std. dev: 13.6723

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	5

solil1999 intensity of social life related problems due to health in 1999

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	14	missing .:	0/703

mean: 3.52063
std. dev: 13.0054

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	10

solil2000 intensity of social life related problems due to health in 2000

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	15	missing .:	0/703

mean: 4.89189
std. dev: 16.2153

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	10

solil2001 intensity of social life related problems due to health in 2001

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	16	missing .:	0/703

mean: 4.68421
std. dev: 16.6689

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	10

solil2002 intensity of social life related problems due to health in 2002

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 15       missing.: 0/703

mean: 4.31721
std. dev: 15.2858

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      10

```

solil2003 intensity of social life related problems due to health in 2003

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 15       missing.: 0/703

mean: 4.36558
std. dev: 15.2401

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      10

```

solil2004 intensity of social life related problems due to health in 2004

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 14       missing.: 0/703

mean: 4.51494
std. dev: 15.7079

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      10

```

solil2005 intensity of social life related problems due to health in 2005

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 14 missing .: 0/703

mean: 5.3357
std. dev: 16.5331

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 20

solil2006 intensity of social life related problems due to health in 2006

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 14 missing .: 0/703

mean: 4.95306
std. dev: 15.1514

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 20

solil2007 intensity of social life related problems due to health in 2007

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 17 missing .: 0/703

mean: 6.51209
std. dev: 18.437

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 30

solil2008 intensity of social life related problems due to health in 2008

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 18        missing .: 0/703

mean: 7.05121
std. dev: 19.3774

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      30

```

solil2009 intensity of social life related problems due to health in 2009

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 16        missing .: 0/703

mean: 8.21195
std. dev: 21.0698

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      30

```

solil2010 intensity of social life related problems due to health in 2010

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 15        missing .: 0/703

mean: 5.61593
std. dev: 17.4322

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      20

```

holil1980 intensity of home life related problems due to health in 1980

```

type: numeric (byte)

```

range: [0,68]
unique values: 6

units: 1
missing .: 0/703

tabulation: Freq. Value
692 0
4 10
2 20
2 40
2 50
1 68

holil1981 intensity of home life related problems due to health in 1981

type: numeric (byte)

range: [0,69]
unique values: 6

units: 1
missing .: 0/703

tabulation: Freq. Value
693 0
3 10
2 20
2 40
2 50
1 69

holil1982 intensity of home life related problems due to health in 1982

type: numeric (byte)

range: [0,69]
unique values: 7

units: 1
missing .: 0/703

tabulation: Freq. Value
691 0
3 10
2 20
1 30
3 40
2 50
1 69

holil1983 intensity of home life related problems due to health in 1983

```
type:  numeric (byte)
```

```
range:  [0,100]
```

```
unique values: 8
```

```
units: 1
```

missing .: 0/703

```
tabulation:  Freq.  Value
```

690 0

4 10

2 20

1 30

2 40

2 50

1 69

1 100

holil1984 intensity of home life related problems due to health in 1984

```
type:  numeric (byte)
```

```
range:  [ 0,100 ]
```

```
unique values: 8
```

```
units: 1
```

missing .: 0/703

```
tabulation:  Freq.  Value
```

690 0

3 10

3 20

1 30

2 40

2 50

1 69

1 100

holil1985 intensity of home life related problems due to health in 1985

```
type:  numeric (byte)
```

```
range:  [ 0, 100 ]
```

```
unique values: 6
```

```
units: 10
```

missing .: 0/703


```

tabulation:  Freq.  Value
              690    0
              3    10
              5    20
              2    40
              1    50
              2   100

```

```

holil1986           intensity of home life related problems due to health in 1986

```

```

      type:  numeric (byte)

      range:  [0,100]                units:  1
unique values: 13                    missing .:  0/703

      mean:   3.46657
      std. dev: 15.8509

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

```

holil1987           intensity of home life related problems due to health in 1987

```

```

      type:  numeric (byte)

      range:  [0,100]                units:  1
unique values: 11                    missing .:  0/703

      mean:   2.92888
      std. dev: 14.3159

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

```

holil1988           intensity of home life related problems due to health in 1988

```

```

      type:  numeric (byte)

      range:  [0,100]                units:  1
unique values: 9                    missing .:  0/703

```

```

tabulation:  Freq.  Value
              672    0
              7    10
              1    15
              3    20
              2    30
              2    40
              9    50
              1    60
              6   100

```

```

holi11989           intensity of home life related problems due to health in 1989

```

```

              type:  numeric (byte)

              range:  [0,100]                      units:  10
unique values:  9                               missing .:  0/703

```

```

tabulation:  Freq.  Value
              673    0
              7    10
              3    20
              5    30
              2    40
              9    50
              1    60
              1    80
              2   100

```

```

holi11990           intensity of home life related problems due to health in 1990

```

```

              type:  numeric (byte)

              range:  [0,100]                      units:  1
unique values:  9                               missing .:  0/703

```

```

tabulation:  Freq.  Value
              661    0
              1     5
              9    10
              4    20
              8    30
              5    40
             11    50
              1    80
              3   100

```

```

holi11991           intensity of home life related problems due to health in 1991

```

```

              type:  numeric (byte)

              range:  [0,100]                      units:  1
unique values:  9                               missing .:  0/703

```

```

tabulation:  Freq.  Value
              667    0
              1     5
              7    10
              4    20
              7    30
              3    40
              1    44
              9    50
              4   100

```

```

holi11992           intensity of home life related problems due to health in 1992

```

```

              type:  numeric (byte)

              range:  [0,100]                      units:  1
unique values:  11                               missing .:  0/703

```

```

              mean:    1.83499
              std. dev: 10.0414

```

```

percentiles:           10%      25%      50%      75%      90%
                   0         0         0         0         0

```

holil1993 intensity of home life related problems due to health in 1993

```

      type:  numeric (byte)

      range:  [0,100]
      units:  1
unique values: 11
      missing.: 0/703

      mean:   1.84922
      std. dev: 10.9808

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

holil1994 intensity of home life related problems due to health in 1994

```

type: numeric (byte)

range: [0,100]
unique values: 9

units: 1
missing .: 0/703

tabulation: Freq. Value
             671  0
             1   5
             7  10
             4  20
             7  30
             2  40
             6  50
             1  80
             4 100

```

holil1995 intensity of home life related problems due to health in 1995

```

      type:  numeric (byte)

      range:  [0,100]                                units:  1
unique values: 10                                missing .:  0/703

      mean:    1.8293
      std. dev: 10.0903

```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

holil1996	intensity of home life related problems due to health in 1996
------------------	--

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 10       missing .: 0/703

mean: 2.3357
std. dev: 11.8223

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

holil1997	intensity of home life related problems due to health in 1997
------------------	--

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 11       missing .: 0/703

mean: 2.54196
std. dev: 12.6905

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

holil1998	intensity of home life related problems due to health in 1998
------------------	--

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 12       missing .: 0/703

mean: 2.6074
std. dev: 12.4401

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

holil1999 **intensity of home life related problems due to health in 1999**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 11 missing .: 0/703

mean: 2.34282
std. dev: 11.4535

percentiles: 10% 25% 50% 75% 90%
 0 0 0 0 0

holil2000 **intensity of home life related problems due to health in 2000**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 9 missing .: 0/703

tabulation: Freq. Value
 657 0
 2 5
 9 10
 5 20
 6 30
 5 40
 10 50
 1 60
 8 100

holil2001 **intensity of home life related problems due to health in 2001**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 11 missing .: 0/703

mean: 3.01422
std. dev: 13.3154

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

holil2002	intensity of home life related problems due to health in 2002
------------------	--

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	11	missing .:	0/703

mean: 2.79659
std. dev: 12.2816

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

holil2003	intensity of home life related problems due to health in 2003
------------------	--

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	13	missing .:	0/703

mean: 2.4239
std. dev: 11.2619

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

holil2004	intensity of home life related problems due to health in 2004
------------------	--

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	11	missing .:	0/703

mean: 2.7596
std. dev: 12.311

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

holil2005	intensity of home life related problems due to health in 2005
------------------	--

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 11       missing .: 0/703

mean: 3.3357
std. dev: 14.4585

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
```

holil2006	intensity of home life related problems due to health in 2006
------------------	--

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 12       missing .: 0/703

mean: 2.78663
std. dev: 12.4993

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
```

holil2007	intensity of home life related problems due to health in 2007
------------------	--

```
type: numeric (byte)

range: [0,100]          units: 1
unique values: 13       missing .: 0/703

mean: 3.19488
std. dev: 13.3367

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0
```

holil2008	intensity of home life related problems due to health in 2008
------------------	--

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 14       missing .: 0/703

mean: 4.10384
std. dev: 15.4118

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      5

```

holil2009 **intensity of home life related problems due to health in 2009**

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 14       missing .: 0/703

mean: 4.41536
std. dev: 16.4241

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      5

```

holil2010 **intensity of home life related problems due to health in 2010**

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 12       missing .: 0/703

mean: 3.8165
std. dev: 15.6279

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

sexll1980 **intensity of home life related problems due to health in 1980**

```

type: numeric (byte)

```

range: [0,100]
unique values: 8

units: 1
missing .: 0/703

tabulation: Freq. Value
690 0
1 5
4 10
3 20
1 30
1 50
1 51
2 100

sexl11981 intensity of home life related problems due to health in 1981

type: numeric (byte)

range: [0,100]
unique values: 7

units: 1
missing .: 0/703

tabulation: Freq. Value
694 0
1 5
1 10
3 20
1 30
1 47
2 100

sexl11982 intensity of home life related problems due to health in 1982

type: numeric (byte)

range: [0,100]
unique values: 8

units: 1
missing .: 0/703

```

tabulation:  Freq.  Value
              693   0
              1    5
              2   10
              3   20
              1   30
              1   46
              1   88
              1  100

```

```

sexl11983          intensity of home life related problems due to health in 1983

```

```

type:  numeric (byte)

```

```

range:  [0,100]          units:  1
unique values:  8        missing .:  0/703

```

```

tabulation:  Freq.  Value
              692   0
              1    5
              1   10
              3   20
              1   30
              1   48
              1   50
              3  100

```

```

sexl11984          intensity of home life related problems due to health in 1984

```

```

type:  numeric (byte)

```

```

range:  [0,100]          units:  1
unique values:  9        missing .:  0/703

```

```

tabulation:  Freq.  Value
              693   0
              1    5
              2   10
              2   20
              1   30
              1   46
              1   50
              1   82
              1  100

```

sexl11985 **intensity of home life related problems due to health in 1985**

type: numeric (**byte**)

range: [0,100] units: 1

unique values: 8 missing .: 0/703

tabulation: Freq. Value

692	0
1	5
1	10
2	20
1	30
2	40
1	53
3	100

sexl11986 **intensity of home life related problems due to health in 1986**

type: numeric (**byte**)

range: [0,100] units: 1

unique values: 12 missing .: 0/703

mean: 4.15078

std. dev: 17.7783

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

sexl11987 **intensity of home life related problems due to health in 1987**

type: numeric (**byte**)

range: [0,100] units: 1

unique values: 11 missing .: 0/703

mean: 3.73684

std. dev: 16.6967

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

sexl11988 intensity of home life related problems due to health in 1988

```

      type:  numeric (byte)
      range:  [0,100]
      unique values: 8
      units:  1
      missing .: 0/703

```

tabulation:	Freq.	Value
	669	0
	2	5
	3	10
	4	20
	6	30
	1	40
	10	50
	8	100

sexll1989 intensity of home life related problems due to health in 1989

```

      type:  numeric (byte)
      range:  [0,100]
      unique values: 10
      units:  1
      missing .: 0/703

```

```
mean:    2.15505
std. dev: 11.6612
```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

sexl11990 intensity of home life related problems due to health in 1990

```

      type:  numeric (byte)
      range:  [0,100]
      unique values: 11
      units:  1
      missing .: 0/703

```

```
mean:    2.7596
std. dev: 13.593
```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

sexl11991	intensity of home life related problems due to health in 1991
------------------	--

type: numeric (byte)					
range:	[0,100]	units: 1			
unique values:	11	missing .: 0/703			
mean:	3.3229				
std. dev:	15.4036				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

sexl11992	intensity of home life related problems due to health in 1992
------------------	--

type: numeric (byte)					
range:	[0,100]	units: 1			
unique values:	11	missing .: 0/703			
mean:	3.30299				
std. dev:	14.7815				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

sexl11993	intensity of home life related problems due to health in 1993
------------------	--

type: numeric (byte)					
range:	[0,100]	units: 1			
unique values:	10	missing .: 0/703			
mean:	3.12376				
std. dev:	14.2758				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

sexl11994	intensity of home life related problems due to health in 1994
------------------	--

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 10        missing .: 0/703

mean: 3.06686
std. dev: 14.2482

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

```

sexl11995          intensity of home life related problems due to health in 1995

```

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 9        missing .: 0/703

tabulation:  Freq.  Value
              651   0
               2   1
               1   5
               8  10
               5  20
              12  30
               4  40
               9  50
              11 100

```

```

sexl11996          intensity of home life related problems due to health in 1996

```

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 14        missing .: 0/703

mean: 3.81366
std. dev: 16.4631

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

sexl11997	intensity of home life related problems due to health in 1997
------------------	--

type: numeric (byte)					
range:	[0,100]	units: 1			
unique values:	13	missing .: 0/703			
mean: 3.59602					
std. dev: 15.8334					
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

sexl11998	intensity of home life related problems due to health in 1998
------------------	--

type: numeric (byte)					
range:	[0,100]	units: 1			
unique values:	13	missing .: 0/703			
mean: 3.43243					
std. dev: 14.9821					
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

sexl11999	intensity of home life related problems due to health in 1999
------------------	--

type: numeric (byte)					
range:	[0,100]	units: 1			
unique values:	11	missing .: 0/703			
mean: 3.09815					
std. dev: 13.9868					
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

sexl12000	intensity of home life related problems due to health in 2000
------------------	--

```

        type:  numeric (byte)

        range:  [0,100]                units:  1
unique values:  11                    missing .:  0/703

        mean:   4.23613
        std. dev: 16.7632

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

```

sexl12001      intensity of home life related problems due to health in 2001

```

```

        type:  numeric (byte)

        range:  [0,100]                units:  1
unique values:  12                    missing .:  0/703

        mean:   4.54765
        std. dev: 17.5559

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

```

sexl12002      intensity of home life related problems due to health in 2002

```

```

        type:  numeric (byte)

        range:  [0,100]                units:  1
unique values:  11                    missing .:  0/703

        mean:   5.05405
        std. dev: 18.8069

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

```

sexl12003      intensity of home life related problems due to health in 2003

```

```

        type:  numeric (byte)

```

range: [0,100] units: 1
unique values: 13 missing .: 0/703

mean: 4.85775
std. dev: 18.1741

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

sexl12004 intensity of home life related problems due to health in 2004

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 13 missing .: 0/703

mean: 5.4623
std. dev: 19.491

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	10

sexl12005 intensity of home life related problems due to health in 2005

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 15 missing .: 0/703

mean: 6.633
std. dev: 21.825

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	20

sexl12006 intensity of home life related problems due to health in 2006

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 15 missing .: 0/703

mean: 6.84637
std. dev: 21.6059

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	20

sexl12007 intensity of home life related problems due to health in 2007

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	17	missing .:	0/703

mean: 7.41394
std. dev: 22.64

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	30

sexl12008 intensity of home life related problems due to health in 2008

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	17	missing .:	0/703

mean: 7.96302
std. dev: 23.866

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	30

sexl12009 intensity of home life related problems due to health in 2009

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	15	missing .:	0/703

mean: 9.08535
std. dev: 25.5118

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	40

sexl12010 intensity of home life related problems due to health in 2010

```

type: numeric (byte)

range: [0,100]           units: 1
unique values: 16        missing .: 0/703

mean: 6.4111
std. dev: 21.3946

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        20

```

inholl1980 intensity of interest and hobbies related problems due to health in 1980

```

type: numeric (byte)

range: [0,100]           units: 1
unique values: 7         missing .: 0/703

tabulation:  Freq.  Value
              692   0
               1   5
               2  10
               2  20
               1  30
               3  40
               2 100

```

inholl1981 intensity of interest and hobbies related problems due to health in 1981

```

type: numeric (byte)

range: [0,100]           units: 1
unique values: 7         missing .: 0/703

```

tabulation:	Freq.	Value
	694	0
	2	5
	1	10
	2	30
	2	40
	1	83
	1	100

inhol1982

intensity of interest and hobbies related problems due to health in 1982

type: numeric (**byte**)

range: [0,100]

units: 1

unique values: 7

missing .: 0/703

tabulation:	Freq.	Value
	695	0
	1	5
	1	10
	1	30
	2	40
	1	84
	2	100

inhol1983

intensity of interest and hobbies related problems due to health in 1983

type: numeric (**byte**)

range: [0,100]

units: 1

unique values: 8

missing .: 0/703

tabulation:	Freq.	Value
	692	0
	2	5
	3	10
	1	30
	2	40
	1	50
	1	87
	1	100

inholl1984**intensity of interest and hobbies related problems due to health in 1984**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 10 missing .: 0/703

mean: .980085
std. dev: 8.67305

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

inholl1985**intensity of interest and hobbies related problems due to health in 1985**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 7 missing .: 0/703

tabulation: Freq. Value

	688	0
	1	5
	5	10
	1	30
	2	40
	4	50
	2	100

inholl1986**intensity of interest and hobbies related problems due to health in 1986**

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 12 missing .: 0/703

mean: 4.33001
std. dev: 18.6658

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

inholl1987
intensity of interest and hobbies related problems due to health in 1987

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 10       missing .: 0/703

mean: 3.47795
std. dev: 16.5432

```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

inholl1988
intensity of interest and hobbies related problems due to health in 1988

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 10       missing .: 0/703

mean: 3.05121
std. dev: 14.0654

```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

inholl1989
intensity of interest and hobbies related problems due to health in 1989

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 10       missing .: 0/703

mean: 2.53912
std. dev: 12.4002

```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

inholl1990**intensity of interest and hobbies related problems due to health in 1990**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	10	missing .:	0/703

mean:	2.85206
std. dev:	13.102

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

inholl1991**intensity of interest and hobbies related problems due to health in 1991**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	10	missing .:	0/703

mean:	2.46799
std. dev:	11.9139

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

inholl1992**intensity of interest and hobbies related problems due to health in 1992**

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	10	missing .:	0/703

mean:	2.84495
std. dev:	13.3472

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

inholl1993
intensity of interest and hobbies related problems due to health in 1993

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 12       missing .: 0/703

mean: 2.56615
std. dev: 12.0715

```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

inholl1994
intensity of interest and hobbies related problems due to health in 1994

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 10       missing .: 0/703

mean: 2.39687
std. dev: 11.5585

```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

inholl1995
intensity of interest and hobbies related problems due to health in 1995

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 10       missing .: 0/703

mean: 2.68848
std. dev: 12.3787

```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

inholl1996
intensity of interest and hobbies related problems due to health in 1996

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 14        missing .: 0/703

mean: 3.28592
std. dev: 14.4961

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      0

```

inholl1997
intensity of interest and hobbies related problems due to health in 1997

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 13        missing .: 0/703

mean: 3.20626
std. dev: 14.3637

percentiles:    10%    25%    50%    75%    90%
                 0      0      0      0      0

```

inholl1998
intensity of interest and hobbies related problems due to health in 1998

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 12        missing .: 0/703

mean: 3.22048
std. dev: 14.0547

```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

inhol1999
intensity of interest and hobbies related problems due to health in 1999

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	12	missing .:	0/703

mean:	2.99289
std. dev:	12.5214

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

inhol2000
intensity of interest and hobbies related problems due to health in 2000

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	12	missing .:	0/703

mean:	3.76102
std. dev:	14.7928

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

inhol2001
intensity of interest and hobbies related problems due to health in 2001

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	12	missing .:	0/703

mean:	3.5192
std. dev:	14.0184

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

inhol2002
intensity of interest and hobbies related problems due to health in 2002

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	14	missing .:	0/703

mean:	3.899
std. dev:	14.7429

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

inhol2003
intensity of interest and hobbies related problems due to health in 2003

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	16	missing .:	0/703

mean:	4.27596
std. dev:	16.1248

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

inhol2004
intensity of interest and hobbies related problems due to health in 2004

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	15	missing .:	0/703

mean:	4.76387
std. dev:	17.1773

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	5

inhol2005
intensity of interest and hobbies related problems due to health in 2005

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	14	missing .:	0/703

mean:	5.02703
std. dev:	17.1923

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	10

inhol2006
intensity of interest and hobbies related problems due to health in 2006

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	16	missing .:	0/703

mean:	5.32717
std. dev:	17.2275

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	10

inhol2007
intensity of interest and hobbies related problems due to health in 2007

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	15	missing .:	0/703

mean:	5.32432
std. dev:	17.5709

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	20

inhol2008
intensity of interest and hobbies related problems due to health in 2008

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 15       missing .: 0/703

mean: 5.63016
std. dev: 18.0805

```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	20

inhol2009
intensity of interest and hobbies related problems due to health in 2009

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 15       missing .: 0/703

mean: 6.8606
std. dev: 20.6867

```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	30

inhol2010
intensity of interest and hobbies related problems due to health in 2010

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 16       missing .: 0/703

mean: 5.41536
std. dev: 18.2298

```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	10

wendl1980

intensity of holidays - weekends related problems due to health in 1980

type: numeric (**byte**)

range: [0,100]
unique values: 9

units: 1
missing .: 0/703

tabulation:	Freq.	Value
	688	0
	1	5
	7	10
	2	20
	1	30
	1	50
	1	70
	1	91
	1	100

wendl1981

intensity of holidays - weekends related problems due to health in 1981

type: numeric (**byte**)

range: [0,100]
unique values: 7

units: 1
missing .: 0/703

tabulation:	Freq.	Value
	693	0
	1	5
	3	10
	2	20
	2	30
	1	83
	1	100

wendl1982

intensity of holidays - weekends related problems due to health in 1982

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 7        missing .: 0/703

```

```

tabulation: Freq.  Value
             690   0
              1   5
              4  10
              1  20
              3  30
              2  50
              2 100

```

wendl1983

intensity of holidays - weekends related problems due to health in 1983

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 8        missing .: 0/703

```

```

tabulation: Freq.  Value
             690   0
              1   5
              4  10
              1  20
              3  30
              1  80
              1  87
              2 100

```

wendl1984

intensity of holidays - weekends related problems due to health in 1984

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 8        missing .: 0/703

```


tabulation:	Freq.	Value
	689	0
	1	5
	5	10
	1	20
	1	30
	2	50
	1	80
	3	100

wendl1985

intensity of holidays - weekends related problems due to health in 1985

type:	numeric (byte)				
range:	[0,100]				
unique values:	12				
		units:	1		
		missing .:	0/703		
mean:	1.05548				
std. dev:	8.44884				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

wendl1986

intensity of holidays - weekends related problems due to health in 1986

type:	numeric (byte)				
range:	[0,100]				
unique values:	11				
		units:	1		
		missing .:	0/703		
mean:	6.32575				
std. dev:	22.8393				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

wendl1987

intensity of holidays - weekends related problems due to health in 1987

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 11 missing .: 0/703

mean: 4.59317
std. dev: 19.2168

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

wendl1988

intensity of holidays - weekends related problems due to health in 1988

type: numeric (byte)

range: [0,100] units: 1
unique values: 10 missing .: 0/703

mean: 3.88193
std. dev: 16.67

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

wendl1989

intensity of holidays - weekends related problems due to health in 1989

type: numeric (byte)

range: [0,100] units: 1
unique values: 12 missing .: 0/703

mean: 3.54765
std. dev: 14.6138

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

wendl1990

intensity of holidays - weekends related problems due to health in 1990

type: numeric (byte)

range: [0,100] units: 1
unique values: 9 missing .: 0/703

tabulation: Freq. Value
647 0
2 5
7 10
1 15
13 20
11 30
12 50
3 60
7 100

wendl1991

intensity of holidays - weekends related problems due to health in 1991

type: numeric (byte)

range: [0,100] units: 1
unique values: 10 missing .: 0/703

mean: 2.60597
std. dev: 12.1763

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

wendl1992

intensity of holidays - weekends related problems due to health in 1992

type: numeric (byte)

range: [0,100] units: 1
unique values: 9 missing .: 0/703

```

tabulation:  Freq.  Value
              647    0
              2     5
              10    10
              9    20
              10    30
              1    40
              12    50
              2    60
              10   100

```

wendl1993

intensity of holidays - weekends related problems due to health in 1993

```

type:  numeric (byte)

range:  [0,100]          units:  1
unique values:  8        missing .:  0/703

```

```

tabulation:  Freq.  Value
              653    0
              2     5
              2    10
              12    20
              16    30
              8     50
              2     60
              8    100

```

wendl1994

intensity of holidays - weekends related problems due to health in 1994

```

type:  numeric (byte)

range:  [0,100]          units:  1
unique values:  12        missing .:  0/703

```

```

mean:    2.95448
std. dev: 13.0079

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

wendl1995

intensity of holidays - weekends related problems due to health in 1995

type: numeric (byte)

range: [0,100]

units: 1

unique values: 9

missing .: 0/703

tabulation:	Freq.	Value
	652	0
	1	1
	3	5
	11	10
	6	20
	11	30
	9	50
	3	60
	7	100

wendl1996

intensity of holidays - weekends related problems due to health in 1996

type: numeric (byte)

range: [0,100]

units: 1

unique values: 9

missing .: 0/703

tabulation:	Freq.	Value
	642	0
	3	5
	12	10
	11	20
	10	30
	7	50
	1	57
	3	60
	14	100

wendl1997

intensity of holidays - weekends related problems due to health in 1997

type: numeric (byte)

range: [0,100] units: 1
unique values: 10 missing .: 0/703

mean: 4.03983
std. dev: 17.0815

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

wendl1998

intensity of holidays - weekends related problems due to health in 1998

type: numeric (byte)

range: [0,100] units: 1
unique values: 11 missing .: 0/703

mean: 4.03983
std. dev: 15.7991

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

wendl1999

intensity of holidays - weekends related problems due to health in 1999

type: numeric (byte)

range: [0,100] units: 1
unique values: 10 missing .: 0/703

mean: 3.66287
std. dev: 13.9184

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

wendl2000

intensity of holidays - weekends related problems due to health in 2000

type: numeric (byte)

range: [0,100] units: 1
unique values: 12 missing .: 0/703

mean: 5.21337
std. dev: 17.4299

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	15

wendl2001

intensity of holidays - weekends related problems due to health in 2001

type: numeric (byte)

range: [0,100] units: 1
unique values: 12 missing .: 0/703

mean: 4.65861
std. dev: 16.9786

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	5

wendl2002

intensity of holidays - weekends related problems due to health in 2002

type: numeric (byte)

range: [0,100] units: 1
unique values: 12 missing .: 0/703

mean: 4.82219
std. dev: 17.1491

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	10

wendl2003

intensity of holidays - weekends related problems due to health in 2003

type: numeric (byte)

range: [0,100] units: 1
unique values: 11 missing .: 0/703

mean: 4.60882
std. dev: 16.4415

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	10

wendl2004

intensity of holidays - weekends related problems due to health in 2004

type: numeric (byte)

range: [0,100] units: 1
unique values: 12 missing .: 0/703

mean: 5.32006
std. dev: 18.195

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	10

wendl2005

intensity of holidays - weekends related problems due to health in 2005

type: numeric (byte)

range: [0,100] units: 1
unique values: 13 missing .: 0/703

mean: 6.13087
std. dev: 19.3088

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	20

wendl2006

intensity of holidays - weekends related problems due to health in 2006

type: numeric (byte)

range: [0,100] units: 1
unique values: 13 missing.: 0/703

mean: 5.78094
std. dev: 17.924

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	20

wend12007

intensity of holidays - weekends related problems due to health in 2007

type: numeric (byte)

range: [0,100] units: 1
unique values: 13 missing.: 0/703

mean: 6.03129
std. dev: 19.1

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	20

wend12008

intensity of holidays - weekends related problems due to health in 2008

type: numeric (byte)

range: [0,100] units: 1
unique values: 15 missing.: 0/703

mean: 6.87624
std. dev: 20.3748

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	20

wend12009

intensity of holidays - weekends related problems due to health in 2009

type: numeric (byte)

range: [0,100] units: 1
unique values: 15 missing .: 0/703

mean: 7.73542
std. dev: 21.5719

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	30

wendl2010

intensity of holidays - weekends related problems due to health in 2010

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 13 missing .: 0/703

mean: 4.95164
std. dev: 16.9449

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	10

smoke11980

number of cigarettes smoked per week in 1980

type: numeric (**int**)

range: [0,280] units: 1
unique values: 24 missing .: 0/703

mean: 12.1707
std. dev: 36.4701

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	40

smoke11981

number of cigarettes smoked per week in 1981

type: numeric (**int**)

range: [0,280] units: 1
unique values: 24 missing .: 0/703

mean: 11.9431
std. dev: 36.1614

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	40

smoke11982

number of cigarettes smoked per week in 1982

type: numeric (**int**)

range:	[0,280]	units:	1
unique values:	24	missing .:	0/703

mean: 12.2006
std. dev: 36.5226

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	40

smoke11983

number of cigarettes smoked per week in 1983

type: numeric (**int**)

range:	[0,280]	units:	1
unique values:	23	missing .:	0/703

mean: 12.2589
std. dev: 36.4845

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	40

smoke11984

number of cigarettes smoked per week in 1984

type: numeric (**int**)

range:	[0,280]	units:	1
unique values:	23	missing .:	0/703

mean: 12.5007
std. dev: 36.5292

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	40

smokel1985	number of cigarettes smoked per week in 1985
-------------------	---

```

type: numeric (int)

range: [0,280]          units: 1
unique values: 27       missing.: 0/703

mean: 12.8464
std. dev: 36.8338

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      40

```

smokel1986	number of cigarettes smoked per week in 1986
-------------------	---

```

type: numeric (int)

range: [0,280]          units: 1
unique values: 26       missing.: 0/703

mean: 13.8094
std. dev: 37.568

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      60

```

smokel1987	number of cigarettes smoked per week in 1987
-------------------	---

```

type: numeric (int)

range: [0,280]          units: 1
unique values: 25       missing.: 0/703

mean: 13.7183
std. dev: 37.5819

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      60

```

smokel1988	number of cigarettes smoked per week in 1988				
-------------------	---	--	--	--	--

type: numeric (int)					
range:	[0,280]		units:	1	
unique values:	27		missing .:	0/703	
mean: 13.8634					
std. dev: 37.5084					
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	60

smokel1989	number of cigarettes smoked per week in 1989				
-------------------	---	--	--	--	--

type: numeric (int)					
range:	[0,280]		units:	1	
unique values:	25		missing .:	0/703	
mean: 14.0327					
std. dev: 37.3208					
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	60

smokel1990	number of cigarettes smoked per week in 1990				
-------------------	---	--	--	--	--

type: numeric (int)					
range:	[0,280]		units:	1	
unique values:	27		missing .:	0/703	
mean: 14.4723					
std. dev: 36.9206					
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	60

smokel1991	number of cigarettes smoked per week in 1991				
-------------------	---	--	--	--	--

```

type: numeric (int)

range: [0,280]          units: 1
unique values: 28      missing .: 0/703

mean: 14.5135
std. dev: 36.6479

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      60

```

```

smoke11992                number of cigarettes smoked per week in 1992

```

```

type: numeric (int)

range: [0,280]          units: 1
unique values: 27      missing .: 0/703

mean: 14.8051
std. dev: 37.0492

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      60

```

```

smoke11993                number of cigarettes smoked per week in 1993

```

```

type: numeric (int)

range: [0,280]          units: 1
unique values: 28      missing .: 0/703

mean: 15.6415
std. dev: 37.9565

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      70

```

```

smoke11994                number of cigarettes smoked per week in 1994

```

```

type: numeric (int)

```

range: [0,280] units: 1
unique values: 30 missing .: 0/703

mean: 16.1408
std. dev: 37.9621

percentiles:	10%	25%	50%	75%	90%
	0	0	0	4	70

smoke11995	number of cigarettes smoked per week in 1995
-------------------	---

type: numeric (**int**)

range: [0,280] units: 1
unique values: 29 missing .: 0/703

mean: 16.936
std. dev: 38.7554

percentiles:	10%	25%	50%	75%	90%
	0	0	0	7	70

smoke11996	number of cigarettes smoked per week in 1996
-------------------	---

type: numeric (**int**)

range: [0,280] units: 1
unique values: 30 missing .: 0/703

mean: 19.5349
std. dev: 41.4785

percentiles:	10%	25%	50%	75%	90%
	0	0	0	10	80

smoke11997	number of cigarettes smoked per week in 1997
-------------------	---

type: numeric (**int**)

range: [0,280] units: 1
unique values: 30 missing .: 0/703

mean: 19.4751
std. dev: 41.5417

percentiles:	10%	25%	50%	75%	90%
	0	0	0	10	80

smoke11998

number of cigarettes smoked per week in 1998

type: numeric (**int**)

range:	[0,280]	units:	1
unique values:	30	missing .:	0/703

mean: 19.458
std. dev: 41.6056

percentiles:	10%	25%	50%	75%	90%
	0	0	0	10	80

smoke11999

number of cigarettes smoked per week in 1999

type: numeric (**int**)

range:	[0,280]	units:	1
unique values:	30	missing .:	0/703

mean: 19.6871
std. dev: 41.6668

percentiles:	10%	25%	50%	75%	90%
	0	0	0	10	90

smoke12000

number of cigarettes smoked per week in 2000

type: numeric (**int**)

range:	[0,280]	units:	1
unique values:	30	missing .:	0/703

mean: 20.34
std. dev: 42.3468

percentiles:	10%	25%	50%	75%	90%
	0	0	0	10	100

smokel2001	number of cigarettes smoked per week in 2001
-------------------	---

```

type: numeric (int)

range: [0,280]          units: 1
unique values: 30      missing.: 0/703

mean: 20.6259
std. dev: 42.493

percentiles:    10%    25%    50%    75%    90%
                0      0      0      15    100

```

smokel2002	number of cigarettes smoked per week in 2002
-------------------	---

```

type: numeric (int)

range: [0,200]          units: 1
unique values: 30      missing.: 0/703

mean: 20.192
std. dev: 41.4675

percentiles:    10%    25%    50%    75%    90%
                0      0      0      10    100

```

smokel2003	number of cigarettes smoked per week in 2003
-------------------	---

```

type: numeric (int)

range: [0,240]          units: 1
unique values: 32      missing.: 0/703

mean: 19.4211
std. dev: 41.1456

percentiles:    10%    25%    50%    75%    90%
                0      0      0      10    90

```

smokel2004	number of cigarettes smoked per week in 2004
-------------------	---

```
type: numeric (int)

range: [0,240]           units: 1
unique values: 30        missing .: 0/703

mean: 19.7852
std. dev: 41.7011

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        10       100
```

smokel2005	number of cigarettes smoked per week in 2005
-------------------	---

```
type: numeric (int)

range: [0,280]           units: 1
unique values: 29        missing .: 0/703

mean: 19.8734
std. dev: 42.104

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        10       100
```

smokel2006	number of cigarettes smoked per week in 2006
-------------------	---

```
type: numeric (int)

range: [0,280]           units: 1
unique values: 26        missing .: 0/703

mean: 20.101
std. dev: 42.2297

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        10       100
```

smokel2007	number of cigarettes smoked per week in 2007
-------------------	---

```

type: numeric (int)

range: [0,280] units: 1
unique values: 26 missing .: 0/703

mean: 20.1138
std. dev: 42.3595

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        10       100

```

smoke12008	number of cigarettes smoked per week in 2008
-------------------	---

```

type: numeric (int)

range: [0,280] units: 1
unique values: 27 missing .: 0/703

mean: 20.1223
std. dev: 42.6108

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        10       100

```

smoke12009	number of cigarettes smoked per week in 2009
-------------------	---

```

type: numeric (int)

range: [0,280] units: 1
unique values: 30 missing .: 0/703

mean: 20.2859
std. dev: 43.055

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        10       100

```

smoke12010	number of cigarettes smoked per week in 2010
-------------------	---

```

type: numeric (int)

```

range: [0,175] units: 1
unique values: 20 missing.: 0/703

mean: 16.4381
std. dev: 38.7346

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	70

drinl1980	number of beer of wine consumed per week in 1980
------------------	---

type: numeric (**byte**)

range: [0,20] units: 1
unique values: 11 missing.: 0/703

mean: .731152
std. dev: 1.79434

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

drinl1981	number of beer of wine consumed per week in 1981
------------------	---

type: numeric (**byte**)

range: [0,20] units: 1
unique values: 11 missing.: 0/703

mean: .711238
std. dev: 1.79123

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

drinl1982	number of beer of wine consumed per week in 1982
------------------	---

type: numeric (**byte**)

range: [0,20] units: 1
unique values: 11 missing.: 0/703

mean: .70697
std. dev: 1.77736

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

drinl1983	number of beer of wine consumed per week in 1983
-----------	--

type: numeric (**byte**)

range:	[0,20]	units:	1
unique values:	11	missing .:	0/703

mean: .711238
std. dev: 1.77927

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

drinl1984	number of beer of wine consumed per week in 1984
-----------	--

type: numeric (**byte**)

range:	[0,20]	units:	1
unique values:	11	missing .:	0/703

mean: .74111
std. dev: 1.79302

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

drinl1985	number of beer of wine consumed per week in 1985
-----------	--

type: numeric (**byte**)

range:	[0,20]	units:	1
unique values:	11	missing .:	0/703

mean: .766714
std. dev: 1.8005

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

drinl1986	number of beer of wine consumed per week in 1986
------------------	---

type: numeric (**byte**)

range:	[0,20]	units:	1
unique values:	10	missing .:	0/703

mean: .98862
std. dev: 2.12095

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

drinl1987	number of beer of wine consumed per week in 1987
------------------	---

type: numeric (**byte**)

range:	[0,20]	units:	1
unique values:	12	missing .:	0/703

mean: .914651
std. dev: 1.87838

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

drinl1988	number of beer of wine consumed per week in 1988
------------------	---

type: numeric (**byte**)

range:	[0,20]	units:	1
unique values:	10	missing .:	0/703

mean: .917496
std. dev: 1.89887

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

drinl1989	number of beer of wine consumed per week in 1989				
------------------	---	--	--	--	--

type: numeric (byte)					
range:	[0,20]	units: 1			
unique values:	11	missing .: 0/703			
mean:	.934566				
std. dev:	1.85092				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

drinl1990	number of beer of wine consumed per week in 1990				
------------------	---	--	--	--	--

type: numeric (byte)					
range:	[0,20]	units: 1			
unique values:	12	missing .: 0/703			
mean:	1.04125				
std. dev:	1.90284				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

drinl1991	number of beer of wine consumed per week in 1991				
------------------	---	--	--	--	--

type: numeric (byte)					
range:	[0,20]	units: 1			
unique values:	12	missing .: 0/703			
mean:	1.08535				
std. dev:	1.90474				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	4

drinl1992	number of beer of wine consumed per week in 1992				
------------------	---	--	--	--	--

```

type: numeric (byte)

range: [0,20] units: 1
unique values: 12 missing .: 0/703

mean: 1.12091
std. dev: 1.94392

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      4

```

```

drinl1993                number of beer of wine consumed per week in 1993

```

```

type: numeric (byte)

range: [0,20] units: 1
unique values: 12 missing .: 0/703

mean: 1.16358
std. dev: 1.96341

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      4

```

```

drinl1994                number of beer of wine consumed per week in 1994

```

```

type: numeric (byte)

range: [0,20] units: 1
unique values: 12 missing .: 0/703

mean: 1.20341
std. dev: 1.93112

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      4

```

```

drinl1995                number of beer of wine consumed per week in 1995

```

```

type: numeric (byte)

```


range: [0,20] units: 1
unique values: 12 missing .: 0/703

mean: 1.26316
std. dev: 2.02348

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	4

drinl1996	number of beer of wine consumed per week in 1996
-----------	--

type: numeric (byte)

range: [0,20] units: 1
unique values: 12 missing .: 0/703

mean: 1.367
std. dev: 2.05872

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	4

drinl1997	number of beer of wine consumed per week in 1997
-----------	--

type: numeric (byte)

range: [0,20] units: 1
unique values: 12 missing .: 0/703

mean: 1.33997
std. dev: 2.05956

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	4

drinl1998	number of beer of wine consumed per week in 1998
-----------	--

type: numeric (byte)

range: [0,20] units: 1
unique values: 12 missing .: 0/703

mean: 1.36415
std. dev: 2.07164

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	4

drinl1999	number of beer of wine consumed per week in 1999
-----------	--

type: numeric (**byte**)

range:	[0,20]	units:	1
unique values:	12	missing .:	0/703

mean: 1.38976
std. dev: 2.0855

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	5

drinl2000	number of beer of wine consumed per week in 2000
-----------	--

type: numeric (**byte**)

range:	[0,20]	units:	1
unique values:	13	missing .:	0/703

mean: 1.47368
std. dev: 2.16593

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	5

drinl2001	number of beer of wine consumed per week in 2001
-----------	--

type: numeric (**byte**)

range:	[0,20]	units:	1
unique values:	13	missing .:	0/703

mean: 1.47511
std. dev: 2.16068

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	5

drinl2002	number of beer of wine consumed per week in 2002
------------------	---

```

type: numeric (byte)

range: [0,20]          units: 1
unique values: 13      missing .: 0/703

mean: 1.47226
std. dev: 2.14078

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      5

```

drinl2003	number of beer of wine consumed per week in 2003
------------------	---

```

type: numeric (byte)

range: [0,16]          units: 1
unique values: 13      missing .: 0/703

mean: 1.44666
std. dev: 2.03101

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      5

```

drinl2004	number of beer of wine consumed per week in 2004
------------------	---

```

type: numeric (byte)

range: [0,16]          units: 1
unique values: 13      missing .: 0/703

mean: 1.44523
std. dev: 2.07675

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      4

```

drinl2005	number of beer of wine consumed per week in 2005
------------------	---

```
type: numeric (byte)

range: [0,16]           units: 1
unique values: 12       missing .: 0/703

mean: 1.43954
std. dev: 2.12675

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      4
```

drinl2006	number of beer of wine consumed per week in 2006
------------------	---

```
type: numeric (byte)

range: [0,14]           units: 1
unique values: 12       missing .: 0/703

mean: 1.41536
std. dev: 2.02714

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      4
```

drinl2007	number of beer of wine consumed per week in 2007
------------------	---

```
type: numeric (byte)

range: [0,14]           units: 1
unique values: 12       missing .: 0/703

mean: 1.43243
std. dev: 2.08595

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      4
```

drinl2008	number of beer of wine consumed per week in 2008
------------------	---

```

type: numeric (byte)

range: [0,14]          units: 1
unique values: 12      missing .: 0/703

mean: 1.47084
std. dev: 2.17181

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      4

```

```

drinl2009                number of beer of wine consumed per week in 2009

```

```

type: numeric (byte)

range: [0,20]          units: 1
unique values: 13      missing .: 0/703

mean: 1.49929
std. dev: 2.2814

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      4

```

```

drinl2010                number of beer of wine consumed per week in 2010

```

```

type: numeric (byte)

range: [0,20]          units: 1
unique values: 13      missing .: 0/703

mean: 1.10811
std. dev: 2.11284

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      3

```

```

vodkaq1980                number of vodaka drinks consumed per week in 1980

```

```

type: numeric (byte)

```

```

range: [0,30] units: 1
unique values: 13 missing .: 0/703

```

```

mean: .825036
std. dev: 2.23399

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      3

```

```

vodkaq1981                number of vodaka drinks consumed per week in 1981

```

```

type: numeric (byte)

```

```

range: [0,30] units: 1
unique values: 14 missing .: 0/703

```

```

mean: .810811
std. dev: 2.22388

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      3

```

```

vodkaq1982                number of vodaka drinks consumed per week in 1982

```

```

type: numeric (byte)

```

```

range: [0,30] units: 1
unique values: 14 missing .: 0/703

```

```

mean: .805121
std. dev: 2.20085

```

```

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      3

```

```

vodkaq1983                number of vodaka drinks consumed per week in 1983

```

```

type: numeric (byte)

```

```

range: [0,30] units: 1
unique values: 14 missing .: 0/703

```

mean: .807966
std. dev: 2.1998

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	3

vodkaq1984	number of vodaka drinks consumed per week in 1984
------------	---

type: numeric (**byte**)

range:	[0,30]	units:	1
unique values:	14	missing .:	0/703

mean: .85064
std. dev: 2.25741

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

vodkaq1985	number of vodaka drinks consumed per week in 1985
------------	---

type: numeric (**byte**)

range:	[0,30]	units:	1
unique values:	14	missing .:	0/703

mean: .881935
std. dev: 2.24725

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

vodkaq1986	number of vodaka drinks consumed per week in 1986
------------	---

type: numeric (**byte**)

range:	[0,30]	units:	1
unique values:	13	missing .:	0/703

mean: 1.00996
std. dev: 2.36454

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

vodkaq1987	number of vodaka drinks consumed per week in 1987
-------------------	--

type: numeric (**byte**)

range:	[0,30]	units:	1
unique values:	14	missing .:	0/703

mean: 1.00853
std. dev: 2.44365

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

vodkaq1988	number of vodaka drinks consumed per week in 1988
-------------------	--

type: numeric (**byte**)

range:	[0,30]	units:	1
unique values:	13	missing .:	0/703

mean: .998578
std. dev: 2.38794

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

vodkaq1989	number of vodaka drinks consumed per week in 1989
-------------------	--

type: numeric (**byte**)

range:	[0,30]	units:	1
unique values:	13	missing .:	0/703

mean: .978663
std. dev: 2.34511

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

vodkaq1990	number of vodaka drinks consumed per week in 1990
-------------------	--

```
type: numeric (byte)

range: [0,30]          units: 1
unique values: 12      missing .: 0/703

mean: .981508
std. dev: 2.22097

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      3
```

vodkaq1991	number of vodaka drinks consumed per week in 1991
-------------------	--

```
type: numeric (byte)

range: [0,30]          units: 1
unique values: 13      missing .: 0/703

mean: .987198
std. dev: 2.22101

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      3
```

vodkaq1992	number of vodaka drinks consumed per week in 1992
-------------------	--

```
type: numeric (byte)

range: [0,30]          units: 1
unique values: 12      missing .: 0/703

mean: 1.01849
std. dev: 2.22481

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      3
```

vodkaq1993	number of vodaka drinks consumed per week in 1993
-------------------	--

```

type: numeric (byte)

range: [0,30] units: 1
unique values: 12 missing .: 0/703

mean: 1.05405
std. dev: 2.26076

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        3

```

vodkaq1994 **number of vodaka drinks consumed per week in 1994**

```

type: numeric (byte)

range: [0,30] units: 1
unique values: 12 missing .: 0/703

mean: 1.08819
std. dev: 2.27476

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        4

```

vodkaq1995 **number of vodaka drinks consumed per week in 1995**

```

type: numeric (byte)

range: [0,30] units: 1
unique values: 13 missing .: 0/703

mean: 1.13229
std. dev: 2.30035

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        4

```

vodkaq1996 **number of vodaka drinks consumed per week in 1996**

```

type: numeric (byte)

```

range: [0,30] units: 1
unique values: 12 missing .: 0/703

mean: 1.25036
std. dev: 2.33515

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	4

vodkaq1997 **number of vodaka drinks consumed per week in 1997**

type: numeric (**byte**)

range: [0,20] units: 1
unique values: 12 missing .: 0/703

mean: 1.15363
std. dev: 1.98979

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	4

vodkaq1998 **number of vodaka drinks consumed per week in 1998**

type: numeric (**byte**)

range: [0,20] units: 1
unique values: 12 missing .: 0/703

mean: 1.16216
std. dev: 1.98266

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	4

vodkaq1999 **number of vodaka drinks consumed per week in 1999**

type: numeric (**byte**)

range: [0,20] units: 1
unique values: 12 missing .: 0/703

mean: 1.16927
std. dev: 2.01025

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	4

vodkaq2000	number of vodaka drinks consumed per week in 2000
------------	---

type: numeric (**byte**)

range:	[0,20]	units:	1
unique values:	11	missing .:	0/703

mean: 1.1835
std. dev: 1.92721

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	4

vodkaq2001	number of vodaka drinks consumed per week in 2001
------------	---

type: numeric (**byte**)

range:	[0,20]	units:	1
unique values:	11	missing .:	0/703

mean: 1.17639
std. dev: 1.90969

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	4

vodkaq2002	number of vodaka drinks consumed per week in 2002
------------	---

type: numeric (**byte**)

range:	[0,20]	units:	1
unique values:	11	missing .:	0/703

mean: 1.16358
std. dev: 1.92309

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	4

vodkaq2003	number of vodaka drinks consumed per week in 2003
-------------------	--

type: numeric (**byte**)

range:	[0,20]	units:	1
unique values:	11	missing .:	0/703

mean: 1.15789
std. dev: 1.91093

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	4

vodkaq2004	number of vodaka drinks consumed per week in 2004
-------------------	--

type: numeric (**byte**)

range:	[0,15]	units:	1
unique values:	12	missing .:	0/703

mean: 1.13087
std. dev: 1.87955

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	4

vodkaq2005	number of vodaka drinks consumed per week in 2005
-------------------	--

type: numeric (**byte**)

range:	[0,15]	units:	1
unique values:	12	missing .:	0/703

mean: 1.12518
std. dev: 1.86777

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	4

vodkaq2006	number of vodaka drinks consumed per week in 2006
-------------------	--

```
type: numeric (byte)

range: [0,15]          units: 1
unique values: 12      missing .: 0/703

mean: 1.1394
std. dev: 1.89178

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      4
```

vodkaq2007	number of vodaka drinks consumed per week in 2007
-------------------	--

```
type: numeric (byte)

range: [0,15]          units: 1
unique values: 12      missing .: 0/703

mean: 1.10953
std. dev: 1.8638

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      4
```

vodkaq2008	number of vodaka drinks consumed per week in 2008
-------------------	--

```
type: numeric (byte)

range: [0,12]          units: 1
unique values: 11      missing .: 0/703

mean: 1.1522
std. dev: 1.88286

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      4
```

vodkaq2009	number of vodaka drinks consumed per week in 2009
-------------------	--

range: [0,14] units: 1
unique values: 10 missing.: 0/703

mean: .240398
std. dev: 1.03938

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

painq1982	number of pain medications per week in 1982
-----------	---

type: numeric (byte)

range: [0,14] units: 1
unique values: 11 missing.: 0/703

mean: .254623
std. dev: 1.07246

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

painq1983	number of pain medications per week in 1983
-----------	---

type: numeric (byte)

range: [0,14] units: 1
unique values: 11 missing.: 0/703

mean: .277383
std. dev: 1.13159

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

painq1984	number of pain medications per week in 1984
-----------	---

type: numeric (byte)

range: [0,14] units: 1
unique values: 11 missing.: 0/703

mean: .268848
std. dev: 1.10179

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

painq1985	number of pain medications per week in 1985
-----------	---

type: numeric (**byte**)

range:	[0,20]	units:	1
unique values:	12	missing .:	0/703

mean: .331437
std. dev: 1.39585

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

painq1986	number of pain medications per week in 1986
-----------	---

type: numeric (**byte**)

range:	[0,21]	units:	1
unique values:	13	missing .:	0/703

mean: .492176
std. dev: 1.80917

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

painq1987	number of pain medications per week in 1987
-----------	---

type: numeric (**byte**)

range:	[0,20]	units:	1
unique values:	13	missing .:	0/703

mean: .516358
std. dev: 1.64929

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

painq1988	number of pain medications per week in 1988
------------------	--

```

type: numeric (byte)

range: [0,20]          units: 1
unique values: 13      missing .: 0/703

mean: .537696
std. dev: 1.62983

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1

```

painq1989	number of pain medications per week in 1989
------------------	--

```

type: numeric (byte)

range: [0,20]          units: 1
unique values: 12      missing .: 0/703

mean: .577525
std. dev: 1.68263

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      2

```

painq1990	number of pain medications per week in 1990
------------------	--

```

type: numeric (byte)

range: [0,20]          units: 1
unique values: 13      missing .: 0/703

mean: .697013
std. dev: 1.98228

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      2

```

painq1991	number of pain medications per week in 1991
------------------	--

type:	numeric (byte)				
range:	[0,20]		units:	1	
unique values:	13		missing .:	0/703	
mean:	.742532				
std. dev:	2.05633				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

painq1992	number of pain medications per week in 1992
------------------	--

type:	numeric (byte)				
range:	[0,35]		units:	1	
unique values:	17		missing .:	0/703	
mean:	.934566				
std. dev:	2.86769				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

painq1993	number of pain medications per week in 1993
------------------	--

type:	numeric (byte)				
range:	[0,35]		units:	1	
unique values:	15		missing .:	0/703	
mean:	.883357				
std. dev:	2.68329				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

painq1994	number of pain medications per week in 1994
------------------	--

```

type: numeric (byte)

range: [0,35] units: 1
unique values: 17 missing .: 0/703

mean: .968706
std. dev: 2.88312

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      3

```

painq1995 **number of pain medications per week in 1995**

```

type: numeric (byte)

range: [0,35] units: 1
unique values: 17 missing .: 0/703

mean: .997155
std. dev: 2.83497

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      3

```

painq1996 **number of pain medications per week in 1996**

```

type: numeric (byte)

range: [0,35] units: 1
unique values: 18 missing .: 0/703

mean: 1.21195
std. dev: 3.37525

percentiles:    10%    25%    50%    75%    90%
                0      0      0      1      3

```

painq1997 **number of pain medications per week in 1997**

```

type: numeric (byte)

```

range: [0,35] units: 1
unique values: 19 missing .: 0/703

mean: 1.37838
std. dev: 3.62316

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

painq1998 number of pain medications per week in 1998

type: numeric (**byte**)

range: [0,35] units: 1
unique values: 18 missing .: 0/703

mean: 1.39829
std. dev: 3.64533

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	4

painq1999 number of pain medications per week in 1999

type: numeric (**byte**)

range: [0,35] units: 1
unique values: 18 missing .: 0/703

mean: 1.42105
std. dev: 3.63885

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	4

painq2000 number of pain medications per week in 2000

type: numeric (**byte**)

range: [0,42] units: 1
unique values: 20 missing .: 0/703

mean: 1.65292
std. dev: 4.16971

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	4

painq2001	number of pain medications per week in 2001
-----------	---

type: numeric (**byte**)

range:	[0,42]	units:	1
unique values:	20	missing .:	0/703

mean: 1.69986
std. dev: 4.23519

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	4

painq2002	number of pain medications per week in 2002
-----------	---

type: numeric (**byte**)

range:	[0,42]	units:	1
unique values:	20	missing .:	0/703

mean: 1.73684
std. dev: 4.24169

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	5

painq2003	number of pain medications per week in 2003
-----------	---

type: numeric (**byte**)

range:	[0,42]	units:	1
unique values:	20	missing .:	0/703

mean: 1.81223
std. dev: 4.35746

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	5

painq2004	number of pain medications per week in 2004
------------------	--

```

type: numeric (byte)

range: [0,42]          units: 1
unique values: 20      missing .: 0/703

mean: 1.90043
std. dev: 4.38188

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      6

```

painq2005	number of pain medications per week in 2005
------------------	--

```

type: numeric (byte)

range: [0,50]          units: 1
unique values: 20      missing .: 0/703

mean: 2.00996
std. dev: 4.6325

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      6

```

painq2006	number of pain medications per week in 2006
------------------	--

```

type: numeric (byte)

range: [0,50]          units: 1
unique values: 20      missing .: 0/703

mean: 2.05121
std. dev: 4.68588

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      6

```

painq2007	number of pain medications per week in 2007
------------------	--

```
type: numeric (byte)

range: [0,50]          units: 1
unique values: 20      missing .: 0/703

mean: 2.14509
std. dev: 4.7263

percentiles:    10%    25%    50%    75%    90%
                0      0      0      2      6
```

painq2008	number of pain medications per week in 2008
------------------	--

```
type: numeric (byte)

range: [0,63]          units: 1
unique values: 21      missing .: 0/703

mean: 2.43954
std. dev: 5.35375

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      7
```

painq2009	number of pain medications per week in 2009
------------------	--

```
type: numeric (byte)

range: [0,50]          units: 1
unique values: 20      missing .: 0/703

mean: 2.45661
std. dev: 4.86051

percentiles:    10%    25%    50%    75%    90%
                0      0      1      3      7
```

painq2010	number of pain medications per week in 2010
------------------	--

```

      type:  numeric (byte)

      range:  [0,42]                units:  1
unique values: 19                missing .:  0/703

      mean:   1.69986
      std. dev: 4.42211

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        4

```

```

doctn1980                number of doctor visits for any health reasons in 1980

```

```

      type:  numeric (byte)

      range:  [0,7]                units:  1
unique values: 6                missing .:  422/703

      tabulation:  Freq.  Value
                  260    0
                   6    1
                  11    2
                   2    3
                   1    4
                   1    7
                  422    .

```

```

doctn1981                number of doctor visits for any health reasons in 1981

```

```

      type:  numeric (byte)

      range:  [0,10]               units:  1
unique values: 4                missing .:  422/703

      tabulation:  Freq.  Value
                  277    0
                   2    1
                   1    2
                   1   10
                  422    .

```

```

doctn1982                number of doctor visits for any health reasons in 1982

```

```

type: numeric (byte)

range: [0,5]
unique values: 5

units: 1
missing .: 422/703

```

```

tabulation: Freq. Value
             274  0
              4  1
              1  2
              1  3
              1  5
             422  .

```

```

doctn1983                number of doctor visits for any health reasons in 1983

```

```

type: numeric (byte)

range: [0,4]
unique values: 3

units: 1
missing .: 422/703

```

```

tabulation: Freq. Value
             274  0
              6  1
              1  4
             422  .

```

```

doctn1984                number of doctor visits for any health reasons in 1984

```

```

type: numeric (byte)

range: [0,15]
unique values: 5

units: 1
missing .: 422/703

```

```

tabulation: Freq. Value
             274  0
              3  1
              2  2
              1 10
              1 15
             422  .

```

```

doctn1985                number of doctor visits for any health reasons in 1985

```

```

type: numeric (byte)

range: [0,5] units: 1
unique values: 4 missing .: 422/703

```

```

tabulation: Freq. Value
             271  0
              6  1
              3  2
              1  5
             422  .

```

```

doctn1986                number of doctor visits for any health reasons in 1986

```

```

type: numeric (byte)

range: [0,20] units: 1
unique values: 14 missing .: 422/703

```

```

mean: 1.12456
std. dev: 2.97288

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        3

```

```

doctn1987                number of doctor visits for any health reasons in 1987

```

```

type: numeric (byte)

range: [0,12] units: 1
unique values: 9 missing .: 422/703

```

```

tabulation: Freq. Value
             260  0
              6  1
              6  2
              2  3
              1  4
              2  6
              1  7
              1  8
              2 12
             422  .

```

doctn1988	number of doctor visits for any health reasons in 1988
------------------	---

type: numeric (**byte**)

range:	[0,15]	units:	1
unique values:	9	missing .:	422/703

tabulation: Freq. Value

260	0
8	1
4	2
1	3
1	4
2	7
2	8
2	12
1	15
422	.

doctn1989	number of doctor visits for any health reasons in 1989
------------------	---

type: numeric (**byte**)

range:	[0,12]	units:	1
unique values:	10	missing .:	422/703

mean: .284698
std. dev: 1.30825

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

doctn1990	number of doctor visits for any health reasons in 1990
------------------	---

type: numeric (**byte**)

range:	[0,15]	units:	1
unique values:	8	missing .:	422/703

```

tabulation:  Freq.  Value
              262    0
               7    1
               4    2
               3    3
               2    5
               1    8
               1   12
               1   15
              422    .

```

```

doctn1991          number of doctor visits for any health reasons in 1991

```

```

              type:  numeric (byte)

              range:  [0,7]                      units:  1
unique values:  7                                missing .:  422/703

```

```

tabulation:  Freq.  Value
              264    0
               11    1
                1    2
                2    3
                1    5
                1    6
                1    7
              422    .

```

```

doctn1992          number of doctor visits for any health reasons in 1992

```

```

              type:  numeric (byte)

              range:  [0,17]                     units:  1
unique values:  9                                missing .:  422/703

```

```

tabulation:  Freq.  Value
              261    0
              10    1
               4    2
               1    3
               1    5
               1    6
               1    7
               1   12
               1   17
             422    .

```

```

doctn1993          number of doctor visits for any health reasons in 1993

```

```

type:  numeric (byte)

range:  [0,13]          units:  1
unique values:  8      missing .:  422/703

```

```

tabulation:  Freq.  Value
              263    0
              11    1
               2    2
               1    3
               1    5
               1    6
               1   10
               1   13
             422    .

```

```

doctn1994          number of doctor visits for any health reasons in 1994

```

```

type:  numeric (byte)

range:  [0,12]          units:  1
unique values:  7      missing .:  422/703

```

```

tabulation:  Freq.  Value
              263    0
              11    1
               2    2
               2    3
               1    6
               1   10
               1   12
             422    .

```

```

doctn1995          number of doctor visits for any health reasons in 1995

```

```

type:  numeric (byte)

range:  [0,12]          units:  1
unique values:  8      missing .:  422/703

```

```

tabulation:  Freq.  Value
              262    0
              11    1
               2    2
               1    3
               1    5
               2    6
               1    8
               1   12
             422    .

```

```

doctn1996          number of doctor visits for any health reasons in 1996

```

```

type:  numeric (byte)

range:  [0,20]          units:  1
unique values:  13      missing .:  422/703

```

```

mean:    .903915
std. dev: 2.68621

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        3

```

```

doctn1997          number of doctor visits for any health reasons in 1997

```

```

type: numeric (byte)

range: [0,20]
unique values: 9

units: 1
missing .: 422/703

```

```

tabulation: Freq. Value
             258  0
              13  1
               3  2
               1  3
               1  4
               1  5
               2  6
               1  8
               1 20
             422  .

```

```

doctn1998          number of doctor visits for any health reasons in 1998

```

```

type: numeric (byte)

range: [0,12]
unique values: 10

units: 1
missing .: 422/703

mean: .33452
std. dev: 1.39458

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1

```

```

doctn1999          number of doctor visits for any health reasons in 1999

```

```

type: numeric (byte)

range: [0,12]
unique values: 9

units: 1
missing .: 422/703

```



```

tabulation:  Freq.  Value
              253    0
              12    1
               6    2
               2    3
               1    4
               2    5
               3    6
               1    7
               1   12
             422    .

```

```

doctn2000          number of doctor visits for any health reasons in 2000

```

```

type:  numeric (byte)

range:  [0,12]          units:  1
unique values:  9      missing .:  422/703

```

```

tabulation:  Freq.  Value
              248    0
              16    1
               6    2
               4    3
               1    4
               1    5
               3    6
               1   10
               1   12
             422    .

```

```

doctn2001          number of doctor visits for any health reasons in 2001

```

```

type:  numeric (byte)

range:  [0,12]          units:  1
unique values:  9      missing .:  422/703

```

```

tabulation:  Freq.  Value
              254    0
              15    1
               3    2
               2    3
               1    4
               3    6
               1    8
               1   10
               1   12
             422    .

```

```

doctn2002                number of doctor visits for any health reasons in 2002

```

```

type:  numeric (byte)

range:  [0,14]                units:  1
unique values: 10              missing .: 422/703

mean:    .409253
std. dev: 1.71541

percentiles:    10%    25%    50%    75%    90%
                  0      0      0      0      1

```

```

doctn2003                number of doctor visits for any health reasons in 2003

```

```

type:  numeric (byte)

range:  [0,12]                units:  1
unique values: 9              missing .: 422/703

tabulation:  Freq.  Value
              252    0
              18    1
               2    2
               3    3
               1    4
               1    5
               2    6
               1   10
               1   12
             422    .

```

doctn2004	number of doctor visits for any health reasons in 2004
------------------	---

```
type: numeric (byte)

range: [0,12]          units: 1
unique values: 10      missing .: 422/703

mean: .455516
std. dev: 1.80049

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
```

doctn2005	number of doctor visits for any health reasons in 2005
------------------	---

```
type: numeric (byte)

range: [0,12]          units: 1
unique values: 10      missing .: 422/703

mean: .395018
std. dev: 1.60262

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
```

doctn2006	number of doctor visits for any health reasons in 2006
------------------	---

```
type: numeric (byte)

range: [0,12]          units: 1
unique values: 10      missing .: 422/703

mean: .462633
std. dev: 1.74423

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      1
```

doctn2007	number of doctor visits for any health reasons in 2007
------------------	---

```

type: numeric (byte)

range: [0,12]
unique values: 9

units: 1
missing .: 422/703

```

```

tabulation: Freq. Value
             247  0
              14  1
               7  2
               1  3
               2  4
               3  5
               2  6
               3 10
               2 12
             422  .

```

```

doctn2008                number of doctor visits for any health reasons in 2008

```

```

type: numeric (byte)

range: [0,20]
unique values: 12

units: 1
missing .: 422/703

```

```

mean: .903915
std. dev: 3.11012

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1

```

```

doctn2009                number of doctor visits for any health reasons in 2009

```

```

type: numeric (byte)

range: [0,15]
unique values: 11

units: 1
missing .: 422/703

```

```

mean: .747331
std. dev: 2.20475

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        2

```

doctn2010 **number of doctor visits for any health reasons in 2010**

type: numeric (**byte**)

range: [0,0] units: 1
unique values: 1 missing .: 422/703

tabulation: Freq. Value
 281 0
 422 .

fampl11980 **percent of influence that radiation had on family planning in 1980**

type: numeric (**byte**)

range: [0,0] units: 1
unique values: 1 missing .: 0/703

tabulation: Freq. Value
 703 0

fampl11981 **percent of influence that radiation had on family planning in 1981**

type: numeric (**byte**)

range: [0,0] units: 1
unique values: 1 missing .: 0/703

tabulation: Freq. Value
 703 0

fampl11982 **percent of influence that radiation had on family planning in 1982**

type: numeric (**byte**)

range: [0,0] units: 1
unique values: 1 missing .: 0/703

tabulation: Freq. Value
 703 0

fampl11983 percent of influence that radiation had on family planning in 1983

type: numeric (**byte**)

range: [0,0] units: 1
unique values: 1 missing .: 0/703

tabulation: Freq. Value
703 0

fampl11984 percent of influence that radiation had on family planning in 1984

type: numeric (**byte**)

range: [0,0] units: 1
unique values: 1 missing .: 0/703

tabulation: Freq. Value
703 0

fampl11985 percent of influence that radiation had on family planning in 1985

type: numeric (**byte**)

range: [0,100] units: 100
unique values: 2 missing .: 0/703

tabulation: Freq. Value
702 0
1 100

fampl11986 percent of influence that radiation had on family planning in 1986

type: numeric (**byte**)

range: [0,100] units: 10
unique values: 11 missing .: 0/703

mean: 8.13656
std. dev: 25.9536

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

fampl11987 percent of influence that radiation had on family planning in 1987

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 11       missing.: 0/703

mean: 6.38407
std. dev: 23.379

percentiles:    10%    25%    50%    75%    90%
                0      0      0      0      0

```

fampl11988 percent of influence that radiation had on family planning in 1988

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 9        missing.: 0/703

tabulation:  Freq.  Value
              656    0
               4    20
               2    30
               5    50
               1    55
               1    60
               3    70
               1    90
              30   100

```

fampl11989 percent of influence that radiation had on family planning in 1989

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 9        missing.: 0/703

```

```

tabulation:  Freq.  Value
              666    0
              1    10
              2    20
              2    30
              5    50
              1    60
              1    70
              1    97
              24   100

```

fampl11990 percent of influence that radiation had on family planning in 1990

```

type:  numeric (byte)

range:  [0,100]          units:  1
unique values:  10        missing .:  0/703

mean:    3.14936
std. dev: 16.7552

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        0

```

fampl11991 percent of influence that radiation had on family planning in 1991

```

type:  numeric (byte)

range:  [0,100]          units:  1
unique values:  7        missing .:  0/703

tabulation:  Freq.  Value
              677    0
              1    1
              2    20
              2    30
              3    50
              1    70
              17   100

```

fampl11992 percent of influence that radiation had on family planning in 1992

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 7        missing .: 0/703

```

```

tabulation: Freq.  Value
             681    0
              1    1
              2   20
              1   30
              4   50
              1   70
             13  100

```

famp111993 percent of influence that radiation had on family planning in 1993

```

type: numeric (byte)

range: [0,100]          units: 10
unique values: 6        missing .: 0/703

```

```

tabulation: Freq.  Value
             685    0
              2   20
              1   30
              2   50
              1   70
             12  100

```

famp111994 percent of influence that radiation had on family planning in 1994

```

type: numeric (byte)

range: [0,100]          units: 10
unique values: 7        missing .: 0/703

```

```

tabulation: Freq.  Value
             685    0
              2   10
              1   20
              1   30
              4   50
              1   70
              9  100

```

fampl11995 percent of influence that radiation had on family planning in 1995

type: numeric (**byte**)

range: [0,100] units: 10
unique values: 7 missing .: 0/703

tabulation: Freq. Value

686	0
1	10
1	20
1	30
4	50
1	70
9	100

fampl11996 percent of influence that radiation had on family planning in 1996

type: numeric (**byte**)

range: [0,100] units: 10
unique values: 6 missing .: 0/703

tabulation: Freq. Value

693	0
1	20
1	30
2	50
1	70
5	100

fampl11997 percent of influence that radiation had on family planning in 1997

type: numeric (**byte**)

range: [0,100] units: 10
unique values: 6 missing .: 0/703

```

tabulation:  Freq.  Value
              695    0
              1    20
              1    30
              2    50
              1    70
              3   100

```

famp111998 percent of influence that radiation had on family planning in 1998

```

type: numeric (byte)

range: [0,100]          units: 10
unique values: 7        missing .: 0/703

```

```

tabulation:  Freq.  Value
              692    0
              1    10
              2    20
              1    30
              2    50
              1    70
              4   100

```

famp111999 percent of influence that radiation had on family planning in 1999

```

type: numeric (byte)

range: [0,100]          units: 1
unique values: 8        missing .: 0/703

```

```

tabulation:  Freq.  Value
              693    0
              1    5
              1   10
              2   20
              1   30
              2   50
              1   70
              2  100

```

famp112000 percent of influence that radiation had on family planning in 2000

```

type: numeric (byte)

range: [0,100]
unique values: 9

units: 1
missing .: 0/703

```

```

tabulation: Freq. Value
             691  0
              1  5
              1 10
              2 20
              1 30
              2 50
              1 70
              1 72
              3 100

```

fampl12001 percent of influence that radiation had on family planning in 2001

```

type: numeric (byte)

range: [0,100]
unique values: 7

units: 1
missing .: 0/703

```

```

tabulation: Freq. Value
             694  0
              1  5
              1 10
              2 20
              2 30
              1 70
              2 100

```

fampl12002 percent of influence that radiation had on family planning in 2002

```

type: numeric (byte)

range: [0,100]
unique values: 7

units: 1
missing .: 0/703

```

tabulation:	Freq.	Value
	694	0
	1	5
	1	10
	2	20
	2	30
	1	70
	2	100

famp112003 percent of influence that radiation had on family planning in 2003

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	8	missing .:	0/703

tabulation:	Freq.	Value
	692	0
	1	5
	1	10
	2	20
	2	30
	1	70
	1	80
	3	100

famp112004 percent of influence that radiation had on family planning in 2004

type: numeric (**byte**)

range:	[0,100]	units:	1
unique values:	7	missing .:	0/703

tabulation:	Freq.	Value
	693	0
	1	5
	1	10
	2	20
	2	30
	2	70
	2	100

fampl12005 percent of influence that radiation had on family planning in 2005

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 7 missing .: 0/703

tabulation: Freq. Value

694	0
1	5
1	10
2	20
2	30
1	70
2	100

fampl12006 percent of influence that radiation had on family planning in 2006

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 7 missing .: 0/703

tabulation: Freq. Value

694	0
1	5
1	10
2	20
2	30
1	70
2	100

fampl12007 percent of influence that radiation had on family planning in 2007

type: numeric (**byte**)

range: [0,100] units: 1
unique values: 8 missing .: 0/703

```

tabulation:  Freq.  Value
              694    0
              1    5
              1   10
              2   20
              2   30
              1   50
              1   70
              1  100

```

fampl12008 percent of influence that radiation had on family planning in 2008

```

type: numeric (byte)

range: [0,100]          units: 10
unique values: 6        missing .: 0/703

```

```

tabulation:  Freq.  Value
              697    0
              1   10
              1   20
              2   30
              1   70
              1  100

```

fampl12009 percent of influence that radiation had on family planning in 2009

```

type: numeric (byte)

range: [0,100]          units: 10
unique values: 6        missing .: 0/703

```

```

tabulation:  Freq.  Value
              697    0
              1   10
              1   20
              2   30
              1   70
              1  100

```

fampl12010 percent of influence that radiation had on family planning in 2010

```

type: numeric (byte)

range: [0,100]
unique values: 5

units: 10
missing .: 0/703

```

```

tabulation: Freq. Value
             699  0
             1   20
             1   30
             1   70
             1  100

```

```

sett1r1                                town of residence 1 time: april 26 - june 30 1986

```

```

type: string (str39), but longest is str23

unique values: 150
missing "": 0/703

examples: "Korosten"
          "Kyiv"
          "Kyiv"
          "Moskva"

warning: variable has embedded and trailing blanks

```

```

sett1r2                                town of residence 2 time: april 26 - june 30 1986

```

```

type: string (str32)

unique values: 113
missing "": 450/703

examples: ""
          ""
          ""
          "Alushta"

warning: variable has leading, embedded, and trailing blanks

```

```

sett1r3                                town of residence 3 time: april 26 - june 30 1986

```

```

type: string (str32)

```


unique values: 19 missing "": 125/703

examples: ""
""
""
""

warning: variable has leading and trailing blanks

sett1r4 town of residence 4 time: april 26 - june 30 1986

type: string (str32)

unique values: 4 missing "": 125/703

tabulation:	Freq.	Value
	125	" "
	575	" "
	1	"Feodosia"
	1	"Kyiv"
	1	"Zaporizhya"

warning: variable has leading and trailing blanks

rait1r1 raion of residence 1 time: april 26 - june 30 1986

type: string (str32), but longest is str23

unique values: 105 missing "": 0/703

examples: "Kyevo-Svyatoshenskiy"
"Kyivskiy"
"Kyivskiy"
"Malinskiy"

warning: variable has embedded blanks

rait1r2 raion of residence 2 time: april 26 - june 30 1986

type: string (str32)

unique values: 82 missing "": 103/703

```
examples: ""
          ""
          ""
          "Alushtinskiy"
```

```
warning: variable has leading, embedded, and trailing blanks
```

```
rait1r3          raion of residence 3 time: april 26 - june 30 1986
```

```
type: string (str32)
```

```
unique values: 16          missing "": 125/703
```

```
examples: ""
          ""
          ""
          ""
```

```
warning: variable has leading and trailing blanks
```

```
rait1r4          raion of residence 4 time: april 26 - june 30 1986
```

```
type: string (str32)
```

```
unique values: 4          missing "": 125/703
```

```
tabulation: Freq. Value
              125  ""
              575  ""
               1  "Feodoskiy"
               1  "Kyivskiy"
               1  "Zaporizhskiy"
```

```
warning: variable has leading and trailing blanks
```

```
latdt1r1        latitude in degrees residence 1 time 1 april 26-june 30 1986
```

```
type: numeric (byte)
```

```
range: [40,69]          units: 1
unique values: 13        missing .: 0/703
```

mean: 49.8478
std. dev: 1.25559

percentiles:	10%	25%	50%	75%	90%
	49	50	50	50	50

latdt1r2 **latitude in degrees residence 2 time 1 april 26-june 30 1986**

type: numeric (**byte**)

range:	[29,63]	units:	1
unique values:	21	missing .:	560/703

mean: 48.6853
std. dev: 3.78734

percentiles:	10%	25%	50%	75%	90%
	44	47	49	50	51

latdt1r3 **latitude in degrees residence 3 time 1 april 26-june 30 1986**

type: numeric (**byte**)

range:	[43,58]	units:	1
unique values:	10	missing .:	684/703

mean: 49.6316
std. dev: 3.65469

percentiles:	10%	25%	50%	75%	90%
	45	47	50	51	55

latdt1r4 **latitude in degrees residence 4 time 1 april 26-june 30 1986**

type: numeric (**byte**)

range:	[45,50]	units:	1
unique values:	3	missing .:	700/703

```

tabulation:  Freq.  Value
              1   45
              1   47
              1   50
            700   .

```

```

londt1r1           longitude in degrees residence 1 time 1 april 26-june 30 1986

```

```

      type:  numeric (int)

      range:  [12,104]           units:  1
unique values: 25              missing .: 0/703

      mean:   30.0171
      std. dev: 4.05409

percentiles:      10%      25%      50%      75%      90%
                  28       30       30       30       30

```

```

londt1r2           longitude in degrees residence 2 time 1 april 26-june 30 1986

```

```

      type:  numeric (int)

      range:  [11,135]           units:  1
unique values: 30              missing .: 560/703

      mean:   33.5385
      std. dev: 12.3737

percentiles:      10%      25%      50%      75%      90%
                  27       28       30       34       39

```

```

londt1r3           longitude in degrees residence 3 time 1 april 26-june 30 1986

```

```

      type:  numeric (byte)

      range:  [27,39]           units:  1
unique values: 9              missing .: 684/703

```

```

tabulation:  Freq.  Value
              2    27
              2    28
              1    29
              2    30
              2    31
              2    32
              3    36
              4    37
              1    39
            684    .

```

```

londt1r4           longitude in degrees residence 4 time 1 april 26-june 30 1986

```

```

type:  numeric (byte)

range:  [30,35]           units:  1
unique values:  2         missing .:  700/703

```

```

tabulation:  Freq.  Value
              1    30
              2    35
            700    .

```

```

latmt1r1           latitude in minutes residence 1 time 1 april 26-june 30 1986

```

```

type:  numeric (int)

range:  [0,96]           units:  1
unique values:  81       missing .:  0/703

```

```

mean:    44.2233
std. dev: 17.0963

```

```

percentiles:      10%      25%      50%      75%      90%
                  21       44       44       44       62

```

```

latmt1r2           latitude in minutes residence 2 time 1 april 26-june 30 1986

```

```

type:  numeric (int)

```

range: [0,8802] units: 1
unique values: 70 missing .: 560/703

mean: 109.315
std. dev: 732.515

percentiles:	10%	25%	50%	75%	90%
	11	29	46	69	90

latmt1r3 **latitude in minutes residence 3 time 1 april 26-june 30 1986**

type: numeric (**byte**)

range: [0,76] units: 1
unique values: 17 missing .: 684/703

mean: 36.4737
std. dev: 21.887

percentiles:	10%	25%	50%	75%	90%
	1	18	44	50	74

latmt1r4 **latitude in minutes residence 4 time 1 april 26-june 30 1986**

type: numeric (**byte**)

range: [3,85] units: 1
unique values: 3 missing .: 700/703

tabulation: Freq. Value
 1 3
 1 44
 1 85
 700 .

lonmt1r1 **longitude in minutes residence 1 time 1 april 26-june 30 1986**

type: numeric (**int**)

range: [0,98] units: 1
unique values: 87 missing .: 0/703

mean: 50.5633
std. dev: 17.5377

percentiles:	10%	25%	50%	75%	90%
	24	52	52	52	73

lonmt1r2 **longitude in minutes residence 2 time 1 april 26-june 30 1986**

type: numeric (**int**)

range:	[0,8200]	units:	1
unique values:	70	missing .:	560/703

mean: 108.825
std. dev: 681.849

percentiles:	10%	25%	50%	75%	90%
	18	33	52	73	90

lonmt1r3 **longitude in minutes residence 3 time 1 april 26-june 30 1986**

type: numeric (**byte**)

range:	[0,91]	units:	1
unique values:	16	missing .:	684/703

mean: 51.6842
std. dev: 26.7458

percentiles:	10%	25%	50%	75%	90%
	7	28	52	79	82

lonmt1r4 **longitude in minutes residence 4 time 1 april 26-june 30 1986**

type: numeric (**byte**)

range:	[15,52]	units:	1
unique values:	3	missing .:	700/703

```

tabulation:  Freq.  Value
              1   15
              1   38
              1   52
            700   .

```

```

dayt1r1                                days in residence 1 time 1 april 26-june 30 1986

```

```

      type:  numeric (int)

      range:  [1,186]                      units:  1
unique values: 49                      missing .:  0/703

      mean:    59.569
      std. dev: 16.1631

percentiles:      10%      25%      50%      75%      90%
                  36       66       66       66       66

```

```

dayt1r2                                days in residence 2 time 1 april 26-june 30 1986

```

```

      type:  numeric (byte)

      range:  [1,65]                      units:  1
unique values: 45                      missing .:  561/703

      mean:    28.1761
      std. dev: 18.6294

percentiles:      10%      25%      50%      75%      90%
                  6       14       30       41       58

```

```

dayt1r3                                days in residence 3 time 1 april 26-june 30 1986

```

```

      type:  numeric (byte)

      range:  [2,45]                      units:  1
unique values: 14                      missing .:  684/703

      mean:    18.2632
      std. dev: 12.9179

```


percentiles:	10%	25%	50%	75%	90%
	3	5	19	28	39

dayt1r4	days in residence 4 time 1 april 26-june 30 1986
----------------	---

```

type: numeric (byte)

range: [5,47]          units: 1
unique values: 3       missing .: 700/703

```

```

tabulation: Freq.  Value
              1    5
              1   26
              1   47
            700    .

```

obl1r1	oblast of residence 1 time 1 april 26-june 30 1986
---------------	---

```

type: numeric (byte)
label: LABG

range: [0,26]          units: 1
unique values: 23      missing .: 0/703

```

```

examples: 10    10. kyiv
           10    10. kyiv
           10    10. kyiv
           10    10. kyiv

```

obl1r2	oblast of residence 2 time 1 april 26-june 30 1986
---------------	---

```

type: numeric (byte)
label: LABG

range: [0,26]          units: 1
unique values: 23      missing .: 0/703

```

```

examples: 0      0. not answered
           0      0. not answered
           0      0. not answered
           0      0. not answered

```

obl1r3 **oblast of residence 3 time 1 april 26-june 30 1986**

type: numeric (**byte**)
label: **LABG**

range: [0,26] units: 1
unique values: 14 missing .: 0/703

examples: 0 0. not answered
 0 0. not answered
 0 0. not answered
 0 0. not answered

obl1r4 **oblast of residence 4 time 1 april 26-june 30 1986**

type: numeric (**byte**)
label: **LABG**

range: [0,25] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	700	0	0. not answered
	1	10	10. kyiv
	1	22	22. zaporizhia
	1	25	25. ark

latt1r1 **latitude direction residence 1 time 1 april 26-june 30 1986**

type: numeric (**byte**)
label: **LABF**

range: [1,1] units: 1
unique values: 1 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	703	1	1. north

latt1r2 **latitude direction residence 2 time 1 april 26-june 30 1986**

```

        type: numeric (byte)
        label: LABF

        range: [0,1]                                units: 1
unique values: 2                                missing .: 0/703

```

```

tabulation: Freq.   Numeric   Label
              219         0  0. not answered
              484         1  1. north

```

```

latt1r3                latitude direction residence 3 time 1 april 26-june 30 1986

```

```

        type: numeric (byte)
        label: LABF

        range: [0,1]                                units: 1
unique values: 2                                missing .: 0/703

```

```

tabulation: Freq.   Numeric   Label
              270         0  0. not answered
              433         1  1. north

```

```

latt1r4                latitude direction residence 4 time 1 april 26-june 30 1986

```

```

        type: numeric (byte)
        label: LABF

        range: [0,1]                                units: 1
unique values: 2                                missing .: 0/703

```

```

tabulation: Freq.   Numeric   Label
              279         0  0. not answered
              424         1  1. north

```

```

lont1r1                longitude direction residence 1 time 1 april 26-june 30 1986

```

```

        type: numeric (byte)
        label: lon

        range: [0,1]                                units: 1
unique values: 2                                missing .: 0/703

```

lontlr2 longitude direction residence 2 time 1 april 26-june 30 1986

lont1r3 longitude direction residence 3 time 1 april 26-june 30 1986

lont1r4 longitude direction residence 4 time 1 april 26-june 30 1986



typetlrl type of residence 1 time 1 april 26-june 30 1986

```

type:  numeric (byte)
label:  LABL

```

```

      range:  [1,3]
unique values: 3
      units:  1
missing .. 0/703

```

tabulation:	Freq.	Numeric	Label
	16	1	1. wood
	306	2	2. brick
	381	3	3. multi-story building

typet1r2 type of residence 2 time 1 april 26-june 30 1986

```

type:  numeric (byte)
label:  LABL

```

```

      range:  [0,3]
unique values: 4
      units:  1
missing .: 1/703

```

tabulation:	Freq.	Numeric	Label
	553	0	0. not answered
	39	1	1. wood
	85	2	2. brick
	25	3	3. multi-story building
	1	.	

typet1r3 type of residence 3 time 1 april 26-june 30 1986

```

type:  numeric (byte)
label:  LABL

```

```

      range:  [0,3]
unique values: 4
      units:  1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	684	0	0. not answered
	6	1	1. wood
	9	2	2. brick
	4	3	3. multi-story building

typet1r4 type of residence 4 time 1 april 26-june 30 1986

```

type:  numeric (byte)
label:  LABL

```

```

      range:  [0,3]
unique values: 3
      units:  1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	700	0	0. not answered
	1	2	2. brick
	2	3	3. multi-story building

occt1r1 occupation while in residence 1 time 1 april 26-june 30 1986

```

type:  numeric (byte)
label:  LABM

```

```

      range:  [1,3]
unique values: 3
      units:  1
missing : 0/703

```

tabulation:	Freq.	Numeric	Label
	124	1	1. primarily indoors
	183	2	2. primarily outdoors
	396	3	3. combination of both

occtlr2 occupation while in residence 2 time 1 april 26-june 30 1986

```

type:  numeric (byte)
label:  LABM

```

```

      range:  [0,3]
unique values: 4
      units:  1
missing .: 101/703

```

```

tabulation:  Freq.    Numeric  Label
              453         0  0. not answered
              45         1  1. primarily indoors
              26         2  2. primarily outdoors
              78         3  3. combination of both
              101         .

```

occt1r3 occupation while in residence 3 time 1 april 26-june 30 1986

```

type:  numeric (byte)
label:  LABM

```

```

      range:  [0,3]
unique values: 3
      units:  1
missing .: 124/703

```

tabulation:	Freq.	Numeric	Label
	560	0	0. not answered
	2	2	2. primarily outdoors
	17	3	3. combination of both
	124	.	

occt1r4 occupation while in residence 1 time 1 april 26-june 30 1986

```

type:  numeric (byte)
label:  LABM

```

```

      range:  [0,3]
unique values: 3
      units:  1
missing .: 124/703

```

tabulation:	Freq.	Numeric	Label
	576	0	0. not answered
	1	2	2. primarily outdoors
	2	3	3. combination of both
	124	.	

ldrt1r1 did you consume liquid dairy products while in residence 1 time 1

```
type:  numeric (byte)
label:  LABC
```

```

      range:  [1,2]
unique values: 2
units: 1
missing .: 0/703

```

```

tabulation:  Freq.   Numeric  Label
              591       1  1. yes
              112       2  2. no

```

ldrt1r2 did you consume liquid dairy products while in residence 2 time 1

```
type:  numeric (byte)
label:  LABC
```

```

      range:  [0,2]
unique values: 3
      units:  1
missing : 0/703

```

tabulation:	Freq.	Numeric	Label
	546	0	0. not answered
	136	1	1. yes
	21	2	2. no

ldrt1r3 did you consume liquid dairy products while in residence 3 time 1

```
type:  numeric (byte)
label:  LABC
```

```

      range:  [0,2]
unique values: 3
      units:  1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	679	0	0. not answered
	16	1	1. yes
	8	2	2. no

ldrt1r4 did you consume liquid dairy products while in residence 4 time 1

```
type:  numeric (byte)
label:  LABC
```

```

      range:  [0,2]
unique values: 3
      units:  1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	696	0	0. not answered
	3	1	1. yes
	4	2	2. no

sldrt1r1 source of liquid dairy products while in residence 1 time 1


```

        type: numeric (byte)
        label: LABN

        range: [0,3]
        unique values: 4

        units: 1
        missing .: 0/703

```

```

tabulation:  Freq.    Numeric  Label
              95         0  0. not answered
              181         1  1. private source
              213         2  2. commercial source
              214         3  3. both sources

```

sldrt1r2 source of liquid dairy products while in residence 2 time 1

```

        type: numeric (byte)
        label: LABN

        range: [0,3]
        unique values: 4

        units: 1
        missing .: 0/703

```

```

tabulation:  Freq.    Numeric  Label
              564         0  0. not answered
               43         1  1. private source
               57         2  2. commercial source
               39         3  3. both sources

```

sldrt1r3 source of liquid dairy products while in residence 3 time 1

```

        type: numeric (byte)
        label: LABN

        range: [0,3]
        unique values: 4

        units: 1
        missing .: 0/703

```

```

tabulation:  Freq.    Numeric  Label
              685         0  0. not answered
               4         1  1. private source
              10         2  2. commercial source
               4         3  3. both sources

```

sldrt1r4 source of liquid dairy products while in residence 4 time 1

```

type: numeric (int)

range: [0,5000]
unique values: 6

units: 100
missing .: 122/703

```

```

tabulation: Freq. Value
             565  0
              2 200
              3 500
              9 1000
              1 2000
              1 5000
            122 .

```

```

mlldt1r4
quantity of liquid dairy products (in ml) while in residence 4 time 1

```

```

type: numeric (int)

range: [0,1000]
unique values: 3

units: 100
missing .: 122/703

```

```

tabulation: Freq. Value
             578  0
              1 500
              2 1000
            122 .

```

```

sdrtlr1
did you consume solid dairy products while in residence 1 time 1

```

```

type: numeric (byte)
label: LABC, but 1 nonmissing value is not labeled

range: [1,3]
unique values: 3

units: 1
missing .: 0/703

```

```

tabulation: Freq. Numeric Label
             604         1  1. yes
              97         2  2. no
               2         3

```

```

sdrtlr2
did you consume solid dairy products while in residence 2 time 1

```

```

      type:  numeric (byte)
label:  LABC

      range:  [0,2]
unique values:  3
                                units:  1
                                missing .: 0/703

```

sdrt1r3 did you consume solid dairy products while in residence 3 time 1

sdrt1r4 did you consume solid dairy products while in residence 4 time 1

ssdrt1r1 source of solid dairy products in residence 1 time 1

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	71	0	0. not answered
	137	1	1. private source
	245	2	2. commercial source
	250	3	3. both sources

ssdrt1r2 source of solid dairy products in residence 2 time 1

type: numeric (byte)
label: LABN

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	565	0	0. not answered
	40	1	1. private source
	59	2	2. commercial source
	39	3	3. both sources

ssdrt1r3 source of solid dairy products in residence 3 time 1

type: numeric (byte)
label: LABN

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	685	0	0. not answered
	4	1	1. private source
	11	2	2. commercial source
	3	3	3. both sources

ssdrt1r4 source of solid dairy products in residence 4 time 1

type: numeric (byte)
label: LABN

range: [0,2] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	699	0	0. not answered
	4	2	2. commercial source

gldt1r1

quantity of solid dairy products (in grams) while in residence 1 time 1

type: numeric (**long**)

range: [0,300000] units: 10
unique values: 19 missing .: 39/703

mean: 1399.55
std. dev: 13960.6

percentiles:	10%	25%	50%	75%	90%
	100	300	500	1000	1000

gldt1r2

quantity of solid dairy products (in grams) while in residence 2 time 1

type: numeric (**long**)

range: [0,200000] units: 10
unique values: 15 missing .: 110/703

mean: 454.89
std. dev: 8214.76

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	500

gldt1r3

quantity of solid dairy products (in grams) while in residence 3 time 1

type: numeric (**int**)

range: [0,3000] units: 10
unique values: 10 missing .: 125/703

mean: 15.1384
std. dev: 148.359

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

gldt1r4

quantity of solid dairy products (in grams) while in residence 4 time 1

type: numeric (**int**)

range:	[0,1200]	units:	100
unique values:	4	missing .:	125/703

tabulation:	Freq.	Value
	575	0
	1	100
	1	300
	1	1200
	125	.

lv1r1

did you consume leafy vegetables while in residence 1 time 1

type: numeric (**byte**)
label: **LABC**, but 1 nonmissing value is not labeled

range:	[1,3]	units:	1
unique values:	3	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	594	1	1. yes
	104	2	2. no
	5	3	

lv1r2

did you consume leafy vegetables while in residence 2 time 1

type: numeric (**byte**)
label: **LABC**

range:	[0,2]	units:	1
unique values:	3	missing .:	0/703

lvt1r3 did you consume leafy vegetables while in residence 3 time 1

lvt1r4 did you consume leafy vegetables while in residence 4 time 1

slvt1r1 source of leafy vegetables while in residence 1 time 1

tabulation:	Freq.	Numeric	Label
	66	0	0. not answered
	322	1	1. private source
	140	2	2. commercial source
	175	3	3. both sources

slvt1r2 **source of leafy vegetables while in residence 2 time 1**

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	568	0	0. not answered
	60	1	1. private source
	40	2	2. commercial source
	35	3	3. both sources

slvt1r3 **source of leafy vegetables while in residence 3 time 1**

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	683	0	0. not answered
	6	1	1. private source
	9	2	2. commercial source
	5	3	3. both sources

slvt1r4 **source of leafy vegetables while in residence 4 time 1**

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 3 missing .: 0/703


```

tabulation:  Freq.  Value
              560    0
              1    200
              2    300
              7    500
              8   1000
             125    .

```

glvt1r4 **quantity of leafy vegetables (in grams) while in residence 4 time 1**

```

type:  numeric (int)

range:  [0,1000]
unique values:  3

units:  100
missing .:  125/703

```

```

tabulation:  Freq.  Value
              575    0
              1    500
              2   1000
             125    .

```

sett2r1 **town of residence 1 time2: july 1- december 31 1986**

```

type:  string (str47), but longest is str23

unique values:  168
missing "":  0/703

examples:  "Kalita"
           "Kyiv"
           "Kyiv"
           "Mykolaiv"

warning:  variable has embedded blanks

```

sett2r2 **town of residence 2 time2: july 1- december 31 1986**

```

type:  string (str32)

unique values:  99
missing "":  438/703

```

```
examples: ""
          ""
          ""
          "Dvoryshe"
```

```
warning: variable has leading, embedded, and trailing blanks
```

```
sett2r3                town of residence 3 time2: july 1- december 31 1986
```

```
type: string (str32)
```

```
unique values: 17                missing "": 125/703
```

```
examples: ""
          ""
          ""
          ""
```

```
warning: variable has leading and trailing blanks
```

```
sett2r4                town of residence 4 time2: july 1- december 31 1986
```

```
type: string (str32)
```

```
unique values: 3                missing "": 125/703
```

```
tabulation: Freq. Value
              125  ""
              576  ""
               1  "Brovary"
               1  "Finov"
```

```
warning: variable has leading and trailing blanks
```

```
rait2r1                raion of residence 1 time2: july 1- december 31 1986
```

```
type: string (str32), but longest is str23
```

```
unique values: 118                missing "": 0/703
```

examples: "Korostichevskiy"
"Kyivskiy"
"Kyivskiy"
"Malinskiy"

warning: variable has embedded blanks

rait2r2	raion of residence 2 time2: july 1- december 31 1986
----------------	---

type: string (**str32**)

unique values: **75** missing "": **103/703**

examples: ""
""
""
"Donetskiy"

warning: variable has leading, embedded, and trailing blanks

rait2r3	raion of residence 3 time2: july 1- december 31 1986
----------------	---

type: string (**str32**)

unique values: **17** missing "": **125/703**

examples: ""
""
""
""

warning: variable has leading and trailing blanks

rait2r4	raion of residence 4 time2: july 1- december 31 1986
----------------	---

type: string (**str32**)

unique values: **3** missing "": **125/703**

```

tabulation:  Freq.  Value
              125    ""
              576    ""
               1  "Brovarskiy"
               1  "Germany"

```

warning: variable has leading and trailing blanks

```

latdt2r1      latitude in degrees residence 1 time 2:  july 1-december 31 1986

```

```

              type:  numeric (int)

              range:  [29,69]                      units:  1
unique values:  16                                missing.:  0/703

              mean:   49.7511
              std. dev: 1.64492

percentiles:      10%      25%      50%      75%      90%
                  49       50       50       50       50

```

```

latdt2r2      latitude in degrees residence 2 time 2:  july 1-december 31 1986

```

```

              type:  numeric (int)

              range:  [30,63]                      units:  1
unique values:  17                                missing.:  541/703

              mean:   49.0247
              std. dev: 3.37685

percentiles:      10%      25%      50%      75%      90%
                  45       48       50       50       51

```

```

latdt2r3      latitude in degrees residence 3 time 2:  july 1-december 31 1986

```

```

              type:  numeric (int)

              range:  [44,54]                      units:  1
unique values:  10                                missing.:  687/703

```

mean: 47.375
std. dev: 3.26343

percentiles:	10%	25%	50%	75%	90%
	44	44.5	46.5	49.5	53

latdt2r4 **latitude in degrees residence 4 time 2: july 1-december 31 1986**

type: numeric (**int**)

range:	[47,52]	units:	1
unique values:	2	missing .:	701/703

tabulation:	Freq.	Value
	1	47
	1	52
	701	.

londt2r1 **longitude in degrees residence 1 time 2: july 1-december 31 1986**

type: numeric (**int**)

range:	[10,72]	units:	1
unique values:	30	missing .:	0/703

mean: 30.1863
std. dev: 3.82721

percentiles:	10%	25%	50%	75%	90%
	28	30	30	30	31

londt2r2 **longitude in degrees residence 2 time 2: july 1-december 31 1986**

type: numeric (**int**)

range:	[10,93]	units:	1
unique values:	25	missing .:	541/703

mean: 31.1975
std. dev: 6.93523

percentiles:	10%	25%	50%	75%	90%
	27	28	30	33	37

londt2r3 longitude in degrees residence 3 time 2: july 1-december 31 1986

```

      type:  numeric (int)

      range:  [12,63]                units:  1
unique values: 11                  missing .:  687/703

      mean:    33.125
      std. dev: 10.4235

percentiles:      10%      25%      50%      75%      90%
                  24      29      33.5     36      42

```

londt2r4 longitude in degrees residence 4 time 2: july 1-december 31 1986

```

      type:  numeric (int)

      range:  [13,35]                units:  1
unique values: 2                  missing .:  701/703

      tabulation:  Freq.  Value
                   1  13
                   1  35
                   701 .

```

latmt2r1 latitude in minutes residence 1 time 2: july 1-december 31 1986

```

      type:  numeric (int)

      range:  [0,96]                units:  1
unique values: 84                  missing .:  0/703

      mean:    44.5548
      std. dev: 17.5901

percentiles:      10%      25%      50%      75%      90%
                  23      44      44      44      71

```

latmt2r2 **latitude in minutes residence 2 time 2: july 1-december 31 1986**

type: numeric (**int**)

range: [0,97] units: 1
unique values: 67 missing .: 541/703

mean: 45.7778
std. dev: 25.3397

percentiles:	10%	25%	50%	75%	90%
	11	26	44	61	85

latmt2r3 **latitude in minutes residence 3 time 2: july 1-december 31 1986**

type: numeric (**int**)

range: [0,92] units: 1
unique values: 16 missing .: 687/703

mean: 34.8125
std. dev: 26.1718

percentiles:	10%	25%	50%	75%	90%
	1	13	36.5	48	70

latmt2r4 **latitude in minutes residence 4 time 2: july 1-december 31 1986**

type: numeric (**int**)

range: [83,85] units: 1
unique values: 2 missing .: 701/703

tabulation:	Freq.	Value
	1	83
	1	85
	701	.

lonmt2r1 **longitude in minutes residence 1 time 2: july 1-december 31 1986**

```

type: numeric (int)

range: [0,98] units: 1
unique values: 85 missing .: 0/703

mean: 51.2987
std. dev: 18.6882

percentiles:      10%      25%      50%      75%      90%
                  24       52       52       52       76

```

lonmt2r2 longitude in minutes residence 2 time 2: july 1-december 31 1986

```

type: numeric (int)

range: [0,99] units: 1
unique values: 67 missing .: 541/703

mean: 54.037
std. dev: 25.0391

percentiles:      10%      25%      50%      75%      90%
                  18       39       52       74       88

```

lonmt2r3 longitude in minutes residence 3 time 2: july 1-december 31 1986

```

type: numeric (int)

range: [0,87] units: 1
unique values: 15 missing .: 687/703

mean: 49.4375
std. dev: 28.4229

percentiles:      10%      25%      50%      75%      90%
                  4       26.5      56       72       81

```

lonmt2r4 longitude in minutes residence 4 time 2: july 1-december 31 1986

```

type: numeric (int)

```

```

range: [15,81]
unique values: 2
units: 1
missing .: 701/703

```

```

tabulation: Freq. Value
             1 15
             1 81
            701 .

```

dayt2r1 **days in residence 1 time 2: from july 1 -december 31 1986**

```

type: numeric (int)

range: [3,184]
unique values: 55
units: 1
missing .: 0/703

mean: 167.585
std. dev: 37.4766

percentiles:      10%      25%      50%      75%      90%
                  123      183      183      183      183

```

dayt2r2 **days in residence 2 time 2: from july 1 -december 31 1986**

```

type: numeric (int)

range: [7,169]
unique values: 49
units: 1
missing .: 542/703

mean: 60.7516
std. dev: 50.5899

percentiles:      10%      25%      50%      75%      90%
                  14       21       30      106      145

```

dayt2r3 **days in residence 3 time 2: from july 1 -december 31 1986**

```

type: numeric (int)

range: [14,145]
unique values: 10
units: 1
missing .: 687/703

```

mean: 39.25
std. dev: 39.5247

percentiles:	10%	25%	50%	75%	90%
	14	14	24.5	43	123

dayt2r4 **days in residence 4 time 2: from july 1 -december 31 1986**

type: numeric (**int**)

range:	[14,158]	units:	1
unique values:	2	missing .:	701/703

tabulation:	Freq.	Value
	1	14
	1	158
	701	.

obl2r1 **oblast of residence 1 time 2: july 1-december 31 1986**

type: numeric (**byte**)
label: **LABG**

range:	[0,26]	units:	1
unique values:	24	missing .:	0/703

examples:	10	10. kyiv
	10	10. kyiv
	10	10. kyiv
	12	12. luhansk

obl2r2 **oblast of residence 2 time 2: july 1-december 31 1986**

type: numeric (**byte**)
label: **LABG**

range:	[0,26]	units:	1
unique values:	25	missing .:	0/703

examples: 0 0. not answered
 0 0. not answered
 0 0. not answered
 8 8. kherson

obl2r3 **oblast of residence 3 time 2: july 1-december 31 1986**

type: numeric (**byte**)
 label: **LABG**

range: [0,26] units: 1
 unique values: 9 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	687	0	0. not answered
	2	5	5. dontsk
	1	6	6. ivano-frankivsk
	1	9	9. khmelnytskyi
	1	10	10. kyiv
	2	15	15. odessa
	1	23	23. zhytomyr
	5	25	25. ark
	3	26	26. outside ukraine

obl2r4 **oblast of residence 4 time 2: july 1-december 31 1986**

type: numeric (**byte**)
 label: **LABG**

range: [0,26] units: 1
 unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	701	0	0. not answered
	1	10	10. kyiv
	1	26	26. outside ukraine

latt2r1 **latitude direction of residence 1 time 2: july 1-december 31 1986**

type: numeric (**byte**)
 label: **LABF**

range: [1,1] units: 1
unique values: 1 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	703	1	1. north

latt2r2 **latitude direction of residence 2 time 2: july 1-december 31 1986**

type: numeric (**byte**)
label: **LABF**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	216	0	0. not answered
	487	1	1. north

latt2r3 **latitude direction of residence 3 time 2: july 1-december 31 1986**

type: numeric (**byte**)
label: **LABF**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	277	0	0. not answered
	426	1	1. north

latt2r4 **latitude direction of residence 4 time 2: july 1-december 31 1986**

type: numeric (**byte**)
label: **LABF**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	279	0	0. not answered
	424	1	1. north

lont2r1 longitude direction of residence 1 time 2: july 1-december 31 1986

```
type: numeric (byte)
label: lon
```

```

      range:  [1,1]
unique values: 1
units: 1
missing : 0/703

```

```

tabulation:  Freq.   Numeric  Label
              703         1  1. east

```

lont2r2 longitude direction of residence 2 time 2: july 1-december 31 1986

```
type:  numeric (byte)
label:  lon
```

```

      range:  [0,1]
unique values: 2
      units:  1
missing .: 0/703

```

```

tabulation:  Freq.   Numeric  Label
              215         0  0. missing
              488         1  1. east

```

lont2r3 longitude direction of residence 3 time 2: july 1-december 31 1986

```
type: numeric (byte)
label: lon
```

```

      range:  [0,1]
unique values: 2
      units:  1
missing .: 0/703

```

```

tabulation:  Freq.   Numeric  Label
              277       0  0. missing
              426       1  1. east

```

lont2r4 longitude direction of residence 4 time 2: july 1-december 31 1986

```
type:  numeric (byte)
label: lon
```

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	279	0	0. missing
	424	1	1. east

typet2r1 **type of residence 1 time 2: july 1-december 31 1986**

type: numeric (**byte**)
label: **LABL**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	18	1	1. wood
	316	2	2. brick
	368	3	3. multi-story building

typet2r2 **type of residence 2 time 2: july 1-december 31 1986**

type: numeric (**byte**)
label: **LABL**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	542	0	0. not answered
	35	1	1. wood
	80	2	2. brick
	46	3	3. multi-story building

typet2r3 **type of residence 3 time 2: july 1-december 31 1986**

type: numeric (**byte**)
label: **LABL**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	687	0	0. not answered
	6	1	1. wood
	5	2	2. brick
	5	3	3. multi-story building

typet2r4 **type of residence 4 time 2: july 1-december 31 1986**

type: numeric (**byte**)
label: **LABL**

range: [0,2] units: 1
unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	701	0	0. not answered
	1	1	1. wood
	1	2	2. brick

occt2r1 **occupation when in residence 1 time 2: july 1-december 31 1986**

type: numeric (**byte**)
label: **LABM**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	135	1	1. primarily indoors
	174	2	2. primarily outdoors
	393	3	3. combination of both

occt2r2 **occupation when in residence 2 time 2: july 1-december 31 1986**

type: numeric (**byte**)
label: **LABM**

range: [0,3] units: 1
unique values: 4 missing .: 103/703

tabulation:	Freq.	Numeric	Label
	439	0	0. not answered
	37	1	1. primarily indoors
	34	2	2. primarily outdoors
	90	3	3. combination of both
	103	.	

occt2r3 occupation when in residence 3 time 2: july 1-december 31 1986

```

      type: numeric (byte)
      label: LABM

      range: [0,3]                      units: 1
unique values: 4                      missing .: 125/703

```

tabulation:	Freq.	Numeric	Label
	562	0	0. not answered
	3	1	1. primarily indoors
	6	2	2. primarily outdoors
	7	3	3. combination of both
	125	.	

occt2r4 occupation when in residence 4 time 2: july 1-december 31 1986

```

      type: numeric (byte)
      label: LABM

      range: [0,3]                      units: 1
unique values: 2                      missing .: 125/703

```

tabulation:	Freq.	Numeric	Label
	576	0	0. not answered
	2	3	3. combination of both
	125	.	

ldrt2r1
did you consume liquid dairy in residence 1 time 2: july 1-december 31 1986

```

      type: numeric (byte)
      label: LABC, but 1 nonmissing value is not labeled

```

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	2	0	0. not answered
	583	1	1. yes
	114	2	2. no
	4	3	

ldrt2r2

did you consume liquid dairy in residence 2 time 2: july 1-december 31 1986

type: numeric (byte)
label: **LABC**

range: [0,2] units: 1
unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	541	0	0. not answered
	136	1	1. yes
	26	2	2. no

ldrt2r3

did you consume liquid dairy in residence 3 time 2: july 1-december 31 1986

type: numeric (byte)
label: **LABC**

range: [0,2] units: 1
unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	687	0	0. not answered
	13	1	1. yes
	3	2	2. no

ldrt2r4

did you consume liquid dairy in residence 4 time 2: july 1-december 31 1986

type: numeric (byte)
label: **LABC**

range: [0,1] units: 1
unique values: 2 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	701	0	0. not answered
	2	1	1. yes

sldrt2r1 source of liquid dairy residence 1 time 2: july 1-december 31 1986

type: numeric (byte)
label: LABN

range: [0,3] units: 1
unique values: 4 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	117	0	0. not answered
	159	1	1. private source
	189	2	2. commercial source
	238	3	3. both sources

sldrt2r2 source of liquid dairy residence 2 time 2: july 1-december 31 1986

type: numeric (byte)
label: LABN

range: [0,3] units: 1
unique values: 4 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	569	0	0. not answered
	34	1	1. private source
	65	2	2. commercial source
	35	3	3. both sources

sldrt2r3 source of liquid dairy residence 3 time 2: july 1-december 31 1986

type: numeric (byte)
label: LABN

range: [0,3] units: 1
unique values: 4 missing.: 0/703

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1000

mlldt2r3
quantity liquid dairy (in ml) residence 3 time 2: july 1-december 31 1986

type: numeric (**int**)

range:	[0,5000]	units:	100
unique values:	7	missing .:	125/703

tabulation:	Freq.	Value
	565	0
	1	300
	1	600
	5	1000
	4	2000
	1	3000
	1	5000
	125	.

mlldt2r4
quantity liquid dairy (in ml) residence 4 time 2: july 1-december 31 1986

type: numeric (**int**)

range:	[0,1000]	units:	1000
unique values:	2	missing .:	125/703

tabulation:	Freq.	Value
	576	0
	2	1000
	125	.

sdrt2r1
did you consume solid dairy in residence 1 time 2: july 1-december 31 1986

type: numeric (**byte**)

label: **LABC**, but 1 nonmissing value is not labeled

range:	[0,3]	units:	1
unique values:	4	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	701	0	0. not answered
	2	1	1. yes

ssdrt2r1 source of solid dairy in residence 1 time 2: july 1-december 31 1986

type: numeric (**byte**)
label: **LABN**

range:	[0,3]	units:	1
unique values:	4	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	75	0	0. not answered
	134	1	1. private source
	219	2	2. commercial source
	275	3	3. both sources

ssdrt2r2 source of solid dairy in residence 2 time 2: july 1-december 31 1986

type: numeric (**byte**)
label: **LABN**

range:	[0,3]	units:	1
unique values:	4	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	559	0	0. not answered
	33	1	1. private source
	70	2	2. commercial source
	41	3	3. both sources

ssdrt2r3 source of solid dairy in residence 3 time 2: july 1-december 31 1986

type: numeric (**byte**)
label: **LABN**

range:	[0,3]	units:	1
unique values:	3	missing .:	0/703

ssdrt2r4 source of solid dairy in residence 4 time 2: july 1-december 31 1986

quantity solid dairy (in grams) residence 1 time 2: july 1-december 31 1986

quantity solid dairy (in grams) residence 2 time 2: july 1-december 31 1986

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	500

gldt2r3

quantity solid dairy (in grams) residence 3 time 2: july 1-december 31 1986

type: numeric (**int**)

range: [**0,1500**]

units: **100**

unique values: **8**

missing .: **125/703**

tabulation:	Freq.	Value
	563	0
	3	100
	4	200
	1	300
	3	400
	2	500
	1	1000
	1	1500
	125	.

gldt2r4

quantity solid dairy (in grams) residence 4 time 2: july 1-december 31 1986

type: numeric (**int**)

range: [**0,200**]

units: **100**

unique values: **2**

missing .: **125/703**

tabulation:	Freq.	Value
	576	0
	2	200
	125	.

pott2r1

did you consume potatoes in residence 1 time 2: july 1-december 31 1986

type: numeric (**byte**)

label: **LABC**

range: [0,2] units: 1
unique values: 3 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	697	1	1. yes
	3	2	2. no

pott2r2

did you consume potatoes in residence 2 time 2: july 1-december 31 1986

type: numeric (byte)
label: LABC

range: [0,2] units: 1
unique values: 3 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	544	0	0. not answered
	154	1	1. yes
	5	2	2. no

pott2r3

did you consume potatoes in residence 3 time 2: july 1-december 31 1986

type: numeric (byte)
label: LABC

range: [0,2] units: 1
unique values: 3 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	687	0	0. not answered
	15	1	1. yes
	1	2	2. no

pott2r4

did you consume potatoes in residence 4 time 2: july 1-december 31 1986

type: numeric (byte)
label: LABC

range: [0,1] units: 1
unique values: 2 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	701	0	0. not answered
	2	1	1. yes

spott2r1 source of potatoes in residence 1 time 2: july 1-december 31 1986

type: numeric (byte)
label: LABN

range: [0,3] units: 1
unique values: 4 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	386	1	1. private source
	134	2	2. commercial source
	180	3	3. both sources

spott2r2 source of potatoes in residence 2 time 2: july 1-december 31 1986

type: numeric (byte)
label: LABN

range: [0,3] units: 1
unique values: 4 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	547	0	0. not answered
	68	1	1. private source
	50	2	2. commercial source
	38	3	3. both sources

spott2r3 source of potatoes in residence 3 time 2: july 1-december 31 1986

type: numeric (byte)
label: LABN

range: [0,3] units: 1
unique values: 4 missing.: 0/703

spott2r4 source of potatoes in residence 4 time 2: july 1-december 31 1986

```
gpott2r1
quantity of potatoes (in grams) in residence 1 time 2:  july 1-december 31 198
> 6
```

```
gpott2r2
quantity of potatoes (in grams) in residence 2 time 2:  july 1-december 31 198
> 6
```



mean: 1283.31
std. dev: 20432.2

percentiles:	10%	25%	50%	75%	90%
	0	0	0	300	2000

gpott2r3

quantity of potatoes (in grams) in residence 3 time 2: july 1-december 31 198
> 6

type: numeric (int)

range:	[0,2000]	units:	100
unique values:	5	missing .:	125/703

tabulation:	Freq.	Value
	563	0
	1	500
	1	700
	8	1000
	5	2000
	125	.

gpott2r4

quantity of potatoes (in grams) in residence 4 time 2: july 1-december 31 198
> 6

type: numeric (int)

range:	[0,1000]	units:	1000
unique values:	2	missing .:	125/703

tabulation:	Freq.	Value
	576	0
	2	1000
	125	.

prkt2r1 did you consume pork in residence 1 time 2: july 1-december 31 1986

type: numeric (byte)

label: LABC, but 1 nonmissing value is not labeled

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	5	0	0. not answered
	577	1	1. yes
	117	2	2. no
	4	3	

prkt2r2 did you consume pork in residence 2 time 2: july 1-december 31 1986

type: numeric (**byte**)
label: **LABC**, but 1 nonmissing value is not labeled

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	543	0	0. not answered
	120	1	1. yes
	39	2	2. no
	1	3	

prkt2r3 did you consume pork in residence 3 time 2: july 1-december 31 1986

type: numeric (**byte**)
label: **LABC**

range: [0,2] units: 1
unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	687	0	0. not answered
	11	1	1. yes
	5	2	2. no

prkt2r4 did you consume pork in residence 4 time 2: july 1-december 31 1986

type: numeric (**byte**)
label: **LABC**

range: [0,1] units: 1
unique values: 2 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	701	0	0. not answered
	2	1	1. yes

sprkt2r1 **source of pork in residence 1 time 2: july 1-december 31 1986**

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	123	0	0. not answered
	220	1	1. private source
	170	2	2. commercial source
	190	3	3. both sources

sprkt2r2 **source of pork in residence 2 time 2: july 1-december 31 1986**

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	583	0	0. not answered
	48	1	1. private source
	48	2	2. commercial source
	24	3	3. both sources

sprkt2r3 **source of pork in residence 3 time 2: july 1-december 31 1986**

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 3 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	692	0	0. not answered
	7	2	2. commercial source
	4	3	3. both sources

sprkt2r4 **source of pork in residence 4 time 2: july 1-december 31 1986**

type: numeric (**byte**)
label: **LABN**

range: [**0,2**] units: **1**
unique values: **2** missing .: **0/703**

tabulation:	Freq.	Numeric	Label
	701	0	0. not answered
	2	2	2. commercial source

gprkt2r1
quantity of pork (in grams) residence 1 time 2: july 1-december 31 1986

type: numeric (**int**)

range: [**0,5000**] units: **1**
unique values: **17** missing .: **24/703**

mean: **706.85**
std. dev: **715.87**

percentiles:	10%	25%	50%	75%	90%
	0	300	500	1000	1500

gprkt2r2
quantity of pork (in grams) residence 2 time 2: july 1-december 31 1986

type: numeric (**int**)

range: [**0,5000**] units: **1**
unique values: **13** missing .: **108/703**

mean: **133.111**
std. dev: **404.046**

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	500

gprkt2r3

quantity of pork (in grams) residence 3 time 2: july 1-december 31 1986

type: numeric (**int**)

range: [0,1000]
unique values: 8

units: 100
missing .: 125/703

tabulation:	Freq.	Value
	567	0
	1	100
	2	200
	2	300
	2	400
	2	500
	1	700
	1	1000
	125	.

gprkt2r4

quantity of pork (in grams) residence 4 time 2: july 1-december 31 1986

type: numeric (**int**)

range: [0,600]
unique values: 3

units: 100
missing .: 125/703

tabulation:	Freq.	Value
	576	0
	1	400
	1	600
	125	.

beft2r1 did you consume beef in residence 1 time 2: july 1-december 31 1986

type: numeric (**byte**)

label: **LABC**, but 1 nonmissing value is not labeled

```

range: [1,3] units: 1
unique values: 3 missing.: 0/703

```

```

tabulation: Freq. Numeric Label
             563      1  1. yes
             133      2  2. no
              7       3

```

beft2r2 did you consume beef in residence 2 time 2: july 1-december 31 1986

```

type: numeric (byte)
label: LABC, but 1 nonmissing value is not labeled

```

```

range: [0,3] units: 1
unique values: 4 missing.: 0/703

```

```

tabulation: Freq. Numeric Label
             543      0  0. not answered
             109      1  1. yes
              50      2  2. no
               1      3

```

beft2r3 did you consume beef in residence 3 time 2: july 1-december 31 1986

```

type: numeric (byte)
label: LABC

```

```

range: [0,2] units: 1
unique values: 3 missing.: 0/703

```

```

tabulation: Freq. Numeric Label
             687      0  0. not answered
              11      1  1. yes
               5      2  2. no

```

beft2r4 did you consume beef in residence 4 time 2: july 1-december 31 1986

```

type: numeric (byte)
label: LABC

```

```

range: [0,1] units: 1
unique values: 2 missing.: 0/703

```

tabulation:	Freq.	Numeric	Label
	701	0	0. not answered
	2	1	1. yes

sbft2r1 **source of beef in residence 1 time 2: july 1-december 31 1986**

type: numeric (**byte**)
label: **LABN**

range:	[0,3]	units:	1
unique values:	4	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	137	0	0. not answered
	192	1	1. private source
	174	2	2. commercial source
	200	3	3. both sources

sbft2r2 **source of beef in residence 2 time 2: july 1-december 31 1986**

type: numeric (**byte**)
label: **LABN**

range:	[0,3]	units:	1
unique values:	4	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	592	0	0. not answered
	35	1	1. private source
	45	2	2. commercial source
	31	3	3. both sources

sbft2r3 **source of beef in residence 3 time 2: july 1-december 31 1986**

type: numeric (**byte**)
label: **LABN**

range:	[0,3]	units:	1
unique values:	4	missing .:	0/703

sbft2r4 source of beef in residence 4 time 2: july 1-december 31 1986

```
gbef2r1
      quantity of beef (in grams)  residence 1 time 2:  july 1-december 31 1986
```

```
gbef2r2
      quantity of beef (in grams)  residence 2 time 2:  july 1-december 31 1986
```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	300

gbft2r3

quantity of beef (in grams) residence 3 time 2: july 1-december 31 1986

type: numeric (**int**)

range:	[0,500]	units:	100
unique values:	6	missing .:	125/703

tabulation:	Freq.	Value
	567	0
	2	100
	4	200
	1	300
	1	400
	3	500
	125	.

gbft2r4

quantity of beef (in grams) residence 4 time 2: july 1-december 31 1986

type: numeric (**int**)

range:	[0,500]	units:	100
unique values:	3	missing .:	125/703

tabulation:	Freq.	Value
	576	0
	1	100
	1	500
	125	.

pltt2r1

did you consume poultry in residence 1 time 2: july 1-december 31 1986

type: numeric (**byte**)

label: **LABC**, but 1 nonmissing value is not labeled

range:	[0,3]	units:	1
unique values:	4	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	2	0	0. not answered
	629	1	1. yes
	71	2	2. no
	1	3	

pltt2r2

did you consume poultry in residence 2 time 2: july 1-december 31 1986

type: numeric (**byte**)
label: **LABC**, but 1 nonmissing value is not labeled

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	544	0	0. not answered
	136	1	1. yes
	22	2	2. no
	1	3	

pltt2r3

did you consume poultry in residence 3 time 2: july 1-december 31 1986

type: numeric (**byte**)
label: **LABC**

range: [0,2] units: 1
unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	688	0	0. not answered
	11	1	1. yes
	4	2	2. no

pltt2r4

did you consume poultry in residence 4 time 2: july 1-december 31 1986

type: numeric (**byte**)
label: **LABC**

range: [0,1] units: 1
unique values: 2 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	701	0	0. not answered
	2	1	1. yes

spltt2r1 source of poultry in residence 1 time 2: july 1-december 31 1986

type: numeric (byte)
label: LABN

range: [0,3] units: 1
unique values: 4 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	70	0	0. not answered
	206	1	1. private source
	205	2	2. commercial source
	222	3	3. both sources

spltt2r2 source of poultry in residence 2 time 2: july 1-december 31 1986

type: numeric (byte)
label: LABN

range: [0,3] units: 1
unique values: 4 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	565	0	0. not answered
	47	1	1. private source
	61	2	2. commercial source
	30	3	3. both sources

spltt2r3 source of poultry in residence 3 time 2: july 1-december 31 1986

type: numeric (byte)
label: LABN

range: [0,3] units: 1
unique values: 4 missing.: 0/703

spltt2r4 source of poultry in residence 4 time 2: july 1-december 31 1986

gpltt2r1
quantity of poultry (in grams) in residence 1 time 2: july 1-december 31 1986

quantity of poultry (in grams) in residence 2 time 2: july 1-december 31 1986

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	400

gpltt2r3

quantity of poultry (in grams) in residence 3 time 2: july 1-december 31 1986

type: numeric (**int**)

range: [**0,2500**]

units: **100**

unique values: **8**

missing .: **125/703**

tabulation:	Freq.	Value
	566	0
	2	100
	4	200
	1	300
	1	400
	2	500
	1	1000
	1	2500
	125	.

gpltt2r4

quantity of poultry (in grams) in residence 4 time 2: july 1-december 31 1986

type: numeric (**int**)

range: [**0,500**]

units: **100**

unique values: **3**

missing .: **125/703**

tabulation:	Freq.	Value
	576	0
	1	100
	1	500
	125	.

msht2r1

did you consume mushrooms in residence 1 time 2: july 1-december 31 1986

type: numeric (**byte**)

label: **LABC**, but 1 nonmissing value is not labeled

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	285	1	1. yes
	406	2	2. no
	11	3	

msht2r2

did you consume mushrooms in residence 2 time 2: july 1-december 31 1986

type: numeric (byte)
label: **LABC**, but 1 nonmissing value is not labeled

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	547	0	0. not answered
	41	1	1. yes
	114	2	2. no
	1	3	

msht2r3

did you consume mushrooms in residence 3 time 2: july 1-december 31 1986

type: numeric (byte)
label: **LABC**

range: [0,2] units: 1
unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	687	0	0. not answered
	5	1	1. yes
	11	2	2. no

msht2r4

did you consume mushrooms in residence 4 time 2: july 1-december 31 1986

type: numeric (**byte**)
label: **LABC**

range: [0,2] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	701	0	0. not answered
	2	2	2. no

smsht2r1 source of mushrooms in residence 1 time 2: july 1-december 31 1986

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	423	0	0. not answered
	115	1	1. private source
	82	2	2. commercial source
	83	3	3. both sources

smsht2r2 source of mushrooms in residence 2 time 2: july 1-december 31 1986

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	661	0	0. not answered
	27	1	1. private source
	10	2	2. commercial source
	5	3	3. both sources

smsht2r3 source of mushrooms in residence 3 time 2: july 1-december 31 1986

type: numeric (**byte**)
label: **LABN**

range: [0,2] units: 1
unique values: 3 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	698	0	0. not answered
	1	1	1. private source
	4	2	2. commercial source

smsht2r4 source of mushrooms in residence 4 time 2: july 1-december 31 1986

type: numeric (byte)
label: LABN

range: [0,0] units: 1
unique values: 1 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	703	0	0. not answered

gmsht2r1
quantity of mushr (in grams) per week residence 1 time 2: july1-december 31

type: numeric (int)

range: [0,3000] units: 10
unique values: 16 missing.: 93/703

mean: 171.77
std. dev: 364.727

percentiles:	10%	25%	50%	75%	90%
	0	0	0	200	500

gmsht2r2
quantity of mushr (in grams) per week residence 2 time 2: july1-december 31

type: numeric (int)

range: [0,3000] units: 10
unique values: 9 missing.: 119/703

```

tabulation:  Freq.  Value
              542    0
              6    50
              24   100
              1   150
              4   200
              2   300
              2   400
              2   500
              1  3000
             119   .

```

gmsht2r3

quantity of mushr (in grams) per week residence 3 time 2: july1-december 31

```

type:  numeric (int)

range:  [0,400]          units:  10
unique values:  4        missing .: 125/703

```

```

tabulation:  Freq.  Value
              573    0
              2    50
              2   100
              1   400
             125   .

```

gmsht2r4

quantity of mushr (in grams) per week residence 4 time 2: july1-december 31

```

type:  numeric (int)

range:  [0,0]          units:  1
unique values:  1        missing .: 125/703

```

```

tabulation:  Freq.  Value
              578    0
             125   .

```

sett3r1

town of residence 1 time 3: jan 1987 - dec 1990

```

type:  string (str47), but longest is str23

```



```

tabulation:  Freq.  Value
              125    ""
              577    ""
               1    "Kyiv"

```

```
warning: variable has leading and trailing blanks
```

rait3r1	raion of residence 1 time 3: jan 1987 - dec 1990
---------	--

```
type: string (str32), but longest is str23
```

```
unique values: 100           missing "": 0/703
```

```
examples:  "Kyevo-Svyatoshenskiy"
           "Kyivskiy"
           "Kyivskiy"
           "Makarivskiy"
```

```
warning: variable has embedded blanks
```

```
rait3r2          raion of residence 2 time 3: jan 1987 - dec 1990
```

```
type:  string (str32)
```

```
unique values:  58                missing " ": 111/703
```

```
examples:  ""
           ""
           ""
           ""
```

```
warning: variable has leading, embedded, and trailing blanks
```

```
rait3r3          raion of residence 3 time 3: jan 1987 - dec 1990
```

```
type:  string (str32)
```

```
unique values: 19          missing " ": 124/703
```



```
examples: ""
          ""
          ""
          ""
```

warning: variable has leading, embedded, and trailing blanks

rait3r4 **raion of residence 4 time 3: jan 1987 - dec 1990**

type: string (**str32**)

unique values: **2** missing "": **125/703**

tabulation:	Freq.	Value
	125	" "
	577	" "
	1	"Kyivskiy"

warning: variable has leading and trailing blanks

latdt3r1 **latitude in degrees residence 1 time 3: jan 1987 - dec 1990**

type: numeric (**int**)

range:	[34,69]	units:	1
unique values:	16	missing .:	0/703

mean:	49.8933
std. dev:	1.42375

percentiles:	10%	25%	50%	75%	90%
	49	50	50	50	50

latdt3r2 **latitude in degrees residence 2 time 3: jan 1987 - dec 1990**

type: numeric (**int**)

range:	[32,66]	units:	1
unique values:	19	missing .:	595/703

mean:	49.3241
std. dev:	4.39164

percentiles:	10%	25%	50%	75%	90%
	44	48	50	50	53

latdt3r3 **latitude in degrees residence 3 time 3: jan 1987 - dec 1990**

```

type:  numeric (int)

range:  [28,67]                units:  1
unique values: 13              missing .: 678/703

mean:    49.28
std. dev: 6.73622

percentiles:    10%    25%    50%    75%    90%
                 43     49     50     51     55

```

latdt3r4 **latitude in degrees residence 4 time 3: jan 1987 - dec 1990**

```

type:  numeric (int)

range:  [50,50]                units:  10
unique values: 1              missing .: 702/703

tabulation:  Freq.  Value
              1    50
              702   .

```

londt3r1 **longitude in degrees residence 1 time 3: jan 1987 - dec 1990**

```

type:  numeric (int)

range:  [12,104]              units:  1
unique values: 26             missing .: 0/703

mean:    30.1707
std. dev: 4.84952

percentiles:    10%    25%    50%    75%    90%
                 28     30     30     30     30

```

londt3r2 **longitude in degrees residence 2 time 3: jan 1987 - dec 1990**

type: numeric (**int**)

range: [12,142] units: 1
unique values: 27 missing .: 595/703

mean: 31.9074
std. dev: 15.9904

percentiles: 10% 25% 50% 75% 90%
 24 28 30 32.5 37

londt3r3 **longitude in degrees residence 3 time 3: jan 1987 - dec 1990**

type: numeric (**int**)

range: [13,113] units: 1
unique values: 15 missing .: 678/703

mean: 34.84
std. dev: 19.542

percentiles: 10% 25% 50% 75% 90%
 24 28 30 33 39

londt3r4 **longitude in degrees residence 4 time 3: jan 1987 - dec 1990**

type: numeric (**int**)

range: [30,30] units: 10
unique values: 1 missing .: 702/703

tabulation: Freq. Value
 1 30
 702 .

latmt3r1 **latitude in minutes residence 1 time 3: jan 1987 - dec 1990**

type: numeric (**int**)

range: [0,96] units: 1
unique values: 81 missing .: 0/703

mean: 44.6999
std. dev: 16.7777

percentiles:	10%	25%	50%	75%	90%
	25	44	44	47	62

latmt3r2 **latitude in minutes residence 2 time 3: jan 1987 - dec 1990**

type: numeric (**int**)

range: [0,96] units: 1
unique values: 56 missing .: 595/703

mean: 52.9722
std. dev: 25.4989

percentiles:	10%	25%	50%	75%	90%
	18	40	50.5	75	92

latmt3r3 **latitude in minutes residence 3 time 3: jan 1987 - dec 1990**

type: numeric (**int**)

range: [4,80] units: 1
unique values: 18 missing .: 678/703

mean: 38.56
std. dev: 22.7084

percentiles:	10%	25%	50%	75%	90%
	13	18	43	54	74

latmt3r4 **latitude in minutes residence 4 time 3: jan 1987 - dec 1990**

type: numeric (**int**)

range: [44,44] units: 1
unique values: 1 missing .: 702/703

```

tabulation:  Freq.  Value
              1   44
            702   .

```

lonmt3r1 **longitude in minutes residence 1 time 3: jan 1987 - dec 1990**

```

type:  numeric (int)

range:  [0,98]                units:  1
unique values: 82              missing .: 0/703

mean:    51.3457
std. dev: 18.2701

percentiles:      10%      25%      50%      75%      90%
                  24      50      52      52      76

```

lonmt3r2 **longitude in minutes residence 2 time 3: jan 1987 - dec 1990**

```

type:  numeric (int)

range:  [1,98]                units:  1
unique values: 55              missing .: 595/703

mean:    48.6204
std. dev: 25.2408

percentiles:      10%      25%      50%      75%      90%
                  13      28      52      65.5    83

```

lonmt3r3 **longitude in minutes residence 3 time 3: jan 1987 - dec 1990**

```

type:  numeric (int)

range:  [0,87]                units:  1
unique values: 24              missing .: 678/703

mean:    45.56
std. dev: 24.0989

percentiles:      10%      25%      50%      75%      90%
                  12      26      45      62      74

```

```
lonmt3r4      longitude in minutes residence 4 time 3: jan 1987 - dec 1990
```

```
type:  numeric (int)
```

```
range:  [52,52]
```

```
unique values: 1
```

```
units: 1
```

missing .: 702/703

```
tabulation:  Freq.  Value
```

1 52

702 .

mntht3r1 how long did you stay in residence 1 time 3: jan 1987 - dec 1990

```
type:  numeric (byte)
```

```
range:  [1,48]
```

```
unique values: 34
```

units: 1

missing .: 0/703

```
mean:    45.2731
```

std. dev: 9.1129

percentiles:	10%	25%	50%	75%	90%
	44	48	48	48	48

```
mntht3r2      how long did you stay in residence 2 time 3: jan 1987 - dec 1990
```

```
type:  numeric (byte)
```

```
range:  [1,47]
```

```
unique values: 28
```

units: 1

```
missing .: 595/703
```

```
mean: 14.8796
```

std. dev: 15.9706

percentiles:	10%	25%	50%	75%	90%
	1	2	7	28	43

mntht3r3 how long did you stay in residence 3 time 3: jan 1987 - dec 1990

```
type:  numeric (byte)
```

range: [1,45] units: 1
unique values: 14 missing .: 678/703

mean: 11.36
std. dev: 14.4478

percentiles:	10%	25%	50%	75%	90%
	1	1	4	15	42

mntht3r4 **how long did you stay in residence 4 time 3: jan 1987 - dec 1990**

type: numeric (**byte**)

range: [42,42] units: 1
unique values: 1 missing .: 702/703

tabulation:	Freq.	Value
	1	42
	702	.

oblt3r1 **oblast of residence 1 time 3: jan 1987 - dec 1990**

type: numeric (**byte**)
label: **LABG**

range: [0,26] units: 1
unique values: 22 missing .: 0/703

examples:	10	10. kyiv
	10	10. kyiv
	10	10. kyiv
	10	10. kyiv

oblt3r2 **oblast of residence 2 time 3: jan 1987 - dec 1990**

type: numeric (**byte**)
label: **LABG**

range: [0,26] units: 1
unique values: 19 missing .: 0/703

oblt3r3 oblast of residence 3 time 3: jan 1987 - dec 1990

tabulation:	Freq.	Numeric	Label
	678	0	0. not answered
	2	1	1. cherkasy
	3	10	10. kyiv
	1	15	15. odessa
	1	16	16. poltava
	1	21	21. volyn/volhynia
	7	23	23. zhytomyr
	2	25	25. ark
	8	26	26. outside ukraine

oblt3r4 oblast of residence 4 time 3: jan 1987 - dec 1990

tabulation:	Freq.	Numeric	Label
	702	0	0. not answered
	1	10	10. kyiv

latt3r1 latitude direction of residence 1 time 3: jan 1987 - dec 1990



range: [1,1] units: 1
unique values: 1 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	703	1	1. north

latt3r2 **latitude direction of residence 2 time 3: jan 1987 - dec 1990**

type: numeric (**byte**)
label: **LABF**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	237	0	0. not answered
	466	1	1. north

latt3r3 **latitude direction of residence 3 time 3: jan 1987 - dec 1990**

type: numeric (**byte**)
label: **LABF**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	270	0	0. not answered
	433	1	1. north

latt3r4 **latitude direction of residence 4 time 3: jan 1987 - dec 1990**

type: numeric (**byte**)
label: **LABF**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	280	0	0. not answered
	423	1	1. north

lont3r1 longitude direction of residence 1 time 3: jan 1987 - dec 1990

```
type: numeric (byte)
label: lon
```

```

      range:  [1,1]
unique values: 1
units: 1
missing : 0/703

```

```

tabulation:  Freq.   Numeric  Label
              703         1  1. east

```

lont3r2 longitude direction of residence 2 time 3: jan 1987 - dec 1990

```
type:  numeric (byte)
label:  lon
```

```

      range:  [0,1]
unique values: 2
      units:  1
missing .: 0/703

```

```

tabulation:  Freq.   Numeric  Label
              237         0  0. missing
              466         1  1. east

```

lont3r3 longitude direction of residence 3 time 3: jan 1987 - dec 1990

```
type: numeric (byte)
label: lon
```

```

      range:  [0,1]
unique values: 2
      units:  1
missing .: 0/703

```

```

tabulation:  Freq.   Numeric  Label
              270       0  0. missing
              433       1  1. east

```

lont3r4 longitude direction of residence 4 time 3: jan 1987 - dec 1990

```
type:  numeric (byte)
label: lon
```

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	280	0	0. missing
	423	1	1. east

typet3r1 type of residence 1 time 3: jan 1987 - dec 1990

type: numeric (**byte**)
label: **LABL**

range: [1,3] units: 1
unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	12	1	1. wood
	295	2	2. brick
	396	3	3. multi-story building

typet3r2 type of residence 2 time 3: jan 1987 - dec 1990

type: numeric (**byte**)
label: **LABL**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	595	0	0. not answered
	26	1	1. wood
	49	2	2. brick
	33	3	3. multi-story building

typet3r3 type of residence 3 time 3: jan 1987 - dec 1990

type: numeric (**byte**)
label: **LABL**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

typet3r4 type of residence 4 time 3: jan 1987 - dec 1990

occt3r1 occupation while in residence 1 time 3: jan 1987 - dec 1990

occt3r2 occupation while in residence 2 time 3: jan 1987 - dec 1990



occt3r3 occupation while in residence 3 time 3: jan 1987 - dec 1990

occt3r4 occupation while in residence 4 time 3: jan 1987 - dec 1990

```
ldrt3r1
      did you consume liquid dairy in residence 1 time 3: jan 1987 - dec 1990
```



range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	2	0	0. not answered
	595	1	1. yes
	104	2	2. no
	2	3	

ldrt3r2

did you consume liquid dairy in residence 2 time 3: jan 1987 - dec 1990

type: numeric (byte)
label: LABC

range: [0,2] units: 1
unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	595	0	0. not answered
	93	1	1. yes
	15	2	2. no

ldrt3r3

did you consume liquid dairy in residence 3 time 3: jan 1987 - dec 1990

type: numeric (byte)
label: LABC

range: [0,2] units: 1
unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	678	0	0. not answered
	24	1	1. yes
	1	2	2. no

ldrt3r4

did you consume liquid dairy in residence 4 time 3: jan 1987 - dec 1990

type: numeric (byte)
label: LABC

range: [0,1] units: 1
unique values: 2 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	702	0	0. not answered
	1	1	1. yes

sldrt3r1 source of liquid dairy in residence 1 time 3: jan 1987 - dec 1990

type: numeric (byte)
label: LABN

range: [0,3] units: 1
unique values: 4 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	111	0	0. not answered
	140	1	1. private source
	192	2	2. commercial source
	260	3	3. both sources

sldrt3r2 source of liquid dairy in residence 2 time 3: jan 1987 - dec 1990

type: numeric (byte)
label: LABN

range: [0,3] units: 1
unique values: 4 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	606	0	0. not answered
	30	1	1. private source
	37	2	2. commercial source
	30	3	3. both sources

sldrt3r3 source of liquid dairy in residence 3 time 3: jan 1987 - dec 1990

type: numeric (byte)
label: LABN

range: [0,3] units: 1
unique values: 4 missing.: 0/703

sldrt3r4 **source of liquid dairy** in residence 4 time 3: jan 1987 - dec 1990

```
mlldt3r1
quantity (in ml) of liquid dairy per week  residence 1 time 3: jan 1987 - dec9
> 0
```

```
ml1dt3r2
quantity (in ml) of liquid dairy per week  residence 2 time 3: jan 1987 - dec9
> 0
```



mean: 292.542
std. dev: 942.765

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1000

mlldt3r3

quantity (in ml) of liquid dairy per week residence 3 time 3: jan 1987 - dec9
> 0

type: numeric (int)

range: [0,3000]
unique values: 7

units: 100
missing .: 124/703

tabulation:	Freq.	Value
	555	0
	2	200
	1	300
	3	500
	7	1000
	9	2000
	2	3000
	124	.

mlldt3r4

quantity (in ml) of liquid dairy per week residence 4 time 3: jan 1987 - dec9
> 0

type: numeric (int)

range: [0,2000]
unique values: 2

units: 1000
missing .: 125/703

tabulation:	Freq.	Value
	577	0
	1	2000
	125	.

sdrt3r1 did you consume solid dairy in residence 1 time 3: jan 1987 - dec 1990

```

type: numeric (byte)
label: LABC, but 1 nonmissing value is not labeled

range: [0,3]
unique values: 4
units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	4	0	0. not answered
	634	1	1. yes
	63	2	2. no
	2	3	

sdrt3r2 did you consume solid dairy in residence 2 time 3: jan 1987 - dec 1990

```

type: numeric (byte)
label: LABC

range: [0,2]
unique values: 3
units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	595	0	0. not answered
	102	1	1. yes
	6	2	2. no

sdrt3r3 did you consume solid dairy in residence 3 time 3: jan 1987 - dec 1990

```

type: numeric (byte)
label: LABC

range: [0,2]
unique values: 3
units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	678	0	0. not answered
	24	1	1. yes
	1	2	2. no

sdrt3r4 did you consume solid dairy in residence 4 time 3: jan 1987 - dec 1990

```

type: numeric (byte)
label: LABC

```

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	702	0	0. not answered
	1	1	1. yes

ssdrt3r1 source of solid dairy in residence 1 time 3: jan 1987 - dec 1990

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	66	0	0. not answered
	114	1	1. private source
	238	2	2. commercial source
	285	3	3. both sources

ssdrt3r2 source of solid dairy in residence 2 time 3: jan 1987 - dec 1990

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	600	0	0. not answered
	30	1	1. private source
	40	2	2. commercial source
	33	3	3. both sources

ssdrt3r3 source of solid dairy in residence 3 time 3: jan 1987 - dec 1990

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

ssdrt3r4 source of solid dairy in residence 4 time 3: jan 1987 - dec 1990

gldt3r1
quantity (in grams) of solid dairy per week res 1 time 3: jan 1987 - dec 1990

gldt3r2
quantity (in grams) of solid dairy per week res 2 time 3: jan 1987 - dec 1990

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	400

gldt3r3
quantity (in grams) of solid dairy per week res 3 time 3: jan 1987 - dec 1990

type: numeric (**int**)

range:	[0,1000]	units:	100
unique values:	6	missing .:	124/703

tabulation:	Freq.	Value
	555	0
	11	200
	5	300
	1	400
	4	500
	3	1000
	124	.

gldt3r4
quantity (in grams) of solid dairy per week res 4 time 3: jan 1987 - dec 1990

type: numeric (**int**)

range:	[0,100]	units:	100
unique values:	2	missing .:	125/703

tabulation:	Freq.	Value
	577	0
	1	100
	125	.

pott3r1 **did you consume potatoes in residence 1 time 3: jan 1987 - dec 1990**

type: numeric (**byte**)
label: **LABC**

range:	[0,2]	units:	1
unique values:	3	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	693	1	1. yes
	9	2	2. no

pott3r2 did you consume potatoes in residence 2 time 3: jan 1987 - dec 1990

type: numeric (**byte**)
label: **LABC**

range:	[0,2]	units:	1
unique values:	3	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	595	0	0. not answered
	105	1	1. yes
	3	2	2. no

pott3r3 did you consume potatoes in residence 3 time 3: jan 1987 - dec 1990

type: numeric (**byte**)
label: **LABC**

range:	[0,2]	units:	1
unique values:	3	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	677	0	0. not answered
	24	1	1. yes
	2	2	2. no

pott3r4 did you consume potatoes in residence 4 time 3: jan 1987 - dec 1990

type: numeric (**byte**)
label: **LABC**

range:	[0,1]	units:	1
unique values:	2	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	702	0	0. not answered
	1	1	1. yes

```
spott3r1      source of potatoes in residence 1 time 3: jan 1987 - dec 1990
```

```

type:  numeric (byte)
label:  LABN

```

```

      range:  [0,3]
unique values: 4
      units:  1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	10	0	0. not answered
	370	1	1. private source
	145	2	2. commercial source
	178	3	3. both sources

```
spott3r2      source of potatoes in residence 2 time 3: jan 1987 - dec 1990
```

```

type:  numeric (byte)
label:  LABN

```

```

      range:  [0,3]
unique values: 4
      units:  1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	599	0	0. not answered
	42	1	1. private source
	35	2	2. commercial source
	27	3	3. both sources

spott3r3 source of potatoes in residence 3 time 3: jan 1987 - dec 1990

```

type:  numeric (byte)
label:  LABN

```

```

      range:  [0,3]
unique values: 4
      units:  1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	680	0	0. not answered
	9	1	1. private source
	9	2	2. commercial source
	5	3	3. both sources

```
spott3r4      source of potatoes in residence 4 time 3: jan 1987 - dec 1990
```

```

type:  numeric (byte)
label:  LABN

```

```

      range:  [0,2]
unique values: 2
      units:  1
missing .: 0/703

```

```

tabulation:  Freq.   Numeric  Label
              702      0  0. not answered
              1       2  2. commercial source

```

```
gpott3r1
quantity (in grams) of potatoes per week residence 1 time 3: jan 1987 - dec 19
> 90
```

```
type:  numeric (int)
```

```

      range:  [0,9000]
unique values: 21
      units:  1
missing .: 1/703

```

```
mean:    2082.2
std. dev: 1441.38
```

percentiles:	10%	25%	50%	75%	90%
	500	1000	2000	3000	4000

```
gpott3r2
quantity (in grams) of potatoes per week residence 2 time 3: jan 1987 - dec 19
> 90
```

```
type:  numeric (int)
```

```

      range:  [0,6000]
unique values: 9
      units: 100
missing .: 110/703

```


tabulation:	Freq.	Value
	488	0
	1	600
	40	1000
	2	1500
	36	2000
	17	3000
	6	4000
	2	5000
	1	6000
	110	.

gpott3r3

quantity (in grams) of potatoes per week residence 3 time 3: jan 1987 - dec 19
> 90

type:	numeric (int)	
range:	[0,3000]	units: 100
unique values:	5	missing .: 123/703

tabulation:	Freq.	Value
	556	0
	9	1000
	1	1500
	9	2000
	5	3000
	123	.

gpott3r4

quantity (in grams) of potatoes per week residence 4 time 3: jan 1987 - dec 19
> 90

type:	numeric (int)	
range:	[0,1500]	units: 100
unique values:	2	missing .: 125/703

tabulation:	Freq.	Value
	577	0
	1	1500
	125	.

```
prkt3r1      did you consume pork in residence 1 time 3: jan 1987 - dec 1990
```

```

type: numeric (byte)
label: LABC, but 1 nonmissing value is not labeled

range: [0,3]                                units: 1
unique values: 4                            missing .. 0/703

tabulation:  Freq.    Numeric    Label
              2          0    0. not answered
              579        1    1. yes
              120        2    2. no
              2          3

```

```
prkt3r2      did you consume pork in residence 2 time 3: jan 1987 - dec 1990
```

```

      type:  numeric (byte)
      label:  LABC

      range:  [0,2]                                units:  1
unique values: 3                                missing .:  0/703

  tabulation:  Freq.      Numeric  Label
                595          0    0. not answered
                90           1    1. yes
                18           2    2. no

```

```
prkt3r3      did you consume pork in residence 3 time 3: jan 1987 - dec 1990
```

```

      type:  numeric (byte)
      label:  LABC

      range:  [0,2]                                units:  1
unique values: 3                                missing.: 0/703

tabulation:  Freq.      Numeric  Label
              678         0      0. not answered
              22         1      1. yes
               3         2      2. no

```

sprkt3r3 **source of pork in residence 3 time 3: jan 1987 - dec 1990**

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	680	0	0. not answered
	8	1	1. private source
	8	2	2. commercial source
	7	3	3. both sources

sprkt3r4 **source of pork in residence 4 time 3: jan 1987 - dec 1990**

type: numeric (**byte**)
label: **LABN**

range: [0,2] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	702	0	0. not answered
	1	2	2. commercial source

gprkt3r1
quantity (in grams) of pork per week residence 1 time 3: jan 1987 - dec 1990

type: numeric (**long**)

range: [0,300000] units: 10
unique values: 22 missing .: 25/703

mean: **1420.21**
std. dev: **13821.5**

percentiles:	10%	25%	50%	75%	90%
	0	300	500	1000	1000

gprkt3r2**quantity (in grams) of pork per week residence 2 time 3: jan 1987 - dec 1990**

```

      type:  numeric (long)

      range:  [0,300000]          units:  10
unique values: 15                missing .: 113/703

      mean:   604.746
      std. dev: 12350.2

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0       400
```

gprkt3r3**quantity (in grams) of pork per week residence 3 time 3: jan 1987 - dec 1990**

```

      type:  numeric (long)

      range:  [0,100000]         units:  10
unique values: 11                missing .: 123/703

      mean:   190.086
      std. dev: 4152.78

percentiles:      10%      25%      50%      75%      90%
                  0         0         0         0         0
```

gprkt3r4**quantity (in grams) of pork per week residence 4 time 3: jan 1987 - dec 1990**

```

      type:  numeric (int)

      range:  [0,500]           units:  100
unique values: 2                missing .: 125/703

      tabulation:  Freq.  Value
                   577    0
                     1   500
                   125    .
```

```
begt3r1      did you consume beef in residence 1 time 3: jan 1987 - dec 1990
```

```
type:  numeric (byte)
label:  LABC
```

```

      range:  [0,2]
unique values: 3
      units:  1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	573	1	1. yes
	129	2	2. no

beft3r2 did you consume beef in residence 2 time 3: jan 1987 - dec 1990

```
type:  numeric (byte)
label:  LABC
```

```

      range:  [0,2]
unique values: 3
      units:  1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	597	0	0. not answered
	75	1	1. yes
	31	2	2. no

beft3r3 did you consume beef in residence 3 time 3: jan 1987 - dec 1990

```
type:  numeric (byte)
label:  LABC
```

```

      range:  [0,2]
unique values: 3
      units:  1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	678	0	0. not answered
	18	1	1. yes
	7	2	2. no

beft3r4 did you consume beef in residence 4 time 3: jan 1987 - dec 1990

```

        type: numeric (byte)
        label: LABC

        range: [0,1]
        unique values: 2
        units: 1
        missing .: 0/703

```

```

tabulation: Freq.   Numeric   Label
             702         0   0. not answered
              1         1   1. yes

```

sbft3r1 **source of beef in residence 1 time 3: jan 1987 - dec 1990**

```

        type: numeric (byte)
        label: LABN

        range: [0,3]
        unique values: 4
        units: 1
        missing .: 0/703

```

```

tabulation: Freq.   Numeric   Label
             128         0   0. not answered
             178         1   1. private source
             203         2   2. commercial source
             194         3   3. both sources

```

sbft3r2 **source of beef in residence 2 time 3: jan 1987 - dec 1990**

```

        type: numeric (byte)
        label: LABN

        range: [0,3]
        unique values: 4
        units: 1
        missing .: 0/703

```

```

tabulation: Freq.   Numeric   Label
             627         0   0. not answered
              21         1   1. private source
              34         2   2. commercial source
              21         3   3. both sources

```

sbft3r3 **source of beef in residence 3 time 3: jan 1987 - dec 1990**

```

        type: numeric (byte)
        label: LABN

```

range: [0,3] units: 1
unique values: 4 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	685	0	0. not answered
	5	1	1. private source
	6	2	2. commercial source
	7	3	3. both sources

sbft3r4 source of beef in residence 4 time 3: jan 1987 - dec 1990

type: numeric (**byte**)
label: LABN

range: [0,2] units: 1
unique values: 2 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	702	0	0. not answered
	1	2	2. commercial source

gbft3r1
quantity (in grams) of beef per week residence 1 time 3: jan 1987 - dec 1990

type: numeric (**long**)

range: [0,900000] units: 10
unique values: 18 missing.: 35/703

mean: 1868.94
std. dev: 34805.4

percentiles:	10%	25%	50%	75%	90%
	0	200	500	700	1000

gbft3r2
quantity (in grams) of beef per week residence 2 time 3: jan 1987 - dec 1990

type: numeric (**int**)

range: [0,6000] units: 10
unique values: 12 missing.: 117/703

mean: 67.1502
std. dev: 311.737

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	200

gbft3r3

quantity (in grams) of beef per week residence 3 time 3: jan 1987 - dec 1990

type: numeric (**int**)

range:	[0,500]	units:	100
unique values:	6	missing .:	123/703

tabulation:	Freq.	Value
	562	0
	1	100
	6	200
	4	300
	1	400
	6	500
	123	.

gbft3r4

quantity (in grams) of beef per week residence 4 time 3: jan 1987 - dec 1990

type: numeric (**int**)

range:	[0,500]	units:	100
unique values:	2	missing .:	125/703

tabulation:	Freq.	Value
	577	0
	1	500
	125	.

pltt3r1 **did you consume poultry in residence 1 time 3: jan 1987 - dec 1990**

type: numeric (**byte**)
label: **LABC**, but 1 nonmissing value is not labeled

range: [0,3] units: 1
unique values: 4 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	2	0	0. not answered
	644	1	1. yes
	56	2	2. no
	1	3	

pltt3r2 did you consume poultry in residence 2 time 3: jan 1987 - dec 1990

type: numeric (**byte**)
label: **LABC**

range: [0,2] units: 1
unique values: 3 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	596	0	0. not answered
	93	1	1. yes
	14	2	2. no

pltt3r3 did you consume poultry in residence 3 time 3: jan 1987 - dec 1990

type: numeric (**byte**)
label: **LABC**

range: [0,1] units: 1
unique values: 2 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	678	0	0. not answered
	25	1	1. yes

pltt3r4 did you consume poultry in residence 4 time 3: jan 1987 - dec 1990

type: numeric (**byte**)
label: **LABC**

range: [0,1] units: 1
unique values: 2 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	702	0	0. not answered
	1	1	1. yes

spltt3r1 source of paultry in residence 1 time 3: jan 1987 - dec 1990

type: numeric (**byte**)
label: **LABN**

range:	[0,3]	units:	1
unique values:	4	missing .:	3/703

tabulation:	Freq.	Numeric	Label
	55	0	0. not answered
	182	1	1. private source
	235	2	2. commercial source
	228	3	3. both sources
	3	.	

spltt3r2 source of paultry in residence 2 time 3: jan 1987 - dec 1990

type: numeric (**byte**)
label: **LABN**

range:	[0,3]	units:	1
unique values:	4	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	611	0	0. not answered
	35	1	1. private source
	35	2	2. commercial source
	22	3	3. both sources

spltt3r3 source of paultry in residence 3 time 3: jan 1987 - dec 1990

type: numeric (**byte**)
label: **LABN**

range:	[0,3]	units:	1
unique values:	4	missing .:	0/703

```
spltt3r4      source of paultry  in residence 4 time 3: jan 1987 - dec 1990
```

```
gplttt3r1
quantity (in grams) of poultry per week residence 1 time 3: jan 1987 - dec 199
> 0
```

```
gplttt3r2
quantity (in grams) of poultry per week residence 2 time 3: jan 1987 - dec 199
> 0
```



mean: 88.4992
std. dev: 298.085

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	300

gpltt3r3

quantity (in grams) of poultry per week residence 3 time 3: jan 1987 - dec 199
> 0

type: numeric (int)

range:	[0,2000]	units:	100
unique values:	10	missing .:	123/703

mean: 18.7931
std. dev: 120.054

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

gpltt3r4

quantity (in grams) of poultry per week residence 4 time 3: jan 1987 - dec 199
> 0

type: numeric (int)

range:	[0,500]	units:	100
unique values:	2	missing .:	125/703

tabulation:	Freq.	Value
	577	0
	1	500
	125	.

msht3r1 did you consume mushrooms in residence 1 time 3: jan 1987 - dec 1990

type: numeric (byte)

label: LABC, but 1 nonmissing value is not labeled

range:	[0,3]	units:	1
unique values:	4	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	5	0	0. not answered
	305	1	1. yes
	389	2	2. no
	4	3	

msht3r2 did you consume mushrooms in residence 2 time 3: jan 1987 - dec 1990

```

type: numeric (byte)
label: LABC

range: [0,2]
unique values: 3
units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	599	0	0. not answered
	38	1	1. yes
	66	2	2. no

msht3r3 did you consume mushrooms in residence 3 time 3: jan 1987 - dec 1990

```

type: numeric (byte)
label: LABC

range: [0,2]
unique values: 3
units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	679	0	0. not answered
	6	1	1. yes
	18	2	2. no

msht3r4 did you consume mushrooms in residence 4 time 3: jan 1987 - dec 1990

```

type: numeric (byte)
label: LABC

range: [0,0]
unique values: 1
units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	703	0	0. not answered

smsht3r1 source of mushrooms in residence 1 time 3: jan 1987 - dec 1990

```

type:  numeric (byte)
label:  LABN

```

```

      range:  [0,3]
unique values: 4
      units:  1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	401	0	0. not answered
	119	1	1. private source
	96	2	2. commercial source
	87	3	3. both sources

smsht3r2 **source of mushrooms** in residence 2 time 3: jan 1987 - dec 1990

```

type:  numeric (byte)
label:  LABN

```

```

      range:  [0,3]
unique values: 4
      units:  1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	660	0	0. not answered
	20	1	1. private source
	19	2	2. commercial source
	4	3	3. both sources

smsht3r3 source of mushrooms in residence 3 time 3: jan 1987 - dec 1990

```

type:  numeric (byte)
label:  LABN

```

```

      range:  [0,3]
unique values: 4
      units:  1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	697	0	0. not answered
	2	1	1. private source
	2	2	2. commercial source
	2	3	3. both sources

```
smsht3r4      source of mushrooms  in residence 4 time 3: jan 1987 - dec 1990
```

```

type:  numeric (byte)
label:  LABN

```

```

      range:  [0,0]
unique values: 1
      units:  1
missing .: 0/703

```

```

tabulation:  Freq.    Numeric  Label
              703         0  0. not answered

```

```
gmsht3r1
quantity (in grams) of mushroom per week residence 1 time 3: jan 1987 - dec 19
> 90
```

```
type:  numeric (int)
```

```

      range:  [0,3000]          units:  10
unique values: 17             missing .: 85/703

```

```
mean:    179.984
std. dev: 355.458
```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	200	500

```
gmsht3r2
quantity (in grams) of mushroom per week residence 2 time 3: jan 1987 - dec 19
> 90
```

```
type:  numeric (int)
```

```

      range:  [0,500]
unique values: 10
      units:  10
missing .. 121/703

```

```
mean:    10.7045
std. dev: 51.2127
```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

gmsht3r3

quantity (in grams) of mushroom per week residence 3 time 3: jan 1987 - dec 19
> 90

type: numeric (**int**)

range: [**0,200**]

units: **10**

unique values: **4**

missing .: **125/703**

tabulation: Freq. Value
 572 0
 3 50
 2 100
 1 200
 125 .

gmsht3r4

quantity (in grams) of mushroom per week residence 4 time 3: jan 1987 - dec 19
> 90

type: numeric (**int**)

range: [**0,0**]

units: **1**

unique values: **1**

missing .: **125/703**

tabulation: Freq. Value
 578 0
 125 .

sett4r1

town of residence 1 time 4: jan 1991-now

type: string (**str47**), but longest is str23

unique values: **122**

missing "": **0/703**

examples: **"Kyiv"**
 "Kyiv"
 "Kyiv"
 "Lipniki"

warning: variable has embedded blanks

sett4r2**town of residence 2 time 4: jan 1991-now**

type: string (**str32**)unique values: **68**missing "": **471/703**

examples: ""

""

""

""

warning: variable has leading, embedded, and trailing blanks

sett4r3**town of residence 3 time 4: jan 1991-now**

type: string (**str32**)unique values: **19**missing "": **124/703**

examples: ""

""

""

""

warning: variable has leading and trailing blanks

sett4r4**town of residence 4 time 4: jan 1991-now**

type: string (**str32**)unique values: **5**missing "": **125/703**

tabulation:	Freq.	Value
	125	""
	574	""
	1	"Kyiv"
	1	"Osyckki"
	1	"Sierra-Leone"
	1	"Striy"

warning: variable has leading and trailing blanks

```

type: string (str32)
unique values: 5 missing "": 125/703

```

```

tabulation: Freq. Value
             125 ""
             574 ""
              1 "Kyivskiy"
              1 "Radomyscheskiy"
              1 "Sierra-Leone"
              1 "Striyskiy"

```

```

warning: variable has leading and trailing blanks

```

```

latdt4r1 latitude in degrees residence 1 time 4: jan 1991-now

```

```

type: numeric (int)
range: [32,61] units: 1
unique values: 14 missing .: 0/703
mean: 49.8393
std. dev: 1.2568
percentiles: 10% 25% 50% 75% 90%
              49 50 50 50 50

```

```

latdt4r2 latitude in degrees residence 2 time 4: jan 1991-now

```

```

type: numeric (int)
range: [27,66] units: 1
unique values: 18 missing .: 595/703
mean: 49.7315
std. dev: 3.94496
percentiles: 10% 25% 50% 75% 90%
              47 49 50 50 51

```

```

latdt4r3 latitude in degrees residence 3 time 4: jan 1991-now

```

```

type: numeric (int)

range: [46,55]
unique values: 6

units: 1
missing .: 680/703

```

```

tabulation: Freq. Value
             2  46
             2  48
             7  49
            10  50
             1  51
             1  55
            680  .

```

```

latdt4r4          latitude in degrees residence 4 time 4: jan 1991-now

```

```

type: numeric (int)

range: [8,59]
unique values: 4

units: 1
missing .: 699/703

```

```

tabulation: Freq. Value
             1  8
             1  49
             1  50
             1  59
            699  .

```

```

londt4r1          longitude in degrees residence 1 time 4: jan 1991-now

```

```

type: numeric (int)

range: [13,143]
unique values: 23

units: 1
missing .: 0/703

```

```

mean: 30.2418
std. dev: 6.89883

```

```

percentiles:      10%      25%      50%      75%      90%
                  28       30       30       30       30

```

```

londt4r2          longitude in degrees residence 2 time 4: jan 1991-now

```

```

type: numeric (int)

range: [6,107]          units: 1
unique values: 21      missing .: 595/703

mean: 29.9537
std. dev: 9.78305

percentiles:      10%      25%      50%      75%      90%
                  25       28       30       30       34

```

```

londt4r3                longitude in degrees  residence 3 time 4: jan 1991-now

```

```

type: numeric (int)

range: [19,40]          units: 1
unique values: 11      missing .: 680/703

mean: 30.3043
std. dev: 4.77146

percentiles:      10%      25%      50%      75%      90%
                  24       28       30       32       37

```

```

londt4r4                longitude in degrees  residence 4 time 4: jan 1991-now

```

```

type: numeric (int)

range: [11,30]          units: 1
unique values: 4      missing .: 699/703

tabulation:  Freq.  Value
              1    11
              1    23
              1    29
              1    30
             699    .

```

```

latmt4r1                latitude in minutes residence 1 time 4: jan 1991-now

```

```

type: numeric (int)

```

range: [0,96] units: 1
unique values: 70 missing .: 0/703

mean: 44.3442
std. dev: 16.4253

percentiles:	10%	25%	50%	75%	90%
	25	44	44	44	59

latmt4r2	latitude in minutes residence 2 time 4: jan 1991-now
----------	--

type: numeric (int)

range: [6,96] units: 1
unique values: 46 missing .: 595/703

mean: 46.8796
std. dev: 24.9331

percentiles:	10%	25%	50%	75%	90%
	15	27.5	44	57	87

latmt4r3	latitude in minutes residence 3 time 4: jan 1991-now
----------	--

type: numeric (int)

range: [6,95] units: 1
unique values: 16 missing .: 680/703

mean: 54.5652
std. dev: 25.1646

percentiles:	10%	25%	50%	75%	90%
	25	43	52	76	94

latmt4r4	latitude in minutes residence 4 time 4: jan 1991-now
----------	--

type: numeric (int)

range: [25,57] units: 1
unique values: 4 missing .: 699/703

```

tabulation:  Freq.  Value
              1   25
              1   44
              1   46
              1   57
             699   .

```

```
lonmt4r1          longitude in minutes  residence 1 time 4: jan 1991-now
```

```

type:  numeric (long)

range:  [0,98]          units:  1
unique values:  70      missing .:  0/703

mean:    51.4467
std. dev: 17.0314

percentiles:      10%      25%      50%      75%      90%
                  28       52       52       52       74

```

```
lonmt4r2          longitude in minutes  residence 2 time 4: jan 1991-now
```

```

type:  numeric (int)

range:  [1,99]          units:  1
unique values:  48      missing .:  595/703

mean:    51.3241
std. dev: 23.7486

percentiles:      10%      25%      50%      75%      90%
                  14       39       52       66       80

```

```
lonmt4r3          longitude in minutes  residence 3 time 4: jan 1991-now
```

```

type:  numeric (int)

range:  [4,94]          units:  1
unique values:  19      missing .:  680/703

mean:    45.1304
std. dev: 26.7451

```


percentiles:	10%	25%	50%	75%	90%
	10	21	52	69	74

lonmt4r4	longitude in minutes	residence 4 time 4: jan 1991-now
-----------------	-----------------------------	---

type:	numeric (int)	
range:	[7,84]	units: 1
unique values:	4	missing .: 699/703

tabulation:	Freq.	Value
	1	7
	1	8
	1	52
	1	84
	699	.

mntht4r1	how long did you stay in residence 1 time 4: jan 1991-now
-----------------	--

type:	numeric (int)	
range:	[6,288]	units: 1
unique values:	60	missing .: 0/703

mean:	212.478
std. dev:	47.594

percentiles:	10%	25%	50%	75%	90%
	180	228	228	228	228

mntht4r2	how long did you stay in residence 2 time 4: jan 1991-now
-----------------	--

type:	numeric (int)	
range:	[4,222]	units: 1
unique values:	51	missing .: 597/703

mean:	82.4528
std. dev:	71.9685

percentiles:	10%	25%	50%	75%	90%
	8	15	60	151	196

mntht4r3 **how long did you stay in residence 3 time 4: jan 1991-now**

type: numeric (**int**)

range: [6,204] units: 1
unique values: 17 missing .: 680/703

mean: 62.9565
std. dev: 64.5329

percentiles: 10% 25% 50% 75% 90%
 8 12 36 120 164

mntht4r4 **how long did you stay in residence 4 time 4: jan 1991-now**

type: numeric (**byte**)

range: [12,89] units: 1
unique values: 3 missing .: 699/703

tabulation: Freq. Value
 1 12
 2 36
 1 89
 699 .

oblt4r1 **oblast of the residence 1 time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABG**

range: [0,26] units: 1
unique values: 18 missing .: 0/703

examples: 10 10. kyiv
 10 10. kyiv
 10 10. kyiv
 10 10. kyiv

oblt4r2 **oblast of the residence 2 time 4: jan 1991-now**

```

      type: numeric (byte)
      label: LABG

      range: [0,26]
unique values: 18
units: 1
missing .: 0/703

examples: 0    0. not answered
           0    0. not answered
           0    0. not answered
           0    0. not answered

```

```

obl4r3                                oblast of the residence 3 time 4: jan 1991-now

```

```

      type: numeric (byte)
      label: LABG

      range: [0,26]
unique values: 11
units: 1
missing .: 0/703

examples: 0    0. not answered
           0    0. not answered
           0    0. not answered
           0    0. not answered

```

```

obl4r4                                oblast of the residence 4 time 4: jan 1991-now

```

```

      type: numeric (byte)
      label: LABG

      range: [0,26]
unique values: 5
units: 1
missing .: 0/703

tabulation: Freq.   Numeric   Label
              699         0    0. not answered
              1         10    10. kyiv
              1         13    13. lviv
              1         23    23. zhytomyr
              1         26    26. outside ukraine

```

```

latt4r1                            direction of latitude of residence 1 time 4: jan 1991-now

```

```

        type: numeric (byte)
        label: LABF

        range: [1,1]                      units: 1
unique values: 1                      missing .: 0/703

        tabulation: Freq.   Numeric   Label
                   703         1   1. north

```

latt4r2 **direction of latitude of residence 2 time 4: jan 1991-now**

```

        type: numeric (byte)
        label: LABF

        range: [0,1]                      units: 1
unique values: 2                      missing .: 0/703

        tabulation: Freq.   Numeric   Label
                   241         0   0. not answered
                   462         1   1. north

```

latt4r3 **direction of latitude of residence 3 time 4: jan 1991-now**

```

        type: numeric (byte)
        label: LABF

        range: [0,1]                      units: 1
unique values: 2                      missing .: 0/703

        tabulation: Freq.   Numeric   Label
                   271         0   0. not answered
                   432         1   1. north

```

latt4r4 **direction of latitude of residence 4 time 4: jan 1991-now**

```

        type: numeric (byte)
        label: LABF

        range: [0,2]                      units: 1
unique values: 3                      missing .: 0/703

```

lont4r1 direction of longitude of residence 1 time 4: jan 1991-now

lont4r2 direction of longitude of residence 2 time 4: jan 1991-now

lont4r3 direction of longitude of residence 3 time 4: jan 1991-now

lont4r4 **direction of longitude of residence 4 time 4: jan 1991-now**

type: numeric (**byte**)
label: **lon**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	279	0	0. missing
	424	1	1. east

typet4r1 **type of residence 1 time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABL**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	28	1	1. wood
	137	2	2. brick
	537	3	3. multi-story building

typet4r2 **type of residence 2 time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABL**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	596	0	0. not answered
	14	1	1. wood
	26	2	2. brick
	67	3	3. multi-story building

typet4r3 **type of residence 3 time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABL**

range: [0,3] units: 1
unique values: 4 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	679	0	0. not answered
	2	1	1. wood
	6	2	2. brick
	16	3	3. multi-story building

typet4r4 **type of residence 4 time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABL**

range: [0,3] units: 1
unique values: 4 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	699	0	0. not answered
	2	1	1. wood
	1	2	2. brick
	1	3	3. multi-story building

occt4r1 **ocupation when in residence 1 time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABM**

range: [1,3] units: 1
unique values: 3 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	101	1	1. primarily indoors
	189	2	2. primarily outdoors
	413	3	3. combination of both

occt4r2 **ocupation when in residence 2 time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABM**

range: [0,3] units: 1
unique values: 4 missing .: 112/703

tabulation:	Freq.	Numeric	Label
	485	0	0. not answered
	16	1	1. primarily indoors
	33	2	2. primarily outdoors
	57	3	3. combination of both
	112	.	

occt4r3 **ocupation when in residence 3 time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABM**

range: [0,3] units: 1
unique values: 4 missing .: 124/703

tabulation:	Freq.	Numeric	Label
	555	0	0. not answered
	1	1	1. primarily indoors
	9	2	2. primarily outdoors
	14	3	3. combination of both
	124	.	

occt4r4 **ocupation when in residence 4 time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABM**

range: [0,3] units: 1
unique values: 2 missing .: 125/703

tabulation:	Freq.	Numeric	Label
	574	0	0. not answered
	4	3	3. combination of both
	125	.	

ldrt4r1**did you consume liquid dairy products in residence 1 time 4: jan 1991-now**

type: numeric (**byte**)label: **LABC**range: [**0,2**]units: **1**unique values: **3**missing .: **0/703**

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	581	1	1. yes
	121	2	2. no

ldrt4r2**did you consume liquid dairy products in residence 2 time 4: jan 1991-now**

type: numeric (**byte**)label: **LABC**range: [**0,2**]units: **1**unique values: **3**missing .: **0/703**

tabulation:	Freq.	Numeric	Label
	595	0	0. not answered
	94	1	1. yes
	14	2	2. no

ldrt4r3**did you consume liquid dairy products in residence 3 time 4: jan 1991-now**

type: numeric (**byte**)label: **LABC**range: [**0,2**]units: **1**unique values: **3**missing .: **0/703**

tabulation:	Freq.	Numeric	Label
	681	0	0. not answered
	20	1	1. yes
	2	2	2. no

ldrt4r4

did you consume liquid dairy products in residence 4 time 4: jan 1991-now

type: numeric (**byte**)

label: **LABC**

range: [0,2]

units: 1

unique values: 3

missing .: 0/703

tabulation:	Freq.	Numeric	Label
	699	0	0. not answered
	3	1	1. yes
	1	2	2. no

sldrt4r1 source of liquid dairy products in residence 1 time 4: jan 1991-now

type: numeric (**byte**)

label: **LABN**

range: [0,3]

units: 1

unique values: 4

missing .: 0/703

tabulation:	Freq.	Numeric	Label
	122	0	0. not answered
	112	1	1. private source
	200	2	2. commercial source
	269	3	3. both sources

sldrt4r2 source of liquid dairy products in residence 2 time 4: jan 1991-now

type: numeric (**byte**)

label: **LABN**

range: [0,3]

units: 1

unique values: 4

missing .: 0/703

tabulation:	Freq.	Numeric	Label
	606	0	0. not answered
	29	1	1. private source
	26	2	2. commercial source
	42	3	3. both sources

sldrt4r3 source of liquid dairy products in residence 3 time 4: jan 1991-now

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	682	0	0. not answered
	3	1	1. private source
	5	2	2. commercial source
	13	3	3. both sources

sldrt4r4 source of liquid dairy products in residence 4 time 4: jan 1991-now

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 3 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	700	0	0. not answered
	1	1	1. private source
	2	3	3. both sources

mlldt4r1**quantity (in ml) of liquid dairy products in residence 1 time 4: jan 1991-now**

type: numeric (**int**)

range: [0,10000] units: 10
unique values: 20 missing.: 46/703

mean: **1681.89**
std. dev: **1475.83**

percentiles:	10%	25%	50%	75%	90%
	0	1000	1000	2000	4000

mlldt4r2

quantity (in ml) of liquid dairy products in residence 2 time 4: jan 1991-now

type: numeric (**int**)

range: [0,8000] units: 100
unique values: 11 missing .: 116/703

mean: 214.991
std. dev: 655.208

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 1000

mlldt4r3

quantity (in ml) of liquid dairy products in residence 3 time 4: jan 1991-now

type: numeric (**int**)

range: [0,7000] units: 100
unique values: 8 missing .: 124/703

tabulation: Freq. Value
558 0
1 200
1 300
2 500
9 1000
5 2000
2 3000
1 7000
124 .

mlldt4r4

quantity (in ml) of liquid dairy products in residence 4 time 4: jan 1991-now

type: numeric (**int**)

range: [0,2000] units: 100
unique values: 4 missing .: 125/703

```

tabulation:  Freq.  Value
              575    0
              1    200
              1   1000
              1   2000
             125    .

```

sdrt4r1

did you consume solid dairy products in residence 1 time 4: jan 1991-now

```

type:  numeric (byte)
label:  LABC

```

```

range:  [0,2]                      units:  1
unique values:  3                  missing .:  0/703

```

```

tabulation:  Freq.   Numeric  Label
              4         0  0. not answered
             643         1  1. yes
              56         2  2. no

```

sdrt4r2

did you consume solid dairy products in residence 2 time 4: jan 1991-now

```

type:  numeric (byte)
label:  LABC

```

```

range:  [0,2]                      units:  1
unique values:  3                  missing .:  0/703

```

```

tabulation:  Freq.   Numeric  Label
             596         0  0. not answered
              99         1  1. yes
               8         2  2. no

```

sdrt4r3

did you consume solid dairy products in residence 3 time 4: jan 1991-now

```

type:  numeric (byte)
label:  LABC

```

range: [0,1] units: 1
unique values: 2 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	680	0	0. not answered
	23	1	1. yes

sdrt4r4

did you consume solid dairy products in residence 4 time 4: jan 1991-now

type: numeric (byte)
label: LABC

range: [0,2] units: 1
unique values: 3 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	699	0	0. not answered
	3	1	1. yes
	1	2	2. no

ssdrt4r1 source of solid dairy products in residence 1 time 4: jan 1991-now

type: numeric (byte)
label: LABN

range: [0,3] units: 1
unique values: 4 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	57	0	0. not answered
	110	1	1. private source
	250	2	2. commercial source
	286	3	3. both sources

ssdrt4r2 source of solid dairy products in residence 2 time 4: jan 1991-now

type: numeric (byte)
label: LABN

range: [0,3] units: 1
unique values: 4 missing.: 0/703

ssdrt4r3 source of solid dairy products in residence 3 time 4: jan 1991-now

ssdrt4r4 source of solid dairy products in residence 4 time 4: jan 1991-now

gldt4r1
quantity (in grams) of solid dairy in residence 1 time 4: jan 1991-now



mean: 1754.62
std. dev: 20581.7

percentiles:	10%	25%	50%	75%	90%
	200	300	500	1000	2000

gldt4r2

quantity (in grams) of solid dairy in residence 2 time 4: jan 1991-now

type: numeric (**long**)

range:	[0,200000]	units:	100
unique values:	11	missing .:	116/703

mean: 421.806
std. dev: 8254.44

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	400

gldt4r3

quantity (in grams) of solid dairy in residence 3 time 4: jan 1991-now

type: numeric (**long**)

range:	[0,200000]	units:	100
unique values:	9	missing .:	124/703

tabulation:	Freq.	Value
	555	0
	1	100
	6	200
	4	300
	3	500
	2	600
	1	700
	6	1000
	1	200000
	124	.

gldt4r4

quantity (in grams) of solid dairy in residence 4 time 4: jan 1991-now

```

type: numeric (int)
range: [0,1000]
unique values: 4
units: 100
missing .: 125/703

```

```

tabulation: Freq. Value
             575  0
              1 200
              1 300
              1 1000
             125  .

```

pott4r1 **did you consume potatoes in residence 1 time 4: jan 1991-now**

```

type: numeric (byte)
label: LABC
range: [0,2]
unique values: 3
units: 1
missing .: 0/703

```

```

tabulation: Freq. Numeric Label
             2         0 0. not answered
            692         1 1. yes
             9         2 2. no

```

pott4r2 **did you consume potatoes in residence 2 time 4: jan 1991-now**

```

type: numeric (byte)
label: LABC
range: [0,2]
unique values: 3
units: 1
missing .: 0/703

```

```

tabulation: Freq. Numeric Label
            597         0 0. not answered
            103         1 1. yes
             3         2 2. no

```

pott4r3 **did you consume potatoes in residence 3 time 4: jan 1991-now**

```

type: numeric (byte)
label: LABC

```

```

range: [0,2] units: 1
unique values: 3 missing .: 0/703

```

```

tabulation: Freq. Numeric Label
             679      0 0. not answered
             23      1 1. yes
             1       2 2. no

```

pott4r4 **did you consume potatoes in residence 4 time 4: jan 1991-now**

```

type: numeric (byte)
label: LABC

```

```

range: [0,1] units: 1
unique values: 2 missing .: 0/703

```

```

tabulation: Freq. Numeric Label
             699      0 0. not answered
             4       1 1. yes

```

spott4r1 **source of potatoes in residence 1 time 4: jan 1991-now**

```

type: numeric (byte)
label: LABN

```

```

range: [0,3] units: 1
unique values: 4 missing .: 2/703

```

```

tabulation: Freq. Numeric Label
             12      0 0. not answered
            381      1 1. private source
            131      2 2. commercial source
            177      3 3. both sources
             2       .

```

spott4r2 **source of potatoes in residence 2 time 4: jan 1991-now**

```

type: numeric (byte)
label: LABN

```

```

range: [0,3] units: 1
unique values: 4 missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	601	0	0. not answered
	42	1	1. private source
	23	2	2. commercial source
	37	3	3. both sources

spott4r3 **source of potatoes in residence 3 time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	679	0	0. not answered
	5	1	1. private source
	4	2	2. commercial source
	15	3	3. both sources

spott4r4 **source of potatoes in residence 4 time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	699	0	0. not answered
	1	1	1. private source
	1	2	2. commercial source
	2	3	3. both sources

gpott4r1
quantity of potatoes (in grams) per week in residence 1 time 4: jan 1991-now

type: numeric (**long**)

range: [0,800000] units: 1
unique values: 23 missing .: 2/703

mean: 3507.49
std. dev: 31070.8

percentiles:	10%	25%	50%	75%	90%
	1000	1000	2000	3000	4000

gpott4r2

quantity of potatoes (in grams) per week in residence 2 time 4: jan 1991-now

type: numeric (**long**)

range:	[0,800000]	units:	1
unique values:	14	missing .:	112/703

mean: 2033.52
std. dev: 33901.5

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	2000

gpott4r3

quantity of potatoes (in grams) per week in residence 3 time 4: jan 1991-now

type: numeric (**int**)

range:	[0,6000]	units:	1
unique values:	8	missing .:	124/703

tabulation:	Freq.	Value
	556	0
	1	4
	1	400
	10	1000
	7	2000
	2	3000
	1	5000
	1	6000
	124	.

gpott4r4

quantity of potatoes (in grams) per week in residence 4 time 4: jan 1991-now

```

type: numeric (int)

range: [0,2000]          units: 1000
unique values: 2          missing .: 125/703

tabulation: Freq.  Value
             574    0
              4   2000
             125    .

```

```

prkt4r1          did you consume pork in residence 1 time 4: jan 1991-now

```

```

type: numeric (byte)
label: LABC

range: [0,2]          units: 1
unique values: 3       missing .: 0/703

tabulation: Freq.  Numeric  Label
             3         0  0. not answered
            564         1  1. yes
            136         2  2. no

```

```

prkt4r2          did you consume pork in residence 2 time 4: jan 1991-now

```

```

type: numeric (byte)
label: LABC

range: [0,2]          units: 1
unique values: 3       missing .: 0/703

tabulation: Freq.  Numeric  Label
            597         0  0. not answered
             89         1  1. yes
             17         2  2. no

```

```

prkt4r3          did you consume pork in residence 3 time 4: jan 1991-now

```

```

type: numeric (byte)
label: LABC

```

range: [0,2] units: 1
unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	679	0	0. not answered
	21	1	1. yes
	3	2	2. no

prkt4r4 **did you consume pork in residence 4 time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABC**

range: [0,2] units: 1
unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	699	0	0. not answered
	3	1	1. yes
	1	2	2. no

sprkt4r1 **source of pork in residence 1 time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	140	0	0. not answered
	199	1	1. private source
	165	2	2. commercial source
	199	3	3. both sources

sprkt4r2 **source of pork in residence 2 time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

```
sprkt4r3          source of pork   in residence 3 time 4: jan 1991-now
```

```
sprkt4r4          source of pork   in residence 4 time 4: jan 1991-now
```

```
gprkt4r1
      quantity of pork (in grams) per week in residence 1 time 4: jan 1991-now
```

mean: 677.516
std. dev: 720.233

percentiles:	10%	25%	50%	75%	90%
	0	300	500	1000	1000

gprkt4r2

quantity of pork (in grams) per week in residence 2 time 4: jan 1991-now

type: numeric (**int**)

range:	[0,2000]	units:	100
unique values:	11	missing .:	115/703

mean: 95.2381
std. dev: 259.887

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	500

gprkt4r3

quantity of pork (in grams) per week in residence 3 time 4: jan 1991-now

type: numeric (**int**)

range:	[0,2000]	units:	100
unique values:	6	missing .:	124/703

tabulation:	Freq.	Value
	558	0
	3	300
	6	400
	7	500
	4	1000
	1	2000
	124	.

gprkt4r4

quantity of pork (in grams) per week in residence 4 time 4: jan 1991-now

type: numeric (**int**)


```

range: [0,500]
unique values: 2
units: 100
missing .: 125/703

```

```

tabulation: Freq. Value
             575  0
              3 500
             125  .

```

```

bef4r1                did you consume beef in residence 1 time 4: jan 1991-now

```

```

type: numeric (byte)
label: LABC

```

```

range: [0,2]
unique values: 3
units: 1
missing .: 0/703

```

```

tabulation: Freq. Numeric Label
             3         0 0. not answered
            560         1 1. yes
            140         2 2. no

```

```

bef4r2                did you consume beef in residence 2 time 4: jan 1991-now

```

```

type: numeric (byte)
label: LABC

```

```

range: [0,2]
unique values: 3
units: 1
missing .: 0/703

```

```

tabulation: Freq. Numeric Label
            598         0 0. not answered
             78         1 1. yes
             27         2 2. no

```

```

bef4r3                did you consume beef in residence 3 time 4: jan 1991-now

```

```

type: numeric (byte)
label: LABC

```

```

range: [0,2]
unique values: 3
units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	679	0	0. not answered
	20	1	1. yes
	4	2	2. no

bef4r4 **did you consume beef in residence 4 time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABC**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	699	0	0. not answered
	4	1	1. yes

sbef4r1 **source of beef in residence 1 in time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing .: 33/703

tabulation:	Freq.	Numeric	Label
	107	0	0. not answered
	174	1	1. private source
	175	2	2. commercial source
	214	3	3. both sources
	33	.	

sbef4r2 **source of beef in residence 2 in time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing .: 1/703

tabulation:	Freq.	Numeric	Label
	620	0	0. not answered
	32	1	1. private source
	22	2	2. commercial source
	28	3	3. both sources
	1	.	

sbft4r3 **source of beef in residence 3 in time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	683	0	0. not answered
	5	1	1. private source
	4	2	2. commercial source
	11	3	3. both sources

sbft4r4 **source of beef in residence 4 in time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	699	0	0. not answered
	2	1	1. private source
	1	2	2. commercial source
	1	3	3. both sources

gbft4r1
quantity of beef (in grams) per week in residence 1 in time 4: jan 1991-now

type: numeric (**long**)

range: [0,500000] units: 1
unique values: 20 missing .: 34/703

mean: 1258.83
std. dev: 19318.3

percentiles:	10%	25%	50%	75%	90%
	0	200	500	700	1000

gbft4r2

quantity of beef (in grams) per week in residence 2 in time 4: jan 1991-now

type: numeric (**int**)

range:	[0,1000]	units:	10
unique values:	11	missing .:	118/703

mean: 59.3675
std. dev: 173.719

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	200

gbft4r3

quantity of beef (in grams) per week in residence 3 in time 4: jan 1991-now

type: numeric (**int**)

range:	[0,800]	units:	100
unique values:	7	missing .:	124/703

tabulation:	Freq.	Value
	559	0
	1	100
	6	200
	4	300
	3	400
	5	500
	1	800
	124	.

gbft4r4

quantity of beef (in grams) per week in residence 4 in time 4: jan 1991-now

type: numeric (**int**)

range: [0,500] units: 100
unique values: 3 missing.: 125/703

tabulation:	Freq.	Value
	574	0
	2	200
	2	500
	125	.

pltt4r1 did you consume poultry in residence 1 in time 4: jan 1991-now

type: numeric (**byte**)
label: **LABC**

range: [0,2] units: 1
unique values: 3 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	649	1	1. yes
	53	2	2. no

pltt4r2 did you consume poultry in residence 2 in time 4: jan 1991-now

type: numeric (**byte**)
label: **LABC**

range: [0,2] units: 1
unique values: 3 missing.: 0/703

tabulation:	Freq.	Numeric	Label
	597	0	0. not answered
	97	1	1. yes
	9	2	2. no

pltt4r3 did you consume poultry in residence 3 in time 4: jan 1991-now

type: numeric (**byte**)
label: **LABC**

range: [0,2] units: 1
unique values: 3 missing.: 0/703

pltt4r4 did you consume poultry in residence 4 in time 4: jan 1991-now

```
spltt4r1      source of poultry in residence 1 in time 4: jan 1991-now
```

spltt4r2 **source of poultry in residence 2 in time 4: jan 1991-now**

mean: 1461.27
std. dev: 18988.1

percentiles:	10%	25%	50%	75%	90%
	200	300	500	1000	2000

gpltt4r2

quantity of poultry (in grams) per week in residence 2 in time 4: jan 1991-no
> w

type: numeric (int)

range:	[0,3000]	units:	10
unique values:	13	missing .:	113/703

mean: 90.9322
std. dev: 261.49

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	400

gpltt4r3

quantity of poultry (in grams) per week in residence 3 in time 4: jan 1991-no
> w

type: numeric (int)

range:	[0,2000]	units:	100
unique values:	9	missing .:	124/703

tabulation:	Freq.	Value
	558	0
	5	200
	7	300
	1	400
	2	500
	1	600
	1	700
	3	1000
	1	2000
	124	.

gpltt4r4

quantity of poultry (in grams) per week in residence 4 in time 4: jan 1991-now
> w

type: numeric (**int**)

range: [0,400]

units: 100

unique values: 3

missing .: 125/703

tabulation:	Freq.	Value
	574	0
	3	300
	1	400
	125	.

msht4r1 **did you consume mushrooms in residence 1 in time 4: jan 1991-now**

type: numeric (**byte**)

label: **LABC**

range: [0,2]

units: 1

unique values: 3

missing .: 0/703

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	383	1	1. yes
	317	2	2. no

msht4r2 **did you consume mushrooms in residence 2 in time 4: jan 1991-now**

type: numeric (**byte**)

label: **LABC**

range: [0,2]

units: 1

unique values: 3

missing .: 0/703

tabulation:	Freq.	Numeric	Label
	597	0	0. not answered
	56	1	1. yes
	50	2	2. no

msht4r3 did you consume mushrooms in residence 3 in time 4: jan 1991-now

```
type:  numeric (byte)
label:  LABC
```

```

      range:  [0,2]
unique values: 3
      units:  1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	679	0	0. not answered
	13	1	1. yes
	11	2	2. no

```
msht4r4      did you consume mushrooms  in residence 4 in time 4: jan 1991-now
```

```
type:  numeric (byte)
label:  LABC
```

```

      range:  [0,2]
unique values: 3
      units:  1
missing : 0/703

```

tabulation:	Freq.	Numeric	Label
	699	0	0. not answered
	2	1	1. yes
	2	2	2. no

```
smsht4r1      source of mushrooms  in residence 1 in time 4: jan 1991-now
```

```
type:  numeric (byte)
label:  LABN
```

```

      range:  [0,3]
unique values: 4
      units:  1
missing : 0/703

```

tabulation:	Freq.	Numeric	Label
	316	0	0. not answered
	143	1	1. private source
	137	2	2. commercial source
	107	3	3. both sources

smsht4r2 **source of mushrooms in residence 2 in time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	644	0	0. not answered
	33	1	1. private source
	20	2	2. commercial source
	6	3	3. both sources

smsht4r3 **source of mushrooms in residence 2 in time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	690	0	0. not answered
	9	1	1. private source
	3	2	2. commercial source
	1	3	3. both sources

smsht4r4 **source of mushrooms in residence 3 in time 4: jan 1991-now**

type: numeric (**byte**)
label: **LABN**

range: [0,3] units: 1
unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	701	0	0. not answered
	1	1	1. private source
	1	3	3. both sources

gmsht4r1
quantity of mushroom (in grams) per week in residence 1 in time 4: jan 1991-n
> ow

type: numeric (**int**)

range: [0,2000] units: 10
unique values: 16 missing .: 74/703

mean: 224.801
std. dev: 365.326

percentiles: 10% 25% 50% 75% 90%
 0 0 100 300 500

gmsht4r2
quantity of mushroom (in grams) per week in residence 2 in time 4: jan 1991-n
> ow

type: numeric (**int**)

range: [0,1000] units: 10
unique values: 9 missing .: 119/703

tabulation: Freq. Value

528	0
7	50
29	100
1	150
8	200
6	300
1	400
3	500
1	1000
119	.

gmsht4r3
quantity of mushroom (in grams) per week in residence 3 in time 4: jan 1991-n
> ow

type: numeric (**int**)

range: [0,500]
unique values: 6

units: 10
missing .: 124/703

tabulation: Freq. Value
566 0
1 50
9 100
1 150
1 300
1 500
124 .

gmsht4r4

quantity of mushroom (in grams) per week in residence 4 in time 4: jan 1991-n
> ow

type: numeric (int)

range: [0,100]
unique values: 2

units: 100
missing .: 125/703

tabulation: Freq. Value
576 0
2 100
125 .

csflfrnd

let your feelings out to a friend?
>

type: numeric (byte)
label: LABB

range: [1,3]
unique values: 3

units: 1
missing .: 0/703

tabulation: Freq. Numeric Label
127 1 1. not at all
288 2 2. a little
288 3 3. a lot

csrearr

rearranged things around you so that your problem had the best chance of being
> s

type: numeric (**byte**)
label: **LABB**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	141	1	1. not at all
	284	2	2. a little
	277	3	3. a lot

csbrstrm **brainstormed all possible solutions before deciding what to do?**

type: numeric (**byte**)
label: **LABB**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	2	0	0. not answered
	204	1	1. not at all
	256	2	2. a little
	241	3	3. a lot

csdist **tried to distract yourself from the problem?**

type: numeric (**byte**)
label: **LABB**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	131	1	1. not at all
	293	2	2. a little
	278	3	3. a lot

cssetgoa set some goals for yourself to deal with the situation?

type: numeric (byte)
label: LABB

range: [1,3] units: 1
unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	75	1	1. not at all
	267	2	2. a little
	361	3	3. a lot

cswghopt weighed your options very carefully?

type: numeric (byte)
label: LABB

range: [0,3] units: 1
unique values: 4 missing .: 4/703

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	68	1	1. not at all
	245	2	2. a little
	385	3	3. a lot
	4	.	

csddream daydreamed about a better time?

type: numeric (byte)
label: LABB

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	4	0	0. not answered
	163	1	1. not at all
	223	2	2. a little
	313	3	3. a lot

csdifsov

tried different ways to solve the problem until you found one that worked?

type: numeric (byte)
label: **LABB**

range: [0,3] units: 1
unique values: 4 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	4	0	0. not answered
	108	1	1. not at all
	311	2	2. a little
	280	3	3. a lot

cscofear

confided your fears and worries to a friend or a relative?

type: numeric (byte)
label: **LABB**

range: [1,3] units: 1
unique values: 3 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	130	1	1. not at all
	318	2	2. a little
	255	3	3. a lot

csalone

spent more time than usual alone?

type: numeric (byte)
label: **LABB**

```

range: [0,3] units: 1
unique values: 4 missing .: 0/703

```

```

tabulation: Freq.   Numeric   Label
              5           0  0. not answered
             408           1  1. not at all
             185           2  2. a little
             105           3  3. a lot

```

```

cstldpep
told people about the situation because just talking about it helped you to co
> me

```

```

type: numeric (byte)
label: LABB

```

```

range: [0,3] units: 1
unique values: 4 missing .: 0/703

```

```

tabulation: Freq.   Numeric   Label
              3           0  0. not answered
             145           1  1. not at all
             318           2  2. a little
             237           3  3. a lot

```

```

csstngs          thought about what needed to be done to straighten things out?

```

```

type: numeric (byte)
label: LABB

```

```

range: [0,3] units: 1
unique values: 4 missing .: 0/703

```

```

tabulation: Freq.   Numeric   Label
              1           0  0. not answered
              33           1  1. not at all
             206           2  2. a little
             463           3  3. a lot

```

```

csflatt          turned your full attention to solving the problem?

```

```

        type: numeric (byte)
        label: LABB

        range: [1,3]
unique values: 3
units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	190	1	1. not at all
	244	2	2. a little
	269	3	3. a lot

csactpl	formed a plan of action in your mind?
----------------	--

```

        type: numeric (byte)
        label: LABB

        range: [0,3]
unique values: 4
units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	86	1	1. not at all
	265	2	2. a little
	349	3	3. a lot

cstv	watched television more than usual?
-------------	--

```

        type: numeric (byte)
        label: LABB

        range: [0,3]
unique values: 4
units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	443	1	1. not at all
	166	2	2. a little
	91	3	3. a lot

csfrndpr	went to someone (friend or professional) in order to help you feel better?
-----------------	---

```

        type: numeric (byte)
        label: LABB

        range: [1,3]
unique values: 3
units: 1
missing .: 0/703

```

```

tabulation: Freq.   Numeric   Label
             204       1  1. not at all
             277       2  2. a little
             222       3  3. a lot

```

csstndfr **stood firm and fought for what you wanted in the situation?**

```

        type: numeric (byte)
        label: LABB

        range: [0,3]
unique values: 4
units: 1
missing .: 4/703

```

```

tabulation: Freq.   Numeric   Label
             1       0  0. not answered
            321       1  1. not at all
            239       2  2. a little
            138       3  3. a lot
             4       .

```

csavdppl **avoided being with people in general?**

```

        type: numeric (byte)
        label: LABB

        range: [0,3]
unique values: 4
units: 1
missing .: 0/703

```

```

tabulation: Freq.   Numeric   Label
             1       0  0. not answered
            488       1  1. not at all
            175       2  2. a little
             39       3  3. a lot

```

cshbspor **buried yourself in a hobby or sports activity to avoid the problem?**

```

        type: numeric (byte)
        label: LABB

        range: [0,3]
        unique values: 4
        units: 1
        missing .: 4/703

```

tabulation:	Freq.	Numeric	Label
	12	0	0. not answered
	290	1	1. not at all
	254	2	2. a little
	143	3	3. a lot
	4	.	

csfriend **went to a friend to help you feel better about the problem?**

```

        type: numeric (byte)
        label: LABB

        range: [1,3]
        unique values: 3
        units: 1
        missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	147	1	1. not at all
	290	2	2. a little
	266	3	3. a lot

csadvice **went to a friend for advice on how to change the situation?**

```

        type: numeric (byte)
        label: LABB

        range: [1,3]
        unique values: 3
        units: 1
        missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	132	1	1. not at all
	301	2	2. a little
	270	3	3. a lot

csacsymp
accepted sympathy and understanding from friends who had the same problem?

```

        type: numeric (byte)
        label: LABB

        range: [0,3]
        unique values: 4

                                units: 1
                                missing .: 0/703

```

```

tabulation:  Freq.    Numeric  Label
              1         0  0. not answered
              135        1  1. not at all
              301        2  2. a little
              266        3  3. a lot

```

```

cssleep                                slept more than usual?

```

```

        type: numeric (byte)
        label: LABB

        range: [0,3]
        unique values: 4

                                units: 1
                                missing .: 0/703

```

```

tabulation:  Freq.    Numeric  Label
              1         0  0. not answered
              455        1  1. not at all
              172        2  2. a little
              75         3  3. a lot

```

```

csfantasy                            fantasized about how things could have been different?

```

```

        type: numeric (byte)
        label: LABB

        range: [0,3]
        unique values: 4

                                units: 1
                                missing .: 0/703

```

```

tabulation:  Freq.    Numeric  Label
              2         0  0. not answered
              176        1  1. not at all
              231        2  2. a little
              294        3  3. a lot

```

```

csidnovl                            identified with characters in novels or movies?

```

```

        type: numeric (byte)
        label: LABB

        range: [0,3]
unique values: 4
                                units: 1
                                missing .: 0/703

```

```

tabulation:  Freq.    Numeric  Label
              2         0  0. not answered
             467         1  1. not at all
             146         2  2. a little
              88         3  3. a lot

```

```

cssolvpr                                tried to solve the problem?

```

```

        type: numeric (byte)
        label: LABB

        range: [0,3]
unique values: 4
                                units: 1
                                missing .: 0/703

```

```

tabulation:  Freq.    Numeric  Label
              6         0  0. not answered
             58         1  1. not at all
            188         2  2. a little
            451         3  3. a lot

```

```

cslvbe                                wished that people would just leave you alone?

```

```

        type: numeric (byte)
        label: LABB

        range: [0,3]
unique values: 4
                                units: 1
                                missing .: 0/703

```

```

tabulation:  Freq.    Numeric  Label
              3         0  0. not answered
            307         1  1. not at all
            266         2  2. a little
            127         3  3. a lot

```

```

csachelp                                accepted help from a friend or relative?

```

```

        type:  numeric (byte)

        range:  [11,33]                units:  1
unique values: 23                missing .:  0/703

        mean:   25.0242
        std. dev: 4.9801

percentiles:      10%      25%      50%      75%      90%
                  18       21       25       29       31

```

socsup

subscale ii = "seeking social support"

```

        type:  numeric (byte)

        range:  [11,33]                units:  1
unique values: 23                missing .:  0/703

        mean:   24.2489
        std. dev: 5.76924

percentiles:      10%      25%      50%      75%      90%
                  16       21       24       29       32

```

avoid

subscale iii = "avoidance"

```

        type:  numeric (byte)

        range:  [11,30]                units:  1
unique values: 20                missing .:  0/703

        mean:   18.4267
        std. dev: 3.76329

percentiles:      10%      25%      50%      75%      90%
                  13       16       18       21       23

```

hptired

iím tired all the time

```

        type:  numeric (byte)
        label:  HPLabel

```

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	439	0	0. no
	264	1	1. yes

hppainit **i have pain at night**

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	550	0	0. no
	153	1	1. yes

hpgtdwn **things are getting me down**

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	396	0	0. no
	307	1	1. yes

hpunpain **i have unbearable pain**

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	646	0	0. no
	57	1	1. yes

hpslepil	i take pills to help me sleep
-----------------	--------------------------------------

```

      type:  numeric (byte)
      label:  HPLabel

      range:  [0,1]
unique values: 2                                units:  1
                                              missing.: 0/703

      tabulation:  Freq.   Numeric  Label
                   640       0    0. no
                   63       1    1. yes
```

hpnojoy	iíve forgotten what itís like to enjoy myself
----------------	--

```

      type:  numeric (byte)
      label:  HPLabel

      range:  [0,1]
unique values: 2                                units:  1
                                              missing.: 0/703

      tabulation:  Freq.   Numeric  Label
                   626       0    0. no
                   77       1    1. yes
```

hponedge	iím feeling on edge
-----------------	----------------------------

```

      type:  numeric (byte)
      label:  HPLabel

      range:  [0,1]
unique values: 2                                units:  1
                                              missing.: 0/703

      tabulation:  Freq.   Numeric  Label
                   652       0    0. no
                   51       1    1. yes
```

hpcngpos	i find it painful to change position
-----------------	---

```

      type:  numeric (byte)
      label:  HPLabel
```

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	588	0	0. no
	115	1	1. yes

hplonely	i feel lonely
-----------------	----------------------

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	593	0	0. no
	110	1	1. yes

hpwlkinr	i can walk about only indoors
-----------------	--------------------------------------

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 4/703

tabulation:	Freq.	Numeric	Label
	684	0	0. no
	15	1	1. yes
	4	.	

hpnobend	i find it hard to bend
-----------------	-------------------------------

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

hpalefrt everything is an effort

hpwkgrly iím waking up in the early hours of the morning

hpnowlk iím unable to walk at all

hphrdcnt **iím finding it hard to make contact with people**

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 1/703

tabulation:	Freq.	Numeric	Label
	655	0	0. no
	47	1	1. yes
	1	.	

hpdaydrg **the days seem to drag**

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	617	0	0. no
	86	1	1. yes

hpstairs **i have trouble getting up and down stairs and steps**

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	476	0	0. no
	227	1	1. yes

hphrdrch **i find it hard to reach for things**

```

        type: numeric (byte)
        label: HPLabel

        range: [0,1]
unique values: 2
                                units: 1
                                missing .: 0/703

```

```

tabulation:  Freq.   Numeric  Label
              585         0   0. no
              118         1   1. yes

```

```

hpwlkpai                                iím in pain when i walk

```

```

        type: numeric (byte)
        label: HPLabel

        range: [0,1]
unique values: 2
                                units: 1
                                missing .: 3/703

```

```

tabulation:  Freq.   Numeric  Label
              487         0   0. no
              213         1   1. yes
               3          .

```

```

hptemper                                i lose my temper easily these days

```

```

        type: numeric (byte)
        label: HPLabel

        range: [0,1]
unique values: 2
                                units: 1
                                missing .: 1/703

```

```

tabulation:  Freq.   Numeric  Label
              495         0   0. no
              207         1   1. yes
               1          .

```

```

hpnoclse                                i feel like there is nobody that i am close to

```

```

        type: numeric (byte)
        label: HPLabel

```

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	637	0	0. no
	66	1	1. yes

hpawake i lie awake for most of the night

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	584	0	0. no
	119	1	1. yes

hplocntr i feel as if iím losing control

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 4/703

tabulation:	Freq.	Numeric	Label
	628	0	0. no
	71	1	1. yes
	4	.	

hpstdpai iím in pain when iím standing

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 4/703

tabulation:	Freq.	Numeric	Label
	557	0	0. no
	142	1	1. yes
	4	.	

hphardre	i find it hard to get dressed by myself
-----------------	--

type: numeric (**byte**)
label: **HPLabel**

range:	[0,1]	units:	1
unique values:	2	missing .:	4/703

tabulation:	Freq.	Numeric	Label
	672	0	0. no
	27	1	1. yes
	4	.	

hpnoergy	i soon run out of energy
-----------------	---------------------------------

type: numeric (**byte**)
label: **HPLabel**

range:	[0,1]	units:	1
unique values:	2	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	456	0	0. no
	247	1	1. yes

hphrdstd	i find it hard to stand for long (e.g. at the kitchen sink, waiting in line)
-----------------	---

type: numeric (**byte**)
label: **HPLabel**

range:	[0,1]	units:	1
unique values:	2	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	434	0	0. no
	269	1	1. yes

hpconpai **iím in constant pain.**

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Numeric Label
628 0 0. no
75 1 1. yes

hplgslee **it takes me a long time to get to sleep.**

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Numeric Label
512 0 0. no
191 1 1. yes

hpburden **i feel i am a burden to people.**

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Numeric Label
671 0 0. no
32 1 1. yes

hpwryawk **worry is keeping me awake at night.**

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	610	0	0. no
	93	1	1. yes

hpnolive **i feel that life is not worth living.**

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	692	0	0. no
	11	1	1. yes

hpbadslp **i sleep badly at night.**

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	520	0	0. no
	183	1	1. yes

hpgtalng **iím finding it hard to get along with people.**

type: numeric (**byte**)
label: **HPLabel**

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	668	0	0. no
	35	1	1. yes

```
hphlpwlk
i need help to walk about outside (e.g. a walking aid or someone to support me
> ).
```

```

      type:  numeric (byte)
      label:  HPLLabel

      range:  [0,1]                      units:  1
unique values: 2                      missing .:  0/703

```

```

tabulation:  Freq.   Numeric  Label
              671       0    0. no
              32       1    1. yes

```

hpstrspn iím in pain when going up or down stairs.

```

      type:  numeric (byte)
      label:  HPLabel

      range:  [0,1]
      unique values: 2
      units:  1
      missing .: 0/703

```

```

tabulation:  Freq.   Numeric  Label
              484       0    0. no
              219       1    1. yes

```

hpamdprs i wake up feeling depressed

```

      type:  numeric (byte)
      label:  HPLabel

      range:  [0,1]
      unique values: 2
                                units: 1
                                missing.: 0/703

```

```

tabulation:  Freq.   Numeric  Label
              587       0    0. no
              116       1    1. yes

```

hpsitpai iím in pain when iím sitting.

```

type: numeric (byte)
label: HPLabel

range: [0,1]
unique values: 2

units: 1
missing : 0/703

```

```

tabulation: Freq.   Numeric   Label
             645         0    0. no
             58         1    1. yes

```

enlev	energy level (el)
--------------	--------------------------

```

type: numeric (double)

range: [0,100]
unique values: 12

units: .1
missing : 0/703

mean: 27.6552
std. dev: 32.6318

percentiles:      10%      25%      50%      75%      90%
                  0        0        0      63.2      63.2

```

pain	pain (p)
-------------	-----------------

```

type: numeric (double)

range: [0,90.25]
unique values: 113

units: .01
missing : 0/703

mean: 15.3704
std. dev: 22.1101

percentiles:      10%      25%      50%      75%      90%
                  0        0        0     25.28     49.41

```

emreac	emotional reaction (er)
---------------	--------------------------------

```

type: numeric (double)

range: [0,90.69]
unique values: 146

units: .01
missing : 0/703

```

```

            mean:    15.3495
        std. dev:    18.637

percentiles:      10%      25%      50%      75%      90%
                  0        0      10.47     21.32     43.51

```

sleep

sleep (s)

```

            type:    numeric (double)

            range:    [0,100]                units:    .01
unique values:    51                missing .:    0/703

            mean:     21.8733
        std. dev:     28.3434

percentiles:      10%      25%      50%      75%      90%
                  0        0      12.57     37.8     65.06

```

socisol

social isolation (si)

```

            type:    numeric (double)

            range:    [0,100]                units:    .01
unique values:    37                missing .:    0/703

            mean:     8.44881
        std. dev:     17.1991

percentiles:      10%      25%      50%      75%      90%
                  0        0        0     15.97     22.53

```

phabil

physical abilities (pa)

```

            type:    numeric (double)

            range:    [0,99.97]              units:    .01
unique values:    69                missing .:    0/703

            mean:     14.1529
        std. dev:     18.9482

```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	21.99	41.83

hprbwbk

health causes problems at work

type: numeric (**byte**)
label: **HPLabel**

range:	[0,1]	units:	1
unique values:	2	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	540	0	0. no
	163	1	1. yes

hprbcln

health causes problems taking care of home

type: numeric (**byte**)
label: **HPLabel**

range:	[0,1]	units:	1
unique values:	2	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	508	0	0. no
	195	1	1. yes

hprobosc

health causing problems with social life

type: numeric (**byte**)
label: **HPLabel**

range:	[0,1]	units:	1
unique values:	2	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	588	0	0. no
	115	1	1. yes

hprobho

health causing problems with home life

```

      type:  numeric (byte)
      label:  HPLabel

      range:  [0,1]
unique values: 2                                units:  1
                                                missing.: 0/703

```

```

      tabulation:  Freq.   Numeric  Label
                   634       0     0. no
                   69       1     1. yes

```

hprosex	health cauing problems with sex life
----------------	---

```

      type:  numeric (byte)
      label:  HPLabel

      range:  [0,1]
unique values: 2                                units:  1
                                                missing.: 0/703

```

```

      tabulation:  Freq.   Numeric  Label
                   540       0     0. no
                   163       1     1. yes

```

hproint	health causing problems with interests and hobbies
----------------	---

```

      type:  numeric (byte)
      label:  HPLabel

      range:  [0,1]
unique values: 2                                units:  1
                                                missing.: 0/703

```

```

      tabulation:  Freq.   Numeric  Label
                   599       0     0. no
                   104       1     1. yes

```

hprovac	health causing problems with vacations
----------------	---

```

      type:  numeric (byte)
      label:  HPLabel

      range:  [0,1]
unique values: 2                                units:  1
                                                missing.: 0/703

```


tabulation:	Freq.	Numeric	Label
	599	0	0. no
	104	1	1. yes

hthprof

health profile subscale

type: numeric (**byte**)

range: [0,7]
unique values: 8

units: 1
missing .: 0/703

tabulation:	Freq.	Value
	405	0
	95	1
	55	2
	41	3
	31	4
	24	5
	26	6
	26	7

ffriend

before the chornobyl event in 1986 i had more close friends than i have now.

>

type: numeric (**byte**)
label: **LABD**

range: [0,5]
unique values: 6

units: 1
missing .: 0/703

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	365	1	1. not at all true
	133	2	2. slightly true
	105	3	3. somewhat true
	29	4	4. very true
	70	5	5. extremely true

fchorn

if something happens that reminds me of chornobyl. i become very distressed an

> d

```

        type: numeric (byte)
        label: LABD

        range: [0,5]
unique values: 6
units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	2	0	0. not answered
	212	1	1. not at all true
	114	2	2. slightly true
	204	3	3. somewhat true
	69	4	4. very true
	102	5	5. extremely true

fguilt **i feel guilty over things i did around the time of chornobyl**

```

        type: numeric (byte)
        label: LABD

        range: [0,5]
unique values: 6
units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	2	0	0. not answered
	521	1	1. not at all true
	128	2	2. slightly true
	38	3	3. somewhat true
	6	4	4. very true
	8	5	5. extremely true

fpush
since the event i find that if someone pushes me too far, i am likely to becom
> e

```

        type: numeric (byte)
        label: LABD

        range: [0,5]
unique values: 6
units: 1
missing .: 0/703

```

fnight i have nightmares about chornobyl.

tabulation:	Freq.	Numeric	Label
	5	0	0. not answered
	570	1	1. not at all true
	73	2	2. slightly true
	34	3	3. somewhat true
	13	4	4. very true
	8	5	5. extremely true

```
fdead
when i think of some of the things i did at the time of chornobyl i wish i wer
> e
```

tabulation:	Freq.	Numeric	Label
	5	0	0. not answered
	620	1	1. not at all true
	58	2	2. slightly true
	10	3	3. somewhat true
	5	4	4. very true
	5	5	5. extremely true

fnofeel since chornobyl, it seems as if i have no feelings.

```
type:  numeric (byte)
label:  LABD
```

```

      range:  [0,5]
unique values: 6
      units:  1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	4	0	0. not answered
	598	1	1. not at all true
	66	2	2. slightly true
	26	3	3. somewhat true
	6	4	4. very true
	3	5	5. extremely true

flived i wonder why i lived when others died.

```

type:  numeric (byte)
label:  LABD

```

```

      range:  [0,5]
unique values: 6
      units:  1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	542	1	1. not at all true
	84	2	2. slightly true
	41	3	3. somewhat true
	14	4	4. very true
	19	5	5. extremely true

fsituat
being in certain situations makes me feel as though i am back in the event.

```
type:  numeric (byte)
label:  LABD
```

```

      range:  [0,5]
unique values: 6
      units:  1
missing .: 0/703

```

```
flaugh
since chornobyl it seems that i do not laugh or cry about the same things that
>
```

tabulation:	Freq.	Numeric	Label
	4	0	0. not answered
	522	1	1. not at all true
	123	2	2. slightly true
	32	3	3. somewhat true
	9	4	4. very true
	13	5	5. extremely true

fnoise since chornobyl unexpected noises make me jump.

tabulation:	Freq.	Numeric	Label
	7	0	0. not answered
	524	1	1. not at all true
	73	2	2. slightly true
	49	3	3. somewhat true
	29	4	4. very true
	21	5	5. extremely true


```

range: [0,5] units: 1
unique values: 6 missing.: 0/703

```

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	439	1	1. not at all true
	131	2	2. slightly true
	87	3	3. somewhat true
	27	4	4. very true
	16	5	5. extremely true

fremem

i have difficulty remembering some things which happened during the event.

```

type: numeric (byte)
label: LABD

```

```

range: [0,5] units: 1
unique values: 6 missing.: 0/703

```

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	325	1	1. not at all true
	100	2	2. slightly true
	193	3	3. somewhat true
	48	4	4. very true
	36	5	5. extremely true

fanxio

if something happens that reminds me of chornobyl, i get anxious and panicky.

```

type: numeric (byte)
label: LABD

```

```

range: [0,5] units: 1
unique values: 6 missing.: 0/703

```

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	506	1	1. not at all true
	118	2	2. slightly true
	55	3	3. somewhat true
	17	4	4. very true
	6	5	5. extremely true

```
fremind      things i see or hear often remind me of the chornobyl event.
```

```
type:  numeric (byte)
label:  LABD
```

```

      range:  [0,5]
unique values: 6
      units:  1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	5	0	0. not answered
	389	1	1. not at all true
	142	2	2. slightly true
	118	3	3. somewhat true
	24	4	4. very true
	25	5	5. extremely true

fdontth i often think about the event even when i don't mean to.

```

type:  numeric (byte)
label:  LABD

```

```

      range:  [0,5]
unique values: 6
      units:  1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	7	0	0. not answered
	443	1	1. not at all true
	108	2	2. slightly true
	95	3	3. somewhat true
	23	4	4. very true
	27	5	5. extremely true

femot i am able to get emotionally close to others.

```
type:  numeric (byte)
label:  LABD
```

```

      range:  [0,5]
unique values: 6
      units:  1
missing .: 0/703

```


tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	42	1	1. not at all true
	24	2	2. slightly true
	161	3	3. somewhat true
	159	4	4. very true
	316	5	5. extremely true

fkill	lately i have felt like killing myself.
--------------	--

```

type: numeric (byte)
label: LABD

```

```

range: [0,5]
unique values: 6
units: 1
missing.: 0/703

```

tabulation:	Freq.	Numeric	Label
	2	0	0. not answered
	649	1	1. not at all true
	34	2	2. slightly true
	13	3	3. somewhat true
	3	4	4. very true
	2	5	5. extremely true

fasleep	i fall asleep stay asleep and awaken only when the alarm goes off.
----------------	---

```

type: numeric (byte)
label: LABD

```

```

range: [0,5]
unique values: 6
units: 1
missing.: 0/703

```

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	432	1	1. not at all true
	104	2	2. slightly true
	71	3	3. somewhat true
	41	4	4. very true
	54	5	5. extremely true

tabulation:	Freq.	Numeric	Label
	2	0	0. not answered
	115	1	1. not at all true
	31	2	2. slightly true
	165	3	3. somewhat true
	131	4	4. very true
	259	5	5. extremely true

fconcen	i have trouble concentrating on tasks.
----------------	---

```

type: numeric (byte)
label: LABD

range: [0,5]                units: 1
unique values: 6            missing.: 0/703

```

tabulation:	Freq.	Numeric	Label
	4	0	0. not answered
	321	1	1. not at all true
	184	2	2. slightly true
	137	3	3. somewhat true
	39	4	4. very true
	18	5	5. extremely true

fcomp	i enjoy the company of others.
--------------	---------------------------------------

```

type: numeric (byte)
label: LABD

range: [0,5]                units: 1
unique values: 6            missing.: 0/703

```

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	56	1	1. not at all true
	34	2	2. slightly true
	171	3	3. somewhat true
	130	4	4. very true
	311	5	5. extremely true

ffallas	i fall asleep easily at night.
----------------	---------------------------------------

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	266	1	1. not at all true
	150	2	2. slightly true
	172	3	3. somewhat true
	52	4	4. very true
	62	5	5. extremely true

falert	i feel alert and on guard much of the time.
---------------	--

```

type: numeric (byte)
label: LABD

range: [0,5]
unique values: 6

units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	4	0	0. not answered
	455	1	1. not at all true
	97	2	2. slightly true
	85	3	3. somewhat true
	30	4	4. very true
	32	5	5. extremely true

instsym	intrusion symptom score
----------------	--------------------------------

```

type: numeric (byte)

range: [0,35]
unique values: 29

units: 1
missing .: 0/703

```

```

mean: 14.1152
std. dev: 5.35062

percentiles:      10%      25%      50%      75%      90%
                  8       10      13      17      22

```

avoisym	avoidance symptom score
----------------	--------------------------------

```

type: numeric (byte)

```

range: [0,40] units: 1
unique values: 32 missing .: 0/703

mean: 22.7098
std. dev: 4.75628

percentiles:	10%	25%	50%	75%	90%
	17	20	22	25	29

aroussym	arousal symptom score
-----------------	------------------------------

type: numeric (**byte**)

range: [0,30] units: 1
unique values: 24 missing .: 0/703

mean: 13.7881
std. dev: 4.21931

percentiles:	10%	25%	50%	75%	90%
	9	11	13	16	20

suicsym	suicidal/guilt score
----------------	-----------------------------

type: numeric (**byte**)

range: [0,21] units: 1
unique values: 17 missing .: 0/703

mean: 6.1522
std. dev: 1.99026

percentiles:	10%	25%	50%	75%	90%
	5	5	5	7	9

bsnerv	nervousness or shakiness inside
---------------	--

type: numeric (**byte**)
label: **LABE**

range: [0,5] units: 1
unique values: 6 missing .: 0/703

bsfaint	faintness or dizziness
----------------	-------------------------------

bsidea the idea that someone else can control your thoughts

bsothers **feeling others are to blame for most of your troubles**

```

        type: numeric (byte)
        label: LABE

        range: [0,5]
unique values: 6
                                units: 1
                                missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	441	1	1. not at all 0
	143	2	2. a little bit 1
	75	3	3. moderately 2
	25	4	4. quite a bit 3
	16	5	5. extremely 4

bsnomem

trouble remembering things

```

        type: numeric (byte)
        label: LABE

        range: [0,5]
unique values: 6
                                units: 1
                                missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	343	1	1. not at all 0
	197	2	2. a little bit 1
	100	3	3. moderately 2
	42	4	4. quite a bit 3
	18	5	5. extremely 4

bsannoy

feeling easily annoyed or irritated

```

        type: numeric (byte)
        label: LABE

        range: [0,5]
unique values: 6
                                units: 1
                                missing .: 0/703

```


tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	320	1	1. not at all 0
	227	2	2. a little bit 1
	98	3	3. moderately 2
	38	4	4. quite a bit 3
	17	5	5. extremely 4

bspain

pains in the heart or chest

type: numeric (**byte**)
label: **LABE**

range:	[0,5]	units:	1
unique values:	6	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	5	0	0. not answered
	292	1	1. not at all 0
	170	2	2. a little bit 1
	129	3	3. moderately 2
	60	4	4. quite a bit 3
	47	5	5. extremely 4

bsafraid

feeling afraid in open spaces

type: numeric (**byte**)
label: **LABE**

range:	[0,5]	units:	1
unique values:	6	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	4	0	0. not answered
	623	1	1. not at all 0
	46	2	2. a little bit 1
	15	3	3. moderately 2
	11	4	4. quite a bit 3
	4	5	5. extremely 4

bsendlif

thoughts of ending your life

```

        type: numeric (byte)
        label: LABE

        range: [0,5]
unique values: 6
                                units: 1
                                missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	5	0	0. not answered
	664	1	1. not at all 0
	24	2	2. a little bit 1
	6	3	3. moderately 2
	2	4	4. quite a bit 3
	2	5	5. extremely 4

bstrust	feeling that most people cannot be trusted
----------------	---

```

        type: numeric (byte)
        label: LABE

        range: [0,5]
unique values: 6
                                units: 1
                                missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	326	1	1. not at all 0
	164	2	2. a little bit 1
	107	3	3. moderately 2
	62	4	4. quite a bit 3
	41	5	5. extremely 4

bseat	poor appetite
--------------	----------------------

```

        type: numeric (byte)
        label: LABE

        range: [0,5]
unique values: 6
                                units: 1
                                missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	4	0	0. not answered
	504	1	1. not at all 0
	122	2	2. a little bit 1
	49	3	3. moderately 2
	18	4	4. quite a bit 3
	6	5	5. extremely 4

bsscared

suddenly scared for no reason

type: numeric (**byte**)
label: **LABE**

range:	[0,5]	units:	1
unique values:	6	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	4	0	0. not answered
	517	1	1. not at all 0
	90	2	2. a little bit 1
	59	3	3. moderately 2
	23	4	4. quite a bit 3
	10	5	5. extremely 4

bstemper

temper outbursts that you could not control

type: numeric (**byte**)
label: **LABE**

range:	[0,5]	units:	1
unique values:	6	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	438	1	1. not at all 0
	140	2	2. a little bit 1
	71	3	3. moderately 2
	36	4	4. quite a bit 3
	15	5	5. extremely 4

bslonely

feeling lonely even when you are with people

```

        type: numeric (byte)
        label: LABE

        range: [0,5]
unique values: 6
                                units: 1
                                missing.: 0/703

```

tabulation:	Freq.	Numeric	Label
	5	0	0. not answered
	488	1	1. not at all 0
	121	2	2. a little bit 1
	56	3	3. moderately 2
	16	4	4. quite a bit 3
	17	5	5. extremely 4

bsblock	feeling blocked in getting things done
----------------	---

```

        type: numeric (byte)
        label: LABE

        range: [1,5]
unique values: 5
                                units: 1
                                missing.: 0/703

```

tabulation:	Freq.	Numeric	Label
	416	1	1. not at all 0
	148	2	2. a little bit 1
	72	3	3. moderately 2
	48	4	4. quite a bit 3
	19	5	5. extremely 4

bsalone	feeling lonely
----------------	-----------------------

```

        type: numeric (byte)
        label: LABE

        range: [0,5]
unique values: 6
                                units: 1
                                missing.: 0/703

```

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	450	1	1. not at all 0
	119	2	2. a little bit 1
	63	3	3. moderately 2
	37	4	4. quite a bit 3
	31	5	5. extremely 4

feeling blue

```

tabulation:  Freq.    Numeric  Label
              2          0  0. not answered
              312        1  1. not at all<br>0
              212        2  2. a little bit<br>1
              101        3  3. moderately<br>2
               42        4  4. quite a bit<br>3
               34        5  5. extremely<br>4

```

feeling no interest in things

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	537	1	1. not at all 0
	100	2	2. a little bit 1
	47	3	3. moderately 2
	13	4	4. quite a bit 3
	5	5	5. extremely 4

feeling fearful

```

      type:  numeric (byte)
label:  LABE

      range:  [0,5]                                units:  1
unique values:  6                                missing .:  0/703

```

[illegible]

```

tabulation:  Freq.    Numeric  Label
              1          0  0. not answered
              302          1  1. not at all<br>0
              174          2  2. a little bit<br>1
              134          3  3. moderately<br>2
               59          4  4. quite a bit<br>3
               33          5  5. extremely<br>4

```

bsnofrd	feeling that people are unfriendly or dislike you
---------	---

tabulation:	Freq.	Numeric	Label
	470	1	1. not at all 0
	132	2	2. a little bit 1
	64	3	3. moderately 2
	25	4	4. quite a bit 3
	12	5	5. extremely 4

bsinf	feeling inferior to others
--------------	-----------------------------------

```

        type: numeric (byte)
        label: LABE

        range: [0,5]
unique values: 6
                                units: 1
                                missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	544	1	1. not at all 0
	91	2	2. a little bit 1
	44	3	3. moderately 2
	14	4	4. quite a bit 3
	7	5	5. extremely 4

bsnausea	nausea or upset stomach
-----------------	--------------------------------

```

        type: numeric (byte)
        label: LABE

        range: [0,5]
unique values: 6
                                units: 1
                                missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	455	1	1. not at all 0
	144	2	2. a little bit 1
	70	3	3. moderately 2
	21	4	4. quite a bit 3
	12	5	5. extremely 4

bswatch	feeling that you are watched or talked about by others
----------------	---

```

        type: numeric (byte)
        label: LABE

        range: [0,5]
unique values: 6
                                units: 1
                                missing .: 0/703

```



```

      type: numeric (byte)
      label: LABE

      range: [0,5]
unique values: 6
units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	2	0	0. not answered
	322	1	1. not at all 0
	192	2	2. a little bit 1
	134	3	3. moderately 2
	29	4	4. quite a bit 3
	24	5	5. extremely 4

bsnotrav **feeling afraid to travel on buses,undergrounds or trains**

```

      type: numeric (byte)
      label: LABE

      range: [0,5]
unique values: 6
units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	605	1	1. not at all 0
	62	2	2. a little bit 1
	18	3	3. moderately 2
	9	4	4. quite a bit 3
	8	5	5. extremely 4

bsnobrth **trouble getting your breath**

```

      type: numeric (byte)
      label: LABE

      range: [0,5]
unique values: 6
units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	449	1	1. not at all 0
	128	2	2. a little bit 1
	75	3	3. moderately 2
	31	4	4. quite a bit 3
	17	5	5. extremely 4

bshtcold

hot or cold spells

type: numeric (**byte**)
label: **LABE**

range:	[0,5]	units:	1
unique values:	6	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	376	1	1. not at all 0
	183	2	2. a little bit 1
	87	3	3. moderately 2
	34	4	4. quite a bit 3
	22	5	5. extremely 4

bsavoid

having to avoid certain things, places, or activities because they frighten yo
> u

type: numeric (**byte**)
label: **LABE**

range:	[0,5]	units:	1
unique values:	6	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	487	1	1. not at all 0
	116	2	2. a little bit 1
	57	3	3. moderately 2
	23	4	4. quite a bit 3
	17	5	5. extremely 4

your mind going blank

tabulation:	Freq.	Numeric	Label
	2	0	0. not answered
	574	1	1. not at all 0
	66	2	2. a little bit 1
	30	3	3. moderately 2
	18	4	4. quite a bit 3
	13	5	5. extremely 4

numbness or tingling in parts of your body

tabulation:	Freq.	Numeric	Label
	5	0	0. not answered
	357	1	1. not at all 0
	150	2	2. a little bit 1
	101	3	3. moderately 2
	62	4	4. quite a bit 3
	28	5	5. extremely 4

the idea that you should be punished for your sins

```

      type:  numeric (byte)
label:  LABE

      range:  [0,5]                                units:  1
unique values:  6                                missing .:  0/703

```

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	389	1	1. not at all 0
	155	2	2. a little bit 1
	89	3	3. moderately 2
	40	4	4. quite a bit 3
	27	5	5. extremely 4

bshoples

feeling hopeless about the future

type: numeric (**byte**)
label: **LABE**

range:	[0,5]	units:	1
unique values:	6	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	2	0	0. not answered
	456	1	1. not at all 0
	127	2	2. a little bit 1
	69	3	3. moderately 2
	25	4	4. quite a bit 3
	24	5	5. extremely 4

bsnothk

trouble concentrating

type: numeric (**byte**)
label: **LABE**

range:	[0,5]	units:	1
unique values:	6	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	9	0	0. not answered
	420	1	1. not at all 0
	160	2	2. a little bit 1
	78	3	3. moderately 2
	28	4	4. quite a bit 3
	8	5	5. extremely 4

bsweak

feeling weak in parts of your body

```

        type: numeric (byte)
        label: LABE

        range: [0,5]
        unique values: 6
        units: 1
        missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	243	1	1. not at all 0
	217	2	2. a little bit 1
	131	3	3. moderately 2
	68	4	4. quite a bit 3
	43	5	5. extremely 4

bstense	feeling tense or keyed up
----------------	----------------------------------

```

        type: numeric (byte)
        label: LABE

        range: [1,5]
        unique values: 5
        units: 1
        missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	274	1	1. not at all 0
	248	2	2. a little bit 1
	113	3	3. moderately 2
	43	4	4. quite a bit 3
	25	5	5. extremely 4

bsdeath	thoughts of death or dying
----------------	-----------------------------------

```

        type: numeric (byte)
        label: LABE

        range: [1,5]
        unique values: 5
        units: 1
        missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	522	1	1. not at all 0
	120	2	2. a little bit 1
	44	3	3. moderately 2
	11	4	4. quite a bit 3
	6	5	5. extremely 4

bsbeat **having urges to beat, injure or harm someone**

type: numeric (**byte**)
label: **LABE**

range: [0,5] units: 1
unique values: 6 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	599	1	1. not at all 0
	56	2	2. a little bit 1
	10	3	3. moderately 2
	22	4	4. quite a bit 3
	13	5	5. extremely 4

bsbreak **having urges to break or smash things**

type: numeric (**byte**)
label: **LABE**

range: [1,5] units: 1
unique values: 5 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	577	1	1. not at all 0
	58	2	2. a little bit 1
	37	3	3. moderately 2
	27	4	4. quite a bit 3
	4	5	5. extremely 4

bsconsc **feeling very self-conscious with others**

type: numeric (**byte**)
label: **LABE**

range: [0,5] units: 1
unique values: 6 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	464	1	1. not at all 0
	119	2	2. a little bit 1
	71	3	3. moderately 2
	27	4	4. quite a bit 3
	21	5	5. extremely 4

bsuneasy

feeling uneasy in crowds

type: numeric (**byte**)
label: **LABE**

range:	[1,5]	units:	1
unique values:	5	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	513	1	1. not at all 0
	92	2	2. a little bit 1
	47	3	3. moderately 2
	26	4	4. quite a bit 3
	25	5	5. extremely 4

bsnoclse

never feeling close to another person

type: numeric (**byte**)
label: **LABE**

range:	[0,5]	units:	1
unique values:	6	missing .:	0/703

tabulation:	Freq.	Numeric	Label
	4	0	0. not answered
	568	1	1. not at all 0
	71	2	2. a little bit 1
	38	3	3. moderately 2
	16	4	4. quite a bit 3
	6	5	5. extremely 4

bspanic

spells of terror or panic

```

        type: numeric (byte)
        label: LABE

        range: [0,5]
unique values: 6
                                units: 1
                                missing.: 0/703

```

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	529	1	1. not at all 0
	104	2	2. a little bit 1
	38	3	3. moderately 2
	17	4	4. quite a bit 3
	12	5	5. extremely 4

bsargue

getting into frequent arguments

```

        type: numeric (byte)
        label: LABE

        range: [0,5]
unique values: 6
                                units: 1
                                missing.: 0/703

```

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	467	1	1. not at all 0
	142	2	2. a little bit 1
	58	3	3. moderately 2
	16	4	4. quite a bit 3
	17	5	5. extremely 4

bsnerv_a

feeling nervous when you are left alone

```

        type: numeric (byte)
        label: LABE

        range: [1,5]
unique values: 5
                                units: 1
                                missing.: 0/703

```

tabulation:	Freq.	Numeric	Label
	480	1	1. not at all 0
	96	2	2. a little bit 1
	59	3	3. moderately 2
	43	4	4. quite a bit 3
	25	5	5. extremely 4

bscredit **others not giving you proper credit for your achievements**

type: numeric (**byte**)
label: **LABE**

range: [0,5] units: 1
unique values: 6 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	461	1	1. not at all 0
	100	2	2. a little bit 1
	74	3	3. moderately 2
	35	4	4. quite a bit 3
	30	5	5. extremely 4

bsnosit **feeling so restless you couldn't sit still**

type: numeric (**byte**)
label: **LABE**

range: [1,5] units: 1
unique values: 5 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	440	1	1. not at all 0
	125	2	2. a little bit 1
	62	3	3. moderately 2
	27	4	4. quite a bit 3
	49	5	5. extremely 4

bsworth **feelings of worthlessness**

type: numeric (**byte**)
label: **LABE**

range: [0,5] units: 1
unique values: 6 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	1	0	0. not answered
	583	1	1. not at all 0
	84	2	2. a little bit 1
	22	3	3. moderately 2
	9	4	4. quite a bit 3
	4	5	5. extremely 4

bsadvan	feeling that people will take advantage of you if you let them
----------------	---

```

type: numeric (byte)
label: LABE

```

```

range: [1,5]
unique values: 5
units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	395	1	1. not at all 0
	138	2	2. a little bit 1
	112	3	3. moderately 2
	38	4	4. quite a bit 3
	20	5	5. extremely 4

bsguilt	feeling of guilt
----------------	-------------------------

```

type: numeric (byte)
label: LABE

```

```

range: [0,5]
unique values: 6
units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	3	0	0. not answered
	347	1	1. not at all 0
	220	2	2. a little bit 1
	72	3	3. moderately 2
	27	4	4. quite a bit 3
	34	5	5. extremely 4

bswrong	the idea that something is wrong with your mind
----------------	--

```

      type: numeric (byte)
      label: LABE

      range: [0,4]
unique values: 5
                                units: 1
                                missing.: 0/703

```

```

tabulation: Freq.   Numeric   Label
              2         0  0. not answered
              594        1  1. not at all<br>0
              75         2  2. a little bit<br>1
              27         3  3. moderately<br>2
               5         4  4. quite a bit<br>3

```

possym	positive symptom total
---------------	-------------------------------

```

      type: numeric (int)

      range: [0,147]
unique values: 111
                                units: 1
                                missing.: 0/703

```

```

      mean: 32.9161
      std. dev: 27.7726

```

```

percentiles:      10%      25%      50%      75%      90%
                  4        11        26        48        72

```

somatiz	somatization
----------------	---------------------

```

      type: numeric (byte)

      range: [0,28]
unique values: 28
                                units: 1
                                missing.: 0/703

```

```

      mean: 5.76387
      std. dev: 5.68684

```

```

percentiles:      10%      25%      50%      75%      90%
                  0         1         4         9        14

```

obsess	obsession-compulsion
---------------	-----------------------------

```

      type: numeric (byte)

```

range: [0,22] units: 1
unique values: 22 missing .: 0/703

mean: 4.48364
std. dev: 4.3082

percentiles:	10%	25%	50%	75%	90%
	0	1	4	7	10

interper

interpersonal sensitivity

type: numeric (**byte**)

range: [0,13] units: 1
unique values: 14 missing .: 0/703

mean: 2.57326
std. dev: 2.76784

percentiles:	10%	25%	50%	75%	90%
	0	0	2	4	7

depress

depression

type: numeric (**byte**)

range: [0,21] units: 1
unique values: 20 missing .: 0/703

mean: 2.93883
std. dev: 3.43444

percentiles:	10%	25%	50%	75%	90%
	0	0	2	4	8

anxiety

anxiety

type: numeric (**byte**)

range: [0,24] units: 1
unique values: 23 missing .: 0/703

mean: 4.51067
std. dev: 4.24728

percentiles:	10%	25%	50%	75%	90%
	0	1	3	6	10

hostilit

hostility

type: numeric (**byte**)

range:	[0,17]	units:	1
unique values:	17	missing .:	4/703

mean: 2.62518
std. dev: 3.16223

percentiles:	10%	25%	50%	75%	90%
	0	0	2	4	7

phobanx

phobic anxiety

type: numeric (**byte**)

range:	[0,17]	units:	1
unique values:	17	missing .:	0/703

mean: 2.07112
std. dev: 2.83357

percentiles:	10%	25%	50%	75%	90%
	0	0	1	3	5

paran

paranoid ideation

type: numeric (**byte**)

range:	[0,20]	units:	1
unique values:	19	missing .:	0/703

mean: 3.49502
std. dev: 3.65299

percentiles:	10%	25%	50%	75%	90%
	0	0	2	5	9

psychot

psychoticism

type: numeric (**byte**)

range: [0,18]

units: 1

unique values: 15

missing .: 0/703

mean: 2.00427

std. dev: 2.55286

percentiles:	10%	25%	50%	75%	90%
	0	0	1	3	6

globseve

global severity

type: numeric (**double**)

range: [0,2.7735848]

units: 1.000e-10

unique values: 256

missing .: 0/703

mean: .622837

std. dev: .524505

percentiles:	10%	25%	50%	75%	90%
	.075472	.207547	.490566	.924528	1.35849

CSprbslv

Coping Problem Solving Subscale

type: numeric (**float**)

range: [11,33]

units: 1

unique values: 23

missing .: 4/703

mean: 25.0172

std. dev: 4.9542

percentiles:	10%	25%	50%	75%	90%
	18	21	25	29	31

CSsocspt	Coping social support subscale
-----------------	---------------------------------------

```

      type:  numeric (float)

      range:  [11,33]
unique values: 23

      mean:    24.2489
      std. dev: 5.76924

      percentiles:      10%      25%      50%      75%      90%
                        16       21       24       29       32
```

CSavoid	Coping Avoidance subscale
----------------	----------------------------------

```

      type:  numeric (float)

      range:  [11,29]
unique values: 19

      mean:    18.3991
      std. dev: 3.73967

      percentiles:      10%      25%      50%      75%      90%
                        13       16       18       21       23
```

WHP1e1	(unlabeled)
---------------	--------------------

```

      type:  numeric (float)

      range:  [0,39.2]
unique values: 2

      units:    .1
      missing .: 0/703

      tabulation:  Freq.  Value
                   439    0
                   264  39.200001
```

WHP2p	(unlabeled)
--------------	--------------------

```

      type:  numeric (float)
```

range: [0,12.91] units: .01
unique values: 2 missing .: 0/703

tabulation: Freq. Value
550 0
153 12.91

WHP3er

(unlabeled)

type: numeric (float)

range: [0,9.99] units: .01
unique values: 2 missing .: 0/703

tabulation: Freq. Value
396 0
307 9.9899998

WHP4p

(unlabeled)

type: numeric (float)

range: [0,23.37] units: .01
unique values: 2 missing .: 0/703

tabulation: Freq. Value
646 0
57 23.370001

WHP5s

(unlabeled)

type: numeric (float)

range: [0,23.37] units: .01
unique values: 2 missing .: 0/703

tabulation: Freq. Value
640 0
63 23.370001

WHP6er (unlabeled)

type: numeric (**float**)

range: [0,9.31] units: .01
unique values: 2 missing .: 0/703

tabulation: Freq. Value
626 0
77 9.3100004

WHP7er (unlabeled)

type: numeric (**float**)

range: [0,7.22] units: .01
unique values: 2 missing .: 0/703

tabulation: Freq. Value
652 0
51 7.2199998

WHP8p (unlabeled)

type: numeric (**float**)

range: [0,9.99] units: .01
unique values: 2 missing .: 0/703

tabulation: Freq. Value
588 0
115 9.9899998

WHP9si (unlabeled)

type: numeric (**float**)

range: [0,22.01] units: .01
unique values: 2 missing .: 0/703

```

tabulation:  Freq.  Value
              593    0
              110  22.01

```

WHP10pa (unlabeled)

```

type:  numeric (float)

range:  [0,11.54]          units:  .01
unique values:  2          missing .:  4/703

tabulation:  Freq.  Value
              684    0
              15  11.54
               4    .

```

WHP11pa (unlabeled)

```

type:  numeric (float)

range:  [0,10.54]          units:  .01
unique values:  2          missing .:  0/703

tabulation:  Freq.  Value
              505    0
              198  10.54

```

WHP12e1 (unlabeled)

```

type:  numeric (float)

range:  [0,36.8]           units:  .1
unique values:  2          missing .:  0/703

tabulation:  Freq.  Value
              617    0
               86  36.799999

```

WHP13s (unlabeled)

```

type: numeric (float)

range: [0,12.57]          units: .01
unique values: 2          missing .: 0/703

tabulation: Freq.  Value
             413   0
             290  12.57

```

WHP14pa

(unlabeled)

```

type: numeric (float)

range: [0,21.3]          units: .1
unique values: 2          missing .: 0/703

tabulation: Freq.  Value
             685   0
             18  21.299999

```

WHP15si

(unlabeled)

```

type: numeric (float)

range: [0,19.36]         units: .01
unique values: 2          missing .: 1/703

tabulation: Freq.  Value
             655   0
             47  19.360001
             1   .

```

WHP16er

(unlabeled)

```

type: numeric (float)

range: [0,7.08]          units: .01
unique values: 2          missing .: 0/703

tabulation: Freq.  Value
             617   0
             86  7.0799999

```

WHP17pa (unlabeled)

type: numeric (**float**)

range: [0,10.79] units: .01
unique values: 2 missing .: 0/703

tabulation: Freq. Value
 476 0
 227 10.79

WHP18pa (unlabeled)

type: numeric (**float**)

range: [0,9.3] units: .1
unique values: 2 missing .: 0/703

tabulation: Freq. Value
 585 0
 118 9.3000002

WHP19p (unlabeled)

type: numeric (**float**)

range: [0,11.2] units: .1
unique values: 2 missing .: 3/703

tabulation: Freq. Value
 487 0
 213 11.2
 3 .

WHP20er (unlabeled)

type: numeric (**float**)

range: [0,9.76] units: .01
unique values: 2 missing .: 1/703

```

tabulation:  Freq.  Value
              495    0
              207  9.7600002
               1    .

```

WHP21si (unlabeled)

```

type:  numeric (float)

range:  [0,20.13]          units:  .01
unique values:  2          missing .:  0/703

tabulation:  Freq.  Value
              637    0
              66  20.129999

```

WHP22s (unlabeled)

```

type:  numeric (float)

range:  [0,27.26]          units:  .01
unique values:  2          missing .:  0/703

tabulation:  Freq.  Value
              584    0
              119  27.26

```

WHP23er (unlabeled)

```

type:  numeric (float)

range:  [0,13.99]          units:  .01
unique values:  2          missing .:  4/703

tabulation:  Freq.  Value
              628    0
               71  13.99
               4    .

```

WHP24p (unlabeled)

```

type: numeric (float)

range: [0,8.96]           units: .01
unique values: 2         missing .: 4/703

```

```

tabulation: Freq.  Value
             557    0
             142   8.96
              4    .

```

WHP25pa (unlabeled)

```

type: numeric (float)

range: [0,12.61]          units: .01
unique values: 2         missing .: 4/703

```

```

tabulation: Freq.  Value
             672    0
              27  12.61
               4    .

```

WHP26e1 (unlabeled)

```

type: numeric (float)

range: [0,24]            units: 1
unique values: 2         missing .: 0/703

```

```

tabulation: Freq.  Value
             456    0
             247   24

```

WHP27pa (unlabeled)

```

type: numeric (float)

range: [0,11.2]          units: .1
unique values: 2         missing .: 0/703

```

```

tabulation:  Freq.  Value
              434    0
              269  11.2

```

```

WHP28ps                                             (unlabeled)

```

```

              type:  numeric (float)

              range:  [0,20.86]                      units:  .01
unique values:  2                                           missing .:  0/703

tabulation:  Freq.  Value
              628    0
              75   20.860001

```

```

WHP29s                                             (unlabeled)

```

```

              type:  numeric (float)

              range:  [0,16.1]                        units:  .1
unique values:  2                                           missing .:  0/703

tabulation:  Freq.  Value
              512    0
              191  16.1

```

```

WHP30si                                             (unlabeled)

```

```

              type:  numeric (float)

              range:  [0,22.53]                      units:  .01
unique values:  2                                           missing .:  0/703

tabulation:  Freq.  Value
              671    0
              32   22.530001

```

```

WHP31er                                             (unlabeled)

```

```

              type:  numeric (float)

```

range: [0,13.95] units: .01
unique values: 2 missing .: 0/703

tabulation: Freq. Value
610 0
93 13.95

WHP32er (unlabeled)

type: numeric (float)

range: [0,16.21] units: .01
unique values: 2 missing .: 0/703

tabulation: Freq. Value
692 0
11 16.209999

WHP33s (unlabeled)

type: numeric (float)

range: [0,21.7] units: .1
unique values: 2 missing .: 0/703

tabulation: Freq. Value
520 0
183 21.700001

WHP34si (unlabeled)

type: numeric (float)

range: [0,15.97] units: .01
unique values: 2 missing .: 0/703

tabulation: Freq. Value
668 0
35 15.97

WHP35pa (unlabeled)

type: numeric (**float**)

range: [0,12.69] units: .01
unique values: 2 missing .: 0/703

tabulation: Freq. Value
671 0
32 12.69

WHP36p (unlabeled)

type: numeric (**float**)

range: [0,5.83] units: .01
unique values: 2 missing .: 0/703

tabulation: Freq. Value
484 0
219 5.8299999

WHP37er (unlabeled)

type: numeric (**float**)

range: [0,12.01] units: .01
unique values: 2 missing .: 0/703

tabulation: Freq. Value
587 0
116 12.01

WHP38p (unlabeled)

type: numeric (**float**)

range: [0,10.49] units: .01
unique values: 2 missing .: 0/703

```

tabulation:  Freq.  Value
              645    0
              58   10.49

```

whp23er

(unlabeled)

```

type:  numeric (float)

```

```

range:  [0,13.99]           units:  .01
unique values:  2           missing .:  4/703

```

```

tabulation:  Freq.  Value
              628    0
              71   13.99
               4    .

```

WHPel

Wtd Health Profile Pt 1 Energy Level Subscale

```

type:  numeric (float)

```

```

range:  [0,100]           units:  .1
unique values:  8           missing .:  0/703

```

```

tabulation:  Freq.  Value
              352    0
               67   24
                3  36.799999
               88  39.200001
               17  60.799999
              110  63.200001
               13   76
               53  100

```

WHPpain

Wtd Health Profile Pain Pt 1 subscale

```

type:  numeric (float)

```

```

range:  [0,82.75]           units:  1.000e-06
unique values:  65           missing .:  0/703

```

```

mean:    14.2237
std. dev: 20.0769

```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	24.11	48.89

WHPer	Wtd Health Profile Emotional reaction Pt 1 subscale
--------------	--

```

type: numeric (float)

range: [0,78.199997]          units: 1.000e-06
unique values: 83             missing.: 0/703

mean: 13.1581
std. dev: 15.8393

percentiles:    10%    25%    50%    75%    90%
                0      0      9.99   19.75   33.74

```

WHPsleep	Wtd Health Profile Sleep Pt 1 subscale
-----------------	---

```

type: numeric (float)

range: [0,101]              units: 1.000e-06
unique values: 30           missing.: 0/703

mean: 21.9171
std. dev: 28.4625

percentiles:    10%    25%    50%    75%    90%
                0      0     12.57   37.8    65.06

```

WHPsociso	Wtd Health Profile Social Isolation Pt 1 subscale
------------------	--

```

type: numeric (float)

range: [0,100]              units: 1.000e-06
unique values: 25           missing.: 0/703

mean: 8.44881
std. dev: 17.1991

percentiles:    10%    25%    50%    75%    90%
                0      0      0     15.97   22.53

```

WHPpa	Wtd Health Profile Physical Ability Pt 1 Subscale
--------------	--

```

      type:  numeric (float)

      range:  [0,99.969994]          units:  1.000e-06
unique values: 49                  missing .:  0/703

      mean:   14.1529
      std. dev: 18.9482

percentiles:      10%      25%      50%      75%      90%
                  0       0       0      21.99   41.83
```

HP2work	Nottingham Health profile subscale Part2: paid employment
----------------	--

```

      type:  numeric (float)
      label:  hp2fmt

      range:  [0,1]          units:  1
unique values: 2                  missing .:  0/703

      tabulation:  Freq.    Numeric  Label
                   540      0    0. no
                   163      1    1. yes
```

HP2hmcare	Hlth profile Pt2: Home cleaning, cooking and repairs
------------------	---

```

      type:  numeric (float)
      label:  hp2fmt

      range:  [0,1]          units:  1
unique values: 2                  missing .:  0/703

      tabulation:  Freq.    Numeric  Label
                   508      0    0. no
                   195      1    1. yes
```

HP2probsoc	Hlth profile Pt2: Hlth causing probs with social life
-------------------	--

```

        type: numeric (float)
        label: hp2fmt

        range: [0,1]
unique values: 2
units: 1
missing .: 0/703

```

```

tabulation: Freq.    Numeric    Label
             588        0    0. no
             115        1    1. yes

```

HP2pbfhm **Hlth profile Pt2: Hlth causing probs with family members at home**

```

        type: numeric (float)
        label: hp2fmt

        range: [0,1]
unique values: 2
units: 1
missing .: 0/703

```

```

tabulation: Freq.    Numeric    Label
             634        0    0. no
             69         1    1. yes

```

HP2sxlife **Hlth profile Pt2: Hlth causing probs with sex life**

```

        type: numeric (float)
        label: hp2fmt

        range: [0,1]
unique values: 2
units: 1
missing .: 0/703

```

```

tabulation: Freq.    Numeric    Label
             540        0    0. no
             163        1    1. yes

```

HP2inthob **Hlth profile Pt2: Hlth probs interfering with interests & hobbies**

```

        type: numeric (float)
        label: hp2fmt

        range: [0,1]
unique values: 2
units: 1
missing .: 0/703

```

tabulation:	Freq.	Numeric	Label
	599	0	0. no
	104	1	1. yes

HP2vacatn	Hlth profile Pt2: Hlth probs interfering with vacations
------------------	--

type:	numeric (float)	
label:	hp2fmt	
range:	[0,1]	units: 1
unique values:	2	missing .: 0/703

tabulation:	Freq.	Numeric	Label
	599	0	0. no
	104	1	1. yes

BSItotal	Basic symptom inventory total scale score
-----------------	--

type:	numeric (float)	
range:	[52,200]	units: 1
unique values:	111	missing .: 0/703

mean:	85.7383
std. dev:	27.8441

percentiles:	10%	25%	50%	75%	90%
	56	64	79	101	125

lBSItotal	Ln(bsItotal)
------------------	---------------------

type:	numeric (float)	
range:	[3.9512436,5.2983174]	units: 1.000e-07
unique values:	111	missing .: 0/703

mean:	4.40431
std. dev:	.300001

percentiles:	10%	25%	50%	75%	90%
	4.02535	4.15888	4.36945	4.61512	4.82831

BSIposymp	Brief Symptom inventory positive symptom total subscale				
------------------	--	--	--	--	--

type:	numeric (float)				
range:	[49,191]			units:	1
unique values:	107			missing .:	0/703
mean:	80.9232				
std. dev:	26.4504				
percentiles:	10%	25%	50%	75%	90%
	53	60	74	95	118

BSIglobsi	Brief Symptom Inventory Global Severity (mean) Index				
------------------	---	--	--	--	--

type:	numeric (float)				
range:	[.9811321,3.7735848]			units:	1.000e-07
unique values:	111			missing .:	0/703
mean:	1.6177				
std. dev:	.525361				
percentiles:	10%	25%	50%	75%	90%
	1.0566	1.20755	1.49057	1.90566	2.35849

BSIsoma	Basic symptom inventory obsessive compulsive subscale				
----------------	--	--	--	--	--

type:	numeric (float)				
range:	[4,35]			units:	1
unique values:	30			missing .:	0/703
mean:	12.7354				
std. dev:	5.70759				
percentiles:	10%	25%	50%	75%	90%
	7	8	11	16	21

BSIoc	Basic Symptom Inventory Obsessive compulsive subscale				
--------------	--	--	--	--	--

```

type: numeric (float)

range: [3,28]          units: 1
unique values: 24      missing .: 0/703

mean: 10.4595
std. dev: 4.32817

percentiles:      10%      25%      50%      75%      90%
                  6        7        10       13       16

```

BSIips	Basic symptom invenstory interpersonal sensitivity subscale
---------------	--

```

type: numeric (float)

range: [4,17]          units: 1
unique values: 14      missing .: 0/703

mean: 6.56615
std. dev: 2.76956

percentiles:      10%      25%      50%      75%      90%
                  4        4        6        8       11

```

BSIdep	Basic symptom inventory Depression subscale
---------------	--

```

type: numeric (float)

range: [5,27]          units: 1
unique values: 21      missing .: 0/703

mean: 8.91892
std. dev: 3.44521

percentiles:      10%      25%      50%      75%      90%
                  6        6        8       10       13

```

BSIanx	Basic symptom inventory Anxiety subscale
---------------	---

```

type: numeric (float)

```


range: [4,22] units: 1
unique values: 18 missing .: 0/703

mean: 8.32148
std. dev: 3.32635

percentiles:	10%	25%	50%	75%	90%
	5	6	7	10	13

BSIphanx	Basic symptom inventory phobic anxiety subscale
-----------------	--

type: numeric (float)

range: [3,22] units: 1
unique values: 19 missing .: 0/703

mean: 7.05974
std. dev: 2.83735

percentiles:	10%	25%	50%	75%	90%
	5	5	6	8	10

BSIhos	Basic symptom invenstory hostility subscale
---------------	--

type: numeric (float)

range: [4,22] units: 1
unique values: 18 missing .: 0/703

mean: 7.61735
std. dev: 3.16904

percentiles:	10%	25%	50%	75%	90%
	5	5	7	9	12

BSIpar	Basic symptom invenstory Paranoia subscale
---------------	---

type: numeric (float)

range: [4,25] units: 1
unique values: 20 missing .: 0/703

mean: 8.47937
std. dev: 3.66073

percentiles:	10%	25%	50%	75%	90%
	5	5	7	10	14

BSIpsyc	Basic symptom inventory Psychoticism subscale score
---------	---

type: numeric (float)

range:	[4,23]	units:	1
unique values:	16	missing .:	0/703

mean: 6.98009
std. dev: 2.56364

percentiles:	10%	25%	50%	75%	90%
	5	5	6	8	11

testage1	(unlabeled)
----------	-------------

type: numeric (float)

range:	[-351339,156252]	units:	1
unique values:	685	missing .:	0/703

mean: 17923.1
std. dev: 15533

percentiles:	10%	25%	50%	75%	90%
	12838	14422	18218	21530	24848

yrageck	(unlabeled)
---------	-------------

type: numeric (float)

range:	[27.833334,84.5]	units:	1.000e-06
unique values:	390	missing .:	0/703

mean: 50.0212
std. dev: 12.0492

percentiles:	10%	25%	50%	75%	90%
	35.1667	39.5	49.9167	58.9167	68

iday	(unlabeled)
-------------	--------------------

type: numeric (**float**)

range:	[1,31]	units:	1
unique values:	31	missing .:	0/703

mean: **15.7354**
std. dev: **8.20315**

percentiles:	10%	25%	50%	75%	90%
	4	10	15	23	28

idates	(unlabeled)
---------------	--------------------

type: string (**str11**), but longest is str10

unique values:	339	missing "":	0/703
----------------	------------	-------------	--------------

examples: **"2009 5 14"**
"2010 10 2"
"2010 2 20"
"2010 7 27"

warning: variable has embedded blanks

idate	Stata date of interview
--------------	--------------------------------

type: numeric daily date (**float**)

range:	[17903,18693]	units:	1
or equivalently:	[06jan2009,07mar2011]	units:	days
unique values:	339	missing .:	0/703

mean: **18363.9 = 11apr2010** (+ 22 hours)
std. dev: **212.047**

percentiles:	10%	25%	50%	75%	90%
	18037	18217	18410	18548	18620
	20may2009	16nov2009	28may2010	13oct2010	24dec2010

bday	(unlabeled)
-------------	--------------------

```

type: numeric (float)

range: [1,31]          units: 1
unique values: 31      missing .: 0/703

mean: 15.2589
std. dev: 9.05734

percentiles:    10%    25%    50%    75%    90%
                3      7     15     23     28

```

bdates	String birthdate
---------------	-------------------------

```

type: string (str11), but longest is str10

unique values: 688      missing "": 0/703

examples: "1949 2 18"
          "1956 6 10"
          "1965 1 2"
          "1971 8 8"

warning: variable has embedded blanks

```

bdate	Stata birthdate of respondent
--------------	--------------------------------------

```

type: numeric daily date (float)

range: [-137775,369953]      units: 1
or equivalently: [14oct1582,23nov2972]  units: days
unique values: 688          missing .: 0/703

mean: 440.787 = 16mar1961 (+ 19 hours)
std. dev: 15546.5

```

percentiles:	10%	25%	50%	75%	90%
	-6475	-3174	91	3936	5493
	10apr1942	24apr1951	01apr1960	11oct1970	15jan1975

moage	Age of respondent in months
--------------	------------------------------------

```

type: numeric (float)

range: [-11543,1014]          units: 1
unique values: 391            missing.: 0/703

mean: 583.185
std. dev: 480.25

percentiles:    10%    25%    50%    75%    90%
                422    474    599    707    816

```

yrage	Computed age of respondent
--------------	-----------------------------------

```

type: numeric (float)

range: [-961.91669,84.5]      units: 1.000e-06
unique values: 391            missing.: 0/703

mean: 48.5987
std. dev: 40.0209

percentiles:    10%    25%    50%    75%    90%
                35.1667 39.5   49.9167 58.9167 68

```

agerr	Error in age recording?
--------------	--------------------------------

```

type: numeric (float)

range: [-999.91669,10.666668] units: 1.000e-08
unique values: 70              missing.: 0/703

mean: -1.0684
std. dev: 37.7618

percentiles:    10%    25%    50%    75%    90%
                -.083332 .166664 .333334 .666668 .916664

```

radhlwc1 Collapsed version of radhlw1 with a cut point of 0-49=0 and 50-100=1

type: numeric (**float**)

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Value
 409 0
 294 1

radhlwc2 Collapsed version of radhlw2 with a cut point of 0-49=0 and 50-100=1

type: numeric (**float**)

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Value
 411 0
 292 1

radhlwc3 Collapsed version of radhlw1 with a cut point of 0-49=0 and 50-100=1

type: numeric (**float**)

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Value
 397 0
 306 1

fenjoyr

I no longer enjoy many of the things I used to enjoy (reversal of fenjoy)

type: numeric (**float**)
label: **fnjr**

range: [0,5] units: 1
unique values: 6 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	2	0	Unanswered
	259	1	not at all true
	131	2	very untrue
	165	3	somewhat true
	31	4	very true
	115	5	extemely true

fallasr **I do not fall asleep easily at night (reversal of ffallas)**

type: numeric (float)
label: fnjr

range: [0,5] units: 1
unique values: 6 missing .: 0/703

tabulation:	Freq.	Numeric	Label
	5	0	Unanswered
	170	1	not at all true
	100	2	very untrue
	189	3	somewhat true
	90	4	very true
	149	5	extemely true

MiPTSD **Mississippi post-traumatic stress disorder scale**

type: numeric (float)

range: [0,92] units: 1
unique values: 60 missing .: 0/703

mean: 48.4011
std. dev: 12.0351

percentiles:	10%	25%	50%	75%	90%
	36	40	45	55	65

apprxage **(unlabeled)**

```

type: numeric (float)

range: [-962,428]          units: 1
unique values: 54          missing .: 0/703

mean: 48.6259
std. dev: 42.5226

percentiles:      10%      25%      50%      75%      90%
                  35       39       49       58       68

```

iy	Interview year
-----------	-----------------------

```

type: numeric (float)

range: [2009,2011]        units: 1
unique values: 3          missing .: 0/703

tabulation:  Freq.  Value
              246   2009
              409   2010
              48    2011

```

by	Birth year
-----------	-------------------

```

type: numeric (float)

range: [1582,2972]        units: 1
unique values: 57          missing .: 0/703

mean: 1960.73
std. dev: 42.5479

percentiles:      10%      25%      50%      75%      90%
                  1942     1951     1960     1970     1975

```

bmo	Birth month
------------	--------------------

```

type: numeric (float)

range: [1,12]             units: 1
unique values: 12          missing .: 0/703

```


mean: 6.26885
std. dev: 3.29296

percentiles:	10%	25%	50%	75%	90%
	2	3	6	9	11

imo	Interview month
-----	-----------------

type: numeric (**float**)

range:	[1,12]	units:	1
unique values:	12	missing .:	0/703

mean: 7.2404
std. dev: 3.55189

percentiles:	10%	25%	50%	75%	90%
	2	5	7	11	12

agemoadj	Adjustment to age in months
----------	-----------------------------

type: numeric (**float**)

range:	[-11,11]	units:	1
unique values:	23	missing .:	0/703

mean: .97155
std. dev: 4.8498

percentiles:	10%	25%	50%	75%	90%
	-6	-2	1	4	8

pos	indicator function
-----	--------------------

type: numeric (**float**)

range:	[0,1]	units:	1
unique values:	2	missing .:	0/703

tabulation:	Freq.	Value
	305	0
	398	1

neg	indicator function
------------	---------------------------

type: numeric (**float**)

range: [0,1] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Value

452	0
251	1

agemo	age in months
--------------	----------------------

type: numeric (**float**)

range: [-11543,5134] units: 1
unique values: 392 missing .: 0/703

mean: 588.835
std. dev: 510.326

percentiles: 10% 25% 50% 75% 90%

422	474	599	707	816
-----	-----	-----	-----	-----

ageyrs	computed age of respondent in years
---------------	--

type: numeric (**float**)

range: [-961.91669,427.83334] units: 1.000e-08
unique values: 392 missing .: 0/703

mean: 49.0696
std. dev: 42.5271

percentiles: 10% 25% 50% 75% 90%

35.1667	39.5	49.9167	58.9167	68
---------	------	---------	---------	----

mincumdosew1	wave 1 avg minimum dose of CS137 in mGy ending 12/31/1986
---------------------	--

type: numeric (**float**)

range: [.0007,15.9926] units: .0001
unique values: 388 missing.: 0/703

mean: .235728
std. dev: .690577

percentiles:	10%	25%	50%	75%	90%
	.0396	.1065	.1823	.2006	.2897

avgcumdosew1	wave 1 avg mean CS137 dose in mGy ending 12/31/1986
---------------------	--

type: numeric (float)

range: [.0074,27.9862] units: .0001
unique values: 402 missing.: 0/703

mean: .380827
std. dev: 1.22584

percentiles:	10%	25%	50%	75%	90%
	.0696	.161	.2802	.3008	.4381

maxcumdosew1	wave2 avg CS137 maximum dose ending 12/31/1986
---------------------	---

type: numeric (float)

range: [.0142,39.9798] units: .0001
unique values: 392 missing.: 0/703

mean: .525932
std. dev: 1.76305

percentiles:	10%	25%	50%	75%	90%
	.0995	.2147	.3759	.4011	.585

minCumDosew2	Wave 2 average minimum CS137 dose in mGy ending 12/31/1996
---------------------	---

type: numeric (float)

range: [.0238,17.3394] units: .0001
unique values: 458 missing.: 0/703

mean: .575643
std. dev: 1.11253

percentiles:	10%	25%	50%	75%	90%
	.1324	.3183	.4588	.4848	.6905

avgCumDosew2**Average mean dose CS1337 in mGy for wave 2**

type: numeric (**float**)

range:	[.0357,29.9977]	units:	.0001
unique values:	465	missing .:	0/703

mean: .92766
std. dev: 2.00305

percentiles:	10%	25%	50%	75%	90%
	.2201	.4827	.6889	.7396	1.0414

maxXumDosew2**Avg Max dose in mGy for wave 2**

type: numeric (**float**)

range:	[.0476,42.7553]	units:	.0001
unique values:	461	missing .:	0/703

mean: 1.27968
std. dev: 2.89943

percentiles:	10%	25%	50%	75%	90%
	.3131	.6437	.9185	.9888	1.3978

minCumDosew3**Wave 3 avg minimum dose of CS137 ending in 12/31/2009**

type: numeric (**float**)

range:	[.0311,18.0571]	units:	.0001
unique values:	459	missing .:	0/703

mean: .753609
std. dev: 1.23225

percentiles:	10%	25%	50%	75%	90%
	.184	.4535	.6048	.6882	.903

avgCumDosew3

Avg Mean dose of CS137 ending 12/31/2009

```

type: numeric (float)

range: [.0466,30.9282]      units: .0001
unique values: 462          missing.: 0/703

mean: 1.20992
std. dev: 2.24326

percentiles:    10%    25%    50%    75%    90%
                .3098  .6888  .9083  1.0335  1.3595

```

maxCumdosew3

Average maximum dose of CS137 ending in 12/31/2009 in mGy

```

type: numeric (float)

range: [.0621,43.7993]      units: .0001
unique values: 462          missing.: 0/703

mean: 1.66623
std. dev: 3.2628

percentiles:    10%    25%    50%    75%    90%
                .442   .9192  1.2111  1.3788  1.8127

```

reporttype

Report type:

```

type: string (str45)

unique values: 18          missing "": 685/703

examples:  ""
           ""
           ""
           ""

warning: variable has embedded blanks

```

threewavepanelcumulativedoses**Three-wave panel, cumulative doses**

```
type: string (str77)

unique values: 14                                missing "": 689/703

examples: ""
          ""
          ""
          ""

warning: variable has embedded blanks
```

wave1summary**Three-wave panel, cumulative doses**

```
type: string (str15), but longest is str10

unique values: 6                                missing "": 697/703

tabulation:  Freq.  Value
              697    ""
              1  "0.0074"
              1  "0.2249"
              1  "0.2802"
              1  "0.3808"
              1  "12/31/1986"
              1  "27.9862"
```

wave2summary**(unlabeled)**

```
type: string (str10)

unique values: 6                                missing "": 697/703

tabulation:  Freq.  Value
              697    ""
              1  "0.0357"
              1  "0.6145"
              1  "0.6889"
              1  "0.9277"
              1  "12/31/1996"
              1  "29.9977"
```

wave3summary**(unlabeled)**

type: string (**str10**)unique values: **6**missing "": **697/703**

tabulation:	Freq.	Value
	697	" "
	1	"0.0466"
	1	"0.8365"
	1	"0.9083"
	1	"1.2099"
	1	"12/31/2009"
	1	"30.9282"

ranown2**Current raion of residence**

type: numeric (**long**)label: **ranown**range: [**1,51**]units: **1**unique values: **50**missing .: **2/703**

examples:	21	21. Kyivskiy
	21	21. Kyivskiy
	21	21. Kyivskiy
	21	21. Kyivskiy

townnown**Current town of residence**

type: numeric (**long**)label: **townnown**range: [**1,80**]units: **1**unique values: **77**missing .: **2/703**

examples:	32	32. Kyiv
	32	32. Kyiv
	32	32. Kyiv
	35	35. Lubar

totltele	Total number of landline phones per raion				
-----------------	--	--	--	--	--

```

type: numeric (float)

range: [1437,1067200]          units: 1
unique values: 44              missing .: 2/703

mean: 680268
std. dev: 503013

percentiles:      10%      25%      50%      75%      90%
                  8101     24400    1.1e+06    1.1e+06    1.1e+06

```

area	Basis of sampling weights				
-------------	----------------------------------	--	--	--	--

```

type: numeric (float)
label: ar, but 47 nonmissing values are not labeled

range: [1,51]          units: 1
unique values: 49      missing .: 2/703

examples: 21
           21
           21
           21

```

areacodewt	Basis of sampling weight				
-------------------	---------------------------------	--	--	--	--

```

type: numeric (float)

range: [44,4598]          units: 1
unique values: 51         missing .: 2/703

mean: 1662.96
std. dev: 2107.53

percentiles:      10%      25%      50%      75%      90%
                  44       44       44       4144     4573

```

combined	Was this area combined with another to form final sampling weight?
-----------------	---

```

type: numeric (float)
label: combi

range: [0,1]
unique values: 2
units: 1
missing .: 2/703

```

```

tabulation: Freq.   Numeric   Label
             693       0   not combined
              8       1   merged with another area
              2       .

```

oblknown	Current Oblast of residence
-----------------	------------------------------------

```

type: numeric (long)
label: oblknown

range: [1,3]
unique values: 3
units: 1
missing .: 2/703

```

```

tabulation: Freq.   Numeric   Label
             1       1   dontsk
            601       2   kyiv
             99       3   zhytomyr
              2       .

```

numresp	Number of respondents per area
----------------	---------------------------------------

```

type: numeric (float)

range: [2,9240]
unique values: 43
units: 1
missing .: 2/703

```

```

mean: 5955.15
std. dev: 4285.82

```

```

percentiles:      10%      25%      50%      75%      90%
                  92      320     9240     9240     9240

```

c	Constant of unity for subsample computation of cases per area
----------	--

```

type: numeric (float)

```

range: [1,1] units: 1
unique values: 1 missing.: 0/703

tabulation: Freq. Value
703 1

areaRespid **Number of respondents in sample per areacode**

type: numeric (float)

range: [1,440] units: 1
unique values: 14 missing.: 0/703

mean: 278.952
std. dev: 208.497

percentiles:	10%	25%	50%	75%	90%
	4	17	440	440	440

raionwt **inverse of sampling wt per raion**

type: numeric (float)

range: [5.880e-07,.00025874] units: 1.000e-13
unique values: 14 missing.: 0/703

mean: .000164
std. dev: .000123

percentiles:	10%	25%	50%	75%	90%
	2.4e-06	1.0e-05	.000259	.000259	.000259

totalphones **Totoal number of phones in Kyiv and Zhitomyr Oblast**

type: numeric (float)

range: [1700544,1700544] units: 1
unique values: 1 missing.: 0/703

tabulation: Freq. Value
703 1700544

sampwt	Sampling weight
---------------	------------------------

type: numeric (**float**)

range: [2418.9814,2418.9814] units: 1
unique values: 1 missing .: 0/703

tabulation: Freq. Value
 703 2418.9814

fpc1	Finite population correction
-------------	-------------------------------------

type: numeric (**float**)

range: [.99958658,.99958658] units: 1
unique values: 1 missing .: 0/703

tabulation: Freq. Value
 703 .99958658

cptsd	Mean centered PTSD score
--------------	---------------------------------

type: numeric (**float**)

range: [-48.401138,43.598862] units: 1.000e-08
unique values: 60 missing .: 0/703

mean: -1.4e-07
std. dev: 12.0351

percentiles: 10% 25% 50% 75% 90%
 -12.4011 -8.40114 -3.40114 6.59886 16.5989

cbdep	Mean centered BSI depression score
--------------	---

type: numeric (**float**)

range: [-3.9189189,18.081081] units: 1.000e-08
unique values: 21 missing .: 0/703

mean: 1.3e-08
std. dev: 3.44521

percentiles:	10%	25%	50%	75%	90%
	-2.91892	-2.91892	-.918919	1.08108	4.08108

cpxd **Mean centered interaction between PTSD and BSI Depression**

type: numeric (**float**)

range: [-149.12784,522.66162] units: 1.000e-09
unique values: 299 missing .: 0/703

mean: 19.1335
std. dev: 54.5699

percentiles:	10%	25%	50%	75%	90%
	-15.5688	-1.63708	8.63888	27.4412	44.9803

pxd **Interaction between PTSD and BSI depression**

type: numeric (**float**)

range: [0,2054] units: 1
unique values: 250 missing .: 0/703

mean: 450.819
std. dev: 268.969

percentiles:	10%	25%	50%	75%	90%
	228	266	360	550	784

genwt **Post-stratification gender proportion correction factor**

type: numeric (**float**)

range: [323,380] units: 1
unique values: 2 missing .: 0/703

tabulation: Freq. Value
 340 323
 363 380

agesq (unlabeled)

```

type:  numeric (float)

range:  [784,7056]          units:  1
unique values:  51          missing .:  0/703

mean:    2616.46
std. dev: 1244.34

percentiles:    10%    25%    50%    75%    90%
                1225   1521   2500   3481   4624

```

male (unlabeled)

```

type:  numeric (float)

range:  [0,1]          units:  1
unique values:  2      missing .:  0/703

tabulation:  Freq.  Value
              363    0
              340    1

```

4 . inspect

id: survey number (1-800)

					Number of Observations			
					Total	Integers	Nonintegers	
					Negative	-	-	-
					Zero	-	-	-
					Positive	703	703	-
					Total	703	703	-
					Missing	-		
1	803				703			
(More than 99 unique values)								

areacode: Respondent's areacode

#					Negative
#					Zero
#					Positive
#				#	
#				#	Total
#	.	.	.	#	Missing
<hr/>					
44				4598	
(55 unique values)					

Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
<hr/>		
703	703	-
<hr/>		
-		
<hr/>		
703		

age: Respondent's age

				#	Negative
#	#	#		#	Zero
#	#	#		#	Positive
#	#	#	#		
#	#	#	#		Total
#	#	#	#	.	Missing
<hr/>					
28				84	
(51 unique values)					

Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
<hr/>		
703	703	-
<hr/>		
-		
<hr/>		
703		

agew1a: Age at beginning of wave one

				#	Negative
				#	Zero
				#	Positive
				#	
				#	Total
.	.	.	.	#	Missing
<hr/>					
-986				62	
(56 unique values)					

Number of Observations		
Total	Integers	Nonintegers
2	2	-
-	-	-
701	701	-
<hr/>		
703	703	-
<hr/>		
-		
<hr/>		
703		

agew2a: Age at beginning of wave two

	#	Negative
	#	Zero
	#	Positive
	#	
	#	Total
.	#	Missing
-985	63	
(56 unique values)		

Number of Observations		
Total	Integers	Nonintegers
2	2	-
-	-	-
701	701	-
703	703	-
-		
703		

agew3a: Age at beginning of wave three

	#	Negative
	#	Zero
	#	Positive
	#	
	#	Total
.	#	Missing
-975	73	
(56 unique values)		

Number of Observations		
Total	Integers	Nonintegers
2	2	-
-	-	-
701	701	-
703	703	-
-		
703		

agew1b: Age at end of wave one

	#	Negative
	#	Zero
	#	Positive
	#	
	#	Total
.	#	Missing
-985	63	
(56 unique values)		

Number of Observations		
Total	Integers	Nonintegers
2	2	-
-	-	-
701	701	-
703	703	-
-		
703		

agew2b: Age at end of wave two

	#	Negative
	#	Zero
	#	Positive
	#	
	#	Total
.	#	Missing
-975	73	
(56 unique values)		

Number of Observations		
Total	Integers	Nonintegers
2	2	-
-	-	-
701	701	-
703	703	-
-		
703		

agew3b: Age at end of wave three

	#	Negative
	#	Zero
	#	Positive
	#	
	#	Total
.	#	Missing
-962	85	
(55 unique values)		

Number of Observations		
Total	Integers	Nonintegers
1	1	-
1	1	-
701	701	-
703	703	-
-		
703		

gender: respondent's gender

	#	Negative
#	#	Zero
#	#	Positive
#	#	
#	#	Total
#	#	Missing
1	2	
(2 unique values)		

Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
703	703	-
-		
703		

gender is labeled and all values are documented in the label.

female: Is respondent female?

			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	340	340	-
	#	Positive	363	363	-
	#				
	#	Total	703	703	-
	#	Missing	-		
0 1			703		
(2 unique values)					

female is labeled and all values are documented in the label.

educ: highest educational level the respon

			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	703	703	-
	#				
	#	Total	703	703	-
	#	Missing	-		
1 8			703		
(8 unique values)					

educ is labeled and all values are documented in the label.

intbeg: started

			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	703	422	281
	#				
	#	Total	703	422	281
	#	Missing	-		
18388 1.35e+10			703		
(66 unique values)					

intend: completed

<hr/>				
#				
#				
#				
#				#
#				#
#	.	.	.	#
<hr/>				
18388			1.35e+10	
(66 unique values)				

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
703	422	281
<hr/>		
703	422	281
-		
<hr/>		
703		

modified: modified

<hr/>				
#				
#				
#				
#				#
#				#
#	.	.	.	#
<hr/>				
18388			1.35e+10	
(66 unique values)				

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
703	422	281
<hr/>		
703	422	281
-		
<hr/>		
703		

intdate: date of interview

<hr/>				
				#
			#	#
		#	#	#
#		#	#	#
#		#	#	#
#	#	#	#	#
<hr/>				
17903			18693	
(More than 99 unique values)				

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
<hr/>		
703	703	-
-		
<hr/>		
703		

intname: name of interviewer

Number of Observations

```

5 .
      -9.0e+307
      (0 unique value)

```

```

Negative
Zero
Positive

Total
Missing

```

Total	Integers	Nonintegers
-	-	-
-	-	-
-	-	-
-	-	-
703		
703		

dateborn: birthdate

Number of Observations

```

#
#
#
#
#
# . . . .
-12842      369953
(More than 99 unique values)

```

```

Negative
Zero
Positive

Total
Missing

```

Total	Integers	Nonintegers
345	345	-
-	-	-
358	358	-
703	703	-
-		
703		

townborn: birthplace village/ town/ city

Number of Observations

```

6 .
      -9.0e+307
      (0 unique value)

```

```

Negative
Zero
Positive

Total
Missing

```

Total	Integers	Nonintegers
-	-	-
-	-	-
-	-	-
-	-	-
703		
703		

```
7 . -9.0e+307
(0 unique value)
```


1
(1 unique value)

latborn is labeled and all values are documented in the label.

1
(1 unique value)


lonborn is labeled and all values are documented in the label.

latdborn: latitude in degrees




Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
703	703	-
-	-	-
703	703	-

londborn: longitude in degrees




Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
703	703	-
-	-	-
703	703	-

latmborn: latitude in minutes



Number of Observations		
Total	Integers	Nonintegers
-	-	-
3	3	-
700	700	-
703	703	-
-	-	-
703	703	-


lonmborn: longitude in minutes



Number of Observations

Total	Integers	Nonintegers
-	-	-
7	7	-
696	696	-
703	703	-
-	-	-
703		

oblborn: birthplace oblast




Number of Observations

Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
703	703	-
-	-	-
703		

oblborn is labeled and all values are documented in the label.

town1: current town of residence



Number of Observations

Total	Integers	Nonintegers
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
703		

8 . -9.0e+307
 (0 unique value)

703

townnow: current town of residence

Number of Observations

Negative
Zero
Positive
Total
Missing

Total	Integers	Nonintegers
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
703		

9 . -9.0e+307
 (0 unique value)

703

ranow: current raion of residence

Number of Observations

Negative
Zero
Positive
Total
Missing

Total	Integers	Nonintegers
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
703		

10 . -9.0e+307
 (0 unique value)

703

latnow: latitude direction

Number of Observations

#	Negative
#	Zero
#	Positive
#	Total
#	Missing

Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
703	703	-
-		

1
 (1 unique value)

latnow is labeled and all values are documented in the label.

lonnow: longitude direction

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#		Missing	-		
<hr/>			<hr/>		
1			703		

(1 unique value)

lonnow is labeled and all values are documented in the label.

latdnow: latitude in degrees

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#		Missing	-		
<hr/>			<hr/>		
46		51	703		

(5 unique values)

londnow: longitude in degrees

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#		Missing	-		
<hr/>			<hr/>		
22		91	703		

(9 unique values)

latmnow: latitude in minutes

#	Negative
#	Zero
#	Positive
#	
#	Total
. . # . .	Missing
<hr/>	
5	96
(64 unique values)	

Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
<hr/>		
703	703	-
<hr/>		
-		
<hr/>		
703		

lonmnow: longitude in minutes

#	Negative
#	Zero
#	Positive
#	
#	Total
. . # # .	Missing
<hr/>	
2	98
(68 unique values)	

Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
<hr/>		
703	703	-
<hr/>		
-		
<hr/>		
703		

oblnow: current oblast

#	Negative
#	Zero
#	Positive
#	
#	Total
# . .	Missing
<hr/>	
5	23
(3 unique values)	

Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
<hr/>		
703	703	-
<hr/>		
-		
<hr/>		
703		

oblnow is labeled and all values are documented in the label.

marrw1: cohabitation/marital status in 198

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	9	9	-
	#	Positive	694	694	-
	#				
	#	Total	703	703	-
	# . # . .	Missing	-	-	-
			703		

(7 unique values)

marrw1 is labeled and all values are documented in the label.

marrw2: cohabitation/marital status in 199

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	1	1	-
	#	Positive	702	702	-
	#				
	#	Total	703	703	-
	# . # . .	Missing	-	-	-
			703		

(7 unique values)

marrw2 is labeled and all values are documented in the label.

marrw3: cohabitation/marital status now


Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	703	703	-
	#				
	#	Total	703	703	-
	. . # . #	Missing	-	-	-
			703		

(6 unique values)


marrw3 is labeled and all values are documented in the label.

childw1: number of children in 1986




Number of Observations		
Total	Integers	Nonintegers
-	-	-
339	339	-
361	361	-
700	700	-
3		
703		

childw2: number of children in 1996



Number of Observations		
Total	Integers	Nonintegers
-	-	-
202	202	-
501	501	-
703	703	-
-		
703		

childw3: number of children now



Number of Observations		
Total	Integers	Nonintegers
-	-	-
109	109	-
594	594	-
703	703	-
-		
703		

emplw1: mode of employment in 1986

Number of Observations		
Total	Integers	Nonintegers
-	-	-
14	14	-
689	689	-
703	703	-
-	-	-
703	703	-

#	Negative
#	Zero
#	Positive
#	
#	Total
. # . . #	Missing

0 5

(6 unique values)

emplw1 is labeled and all values are documented in the label.

emplw2: mode of employment in 1996

Number of Observations		
Total	Integers	Nonintegers
-	-	-
7	7	-
696	696	-
703	703	-
-	-	-
703	703	-

#	Negative
#	Zero
#	Positive
#	
#	Total
. # . . #	Missing

0 5

(6 unique values)

emplw2 is labeled and all values are documented in the label.

emplw3: mode of employment now

Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
703	703	-
-	-	-
703	703	-

#	Negative
#	Zero
#	Positive
#	
# #	Total
# . . # .	Missing

1 5

(5 unique values)

emplw3 is labeled and all values are documented in the label.

occ1w1: profess executive administration i			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	556	556	-
#		Positive	147	147	-
#					
#		Total	703	703	-
#	#	Missing	-		
<hr/>			<hr/>		
0		1	703		
(2 unique values)					

occ1w1 is labeled and all values are documented in the label.

occ2w1: technical sales admin support in			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	614	614	-
#		Positive	89	89	-
#					
#		Total	703	703	-
#	.	Missing	-		
<hr/>			<hr/>		
0		1	703		
(2 unique values)					

occ2w1 is labeled and all values are documented in the label.

occ3w1: service occup protective services			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	657	657	-
#		Positive	46	46	-
#					
#		Total	703	703	-
#	.	Missing	-		
<hr/>			<hr/>		
0		1	703		
(2 unique values)					

occ3w1 is labeled and all values are documented in the label.

occ4w1: precision prod mechan craft constr

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	654	654	-
#		Positive	49	49	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

occ4w1 is labeled and all values are documented in the label.

occ5w1: factory laborer machinist transp c

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	680	680	-
#		Positive	23	23	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

occ5w1 is labeled and all values are documented in the label.

occ6w1: farming agricul forestry fishing t

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	689	689	-
#		Positive	14	14	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

occ6w1 is labeled and all values are documented in the label.

occ7w1: homemaking or caregiving in 1986

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	684	684	-
#	Positive	19	19	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>		<hr/>	<hr/>	<hr/>
0	1	703		
(2 unique values)				

occ7w1 is labeled and all values are documented in the label.

occ8w1: student in 1986

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	469	469	-
#	Positive	234	234	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>		<hr/>	<hr/>	<hr/>
0	1	703		
(2 unique values)				

occ8w1 is labeled and all values are documented in the label.

occ1w2: profess executive administration i

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	496	496	-
#	Positive	207	207	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>		<hr/>	<hr/>	<hr/>
0	1	703		
(2 unique values)				

occ1w2 is labeled and all values are documented in the label.

occ2w2: technical sales admin support in 1

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	577	577	-
#	Positive	126	126	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

occ2w2 is labeled and all values are documented in the label.

occ3w2: service occup protective services

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	632	632	-
#	Positive	71	71	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

occ3w2 is labeled and all values are documented in the label.

occ4w2: precision prod mechan craft constr

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	644	644	-
#	Positive	59	59	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

occ4w2 is labeled and all values are documented in the label.

occ5w2: factory laborer machinist transp c

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	673	673	-
#	Positive	30	30	-
#				
#	Total	703	703	-
# .	Missing	-		
<hr/>		<hr/>	<hr/>	<hr/>
0	1	703		
(2 unique values)				

occ5w2 is labeled and all values are documented in the label.

occ6w2: farming agricul forestry fishing t

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	689	689	-
#	Positive	14	14	-
#				
#	Total	703	703	-
# .	Missing	-		
<hr/>		<hr/>	<hr/>	<hr/>
0	1	703		
(2 unique values)				

occ6w2 is labeled and all values are documented in the label.

occ7w2: homemaking caregiving in 1996

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	656	656	-
#	Positive	47	47	-
#				
#	Total	703	703	-
# .	Missing	-		
<hr/>		<hr/>	<hr/>	<hr/>
0	1	703		
(2 unique values)				

occ7w2 is labeled and all values are documented in the label.

occ8w2: student in 1996

		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	632	632	-
#	Positive	71	71	-
#				
#	Total	703	703	-
# .	Missing	-		
		703		

0 1
(2 unique values)

occ8w2 is labeled and all values are documented in the label.

occ1w3: professional executive administrat

		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	514	514	-
#	Positive	189	189	-
#				
# #	Total	703	703	-
# #	Missing	-		
		703		

0 1
(2 unique values)

occ1w3 is labeled and all values are documented in the label.

occ2w3: technical sales admin support now

		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	582	582	-
#	Positive	121	121	-
#				
#	Total	703	703	-
# #	Missing	-		
		703		

0 1
(2 unique values)

occ2w3 is labeled and all values are documented in the label.

occ3w3: service occup protective services

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	628	628	-
#	Positive	75	75	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>		<hr/>	<hr/>	<hr/>
0	1	703		
(2 unique values)				

occ3w3 is labeled and all values are documented in the label.

occ4w3: precision prod mechan craft constr

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	660	660	-
#	Positive	43	43	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>		<hr/>	<hr/>	<hr/>
0	1	703		
(2 unique values)				

occ4w3 is labeled and all values are documented in the label.

occ5w3: factory laborer machinist transp c

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	680	680	-
#	Positive	23	23	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>		<hr/>	<hr/>	<hr/>
0	1	703		
(2 unique values)				

occ5w3 is labeled and all values are documented in the label.

occ6w3: farming agricul forestry fishing t

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	695	695	-
#	Positive	8	8	-
#				
#	Total	703	703	-
# .	Missing	-		
<hr/>		<hr/>	<hr/>	<hr/>
0	1	703		

(2 unique values)

occ6w3 is labeled and all values are documented in the label.

occ7w3: homemaking or caregiving now

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	536	536	-
#	Positive	167	167	-
#				
#	Total	703	703	-
# #	Missing	-		
<hr/>		<hr/>	<hr/>	<hr/>
0	1	703		

(2 unique values)

occ7w3 is labeled and all values are documented in the label.

occ8w3: student now

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	702	702	-
#	Positive	1	1	-
#				
#	Total	703	703	-
# .	Missing	-		
<hr/>		<hr/>	<hr/>	<hr/>
0	1	703		

(2 unique values)

occ8w3 is labeled and all values are documented in the label.

inclw1: Income is not sufficient for basic

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	612	612	-
#	Positive	91	91	-
#				
#	Total	703	703	-
# .	Missing	-		
<hr/>		<hr/>	<hr/>	<hr/>
0	1	703		

(2 unique values)

inclw1 is labeled and all values are documented in the label.

inc2w1: Income is just sufficient for basi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	421	421	-
# #	Positive	282	282	-
# #				
# #	Total	703	703	-
# #	Missing	-		
<hr/>		<hr/>	<hr/>	<hr/>
0	1	703		

(2 unique values)

inc2w1 is labeled and all values are documented in the label.

inc3w1: Income is sufficient for basics pl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	509	509	-
#	Positive	194	194	-
#				
# #	Total	703	703	-
# #	Missing	-		
<hr/>		<hr/>	<hr/>	<hr/>
0	1	703		

(2 unique values)

inc3w1 is labeled and all values are documented in the label.

inc4w1: Income allows to comfortably afford

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	655	655	-
#	Positive	48	48	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

inc4w1 is labeled and all values are documented in the label.

inc1w2: Income is not sufficient for basic

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	627	627	-
#	Positive	76	76	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

inc1w2 is labeled and all values are documented in the label.

inc2w2: Income is just sufficient for basic

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	394	394	-
# #	Positive	309	309	-
# #				
# #	Total	703	703	-
# #	Missing	-		
		703		

0 1
(2 unique values)

inc2w2 is labeled and all values are documented in the label.

inc3w2: Income is sufficient for basics pl

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	488	488	-
#		Positive	215	215	-
#					
#	#	Total	703	703	-
#	#	Missing	-		
			703		

0 1
(2 unique values)

inc3w2 is labeled and all values are documented in the label.

inc4w2: Income allows to comfortably affor

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	681	681	-
#		Positive	22	22	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

inc4w2 is labeled and all values are documented in the label.

inclw3: Income is not sufficient for basic

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	605	605	-
#		Positive	98	98	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

inclw3 is labeled and all values are documented in the label.

inc2w3: Income is just sufficient for basi

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	407	407	-
#	#	Positive	296	296	-
#	#				
#	#	Total	703	703	-
#	#	Missing	-		
<hr/>			<hr/>		
0		1	703		
(2 unique values)					

inc2w3 is labeled and all values are documented in the label.

inc3w3: Income is sufficient for basics pl

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	498	498	-
#		Positive	205	205	-
#					
#	#	Total	703	703	-
#	#	Missing	-		
<hr/>			<hr/>		
0		1	703		
(2 unique values)					

inc3w3 is labeled and all values are documented in the label.

inc4w3: Income allows to comfortably affor

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	681	681	-
#		Positive	22	22	-
#					
#		Total	703	703	-
#	.	Missing	-		
<hr/>			<hr/>		
0		1	703		
(2 unique values)					

inc4w3 is labeled and all values are documented in the label.

jsw1: Job satisfaction on a scale of 0-100

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	200	200	-
	#	Positive	503	503	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

(19 unique values)

jsw2: Job satisfaction on a scale of 0-100

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	120	120	-
	#	Positive	583	583	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

(23 unique values)

jsw3: Job satisfaction on a scale of 0-100

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	189	189	-
	#	Positive	514	514	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

(25 unique values)

deaw1: Total number of death experienced i

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	590	590	-
#		Positive	113	113	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 10
(5 unique values)

deaw2: Total number of death experienced i

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	510	510	-
#		Positive	193	193	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 7
(7 unique values)

deaw3: Total number of death experienced i

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	404	404	-
#		Positive	299	299	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 8
(6 unique values)

dvcew1: Total number of divorces experienc

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		690	690	-
#	Positive		13	13	-
#					
#	Total		703	703	-
#	Missing		-		
<hr/>			<hr/>		
0		1	703		
(2 unique values)					

dvcew2: Total number of divorces experienc

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		677	677	-
#	Positive		26	26	-
#					
#	Total		703	703	-
#	Missing		-		
<hr/>			<hr/>		
0		1	703		
(2 unique values)					

dvcew3: Total number of divorces experienc

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		652	652	-
#	Positive		51	51	-
#					
#	Total		703	703	-
#	Missing		-		
<hr/>			<hr/>		
0		1	703		
(2 unique values)					

sepaw1: Total number of separations experi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		693	693	-
#	Positive		10	10	-
#					
#	Total		703	703	-
#	Missing		-		
0		1	703		
(2 unique values)					

sepaw2: Total number of separations experi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		689	689	-
#	Positive		14	14	-
#					
#	Total		703	703	-
#	Missing		-		
0		1	703		
(2 unique values)					

sepaw3: Total number of separations experi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		672	672	-
#	Positive		31	31	-
#					
#	Total		703	703	-
#	Missing		-		
0		1	703		
(2 unique values)					

accdw1: Total number of accidents experien

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	682	682	-
#	Positive	21	21	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 2
(3 unique values)

accdw2: Total number of accidents experien

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	644	644	-
#	Positive	59	59	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3
(4 unique values)

accdw3: Total number of accidents experien

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	636	636	-
#	Positive	67	67	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 2
(3 unique values)

cataw1: Total number of disasters experien

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	577	577	-
#		Positive	126	126	-
#					
#		Total	703	703	-
#	#	Missing	-		
0		1	703		
(2 unique values)					

cataw2: Total number of disasters experien

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	700	700	-
#		Positive	3	3	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		1	703		
(2 unique values)					

cataw3: Total number of disasters experien

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	698	698	-
#		Positive	5	5	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		1	703		
(2 unique values)					

illw1: Total number of illnesses experienc

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	627	627	-
#		Positive	76	76	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 4
(5 unique values)

illw2: Total number of illnesses experienc

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	533	533	-
#		Positive	170	170	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 9
(6 unique values)

illw3: Total number of illnesses experienc

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	460	460	-
#		Positive	243	243	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 6
(7 unique values)

movew1: Total number of moves experienced

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	660	660	-
#		Positive	43	43	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 6
(5 unique values)

movew2: Total number of moves experienced

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	615	615	-
#		Positive	88	88	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(4 unique values)

movew3: Total number of moves experienced

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	666	666	-
#		Positive	37	37	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(4 unique values)

shjobw1: Percentage of strains and hassles

Number of Observations

					Total	Integers	Nonintegers
					-	-	-
#				#	141	141	-
#				#	562	562	-
#		#		#			
#	#	#	#	#	703	703	-
#	#	#	#	#	-		
					703		

0 100
(24 unique values)

shjobw2: Percentage of strains and hassles

Number of Observations

					Total	Integers	Nonintegers
					-	-	-
#				#	142	142	-
#				#	561	561	-
#		#		#			
#	#	#	#	#	703	703	-
#	#	#	#	#	-		
					703		

0 100
(20 unique values)

shjobw3: Percentage of strains and hassles

Number of Observations

					Total	Integers	Nonintegers
					-	-	-
#					236	236	-
#					466	466	-
#							
#		#		#	702	702	-
#	#	#	.	#	1		
					703		

0 100
(20 unique values)

shfamw1: Percentage of strains and hassles

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	221	221	-
#	Positive	481	481	-
#				
#	Total	702	702	-
#	Missing	1		
		703		

0 100
(19 unique values)

shfamw2: Percentage of strains and hassles

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	223	223	-
#	Positive	478	478	-
#				
#	Total	701	701	-
#	Missing	2		
		703		

0 100
(23 unique values)

shfamw3: Percentage of strains and hassles

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	93	93	-
#	Positive	610	610	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(24 unique values)

shhlw1: Percentage of strains and hassles

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	206	206	-
#				Positive	497	497	-
#							
#	#	#		Total	703	703	-
#	#	#	#	Missing	-		
					703		

0 100
(25 unique values)

shhlw2: Percentage of strains and hassles

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	177	177	-
#				Positive	526	526	-
#							
#	#	#		Total	703	703	-
#	#	#	#	Missing	-		
					703		

0 100
(24 unique values)

shhlw3: Percentage of strains and hassles

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	182	182	-
#				Positive	521	521	-
#							
#	#	#		Total	703	703	-
#	#	#	#	Missing	-		
					703		

0 100
(19 unique values)

shfincw1: Percentage of strains and hassle

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	252	252	-
#				Positive	450	450	-
#							
#				Total	702	702	-
#	#	#	.	Missing	1		
					703		

0 100
(23 unique values)

shfincw2: Percentage of strains and hassle

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	266	266	-
#				Positive	437	437	-
#							
#				Total	703	703	-
#	#	#	.	Missing	-		
					703		

0 100
(21 unique values)

shfincw3: Percentage of strains and hassle

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	124	124	-
#		#		Positive	579	579	-
#		#					
#	#	#	#	Total	703	703	-
#	#	#	#	Missing	-		
					703		

0 100
(22 unique values)

shhousw1: Percentage of strains and hassle

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	292	292	-
#				Positive	410	410	-
#							
#				Total	702	702	-
#	#	#	.	Missing	1		
0				100	703		
(22 unique values)							

shhousw2: Percentage of strains and hassle

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	259	259	-
#			#	Positive	444	444	-
#			#				
#			#	Total	703	703	-
#	#	#	.	Missing	-		
0				100	703		
(27 unique values)							

shhousw3: Percentage of strains and hassle

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	321	321	-
#				Positive	382	382	-
#							
#				Total	703	703	-
#	#	#	.	Missing	-		
0				100	703		
(19 unique values)							

shrelaw1: Percentage of strains and hassle

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	316	316	-
#				Positive	387	387	-
#							
#				Total	703	703	-
#	#	.	.	Missing	-		
0				100	703		
(22 unique values)							

shrelaw2: Percentage of strains and hassle

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	324	324	-
#				Positive	378	378	-
#							
#				Total	702	702	-
#	.	#	.	Missing	1		
0				100	703		
(23 unique values)							

shrelaw3: Percentage of strains and hassle

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	272	272	-
#				Positive	431	431	-
#							
#				Total	703	703	-
#	#	#	.	Missing	-		
0				100	703		
(21 unique values)							

suprtw1: Level of support (in percent) fro

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	560	560	-
#		Positive	142	142	-
#					
#		Total	702	702	-
#	.	Missing	1		
			703		

0 100
(20 unique values)

suprtw2: Level of support (in percent) fro

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	142	142	-
#		Positive	561	561	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 100
(23 unique values)

suprtw3: Level of support (in percent) fro

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	185	185	-
#		Positive	518	518	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 100
(23 unique values)

sufamw1: Level of support (in percent) fro

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	537	537	-
#		Positive	165	165	-
#					
#		Total	702	702	-
#	.	Missing	1		
0		100	703		
(20 unique values)					

sufamw2: Level of support (in percent) fro

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	105	105	-
#		Positive	598	598	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		100	703		
(22 unique values)					

sufamw3: Level of support (in percent) fro

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	187	187	-
#		Positive	514	514	-
#					
#		Total	701	701	-
#	.	Missing	2		
0		100	703		
(20 unique values)					

suchrw1: Level of support (in percent) fro

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	638	638	-
#		Positive	62	62	-
#					
#		Total	700	700	-
#	.	Missing	3		
0		100	703		
(17 unique values)					

suchrw2: Level of support (in percent) fro

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	198	198	-
#		Positive	505	505	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		100	703		
(22 unique values)					

suchrw3: Level of support (in percent) fro

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	379	379	-
#		Positive	324	324	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		100	703		
(21 unique values)					

phlthw1: level of general physical health

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	6	6	-
	#	Positive	697	697	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
0 100			703		
(20 unique values)					

phlthw2: level of general physical health

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	2	2	-
	#	Positive	701	701	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
0 100			703		
(23 unique values)					


phlthw3: level of general physical health

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	2	2	-
	#	Positive	701	701	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
0 100			703		
(25 unique values)					

mhlthw1: level of general psychological/me


Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	4	4	-
	#	Positive	699	699	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

(20 unique values)

mhlthw2: level of general psychological/me


Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	3	3	-
	#	Positive	700	700	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

(24 unique values)

mhlthw3: level of general psychological/me

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	4	4	-
	#	Positive	699	699	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

(21 unique values)

nil1w1: name of illness 1 in time period f				Number of Observations		
				Total	Integers	Nonintegers
#			Negative	-	-	-
#			Zero	-	-	-
#			Positive	184	184	-
#		#				
#		#	Total	184	184	-
#	#	#	Missing	519		
2		18		703		
(15 unique values)						

nil1w1 is labeled and all values are documented in the label.

nil2w1: name of illness 2 in time period f				Number of Observations		
				Total	Integers	Nonintegers
#			Negative	-	-	-
#			Zero	-	-	-
#			Positive	56	56	-
#		#				
#	#	#	Total	56	56	-
#	#	#	Missing	647		
2		18		703		
(15 unique values)						

nil2w1 is labeled and all values are documented in the label.

nil3w1: name of illness 3 in time period f				Number of Observations		
				Total	Integers	Nonintegers
		#	Negative	-	-	-
		#	Zero	-	-	-
		#	Positive	14	14	-
		#				
#	#	#	Total	14	14	-
#	#	#	Missing	689		
2		15		703		
(8 unique values)						

nil3w1 is labeled and all values are documented in the label.

nil4w1: name of illness 4 in time period f			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	3	3	-
	#				
	#	Total	3	3	-
	#	Missing	700		
<hr/>					
13		14	703		
(2 unique values)					

nil4w1 is labeled and all values are documented in the label.

nil5w1: name of illness 5 in time period f			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	1	1	-
	#				
	#	Total	1	1	-
	#	Missing	702		
<hr/>					
2			703		
(1 unique value)					

nil5w1 is labeled and all values are documented in the label.

nil6w1: name of illness 6 in time period f			Number of Observations		
			Total	Integers	Nonintegers
		Negative	-	-	-
		Zero	-	-	-
		Positive	-	-	-
		Total	-	-	-
		Missing	703		
<hr/>					

```

11 .               -9.0e+307               703
    (0 unique value)

```

nil6w1 is labeled and all values are documented in the label.

nil7w1: name of illness 7 in time period f		Number of Observations		
		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
		-----	-----	-----
	Total	-	-	-
	Missing	703		
-----		-----		

```

12 .               -9.0e+307               703
    (0 unique value)

```

nil7w1 is labeled and all values are documented in the label.

nil8w1: name of illness 8 in time period f		Number of Observations		
		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
		-----	-----	-----
	Total	-	-	-
	Missing	703		
-----		-----		

```

13 .               -9.0e+307               703
    (0 unique value)

```

nil8w1 is labeled and all values are documented in the label.

nil9w1: name of illness 9 in time period f		Number of Observations		
		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
		-----	-----	-----
	Total	-	-	-
	Missing	703		
-----		-----		

```

14 .               -9.0e+307
      (0 unique value)

```

703

nil9w1 is labeled and all values are documented in the label.

nil10w1: name of illness 10 in time period		Number of Observations		
		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		

```

15 .               -9.0e+307
      (0 unique value)

```

703

nil10w1 is labeled and all values are documented in the label.

dil1w1: date of onset for illness 1 in tim		Number of Observations		
		Total	Integers	Nonintegers
	# Negative	3	3	-
	# Zero	-	-	-
	# Positive	181	181	-
	# Total	184	184	-
	# Missing	519		

```

-137775      11078
(More than 99 unique values)

```

703

dil2w1: date of onset for illness 2 in tim		Number of Observations		
		Total	Integers	Nonintegers
	# Negative	2	2	-
	# Zero	-	-	-
	# Positive	54	54	-
	# Total	56	56	-
	# Missing	647		

```

-619      10534
(46 unique values)

```

703

Number of Observations

Number of ObservationsNumber of Observations

dil6w1: date of onset for illness 6 in tim

Number of Observations

		Total	Integers	Nonintegers
16 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
		(0 unique value)		

dil7w1: date of onset for illness 7 in tim

Number of Observations

		Total	Integers	Nonintegers
17 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
		(0 unique value)		

dil8w1: date of onset for illness 8 in tim

Number of Observations

		Total	Integers	Nonintegers
18 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
		(0 unique value)		

dil9w1: date of onset for illness 9 in tim

Number of Observations

		Total	Integers	Nonintegers
19 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		

(0 unique value)

dill10w1: date of onset for illness 10 in t

Number of Observations

		Total	Integers	Nonintegers
20 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		

(0 unique value)

drill1w1: duration of illness 1 in years in

Number of Observations

		Total	Integers	Nonintegers
0 50	Negative	-	-	-
	Zero	19	19	-
	Positive	150	149	1
	Total	169	168	1
	Missing	534		
		703		

(33 unique values)

Number of Observations

(21 unique values)

Number of Observations

(7 unique values)

Number of Observations

(3 unique values)

dril5w1: duration of illness 5 in years in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
#	Positive	1	1	-
#				
#	Total	1	1	-
#	Missing	702		
<hr/>		<hr/>		
24		703		

(1 unique value)

dril6w1: duration of illness 6 in years in

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
<hr/>		<hr/>		
21 .	-9.0e+307	703		

(0 unique value)

dril7w1: duration of illness 7 in years in

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
<hr/>		<hr/>		
22 .	-9.0e+307	703		

(0 unique value)

dril8w1: duration of illness 8 in years in

Number of Observations

		Total	Integers	Nonintegers
23 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
-9.0e+307				
(0 unique value)				

dril9w1: duration of illness 9 in years in

Number of Observations

		Total	Integers	Nonintegers
24 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
-9.0e+307				
(0 unique value)				

dril10w1: duration of illness 10 in years

Number of Observations

		Total	Integers	Nonintegers
25 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
-9.0e+307				
(0 unique value)				

pillw1: persistence of illness 1 in time p

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	520	520	-
#		Positive	183	183	-
#					
#		Total	703	703	-
#	#	Missing	-		
			703		

0 2
(3 unique values)

pillw1 is labeled and all values are documented in the label.

pill2w1: persistence of illness 2 in time p

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	647	647	-
#		Positive	56	56	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

pill2w1 is labeled and all values are documented in the label.

pill3w1: persistence of illness 3 in time p

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	689	689	-
#		Positive	14	14	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

pill3w1 is labeled and all values are documented in the label.

pil4w1: persistence of illness 4 in time p

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	700	700	-
#	Positive	3	3	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 2
(3 unique values)

pil4w1 is labeled and all values are documented in the label.

pil5w1: persistence of illness 5 in time p

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	702	702	-
#	Positive	1	1	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

pil5w1 is labeled and all values are documented in the label.

pil6w1: persistence of illness 6 in time p

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	703	703	-
#	Positive	-	-	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0
(1 unique value)

pil6w1 is labeled and all values are documented in the label.

pil7w1: persistence of illness 7 in time p		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	703	703	-
#	Positive	-	-	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>				
0		703		
(1 unique value)				

pil7w1 is labeled and all values are documented in the label.

pil8w1: persistence of illness 8 in time p		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	703	703	-
#	Positive	-	-	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>				
0		703		
(1 unique value)				

pil8w1 is labeled and all values are documented in the label.

pil9w1: persistence of illness 9 in time p		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	703	703	-
#	Positive	-	-	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>				
0		703		
(1 unique value)				

pil9w1 is labeled and all values are documented in the label.

pill10w1: persistence of illness 10 in time

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	703	703	-
#	Positive	-	-	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>		<hr/>		
0		703		

(1 unique value)

pill10w1 is labeled and all values are documented in the label.

nil1w2: name of illness 1 in time period f

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
# #	Positive	303	303	-
# # #				
# # # # #	Total	303	303	-
# # # # #	Missing	400		
<hr/>		<hr/>		
1	18	703		

(17 unique values)

nil1w2 is labeled and all values are documented in the label.

nil2w2: name of illness 2 in time period f

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
#	Positive	127	127	-
#				
# # #	Total	127	127	-
# # # # #	Missing	576		
<hr/>		<hr/>		
2	18	703		

(15 unique values)

nil2w2 is labeled and all values are documented in the label.

nil3w2: name of illness 3 in time period f				Number of Observations		
				Total	Integers	Nonintegers
#			Negative	-	-	-
#			Zero	-	-	-
#			Positive	39	39	-
#	#	#				
#	#	#	Total	39	39	-
#	#	#	Missing	664		
2		18		703		

(12 unique values)

nil3w2 is labeled and all values are documented in the label.

nil4w2: name of illness 4 in time period f				Number of Observations		
				Total	Integers	Nonintegers
#		#	Negative	-	-	-
#		#	Zero	-	-	-
#	#	#	Positive	9	9	-
#	#	#				
#	#	#	Total	9	9	-
#	#	#	Missing	694		
2		14		703		

(8 unique values)

nil4w2 is labeled and all values are documented in the label.

nil5w2: name of illness 5 in time period f				Number of Observations		
				Total	Integers	Nonintegers
#			Negative	-	-	-
#			Zero	-	-	-
#			Positive	4	4	-
#						
#	#		Total	4	4	-
#	#		Missing	699		
10		16		703		

(2 unique values)

nil5w2 is labeled and all values are documented in the label.

nil6w2: name of illness 6 in time period f		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
#	Positive	1	1	-
#				
#	Total	1	1	-
#	Missing	702		
<hr/>				
13		703		

(1 unique value)

nil6w2 is labeled and all values are documented in the label.

nil7w2: name of illness 7 in time period f		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
#	Positive	1	1	-
#				
#	Total	1	1	-
#	Missing	702		
<hr/>				
16		703		

(1 unique value)

nil7w2 is labeled and all values are documented in the label.

nil8w2: name of illness 8 in time period f		Number of Observations		
		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
<hr/>				

26 . -9.0e+307
 (0 unique value)

703

nil8w2 is labeled and all values are documented in the label.

nil9w2: name of illness 9 in time period f		Number of Observations		
		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
		-----	-----	-----
	Total	-	-	-
	Missing	703		

27 . -9.0e+307
 (0 unique value)

703

nil9w2 is labeled and all values are documented in the label.

nil10w2: name of illness 10 in time period		Number of Observations		
		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
		-----	-----	-----
	Total	-	-	-
	Missing	703		

28 . -9.0e+307
 (0 unique value)

703

nil10w2 is labeled and all values are documented in the label.

dillw2: date of onset of illness 1 in time		Number of Observations		
		Total	Integers	Nonintegers
	# Negative	2	2	-
	# Zero	-	-	-
	# Positive	301	301	-
	#	-----	-----	-----
	# Total	303	303	-
	#	-----	-----	-----

-352884 13819
 (More than 99 unique values)

703

dil2w2: date of onset of illness 2 in time

Number of Observations

					Total	Integers	Nonintegers
		#		Negative	1	1	-
		#		Zero	-	-	-
		#		Positive	125	125	-
		#					
		#		Total	126	126	-
.	.	.	.	Missing	577		
-354552 14326					703		
(97 unique values)							

dil3w2: date of onset of illness 3 in time

Number of Observations

					Total	Integers	Nonintegers
		#		Negative	-	-	-
		#	#	Zero	-	-	-
		#	#	Positive	38	38	-
#	#	#	#				
#	#	#	#	Total	38	38	-
#	#	#	#	Missing	665		
9612 13403					703		
(32 unique values)							

dil4w2: date of onset of illness 4 in time

Number of Observations

					Total	Integers	Nonintegers
		#		Negative	-	-	-
		#		Zero	-	-	-
		#		Positive	9	9	-
#		#	#				
#		#	#	Total	9	9	-
#	.	#	#	Missing	694		
9616 13880					703		
(9 unique values)							

Number of Observations

dil6w2: date of onset of illness 6 in time		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
#	Positive	1	1	-
#				
#	Total	1	1	-
#	Missing	702		
11017		703		
(1 unique value)				

Number of Observations



dil8w2: date of onset of illness 8 in time

Number of Observations

		Total	Integers	Nonintegers
29 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
		(0 unique value)		

dil9w2: date of onset of illness 9 in time

Number of Observations

		Total	Integers	Nonintegers
30 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
		(0 unique value)		

dil10w2: date of onset of illness 10 in ti

Number of Observations

		Total	Integers	Nonintegers
31 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
		(0 unique value)		

drill1w2: duration of illness 1 in years in

Number of Observations

					Total	Integers	Nonintegers
					-	-	-
					4	4	-
					288	287	1
					292	291	1
					411		
					703		

0 34
(27 unique values)

dril2w2: duration of illness 2 in years in

Number of Observations

					Total	Integers	Nonintegers
					-	-	-
					-	-	-
					123	123	-
					123	123	-
					580		
					703		

1 27
(23 unique values)

dril3w2: duration of illness 3 in years in

Number of Observations

					Total	Integers	Nonintegers
					-	-	-
					3	3	-
					34	34	-
					37	37	-
					666		
					703		

0 23
(14 unique values)

dril4w2: duration of illness 4 in years in

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	9	9	-
	#				
	#	Total	9	9	-
	# . # . #	Missing	694		
<hr/>			<hr/>		
2		18	703		
(6 unique values)					

dril5w2: duration of illness 5 in years in

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	4	4	-
	#				
	#	Total	4	4	-
	# . . #	Missing	699		
<hr/>			<hr/>		
1		18	703		
(4 unique values)					

dril6w2: duration of illness 6 in years in

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	1	1	-
	#				
	#	Total	1	1	-
	#	Missing	702		
<hr/>			<hr/>		
20			703		
(1 unique value)					

dril7w2: duration of illness 7 in years in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
#	Positive	1	1	-
#				
#	Total	1	1	-
#	Missing	702		
<hr/>		<hr/>		
16		703		
(1 unique value)				

dril8w2: duration of illness 8 in years in

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
<hr/>		<hr/>		
32 .	-9.0e+307	703		
(0 unique value)				

dril9w2: duration of illness 9 in years in

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
<hr/>		<hr/>		
33 .	-9.0e+307	703		
(0 unique value)				

drill10w2: duration of illness 10 in years

Number of Observations

		Total	Integers	Nonintegers
34 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
-9.0e+307				
(0 unique value)				

pillw2: persistence of illness 1 in time p

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	399	399	-
#	Positive	302	302	-
# #	Total	701	701	-
# #	Missing	2		
# # #				
		703		
0 2				
(3 unique values)				

pillw2 is labeled and all values are documented in the label.

pill2w2: persistence of illness 2 in time p

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	575	575	-
#	Positive	126	126	-
#	Total	701	701	-
# . .	Missing	2		
		703		
0 2				
(3 unique values)				

pill2w2 is labeled and all values are documented in the label.

pil3w2: persistence of illness 3 in time p

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	662	662	-
#	Positive	38	38	-
#				
#	Total	700	700	-
#	Missing	3		
		703		

0 2
(3 unique values)

pil3w2 is labeled and all values are documented in the label.

pil4w2: persistence of illness 4 in time p

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	691	691	-
#	Positive	9	9	-
#				
#	Total	700	700	-
#	Missing	3		
		703		

0 2
(3 unique values)

pil4w2 is labeled and all values are documented in the label.

pil5w2: persistence of illness 5 in time p

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	696	696	-
#	Positive	4	4	-
#				
#	Total	700	700	-
#	Missing	3		
		703		

0 2
(3 unique values)

pil5w2 is labeled and all values are documented in the label.

pil6w2: persistence of illness 6 in time p

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	699	699	-
#	Positive	1	1	-
#				
#	Total	700	700	-
#	Missing	3		
0	1	703		

(2 unique values)

pil6w2 is labeled and all values are documented in the label.

pil7w2: persistence of illness 7 in time p

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	699	699	-
#	Positive	1	1	-
#				
#	Total	700	700	-
#	Missing	3		
0	1	703		

(2 unique values)

pil7w2 is labeled and all values are documented in the label.

pil8w2: persistence of illness 8 in time p

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	700	700	-
#	Positive	-	-	-
#				
#	Total	700	700	-
#	Missing	3		
0		703		

(1 unique value)

pil8w2 is labeled and all values are documented in the label.

pil9w2: persistence of illness 9 in time p		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	700	700	-
#	Positive	-	-	-
#				
#	Total	700	700	-
#	Missing	3		
<hr/>				
0		703		
(1 unique value)				

pil9w2 is labeled and all values are documented in the label.

pil10w2: persistence of illness 10 in time		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	700	700	-
#	Positive	-	-	-
#				
#	Total	700	700	-
#	Missing	3		
<hr/>				
0		703		
(1 unique value)				

pil10w2 is labeled and all values are documented in the label.

nillw3: name of illness 1 in time period n		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
# #	Positive	511	511	-
# # #				
# # # #	Total	511	511	-
# # # # #	Missing	192		
<hr/>				
1		703		
18				
(16 unique values)				

nillw3 is labeled and all values are documented in the label.

nil2w3: name of illness 2 in time period n				Number of Observations		
				Total	Integers	Nonintegers
	#			Negative	-	-
	#			Zero	-	-
	#	#	#	Positive	313	-
	#	#	#			
	#	#	#	Total	313	-
	#	#	#	Missing	390	-
<hr/>						
1			18	703		
(17 unique values)						

nil2w3 is labeled and all values are documented in the label.

nil3w3: name of illness 3 in time period n				Number of Observations		
				Total	Integers	Nonintegers
	#			Negative	-	-
	#			Zero	-	-
	#		#	Positive	168	-
	#		#			
	#	#	#	Total	168	-
	#	#	#	Missing	535	-
<hr/>						
2			18	703		
(15 unique values)						

nil3w3 is labeled and all values are documented in the label.

nil4w3: name of illness 4 in time period n				Number of Observations		
				Total	Integers	Nonintegers
	#			Negative	-	-
	#	#		Zero	-	-
	#	#	#	Positive	82	-
	#	#	#			
	#	#	#	Total	82	-
	#	.	#	Missing	621	-
<hr/>						
2			18	703		
(12 unique values)						

nil4w3 is labeled and all values are documented in the label.

nil5w3: name of illness 5 in time period n				Number of Observations		
				Total	Integers	Nonintegers
				-	-	-
				-	-	-
				51	51	-
				51	51	-
				652		
				703		

nil5w3 is labeled and all values are documented in the label.

nil6w3: name of illness 6 in time period n				Number of Observations		
				Total	Integers	Nonintegers
				-	-	-
				-	-	-
				25	25	-
				25	25	-
				678		
				703		

nil6w3 is labeled and all values are documented in the label.

nil7w3: name of illness 7 in time period n				Number of Observations		
				Total	Integers	Nonintegers
				-	-	-
				-	-	-
				10	10	-
				10	10	-
				693		
				703		

nil7w3 is labeled and all values are documented in the label.

35 . -9.0e+307
 (0 unique value)

703

nil10w3 is labeled and all values are documented in the label.

dil1w3: date of onset of illness 1 now

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	1	1	-
	#	Zero	-	-	-
	#	Positive	508	508	-
	#				
	#	Total	509	509	-
	#	Missing	194		
. . . .					
<hr/>					
-137775 18573			703		
(More than 99 unique values)					

dil2w3: date of onset of illness 2 now

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	314	314	-
	#				
	#	Total	314	314	-
	#	Missing	389		
. . . # #					
<hr/>					
5072 18534			703		
(More than 99 unique values)					

dil3w3: date of onset of illness 3 now

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	1	1	-
	#	Zero	-	-	-
	#	Positive	166	166	-
	#				
	#	Total	167	167	-
	#	Missing	536		
. . . . #					
<hr/>					
-137775 18322			703		
(More than 99 unique values)					

dil4w3: date of onset of illness 4 now

					Total	Integers	Nonintegers
					-	-	-
					-	-	-
					82	82	-
					82	82	-
					621		
					703		

dil5w3: date of onset of illness 5 now

					Total	Integers	Nonintegers
					-	-	-
					-	-	-
					52	52	-
					52	52	-
					651		
					703		
							</

dil6w3: date of onset of illness 6 now

					Total	Integers	Nonintegers
					-	-	-
					-	-	-
					27	27	-
					27	27	-
					676		
					703		

dil7w3: date of onset of illness 7 now

				Number of Observations				
				Total	Integers	Nonintegers		
	#	#	#	Negative	-	-		
				Zero	-	-		
				Positive	10	-		
				Total	10	-		
				Missing	693	-		
<hr/>				<hr/>				
14610		17167		703				
(6 unique values)								

dil8w3: date of onset of illness 8 now

				Number of Observations		
				Total	Integers	Nonintegers
	#	#	Negative	-	-	-
			Zero	-	-	-
			Positive	6	6	-
			<hr/>			
			Total	6	6	-
			Missing	697		
		<hr/>				
		14976		17167		703
(4 unique values)						

dil9w3: date of onset of illness 9 now

				Total	Integers	Nonintegers
	#	#	Negative	-	-	-
			Zero	-	-	-
			Positive	3	3	-
			Total	3	3	-
			Missing	700		
<hr/>				<hr/>	<hr/>	
16437		17532		703		
(3 unique values)						

dill10w3: date of onset of illness 10 now

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	1	1	-
#					
#		Total	1	1	-
#		Missing	702		
<hr/>			<hr/>		
17684			703		
(1 unique value)					

drillw3: duration of illness 1 now (in yea

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	18	18	-
#		Positive	473	473	-
#					
#	#	Total	491	491	-
#	# . . .	Missing	212		
<hr/>			<hr/>		
0 48			703		
(26 unique values)					

dril2w3: duration of illness 2 now (in yea

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	12	12	-
#		Positive	294	294	-
#					
#	#	Total	306	306	-
#	# . . .	Missing	397		
<hr/>			<hr/>		
0 37			703		
(24 unique values)					

dril3w3: duration of illness 3 now (in yea

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	9	9	-
#				Positive	157	157	-
#	#						
#	#			Total	166	166	-
#	#	#	.	Missing	537		
0					703		
			24				
(20 unique values)							

dril4w3: duration of illness 4 now (in yea

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	4	4	-
#	#			Positive	76	76	-
#	#						
#	#			Total	80	80	-
#	#	#	.	Missing	623		
0					703		
			24				
(18 unique values)							

dril5w3: duration of illness 5 now (in yea

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	5	5	-
#				Positive	46	46	-
#	#						
#	#	#		Total	51	51	-
#	#	#	.	Missing	652		
0					703		
			24				
(13 unique values)							

dril6w3: duration of illness 6 now (in yea

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#				Positive	24	24	-
#			#				
#		#	#	Total	24	24	-
#	#	.	#	Missing	679		
1				7	703		

(7 unique values)

dril7w3: duration of illness 7 now (in yea

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#	#			Positive	10	10	-
#	#	#					
#	#	#		Total	10	10	-
#	#	#	.	Missing	693		
3				10	703		

(6 unique values)

dril8w3: duration of illness 8 now (in yea

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#				Positive	6	6	-
#							
#				Total	6	6	-
#	#	#		Missing	697		
3				9	703		

(3 unique values)

dril9w3: duration of illness 9 now (in yea

Number of Observations

				Total	Integers	Nonintegers
#	#	#	Negative	-	-	-
#	#	#	Zero	-	-	-
#	#	#	Positive	3	3	-
#	#	#				
#	#	#	Total	3	3	-
#	#	#	Missing	700		
2		5		703		

(3 unique values)

drill10w3: duration of illness 10 now (in y

Number of Observations

				Total	Integers	Nonintegers
#			Negative	-	-	-
#			Zero	-	-	-
#			Positive	1	1	-
#						
#			Total	1	1	-
#			Missing	702		
2				703		

(1 unique value)


pillw3: persistence of illness 1 now

Number of Observations

				Total	Integers	Nonintegers
	#		Negative	-	-	-
	#		Zero	192	192	-
	#		Positive	511	511	-
	#					
#	#		Total	703	703	-
#	#	#	Missing	-		
0		2		703		


(3 unique values)

pillw3 is labeled and all values are documented in the label.

pil2w3: persistence of illness 2 now**Number of Observations**


Total	Integers	Nonintegers
-	-	-
391	391	-
312	312	-
703	703	-
-	-	-
703		

pil2w3 is labeled and all values are documented in the label.

pil3w3: persistence of illness 3 now**Number of Observations**

Total	Integers	Nonintegers
-	-	-
535	535	-
168	168	-
703	703	-
-	-	-
703		

pil3w3 is labeled and all values are documented in the label.

pil4w3: persistence of illness 4 now**Number of Observations**

Total	Integers	Nonintegers
-	-	-
622	622	-
81	81	-
703	703	-
-	-	-
703		

pil4w3 is labeled and all values are documented in the label.

pil5w3: persistence of illness 5 now

#	Negative
#	Zero
#	Positive
#	
#	Total
#	Missing
0	2
(3 unique values)	

Number of Observations		
Total	Integers	Nonintegers
-	-	-
651	651	-
52	52	-
703	703	-
-		
703		

pil5w3 is labeled and all values are documented in the label.

pil6w3: persistence of illness 6 now

#	Negative
#	Zero
#	Positive
#	
#	Total
#	Missing
0	2
(3 unique values)	

Number of Observations		
Total	Integers	Nonintegers
-	-	-
677	677	-
26	26	-
703	703	-
-		
703		

pil6w3 is labeled and all values are documented in the label.

pil7w3: persistence of illness 7 now

#	Negative
#	Zero
#	Positive
#	
#	Total
#	Missing
0	1
(2 unique values)	

Number of Observations		
Total	Integers	Nonintegers
-	-	-
694	694	-
9	9	-
703	703	-
-		
703		

pil7w3 is labeled and all values are documented in the label.

pil8w3: persistence of illness 8 now

#	Negative
#	Zero
#	Positive
#	
#	Total
# .	Missing
0	1
(2 unique values)	

Number of Observations

Total	Integers	Nonintegers
-	-	-
697	697	-
6	6	-
703	703	-
-		
703		

pil8w3 is labeled and all values are documented in the label.

pil9w3: persistence of illness 9 now

#	Negative
#	Zero
#	Positive
#	
#	Total
# .	Missing
0	1
(2 unique values)	

Number of Observations

Total	Integers	Nonintegers
-	-	-
700	700	-
3	3	-
703	703	-
-		
703		

pil9w3 is labeled and all values are documented in the label.

pil10w3: persistence of illness 10 now

#	Negative
#	Zero
#	Positive
#	
#	Total
# .	Missing
0	1
(2 unique values)	

Number of Observations

Total	Integers	Nonintegers
-	-	-
702	702	-
1	1	-
703	703	-
-		
703		

pil10w3 is labeled and all values are documented in the label.

Number of Observations

Number of Observations

Number of Observations

contw1: use of any contraception method in			Number of Observations		
			Total	Integers	Nonintegers
<div> <div> <div></div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>.</div> <div>#</div> <div>#</div> </div> </div>	Negative		-	-	-
	Zero		20	20	-
	Positive		683	683	-
	Total		703	703	-
	Missing		-		
			703		

0 2
(3 unique values)

contw1 is labeled and all values are documented in the label.

contw2: use of any contraception method in			Number of Observations		
			Total	Integers	Nonintegers
<div> <div> <div></div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>.</div> <div>#</div> <div>#</div> </div> </div>	Negative		-	-	-
	Zero		10	10	-
	Positive		693	693	-
	Total		703	703	-
	Missing		-		
			703		

0 2
(3 unique values)

contw2 is labeled and all values are documented in the label.


contw3: use of any contraception method in			Number of Observations		
			Total	Integers	Nonintegers
<div> <div> <div></div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>.</div> <div>#</div> <div>#</div> </div> </div>	Negative		-	-	-
	Zero		11	11	-
	Positive		692	692	-
	Total		703	703	-
	Missing		-		
			703		

0 2
(3 unique values)

contw3 is labeled and all values are documented in the label.

ncontw1: use of natural contraception in 1


Number of Observations

			Total	Integers	Nonintegers
 <p>(3 unique values)</p>	#	Negative	-	-	-
	#	Zero	17	17	-
	#	Positive	686	686	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

ncontw1 is labeled and all values are documented in the label.

ncontw2: use of natural contraception in 1


Number of Observations

			Total	Integers	Nonintegers
 <p>(3 unique values)</p>	#	Negative	-	-	-
	#	Zero	12	12	-
	#	Positive	691	691	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

ncontw2 is labeled and all values are documented in the label.

ncontw3: use of natural contraception in 1

Number of Observations

			Total	Integers	Nonintegers
 <p>(3 unique values)</p>	#	Negative	-	-	-
	#	Zero	12	12	-
	#	Positive	691	691	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

ncontw3 is labeled and all values are documented in the label.

smokw1: number of cigarettes per week in

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	554	554	-
#		Positive	146	146	-
#					
#		Total	700	700	-
#	.	Missing	3		
0		280	703		
(26 unique values)					

smokw2: number of cigarettes per week in

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	492	492	-
#		Positive	211	211	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		280	703		
(29 unique values)					

smokw3: number of cigarettes per week in 1

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	506	506	-
#		Positive	197	197	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		280	703		
(29 unique values)					

beerw1: nuber of beers per week in 1976-19

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		460	460	-
#	Positive		242	242	-
#					
#	Total		702	702	-
#	Missing		1		
			703		

0 100
(12 unique values)

beerw2: nuber of beers per week in 1987-19

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		344	344	-
#	Positive		357	357	-
#					
#	Total		701	701	-
#	Missing		2		
			703		

0 50
(14 unique values)

beerw3: nuber of beers per week in 1997-no

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		341	341	-
#	Positive		361	361	-
#					
#	Total		702	702	-
#	Missing		1		
			703		

0 20
(13 unique values)

liqw1: number of spirits per week in 1976-

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	474	474	-
#	Positive	227	227	-
#				
#	Total	701	701	-
#	Missing	2		
		703		

0 30
(13 unique values)

liqw2: number of spirits per week in 1987-

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	386	386	-
#	Positive	317	317	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 30
(12 unique values)

liqw3: number of spirits per week in 1997-

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	409	409	-
#	Positive	294	294	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 45
(13 unique values)

pillw1: number of pills for pain per week

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	570	570	-
#	Positive	133	133	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>		<hr/>		
0	21	703		

(13 unique values)

pillw2: number of pills for pain per week

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	466	466	-
#	Positive	237	237	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>		<hr/>		
0	35	703		

(16 unique values)

pillw3: number of pills for pain per week

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	337	337	-
#	Positive	366	366	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>		<hr/>		
0	63	703		

(20 unique values)

medcow1: number of medical visits for a m				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		349	349	-
#		Positive		353	353	-
#						
#		Total		702	702	-
#	.	Missing		1		
0			24	703		
(15 unique values)						

medcow2: number of medical visits for a m				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		204	204	-
#		Positive		499	499	-
#						
#		Total		703	703	-
#	.	Missing		-		
0			100	703		
(20 unique values)						

medcow3: number of medical visits for a me				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		136	136	-
#		Positive		564	564	-
#						
#		Total		700	700	-
#	.	Missing		3		
0			50	703		
(20 unique values)						

hospw1: number of days per year as a patie

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	597	597	-
#		Positive	105	105	-
#					
#		Total	702	702	-
#	.	Missing	1		
0		200	703		
(25 unique values)					

hospw2: number of days per year as a patie

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	506	506	-
#		Positive	197	197	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		200	703		
(32 unique values)					

hospw3: number of days per year as a patie

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	437	437	-
#		Positive	266	266	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		150	703		
(39 unique values)					

vishphw1: number of visits per year to a h

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		557	557	-
#	Positive		16	16	-
#					
#	Total		573	573	-
#	Missing		130		
			703		

0 10
(7 unique values)

vishphw2: number of visits per year to a h

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		531	531	-
#	Positive		46	46	-
#					
#	Total		577	577	-
#	Missing		126		
			703		

0 10
(6 unique values)

vishphw3: number of visits per year to a h

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		515	515	-
#	Positive		62	62	-
#					
#	Total		577	577	-
#	Missing		126		
			703		

0 30
(10 unique values)

mhoutw1: number of medical visits for a m

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	567	567	-
#		Positive	9	9	-
#					
#		Total	576	576	-
#	.	Missing	127		
0		12	703		
(5 unique values)					

mhoutw2: number of medical visits for a m

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	567	567	-
#		Positive	12	12	-
#					
#		Total	579	579	-
#	.	Missing	124		
0		12	703		
(6 unique values)					

mhoutw3: number of medical visits for a me

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	553	553	-
#		Positive	24	24	-
#					
#		Total	577	577	-
#	.	Missing	126		
0		12	703		
(8 unique values)					

mhinw1: number of days per year as a patie

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	576	576	-
#		Positive	2	2	-
#					
#		Total	578	578	-
#	.	Missing	125		
0		30	703		
(3 unique values)					

mhinw2: number of days per year as a patie

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	571	571	-
#		Positive	7	7	-
#					
#		Total	578	578	-
#	.	Missing	125		
0		200	703		
(7 unique values)					

mhinw3: number of days per year as a patie

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	568	568	-
#		Positive	9	9	-
#					
#		Total	577	577	-
#	.	Missing	126		
0		30	703		
(8 unique values)					

Number of Observations

Number of Observations

A diagram consisting of a vertical line on the left. To the right of the line, there are seven hash symbols (#) stacked vertically, followed by four dots (•) stacked vertically.

Number of Observations

goferw1: level of fear in percent from goi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	383	383	-
#	Positive	320	320	-
#				
#	Total	703	703	-
# . # . #	Missing	-		
0 100		703		
(16 unique values)				

goferw2: level of fear in percent from goi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	533	533	-
#	Positive	169	169	-
#				
#	Total	702	702	-
#	Missing	1		
0 100		703		
(15 unique values)				

goferw3: level of fear in percent from goi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	553	553	-
#	Positive	150	150	-
#				
#	Total	703	703	-
#	Missing	-		
0 100		703		
(15 unique values)				

fdferw1: level of fear in percent from con

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	297	297	-
#	Positive	406	406	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(23 unique values)

fdferw2: level of fear in percent from con

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	447	447	-
#	Positive	256	256	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(17 unique values)

fdferw3: level of fear in percent from con

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	479	479	-
#	Positive	224	224	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(17 unique values)

trgovw1: level of trust in government repo

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	195	195	-
#				Positive	383	383	-
#							
#		#		Total	578	578	-
#	#	#	.	Missing	125		
0				100	703		
(18 unique values)							

trgovw2: level of trust in government repo

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#		#		Zero	132	132	-
#		#		Positive	446	446	-
#		#					
#	#	#		Total	578	578	-
#	#	#	#	Missing	125		
0				100	703		
(19 unique values)							

trgovw3: level of trust in government repo

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	129	129	-
#		#		Positive	449	449	-
#		#					
#	#	#		Total	578	578	-
#	#	#	#	Missing	125		
0				100	703		
(18 unique values)							

trrepw1: level of trust in medical/scient

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	159	159	-
#			#	Positive	419	419	-
#		#					
#	#	#	#	Total	578	578	-
#	#	#	#	Missing	125		
					703		

0 100
(17 unique values)

trrepw2: level of trust in medical/scient

Number of Observations

					Total	Integers	Nonintegers
		#		Negative	-	-	-
		#		Zero	94	94	-
		#	#	Positive	484	484	-
#		#					
#	#	#	#	Total	578	578	-
#	#	#	#	Missing	125		
					703		

0 100
(19 unique values)

trrepw3: level of trust in medical/scienti

Number of Observations

					Total	Integers	Nonintegers
		#		Negative	-	-	-
		#		Zero	86	86	-
#		#	#	Positive	492	492	-
#		#					
#	#	#	#	Total	578	578	-
#	#	#	#	Missing	125		
					703		

0 100
(18 unique values)

townacc: village/ town/ city at time of ac

Number of Observations

		Total	Integers	Nonintegers
36 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
-9.0e+307				
(0 unique value)				

raiaacc: raion at the time of Chornobyl acc

Number of Observations

		Total	Integers	Nonintegers
37 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
-9.0e+307				
(0 unique value)				

latacc: latitude of residence at time of a

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
#	Positive	703	703	-
#				
#	Total	703	703	-
#	Missing	-		
1		703		
(1 unique value)				

latacc is labeled and all values are documented in the label.

lonacc: longitude of residence at time of			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#		Missing	-		
<hr/>			<hr/>		
1			703		
(1 unique value)					

lonacc is labeled and all values are documented in the label.

latdacc: latitude (in degrees) at time of			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#		Missing	-		
<hr/>			<hr/>		
30			703		
(12 unique values)					

londacc: longitude (in degrees) at time of			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#		Missing	-		
<hr/>			<hr/>		
12			703		
(25 unique values)					

Number of Observations

[illegible]

Number of Observations

oblacc is labeled and all values are documented in the label.

kmacc: distance of residence from the chor

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	1	1	-
#	Positive	702	702	-
#				
#	Total	703	703	-
#	Missing	-		
0 3000		703		
(86 unique values)				

townwork: village/town/ city of w/s at tim

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
38 .	-9.0e+307	703		
(0 unique value)				

rawork: raion of w/s at time of accident

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
39 .	-9.0e+307	703		
(0 unique value)				

latwork: latitude of place of work/study a			Number of Observations		
			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		-	-	-
#	Positive		703	703	-
#					
#	Total		703	703	-
#	Missing		-		
<hr/>			<hr/>		
1			703		
(1 unique value)					

latwork is labeled and all values are documented in the label.

lonwork: longitude of place of work/study			Number of Observations		
			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		-	-	-
#	Positive		703	703	-
#					
#	Total		703	703	-
#	Missing		-		
<hr/>			<hr/>		
1			703		
(1 unique value)					

lonwork is labeled and all values are documented in the label.

latdwork: latitude (in degrees) of place o			Number of Observations		
			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		-	-	-
#	Positive		703	703	-
#					
#	Total		703	703	-
#	Missing		-		
<hr/>			<hr/>		
40		69	703		
(11 unique values)					

londwork: longitude (in degrees) of place

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#	.	Missing	-		
12		104	703		
(27 unique values)					

latmwork: latitude (in minutes) of place o

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	2	2	-
#		Positive	701	701	-
#					
#		Total	703	703	-
.	#	Missing	-		
0		96	703		
(81 unique values)					

lonmwork: longitude (in minutes) of place

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	3	3	-
#		Positive	700	700	-
#					
#		Total	703	703	-
.	#	Missing	-		
0		98	703		
(88 unique values)					

oblwork: oblast of work /study at the time			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	1	1	-
#		Positive	702	702	-
#					
#		Total	703	703	-
. # . . #		Missing	-		
<hr/>			<hr/>		
0		26	703		
(22 unique values)					

oblwork is labeled and all values are documented in the label.

kmwork: approximately how far away was you			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	1	1	-
#		Positive	702	702	-
#					
#		Total	703	703	-
#		Missing	-		
<hr/>			<hr/>		
0		3000	703		
(89 unique values)					

injsel: were you injured as a result of t			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
# #					
# #		Total	703	703	-
# #		Missing	-		
<hr/>			<hr/>		
1		2	703		
(2 unique values)					

injsel is labeled and all values are documented in the label.

injselfr: Were u injured because of Chorno

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # # # # # </pre>		Negative	-	-	-
		Zero	281	281	-
		Positive	422	422	-
		Total	703	703	-
		Missing	-		
<hr/> 0 1			703		
(2 unique values)					

injselfr is labeled and all values are documented in the label.

injoth: was anyone you know injured as a r

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # # # </pre>		Negative	-	-	-
		Zero	-	-	-
		Positive	703	703	-
		Total	703	703	-
		Missing	-		
<hr/> 1 2			703		
(2 unique values)					

injoth is labeled and all values are documented in the label.

injothr: Was anyone u know injured by Chor

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # # # </pre>		Negative	-	-	-
		Zero	144	144	-
		Positive	559	559	-
		Total	703	703	-
		Missing	-		
<hr/> 0 1			703		
(2 unique values)					

injothr is labeled and all values are documented in the label.

evacself: were you evacuated as a result o			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
.		Missing	-		
1		2	703		
(2 unique values)					

evacself is labeled and all values are documented in the label.

evacselfr: Were u evacuated because of Cho			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	674	674	-
#		Positive	29	29	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		1	703		
(2 unique values)					

evacselfr is labeled and all values are documented in the label.

relself: were you relocated?			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
.		Missing	-		
1		2	703		
(2 unique values)					

relself is labeled and all values are documented in the label.

relselfr: Were u relocated because of Chor

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		687	687	-
#	Positive		16	16	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 1
(2 unique values)

relselfr is labeled and all values are documented in the label.

townrel: village/ town/ city of relocated

Number of Observations

			Total	Integers	Nonintegers
	Negative		-	-	-
	Zero		-	-	-
	Positive		-	-	-
	Total		-	-	-
	Missing		703		
			703		

40 . -9.0e+307
(0 unique value)

rarel: raion of relocated residence

Number of Observations

			Total	Integers	Nonintegers
	Negative		-	-	-
	Zero		-	-	-
	Positive		-	-	-
	Total		-	-	-
	Missing		703		

703

Number of Observations

latrel is labeled and all values are documented in the label.

Number of Observations

lonrel is labeled and all values are documented in the label.

Number of Observations

Tuesday, October 25, 2011 12:51 PM Page 771

londrel: longitude in degrees of relocated

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	16	16	-
#					
#		Total	16	16	-
#	.	Missing	687		
14		96	703		
(8 unique values)					

latmrel: latitude in minutes of relocated

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	16	16	-
#					
#		Total	16	16	-
#	.	Missing	687		
13		3000	703		
(12 unique values)					

lonmrel: longitude in minutes of relocated

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	16	16	-
#					
#		Total	16	16	-
#	.	Missing	687		
10		4700	703		
(13 unique values)					

defnw1: consider hazardous (in percent) -

Number of Observations

					Total	Integers	Nonintegers
<p>(27 unique values)</p>	#	Negative	-	-	-		
	#	Zero	81	81	-		
	#	Positive	621	621	-		
	#						
	#	Total	702	702	-		
	#	Missing	1				
					703		

defnw2: consider hazardous (in percent) -

Number of Observations

					Total	Integers	Nonintegers
<p>(21 unique values)</p>	#	Negative	-	-	-		
	#	Zero	94	94	-		
	#	Positive	609	609	-		
	#						
	#	Total	703	703	-		
	#	Missing	-				
					703		

defnw3: consider hazardous (in percent) -

Number of Observations

					Total	Integers	Nonintegers
<p>(22 unique values)</p>	#	Negative	-	-	-		
	#	Zero	43	43	-		
	#	Positive	660	660	-		
	#						
	#	Total	703	703	-		
	#	Missing	-				
					703		

efradw1: consider hazardous (in percent) -

Number of Observations

					Total	Integers	Nonintegers
<p>(18 unique values)</p>	#	Negative	-	-	-		
	#	Zero	92	92	-		
	#	Positive	611	611	-		
	#	Total	703	703	-		
	#	Missing	-	-	-		
	#						
0				703			
100							

efradw2: consider hazardous (in percent) -

Number of Observations

					Total	Integers	Nonintegers
<p>(21 unique values)</p>	#	Negative	-	-	-		
	#	Zero	15	15	-		
	#	Positive	688	688	-		
	#						
	#	Total	703	703	-		
	#	Missing	-	-	-		
0				703			
100							

efradw3: consider hazardous (in percent) -

Number of Observations

					Total	Integers	Nonintegers
<p>(28 unique values)</p>	#	Negative	-	-	-		
	#	Zero	155	155	-		
	#	Positive	548	548	-		
	#						
	#	Total	703	703	-		
	#	Missing	-	-	-		
0				703			
100							

ecprw1: consider hazardous (in percent) -

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	283	283	-
#				Positive	419	419	-
#							
#		#		Total	702	702	-
#	#	#	.	Missing	1		
0				100	703		
(20 unique values)							

ecprw2: consider hazardous (in percent) -

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#			#	Zero	172	172	-
#		#	#	Positive	531	531	-
#		#	#				
#	#	#	#	Total	703	703	-
#	#	#	#	Missing	-		
0				100	703		
(24 unique values)							

ecprw3: consider hazardous (in percent) -

Number of Observations

					Total	Integers	Nonintegers
				Negative	-	-	-
				Zero	134	134	-
				Positive	569	569	-
#		#		Total	703	703	-
#		#		Missing	-		
#	#	#	#				
0				100	703		
(21 unique values)							

polprw1: consider hazardous (in percent) -

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	135	135	-
	Positive	568	568	-
	Total	703	703	-
	Missing	-	-	-
		703		

(21 unique values)

polprw2: consider hazardous (in percent) -

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	177	177	-
	Positive	526	526	-
	Total	703	703	-
	Missing	-	-	-
		703		

(23 unique values)

polprw3: consider hazardous (in percent) -

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	85	85	-
	Positive	618	618	-
	Total	703	703	-
	Missing	-	-	-
		703		

(23 unique values)

airw1: consider hazardous (in percent) - a

Number of Observations

		Total	Integers	Nonintegers
<p>(21 unique values)</p>	#	-	-	-
	#	70	70	-
	#	632	632	-
	#			
	#	702	702	-
	#	1		
Total		702	702	-
Missing		1		
		703		

airw2: consider hazardous (in percent) - a

Number of Observations

		Total	Integers	Nonintegers
<p>(26 unique values)</p>	#	-	-	-
	#	306	306	-
	#	397	397	-
	#			
	#	703	703	-
	#	-		
Total		703	703	-
Missing		-		
		703		

airw3: consider hazardous (in percent) - a

Number of Observations

		Total	Integers	Nonintegers
<p>(24 unique values)</p>	#	-	-	-
	#	215	215	-
	#	488	488	-
	#			
	#	703	703	-
	#	-		
Total		703	703	-
Missing		-		
		703		

radw1: believed % of the radioactively con

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	192	192	-
#			#	Positive	503	503	-
#		#					
#	#	#	#	Total	695	695	-
#	#	#	#	Missing	8		
					703		

0 100
(14 unique values)

radw2: believed % of the radioactively con

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	191	191	-
#		#		Positive	505	505	-
#	#	#					
#	#	#	#	Total	696	696	-
#	#	#	#	Missing	7		
					703		

0 100
(17 unique values)

radw3: believed % of the radioactively con

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	199	199	-
#				Positive	497	497	-
#	#	#					
#	#	#	#	Total	696	696	-
#	#	#	#	Missing	7		
					703		

0 100
(17 unique values)

radchw1: believed % of polution related to

Number of Observations

					Total	Integers	Nonintegers
					-	-	-
					106	106	-
					597	597	-
					703	703	-
					-		
					703		

(22 unique values)

radchw2: believed % of polution related to

Number of Observations

					Total	Integers	Nonintegers
					-	-	-
					94	94	-
					609	609	-
					703	703	-
					-		
					703		

(21 unique values)

radchw3: believed % of polution related to

Number of Observations

					Total	Integers	Nonintegers
					-	-	-
					96	96	-
					607	607	-
					703	703	-
					-		
					703		

(26 unique values)

radtlw1: believed % of cumulative radiatio

Number of Observations

					Total	Integers	Nonintegers
					-	-	-
					101	101	-
					601	601	-
					702	702	-
					1		
					703		

(18 unique values)

radtlw2: believed % of cumulative radiatio

Number of Observations

					Total	Integers	Nonintegers
					-	-	-
					83	83	-
					620	620	-
					703	703	-
					-		
					703		

(26 unique values)

radtlw3: believed % of cumulative radiatio

Number of Observations

					Total	Integers	Nonintegers
					-	-	-
					85	85	-
					618	618	-
					703	703	-
					-		
					703		

(23 unique values)

radhlw1: how much believed personal health

Number of Observations

					Total	Integers	Nonintegers
					-	-	-
					100	100	-
					602	602	-
					702	702	-
					1		
					703		

0 100
(21 unique values)

radhlw2: how much believed personal health

Number of Observations

					Total	Integers	Nonintegers
					-	-	-
					65	65	-
					638	638	-
					703	703	-
					-		
					703		

0 100
(21 unique values)

radhlw3: Observed


Number of Observations

					Total	Integers	Nonintegers
					-	-	-
					66	66	-
					637	637	-
					703	703	-
					-		
					703		

0 100
(22 unique values)


radfmw1: how much believed family health i

Number of Observations

		Total	Integers	Nonintegers
 <p>(20 unique values)</p>	#	-	-	-
	#	76	76	-
	#	627	627	-
	#	703	703	-
	#	-	-	-
Total		703	703	-
Missing		-	-	-
		703		


radfmw2: how much believed family health i

Number of Observations

		Total	Integers	Nonintegers
 <p>(23 unique values)</p>	#	-	-	-
	#	43	43	-
	#	660	660	-
	#	703	703	-
	#	-	-	-
Total		703	703	-
Missing		-	-	-
		703		

radfmw3: how much believed family health i

Number of Observations

		Total	Integers	Nonintegers
 <p>(22 unique values)</p>	#	-	-	-
	#	48	48	-
	#	655	655	-
	#	703	703	-
	#	-	-	-
Total		703	703	-
Missing		-	-	-
		703		

source: what was your initial source of in

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	2	2	-
	#	Positive	701	701	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

(7 unique values)

source is labeled and all values are documented in the label.

dafter: how many days lapsed after Chornob

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	5	5	-
	#	Positive	688	688	-
	#				
	#	Total	693	693	-
	#	Missing	10	-	-
			703		

(18 unique values)

dauthw1: level of danger by authorities (i

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	158	158	-
	#	Positive	545	545	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

(26 unique values)

dauthw2: level of danger by authorities (i

Number of Observations

					Total	Integers	Nonintegers
					-	-	-
					62	62	-
					641	641	-
					703	703	-
					-		
					703		

(22 unique values)

dauthw3: level of danger by authorities (i

Number of Observations

					Total	Integers	Nonintegers
					-	-	-
					72	72	-
					630	630	-
					702	702	-
					1		
					703		

(22 unique values)

medw1: level of danger by general media (i


Number of Observations

					Total	Integers	Nonintegers
					-	-	-
					141	141	-
					562	562	-
					703	703	-
					-		
					703		

(23 unique values)


medw2: level of danger by general media (i

Number of Observations

					Total	Integers	Nonintegers
 <p>(23 unique values)</p>	#	Negative	-	-	-		
	#	Zero	62	62	-		
	#	Positive	641	641	-		
	#	Total	703	703	-		
	#	Missing	-	-	-		
			703	703	-		


medw3: level of danger by general media (i

Number of Observations

		Total	Integers	Nonintegers
 <p>(19 unique values)</p>	Negative	-	-	-
	Zero	71	71	-
	Positive	632	632	-
	Total	703	703	-
	Missing	-		
		703		


neiwl1: level of danger by neighbors (in pe

Number of Observations

			Total	Integers	Nonintegers
 <p>(26 unique values)</p>	#	Negative	-	-	-
	#	Zero	34	34	-
	#	Positive	669	669	-
	#				
	#	Total	703	703	-
	#	Missing	-		
			703		


nei2: level of danger by neighbors (in pe

Number of Observations

			Total	Integers	Nonintegers
 <p>(21 unique values)</p>	#	Negative	-	-	-
	#	Zero	20	20	-
	#	Positive	683	683	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		


nei3: level of danger by neighbors (in pe

Number of Observations

			Total	Integers	Nonintegers
 <p>(15 unique values)</p>	#	Negative	-	-	-
	#	Zero	29	29	-
	#	Positive	674	674	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

toxic: all radioactive materials remain to

Number of Observations

			Total	Integers	Nonintegers
 <p>(19 unique values)</p>	#	Negative	-	-	-
	#	Zero	56	56	-
	#	Positive	647	647	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

repair: body has capability to repair tis

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	210	210	-
#				Positive	493	493	-
#							
#	#	#		Total	703	703	-
#	#	#	.	Missing	-		
0				100	703		
(20 unique values)							

skin: a suntan is caused by radiating dama

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	259	259	-
#				Positive	443	443	-
#							
#				Total	702	702	-
#	#	#	.	Missing	1		
0				100	703		
(27 unique values)							

near: radiation from a nuclear plant site

Number of Observations

					Total	Integers	Nonintegers
				Negative	-	-	-
				Zero	63	63	-
				Positive	640	640	-
				Total	703	703	-
.	.	#	.	Missing	-		
0				100	703		
(17 unique values)							

cloud: radioactive fallout is only harmful

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	368	368	-
#		Positive	335	335	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 100
(20 unique values)

world: the chornobyl accident has affected

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	11	11	-
#		Positive	692	692	-
#					
#		Total	703	703	-
.	.	Missing	-		
			703		

0 100
(18 unique values)

healthef: a person exposed to any radiatio

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	34	34	-
#		Positive	669	669	-
#					
#		Total	703	703	-
.	.	Missing	-		
			703		

0 100
(25 unique values)

carcin: a person exposed to carcinogen is

Number of Observations

				Total	Integers	Nonintegers
<p>(21 unique values)</p>	#	Negative	-	-	-	
	.	Zero	41	41	-	
	#	Positive	662	662	-	
	#					
	#	Total	703	703	-	
	#	Missing	-	-	-	
				703		


woman: pregnant exposed to radiation likel

Number of Observations

		Total	Integers	Nonintegers
<p>(24 unique values)</p>	Negative	-	-	-
	Zero	30	30	-
	Positive	673	673	-
	Total	703	703	-
	Missing	-	-	-
		703		

saferad: there is no safe level of radiati

Number of Observations

				Total	Integers	Nonintegers
				Negative	-	-
				Zero	206	-
				Positive	497	-
				Total	703	-
				Missing	-	-
				703		

goodrad: small doses can actually improve

Number of Observations

				Total	Integers	Nonintegers
#				-	-	-
#			#	122	122	-
#			#	581	581	-
#	#	#	#			
#	#	#	#	703	703	-
#	#	#	.	-		
				703		

0 100
(21 unique values)

kzchorn: in k/z most cases of cancer in hu

Number of Observations

				Total	Integers	Nonintegers
			#	-	-	-
			#	18	18	-
			#	685	685	-
			#			
		#	#	703	703	-
.	.	#	#	-		
				703		

0 100
(19 unique values)

kzunder: people in k/z underestimate the r


Number of Observations

				Total	Integers	Nonintegers
			#	-	-	-
			#	22	22	-
			#	681	681	-
			#			
		#	#	703	703	-
.	.	#	#	-		
				703		

0 100
(21 unique values)

chsize: the radioactive fallout from chorn

Number of Observations




Negative
Zero
Positive
Total
Missing

Total	Integers	Nonintegers
-	-	-
23	23	-
680	680	-
703	703	-
-	-	-
703		

icdxcnt: count of icdx illnesses

Number of Observations




Negative
Zero
Positive
Total
Missing

Total	Integers	Nonintegers
-	-	-
71	71	-
632	632	-
703	703	-
-	-	-
703		

icddx1: icd ñ 10 code illness 1

Number of Observations



Negative
Zero
Positive
Total
Missing

Total	Integers	Nonintegers
-	-	-
-	-	-
-	-	-
-	-	-
703		
703		

	total	integers	nonintegers
Negative	-	-	-
Zero	-	-	-
Positive	-	-	-
	<hr/>	<hr/>	<hr/>
Total	-	-	-
Missing	703		
	<hr/>		
	703		

	Total	Integers	Nonintegers
Negative	-	-	-
Zero	-	-	-
Positive	-	-	-
Total	-	-	-
Missing	703		
	703		

	Total	Integers	Nonintegers
Negative	-	-	-
Zero	-	-	-
Positive	-	-	-
Total	-	-	-
Missing	703		
	703		

```
46 . -9.0e+307
      (0 unique value)
```

```
47 . -9.0e+307
      (0 unique value)
```

```
48 . -9.0e+307
(0 unique value)
```

		Total	Integers	NonIntegers
Negative		-	-	-
Zero		-	-	-
Positive		-	-	-
		<hr/>	<hr/>	<hr/>
Total		-	-	-
Missing		703		
		<hr/>		
49 .	-9.0e+307	703		
(0 unique value)				

	Total	Integers	Nonintegers
Negative	-	-	-
Zero	-	-	-
Positive	-	-	-
Total	-	-	-
Missing	703		
	703		

	Total	Integers	Nonintegers
Negative	-	-	-
Zero	-	-	-
Positive	-	-	-
Total	-	-	-
Missing	703		
	703		

icddx11: icd ñ 10 code illness 11

Number of Observations

		Total	Integers	Nonintegers
52 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
-9.0e+307		703		
(0 unique value)				

icddx12: icd ñ 10 code illness 12

Number of Observations

		Total	Integers	Nonintegers
53 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
-9.0e+307		703		
(0 unique value)				

dxdat_1: date of original onset (mm/dd/yyyy)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	3	3	-
#	Zero	-	-	-
#	Positive	622	622	-
#	Total	625	625	-
#	Missing	78		
-137774 18618		703		
(More than 99 unique values)				

dxdat_2: date of original onset (mm/dd/yyyy)					Number of Observations		
					Total	Integers	Nonintegers
#					Negative	-	-
#					Zero	-	-
#					Positive	472	-
#							
#					Total	472	-
.					Missing	231	
5689					18534	703	
(More than 99 unique values)							

dxdat_3: date of original onset (mm/dd/yyyy)					Number of Observations		
					Total	Integers	Nonintegers
#					Negative	1	-
#					Zero	-	-
#					Positive	313	-
#							
#					Total	314	-
.					Missing	389	
-137774					18561	703	
(More than 99 unique values)							

dxdat_4: date of original onset (mm/dd/yyyy)					Number of Observations		
					Total	Integers	Nonintegers
#					Negative	1	-
#					Zero	-	-
#					Positive	188	-
#							
#					Total	189	-
.					Missing	514	
-137774					18383	703	
(More than 99 unique values)							

dxdat_5: date of original onset (mm/dd/yyyy)					Number of Observations		
					Total	Integers	Nonintegers
					-	-	-
					-	-	-
					110	110	-
					110	110	-
					593		
7305 18394					703		
(More than 99 unique values)							

dxdat_6: date of original onset (mm/dd/yyyy)					Number of Observations		
					Total	Integers	Nonintegers
					-	-	-
					-	-	-
					62	62	-
					62	62	-
					641		
9831 18353					703		
(56 unique values)							

dxdat_7: date of original onset (mm/dd/yyyy)					Number of Observations		
					Total	Integers	Nonintegers
					-	-	-
					-	-	-
					33	33	-
					33	33	-
					670		
9831 18241					703		
(32 unique values)							

dxdat_11: date of original onset (mm/dd/yy)					Number of Observations		
					Total	Integers	Nonintegers
#					-	-	-
#					-	-	-
#					9	9	-
#							
#					9	9	-
#	.	#	#	#	694		
9831					703		
18322							
(9 unique values)							

dxdat_12: date of original onset (mm/dd/yy)					Number of Observations		
					Total	Integers	Nonintegers
#					-	-	-
#					-	-	-
#					5	5	-
#							
#	#	#	#	#	5	5	-
#	#	#	#	#	698		
#	.	#	#	#			
15522					703		
18322							
(5 unique values)							

dxnum1: number of years the disease persis					Number of Observations		
					Total	Integers	Nonintegers
#					-	-	-
#					65	65	-
#					622	622	-
#							
#					687	687	-
#	#	#	.	.	16		
0					703		
50							
(38 unique values)							

dxnum2: number of years the disease persis

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	199	199	-
#		Positive	463	463	-
#					
#		Total	662	662	-
#	.	Missing	41		
0		31	703		

(31 unique values)

dxnum3: number of years the disease persis

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	341	341	-
#		Positive	307	307	-
#					
#		Total	648	648	-
#	.	Missing	55		
0		36	703		

(30 unique values)

dxnum4: number of years the disease persis

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	437	437	-
#		Positive	189	189	-
#					
#		Total	626	626	-
#	.	Missing	77		
0		31	703		

(26 unique values)

Number of Observations

dxnum6: number of years the disease persis				Number of Observations		
				Total	Integers	Nonintegers
#			Negative	-	-	-
#			Zero	523	523	-
#			Positive	60	60	-
#						
#			Total	583	583	-
#	.	.	Missing	120		
0 25				703		
(17 unique values)						

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	545	545	-
#	Positive	35	35	-
#				
#	Total	580	580	-
#	Missing	123		
		703		

dxnum8: number of years the disease persis

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	563	563	-
#		Positive	15	15	-
#					
#		Total	578	578	-
#	.	Missing	125		
0		26	703		
(8 unique values)					

dxnum9: number of years the disease persis

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	567	567	-
#		Positive	11	11	-
#					
#		Total	578	578	-
#	.	Missing	125		
0		25	703		
(4 unique values)					

dxnum10: number of years the disease persi

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	568	568	-
#		Positive	10	10	-
#					
#		Total	578	578	-
#	.	Missing	125		
0		25	703		
(8 unique values)					

dxnum11: number of years the disease persi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	569	569	-
#	Positive	9	9	-
#				
#	Total	578	578	-
#	Missing	125		
0	25	703		
(6 unique values)				

dxnum12: number of years the disease persi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	572	572	-
#	Positive	6	6	-
#				
#	Total	578	578	-
#	Missing	125		
0	25	703		
(5 unique values)				

deprl1980: level of depression (in percent

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	663	663	-
#	Positive	40	40	-
#				
#	Total	703	703	-
#	Missing	-		
0	100	703		
(9 unique values)				

deprl1981: level of depression (in percent

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		672	672	-
#	Positive		31	31	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

(10 unique values)

deprl1982: level of depression (in percent

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		666	666	-
#	Positive		37	37	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

(9 unique values)

deprl1983: level of depression (in percent

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		674	674	-
#	Positive		29	29	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

(10 unique values)

deprl1984: level of depression (in percent

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		670	670	-
#	Positive		33	33	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(9 unique values)

deprl1985: level of depression (in percent

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		664	664	-
#	Positive		39	39	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(12 unique values)

deprl1986: level of depression (in percent

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		540	540	-
#	Positive		163	163	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(11 unique values)

Number of Observations

depr11988: level of depression (in percentdepr11989: level of depression (in percent

Number of Observations

Number of Observations

A diagram consisting of a vertical line on the left. To the right of the line, there are seven hash symbols (#) stacked vertically, followed by four dots (•) stacked vertically.

Number of Observations

Number of Observations

Number of Observations

A diagram consisting of a vertical line on the left. To the right of the line, there are seven hash symbols (#) stacked vertically, followed by four dots (•) stacked vertically.

Number of Observations

Student	Number of books read
Student 1	7
Student 2	4
Student 3	2
Student 4	1

Number of Observations

depr11997: level of depression (in percentdepr11998: level of depression (in percent

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	550	550	-
#	Positive	153	153	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

deprl1999: level of depression (in percent

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		546	546	-
#	Positive		157	157	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(16 unique values)

deprl2000: level of depression (in percent

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		533	533	-
#	Positive		170	170	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(16 unique values)

deprl2001: level of depression (in percent

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		543	543	-
#	Positive		160	160	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(18 unique values)

deprl2002: level of depression (in percent

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		547	547	-
#	Positive		156	156	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(19 unique values)

deprl2003: level of depression (in percent

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		546	546	-
#	Positive		157	157	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(19 unique values)

deprl2004: level of depression (in percent

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		545	545	-
#	Positive		158	158	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(15 unique values)

deprl2008: level of depression (in percent

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		470	470	-
#	Positive		233	233	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(19 unique values)

deprl2009: level of depression (in percent

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		460	460	-
#	Positive		243	243	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(21 unique values)

deprl2010: level of depression (in percent

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		502	502	-
#	Positive		201	201	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(17 unique values)

anxl1980: level of anxiety (in percentage)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	670	670	-
#	Positive	33	33	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

anxl1981: level of anxiety (in percentage)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	680	680	-
#	Positive	23	23	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(9 unique values)

anxl1982: level of anxiety (in percentage)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	676	676	-
#	Positive	27	27	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(7 unique values)

anxl1983: level of anxiety (in percentage)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	678	678	-
#	Positive	25	25	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(8 unique values)

anxl1984: level of anxiety (in percentage)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	671	671	-
#	Positive	32	32	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

anxl1985: level of anxiety (in percentage)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	668	668	-
#	Positive	35	35	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

anxl1986: level of anxiety (in percentage)

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	450	450	-
#		Positive	253	253	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		100	703		
(17 unique values)					

anxl1987: level of anxiety (in percentage)

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	550	550	-
#		Positive	153	153	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		100	703		
(17 unique values)					

anxl1988: level of anxiety (in percentage)

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	560	560	-
#		Positive	143	143	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		100	703		
(14 unique values)					

anxl1989: level of anxiety (in percentage)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	575	575	-
#	Positive	128	128	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(14 unique values)

anxl1990: level of anxiety (in percentage)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	560	560	-
#	Positive	143	143	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(14 unique values)

anxl1991: level of anxiety (in percentage)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	567	567	-
#	Positive	136	136	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(16 unique values)

anxl1992: level of anxiety (in percentage)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	553	553	-
#	Positive	150	150	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100

(16 unique values)

anxl1993: level of anxiety (in percentage)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	560	560	-
#	Positive	143	143	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100

(17 unique values)

anxl1994: level of anxiety (in percentage)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	561	561	-
#	Positive	142	142	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100

(16 unique values)

anxl1995: level of anxiety (in percentage)

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	570	570	-
#		Positive	133	133	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 100

(18 unique values)

anxl1996: level of anxiety (in percentage)

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	556	556	-
#		Positive	147	147	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 100

(15 unique values)

anxl1997: level of anxiety (in percentage)

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	557	557	-
#		Positive	146	146	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 100

(15 unique values)

Number of Observations

A dot plot showing the frequency of unique values. The x-axis is labeled '(17 unique values)' and ranges from 0 to 100. The y-axis is labeled '#'. There are 6 dots at x=0, 1 dot at x=25, 1 dot at x=50, 1 dot at x=75, and 1 dot at x=100.

Number of Observations

A dot plot showing the frequency of unique values. The x-axis is labeled '(17 unique values)' and ranges from 0 to 100. The y-axis represents frequency, with 6 hash symbols (#) indicating a frequency of 6 for the first value. Four other values have a frequency of 1, represented by a single dot.

Number of Observations

Number of Unique Values	Frequency (#)
0	6
25	1
50	1
75	1
100	1

anxl2001: level of anxiety (in percentage)

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	547	547	-
#		Positive	156	156	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 100

(15 unique values)

anxl2002: level of anxiety (in percentage)

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	542	542	-
#		Positive	161	161	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 100

(16 unique values)

anxl2003: level of anxiety (in percentage)

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	545	545	-
#		Positive	158	158	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 100

(17 unique values)

Number of Observations

A dot plot showing the frequency of unique values. The x-axis is labeled '(15 unique values)' and ranges from 0 to 100. The y-axis represents frequency, with 6 hash symbols (#) indicating a frequency of 6 for the first value. Four other values have a frequency of 1, each represented by a single dot.

Number of Observations

A dot plot showing the frequency of unique values. The x-axis is labeled '(15 unique values)' and ranges from 0 to 100. The y-axis represents frequency, with 6 hash symbols (#) indicating a frequency of 6 for the first value. Four dots (.) are placed at regular intervals along the x-axis, representing a frequency of 1 for those values.

Number of Observations

anxl2007: level of anxiety (in percentage)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	510	510	-
#	Positive	193	193	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(17 unique values)

anxl2008: level of anxiety (in percentage)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	481	481	-
#	Positive	222	222	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(14 unique values)

anxl2009: level of anxiety (in percentage)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	481	481	-
#	Positive	222	222	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(19 unique values)

anxl2010: level of anxiety (in percentage)

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		500	500	-
#	Positive		203	203	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(19 unique values)

pdisl1980: level of somatic/physical disco

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		662	662	-
#	Positive		41	41	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(11 unique values)

pdisl1981: level of somatic/physical disco

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		664	664	-
#	Positive		39	39	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(11 unique values)

Number of Observations

pdisl1983: level of somatic/physical disco

pdisl1984: level of somatic/physical disco

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	647	647	-
#	Positive	56	56	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

Number of Observations

pdisl1986: level of somatic/physical disco		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	529	529	-
#	Positive	174	174	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

(14 unique values)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	545	545	-
#	Positive	158	158	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

pdisl1988: level of somatic/physical disco

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		551	551	-
#	Positive		152	152	-
#					
#	Total		703	703	-
#	Missing	.	-		
0		100	703		
(15 unique values)					

pdisl1989: level of somatic/physical disco

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		543	543	-
#	Positive		160	160	-
#					
#	Total		703	703	-
#	Missing	.	-		
0		100	703		
(15 unique values)					

pdisl1990: level of somatic/physical disco

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		533	533	-
#	Positive		170	170	-
#					
#	Total		703	703	-
#	Missing	.	-		
0		100	703		
(18 unique values)					

pdisl1991: level of somatic/physical disco

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		533	533	-
#	Positive		170	170	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

(15 unique values)

pdisl1992: level of somatic/physical disco

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		519	519	-
#	Positive		184	184	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

(14 unique values)

pdisl1993: level of somatic/physical disco

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		517	517	-
#	Positive		186	186	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

(15 unique values)

Number of Observations

pdisl1995: level of somatic/physical disco		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	536	536	-
#	Positive	167	167	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

(18 unique values)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	528	528	-
#	Positive	175	175	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

pdisl1997: level of somatic/physical disco

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		552	552	-
#	Positive		151	151	-
#					
#	Total		703	703	-
#	Missing	.	-		
0		100	703		
(14 unique values)					

pdisl1998: level of somatic/physical disco

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		524	524	-
#	Positive		179	179	-
#					
#	Total		703	703	-
#	Missing	.	-		
0		100	703		
(15 unique values)					

pdisl1999: level of somatic/physical disco

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		523	523	-
#	Positive		180	180	-
#					
#	Total		703	703	-
#	Missing	.	-		
0		100	703		
(15 unique values)					

Number of Observations

pdisl2001: level of somatic/physical disco		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	514	514	-
#	Positive	189	189	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

(18 unique values)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	492	492	-
#	Positive	211	211	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

Number of Observations

pdisl2004: level of somatic/physical disco

pdisl2005: level of somatic/physical disco

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	466	466	-
#	Positive	237	237	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

Number of Observations

pdisl2007: level of somatic/physical disco

pdisl2008: level of somatic/physical disco

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	411	411	-
#		Positive	292	292	-
#					
#		Total	703	703	-
#	#	Missing	-		
			703		

(18 unique values)

pdisl2009: level of somatic/physical disco

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	403	403	-
#		Positive	300	300	-
#					
#		Total	703	703	-
#	# . . .	Missing	-		
			703		

0 100
(19 unique values)

pdisl2010: level of somatic/physical disco

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	487	487	-
#		Positive	216	216	-
#					
#		Total	703	703	-
#	Missing	-		
			703		

0 100
(19 unique values)

emrel1980: intensity of ptsd reactions in

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	681	681	-
#		Positive	22	22	-
#					
#		Total	703	703	-
#	Missing	-		
			703		

0 100
(8 unique values)

emrel1981: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	693	693	-
#	Positive	10	10	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(5 unique values)

emrel1982: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	692	692	-
#	Positive	11	11	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(8 unique values)

emrel1983: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	689	689	-
#	Positive	14	14	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(7 unique values)

emrel1984: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	688	688	-
#	Positive	15	15	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(7 unique values)

emrel1985: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	683	683	-
#	Positive	20	20	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(9 unique values)

emrel1986: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	497	497	-
#	Positive	206	206	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

emrel1987: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	638	638	-
#	Positive	65	65	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

emrel1988: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	646	646	-
#	Positive	57	57	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

emrel1989: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	658	658	-
#	Positive	45	45	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

emrel1990: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	653	653	-
#	Positive	50	50	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

emrel1991: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	660	660	-
#	Positive	43	43	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

emrel1992: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	651	651	-
#	Positive	52	52	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

emrel1993: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	659	659	-
#	Positive	44	44	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

emrel1994: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	654	654	-
#	Positive	49	49	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

emrel1995: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	648	648	-
#	Positive	55	55	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

emrel1996: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	654	654	-
#	Positive	49	49	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

emrel1997: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	652	652	-
#	Positive	51	51	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

emrel1998: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	655	655	-
#	Positive	48	48	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(15 unique values)

emrel1999: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	660	660	-
#	Positive	43	43	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

emrel2000: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	639	639	-
#	Positive	64	64	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

emrel2001: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	644	644	-
#	Positive	59	59	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

emrel2002: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	655	655	-
#	Positive	48	48	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

emrel2003: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	655	655	-
#	Positive	48	48	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

emrel2004: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	638	638	-
#	Positive	65	65	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

emrel2005: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	633	633	-
#	Positive	70	70	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

emrel2006: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	646	646	-
#	Positive	57	57	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

emrel2007: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	647	647	-
#	Positive	56	56	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

emrel2008: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	612	612	-
#	Positive	91	91	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(15 unique values)

emrel2009: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	620	620	-
#	Positive	83	83	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(15 unique values)

emrel2010: intensity of ptsd reactions in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	653	653	-
#	Positive	50	50	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

hlthl1980: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		689	689	-
#	Positive		14	14	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(9 unique values)

hlthl1981: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		692	692	-
#	Positive		11	11	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 50
(7 unique values)

hlthl1982: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		687	687	-
#	Positive		16	16	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(10 unique values)

hlthl1983: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		686	686	-
#	Positive		17	17	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(9 unique values)

hlthl1984: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		686	686	-
#	Positive		17	17	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(10 unique values)

hlthl1985: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		680	680	-
#	Positive		23	23	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(10 unique values)

hlthl1986: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	627	627	-
#		Positive	76	76	-
#					
#		Total	703	703	-
#	.	Missing	-		
0			703		
(13 unique values)					

hlthl1987: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	638	638	-
#		Positive	65	65	-
#					
#		Total	703	703	-
#	.	Missing	-		
0			703		
(14 unique values)					

hlthl1988: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	640	640	-
#		Positive	63	63	-
#					
#		Total	703	703	-
#	.	Missing	-		
0			703		
(13 unique values)					

hlthl1989: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		642	642	-
#	Positive		61	61	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(9 unique values)

hlthl1990: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		630	630	-
#	Positive		73	73	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(10 unique values)

hlthl1991: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		643	643	-
#	Positive		60	60	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(10 unique values)

Number of Observations

Number of Observations

A diagram consisting of a vertical line on the left. To the right of the line, there are seven hash symbols (#) arranged vertically, followed by four dots (•) arranged horizontally.

Number of Observations

Student	Number of books read
1	7
2	6
3	5
4	4

hlthl1995: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	633	633	-
#		Positive	70	70	-
#					
#		Total	703	703	-
#	.	Missing	-		
0			703		
(10 unique values)					

hlthl1996: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	609	609	-
#		Positive	94	94	-
#					
#		Total	703	703	-
#	.	Missing	-		
0			703		
(15 unique values)					

hlthl1997: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	622	622	-
#		Positive	81	81	-
#					
#		Total	703	703	-
#	.	Missing	-		
0			703		
(11 unique values)					

hlthl1998: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	610	610	-
#		Positive	93	93	-
#					
#		Total	703	703	-
#	.	Missing	-		
0			703		
(12 unique values)					

hlthl1999: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	607	607	-
#		Positive	96	96	-
#					
#		Total	703	703	-
#	.	Missing	-		
0			703		
(12 unique values)					

hlthl2000: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	589	589	-
#		Positive	114	114	-
#					
#		Total	703	703	-
#	.	Missing	-		
0			703		
(13 unique values)					

hlthl2001: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		617	617	-
#	Positive		86	86	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(13 unique values)

hlthl2002: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		618	618	-
#	Positive		85	85	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(14 unique values)

hlthl2003: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		615	615	-
#	Positive		88	88	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(15 unique values)

hlthl2004: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		612	612	-
#	Positive		91	91	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(15 unique values)

hlthl2005: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		597	597	-
#	Positive		106	106	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(18 unique values)

hlthl2006: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		593	593	-
#	Positive		110	110	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(16 unique values)

hlthl2007: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	587	587	-
#		Positive	116	116	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 100
(17 unique values)

hlthl2008: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	578	578	-
#		Positive	125	125	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 100
(19 unique values)

hlthl2009: intensity of work related probl

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	569	569	-
#		Positive	134	134	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 100
(16 unique values)

Number of Observations

homel1980: intensity of home related probl		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	685	685	-
#	Positive	18	18	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	690	690	-
#	Positive	13	13	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

homel1982: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	684	684	-
#	Positive	19	19	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

homel1983: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	688	688	-
#	Positive	15	15	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(8 unique values)

homel1984: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	685	685	-
#	Positive	18	18	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

homel1985: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	681	681	-
#	Positive	22	22	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

homel1986: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	624	624	-
#	Positive	79	79	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

homel1987: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	646	646	-
#	Positive	57	57	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

homel1988: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	634	634	-
#	Positive	69	69	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

homel1989: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	639	639	-
#	Positive	64	64	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

homel1990: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	635	635	-
#	Positive	68	68	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(14 unique values)

homel1991: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	643	643	-
#	Positive	60	60	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

homel1992: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	630	630	-
#	Positive	73	73	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

homel1993: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	629	629	-
#	Positive	74	74	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

homel1994: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	637	637	-
#	Positive	66	66	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

homel1995: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	635	635	-
#	Positive	68	68	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

homel1996: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	614	614	-
#	Positive	89	89	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(15 unique values)

homel1997: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	622	622	-
#	Positive	81	81	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100

(13 unique values)

homel1998: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	606	606	-
#	Positive	97	97	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100

(15 unique values)

homel1999: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	606	606	-
#	Positive	97	97	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100

(13 unique values)

homel2000: intensity of home related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		586	586	-
#	Positive		117	117	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(15 unique values)

homel2001: intensity of home related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		606	606	-
#	Positive		97	97	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(15 unique values)

homel2002: intensity of home related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		600	600	-
#	Positive		103	103	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(15 unique values)

Number of Observations

homel2004: intensity of home related probl

homel2005: intensity of home related probl

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	568	568	-
#	Positive	135	135	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

homel2006: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	550	550	-
#	Positive	153	153	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(19 unique values)

homel2007: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	550	550	-
#	Positive	153	153	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(16 unique values)

homel2008: intensity of home related probl

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	546	546	-
#	Positive	157	157	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(18 unique values)

homel2009: intensity of home related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		532	532	-
#	Positive		171	171	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(16 unique values)

homel2010: intensity of home related probl

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		583	583	-
#	Positive		120	120	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(17 unique values)

solil1980: intensity of social life relate

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		693	693	-
#	Positive		10	10	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 50
(5 unique values)

solil1981: intensity of social life relate

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		695	695	-
#	Positive		8	8	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 50
(5 unique values)

solil1982: intensity of social life relate

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		691	691	-
#	Positive		12	12	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 80
(7 unique values)

solil1983: intensity of social life relate

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		695	695	-
#	Positive		8	8	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(6 unique values)

solil1984: intensity of social life relate

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	694	694	-
#	Positive	9	9	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 90
(8 unique values)

solil1985: intensity of social life relate

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	690	690	-
#	Positive	13	13	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

solil1986: intensity of social life relate

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	639	639	-
#	Positive	64	64	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(15 unique values)

solil1987: intensity of social life relate

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	652	652	-
#	Positive	51	51	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

solil1988: intensity of social life relate

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	653	653	-
#	Positive	50	50	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

solil1989: intensity of social life relate

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	656	656	-
#	Positive	47	47	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

solil1990: intensity of social life relate

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		651	651	-
#	Positive		52	52	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(10 unique values)

solil1991: intensity of social life relate

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		655	655	-
#	Positive		48	48	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(12 unique values)

solil1992: intensity of social life relate

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		645	645	-
#	Positive		58	58	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(12 unique values)

solil1993: intensity of social life relate

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	651	651	-
#	Positive	52	52	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

solil1994: intensity of social life relate

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	648	648	-
#	Positive	55	55	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

solil1995: intensity of social life relate

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	652	652	-
#	Positive	51	51	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

solil1996: intensity of social life relate

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		639	639	-
#	Positive		64	64	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(16 unique values)

solil1997: intensity of social life relate

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		648	648	-
#	Positive		55	55	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(13 unique values)

solil1998: intensity of social life relate

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		631	631	-
#	Positive		72	72	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(14 unique values)

solil1999: intensity of social life relate

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		626	626	-
#	Positive		77	77	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(14 unique values)

solil2000: intensity of social life relate

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		611	611	-
#	Positive		92	92	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(15 unique values)

solil2001: intensity of social life relate

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		628	628	-
#	Positive		75	75	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(16 unique values)

solil2002: intensity of social life relate

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		626	626	-
#	Positive		77	77	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100

(15 unique values)

solil2003: intensity of social life relate

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		625	625	-
#	Positive		78	78	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100

(15 unique values)

solil2004: intensity of social life relate

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		623	623	-
#	Positive		80	80	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100

(14 unique values)

solil2005: intensity of social life relate

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	602	602	-
#	Positive	101	101	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(14 unique values)

solil2006: intensity of social life relate

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	596	596	-
#	Positive	107	107	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(14 unique values)

solil2007: intensity of social life relate

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	584	584	-
#	Positive	119	119	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(17 unique values)

solil2008: intensity of social life relate

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	581	581	-
#	Positive	122	122	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100

(18 unique values)

solil2009: intensity of social life relate

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	566	566	-
#	Positive	137	137	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100

(16 unique values)

solil2010: intensity of social life relate

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	603	603	-
#	Positive	100	100	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100

(15 unique values)

holil1980: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	692	692	-
#	Positive	11	11	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 68
(6 unique values)

holil1981: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	693	693	-
#	Positive	10	10	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 69
(6 unique values)

holil1982: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	691	691	-
#	Positive	12	12	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 69
(7 unique values)

holil1983: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	690	690	-
#	Positive	13	13	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(8 unique values)

holil1984: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	690	690	-
#	Positive	13	13	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(8 unique values)

holil1985: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	690	690	-
#	Positive	13	13	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(6 unique values)

holil1986: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	658	658	-
#	Positive	45	45	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

holil1987: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	664	664	-
#	Positive	39	39	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

holil1988: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	672	672	-
#	Positive	31	31	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(9 unique values)

holil1989: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		673	673	-
#	Positive		30	30	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(9 unique values)

holil1990: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		661	661	-
#	Positive		42	42	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(9 unique values)

holil1991: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		667	667	-
#	Positive		36	36	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(9 unique values)

holil1992: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	669	669	-
#	Positive	34	34	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

holil1993: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	671	671	-
#	Positive	32	32	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

holil1994: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	671	671	-
#	Positive	32	32	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(9 unique values)

holil1995: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	667	667	-
#	Positive	36	36	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

holil1996: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	660	660	-
#	Positive	43	43	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

holil1997: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	659	659	-
#	Positive	44	44	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

holil1998: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	657	657	-
#	Positive	46	46	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

holil1999: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	656	656	-
#	Positive	47	47	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

holil2000: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	657	657	-
#	Positive	46	46	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(9 unique values)

holil2001: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		651	651	-
#	Positive		52	52	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(11 unique values)

holil2002: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		651	651	-
#	Positive		52	52	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(11 unique values)

holil2003: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		655	655	-
#	Positive		48	48	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(13 unique values)

holil2004: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		652	652	-
#	Positive		51	51	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(11 unique values)

holil2005: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		649	649	-
#	Positive		54	54	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(11 unique values)

holil2006: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		647	647	-
#	Positive		56	56	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(12 unique values)

holil2007: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	642	642	-
#	Positive	61	61	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

holil2008: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	631	631	-
#	Positive	72	72	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(14 unique values)

holil2009: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	628	628	-
#	Positive	75	75	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(14 unique values)

holil2010: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	643	643	-
#	Positive	60	60	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

sexll1980: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	690	690	-
#	Positive	13	13	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(8 unique values)

sexll1981: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	694	694	-
#	Positive	9	9	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(7 unique values)

sexl11982: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	693	693	-
#	Positive	10	10	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(8 unique values)

sexl11983: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	692	692	-
#	Positive	11	11	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(8 unique values)

sexl11984: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	693	693	-
#	Positive	10	10	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(9 unique values)

sexl11985: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	692	692	-
#	Positive	11	11	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(8 unique values)

sexl11986: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	654	654	-
#	Positive	49	49	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

sexl11987: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	659	659	-
#	Positive	44	44	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

sexl11988: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	669	669	-
#	Positive	34	34	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(8 unique values)

sexl11989: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	668	668	-
#	Positive	35	35	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

sexl11990: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	660	660	-
#	Positive	43	43	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

sexl11991: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	657	657	-
#	Positive	46	46	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

sexl11992: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	651	651	-
#	Positive	52	52	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

sexl11993: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	653	653	-
#	Positive	50	50	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

sexl11994: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		656	656	-
#	Positive		47	47	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(10 unique values)

sexl11995: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		651	651	-
#	Positive		52	52	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(9 unique values)

sexl11996: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		647	647	-
#	Positive		56	56	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(14 unique values)

sexl11997: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	649	649	-
#		Positive	54	54	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 100
(13 unique values)

sexl11998: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	648	648	-
#		Positive	55	55	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 100
(13 unique values)

sexl11999: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	649	649	-
#		Positive	54	54	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 100
(11 unique values)

sexl12000: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		634	634	-
#	Positive		69	69	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(11 unique values)

sexl12001: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		634	634	-
#	Positive		69	69	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(12 unique values)

sexl12002: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		633	633	-
#	Positive		70	70	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(11 unique values)

sexl12003: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		633	633	-
#	Positive		70	70	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(13 unique values)

sexl12004: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		627	627	-
#	Positive		76	76	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(13 unique values)

sexl12005: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		619	619	-
#	Positive		84	84	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(15 unique values)

sexl12006: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		609	609	-
#	Positive		94	94	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(15 unique values)

sexl12007: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		605	605	-
#	Positive		98	98	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(17 unique values)

sexl12008: intensity of home life related

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		602	602	-
#	Positive		101	101	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(17 unique values)

sexll2009: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	595	595	-
#	Positive	108	108	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(15 unique values)

sexll2010: intensity of home life related

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	619	619	-
#	Positive	84	84	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(16 unique values)

inholl1980: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	692	692	-
#	Positive	11	11	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(7 unique values)

inholl1981: intensity of interest and hobbi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		694	694	-
#	Positive		9	9	-
#					
#	Total		703	703	-
#	Missing	.	-		
0		100	703		
(7 unique values)					

inholl1982: intensity of interest and hobbi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		695	695	-
#	Positive		8	8	-
#					
#	Total		703	703	-
#	Missing	.	-		
0		100	703		
(7 unique values)					

inholl1983: intensity of interest and hobbi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		692	692	-
#	Positive		11	11	-
#					
#	Total		703	703	-
#	Missing	.	-		
0		100	703		
(8 unique values)					

inholl1984: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	690	690	-
#	Positive	13	13	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

inholl1985: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	688	688	-
#	Positive	15	15	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(7 unique values)

inholl1986: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	655	655	-
#	Positive	48	48	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

inholl1987: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	666	666	-
#	Positive	37	37	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

inholl1988: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	658	658	-
#	Positive	45	45	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

inholl1989: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	665	665	-
#	Positive	38	38	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

inholl1990: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	658	658	-
#	Positive	45	45	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

inholl1991: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	663	663	-
#	Positive	40	40	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

inholl1992: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	659	659	-
#	Positive	44	44	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

inholl1993: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	659	659	-
#	Positive	44	44	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

inholl1994: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	662	662	-
#	Positive	41	41	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

inholl1995: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	658	658	-
#	Positive	45	45	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

Number of Observations

inholl1997: intensity of interest and hobbi		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	651	651	-
#	Positive	52	52	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

inholl1998: intensity of interest and hobbi		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	648	648	-
#	Positive	55	55	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

(12 unique values)

inhol1999: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	642	642	-
#	Positive	61	61	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

inhol2000: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	636	636	-
#	Positive	67	67	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

inhol2001: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	640	640	-
#	Positive	63	63	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

inhol2002: intensity of interest and hobbi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		635	635	-
#	Positive		68	68	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(14 unique values)

inhol2003: intensity of interest and hobbi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		634	634	-
#	Positive		69	69	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(16 unique values)

inhol2004: intensity of interest and hobbi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		629	629	-
#	Positive		74	74	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(15 unique values)

inhol2005: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	619	619	-
#	Positive	84	84	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(14 unique values)

inhol2006: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	607	607	-
#	Positive	96	96	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(16 unique values)

inhol2007: intensity of interest and hobbi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	615	615	-
#	Positive	88	88	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(15 unique values)

inhol2008: intensity of interest and hobbi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		608	608	-
#	Positive		95	95	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(15 unique values)

inhol2009: intensity of interest and hobbi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		601	601	-
#	Positive		102	102	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(15 unique values)

inhol2010: intensity of interest and hobbi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		621	621	-
#	Positive		82	82	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(16 unique values)

wendl1980: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	688	688	-
#	Positive	15	15	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(9 unique values)

wendl1981: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	693	693	-
#	Positive	10	10	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(7 unique values)

wendl1982: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	690	690	-
#	Positive	13	13	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(7 unique values)

wendl1983: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	690	690	-
#	Positive	13	13	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(8 unique values)

wendl1984: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	689	689	-
#	Positive	14	14	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(8 unique values)

wendl1985: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	686	686	-
#	Positive	17	17	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

wendl1986: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	636	636	-
#	Positive	67	67	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

wendl1987: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	654	654	-
#	Positive	49	49	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

wendl1988: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	653	653	-
#	Positive	50	50	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

wendl1989: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	649	649	-
#	Positive	54	54	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

wendl1990: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	647	647	-
#	Positive	56	56	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(9 unique values)

wendl1991: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	657	657	-
#	Positive	46	46	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

wendl1992: intensity of holidays - weekend

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		647	647	-
#	Positive		56	56	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(9 unique values)

wendl1993: intensity of holidays - weekend

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		653	653	-
#	Positive		50	50	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(8 unique values)

wendl1994: intensity of holidays - weekend

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		653	653	-
#	Positive		50	50	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(12 unique values)

wendl1995: intensity of holidays - weekend

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		652	652	-
#	Positive		51	51	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(9 unique values)

wendl1996: intensity of holidays - weekend

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		642	642	-
#	Positive		61	61	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(9 unique values)

wendl1997: intensity of holidays - weekend

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		647	647	-
#	Positive		56	56	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(10 unique values)

wendl1998: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	635	635	-
#	Positive	68	68	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

wendl1999: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	633	633	-
#	Positive	70	70	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(10 unique values)

wendl2000: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	610	610	-
#	Positive	93	93	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

wendl2001: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	630	630	-
#	Positive	73	73	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

wendl2002: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	622	622	-
#	Positive	81	81	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

wendl2003: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	623	623	-
#	Positive	80	80	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

wendl2004: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	617	617	-
#	Positive	86	86	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(12 unique values)

wendl2005: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	603	603	-
#	Positive	100	100	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

wendl2006: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	598	598	-
#	Positive	105	105	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

wendl2007: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	602	602	-
#	Positive	101	101	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

wendl2008: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	591	591	-
#	Positive	112	112	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(15 unique values)

wendl2009: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	576	576	-
#	Positive	127	127	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(15 unique values)

wendl2010: intensity of holidays - weekend

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	616	616	-
#	Positive	87	87	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(13 unique values)

smokell1980: number of cigarettes smoked pe

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	594	594	-
#	Positive	109	109	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 280
(24 unique values)

smokell1981: number of cigarettes smoked pe

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	598	598	-
#	Positive	105	105	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 280
(24 unique values)

smokel1982: number of cigarettes smoked pe

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	596	596	-
#	Positive	107	107	-
#				
#	Total	703	703	-
#	Missing	-		
0	280	703		
(24 unique values)				

smokel1983: number of cigarettes smoked pe

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	594	594	-
#	Positive	109	109	-
#				
#	Total	703	703	-
#	Missing	-		
0	280	703		
(23 unique values)				

smokel1984: number of cigarettes smoked pe

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	587	587	-
#	Positive	116	116	-
#				
#	Total	703	703	-
#	Missing	-		
0	280	703		
(23 unique values)				

smokell1985: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	578	578	-
#		Positive	125	125	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		280	703		
(27 unique values)					

smokell1986: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	566	566	-
#		Positive	137	137	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		280	703		
(26 unique values)					

smokell1987: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	566	566	-
#		Positive	137	137	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		280	703		
(25 unique values)					

smokel1988: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	560	560	-
#		Positive	143	143	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		280	703		
(27 unique values)					

smokel1989: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	553	553	-
#		Positive	150	150	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		280	703		
(25 unique values)					

smokel1990: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	542	542	-
#		Positive	161	161	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		280	703		
(27 unique values)					

smokel1991: number of cigarettes smoked pe

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	539	539	-
#	Positive	164	164	-
#				
#	Total	703	703	-
#	Missing	-		
0	280	703		
(28 unique values)				

smokel1992: number of cigarettes smoked pe

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	541	541	-
#	Positive	162	162	-
#				
#	Total	703	703	-
#	Missing	-		
0	280	703		
(27 unique values)				

smokel1993: number of cigarettes smoked pe

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	535	535	-
#	Positive	168	168	-
#				
#	Total	703	703	-
#	Missing	-		
0	280	703		
(28 unique values)				

smokel1994: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		525	525	-
#	Positive		178	178	-
#					
#	Total		703	703	-
#	Missing		-		
0		280	703		
(30 unique values)					

smokel1995: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		519	519	-
#	Positive		184	184	-
#					
#	Total		703	703	-
#	Missing		-		
0		280	703		
(29 unique values)					

smokel1996: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		504	504	-
#	Positive		199	199	-
#					
#	Total		703	703	-
#	Missing		-		
0		280	703		
(30 unique values)					

smokel1997: number of cigarettes smoked pe

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	504	504	-
#	Positive	199	199	-
#				
#	Total	703	703	-
#	Missing	-		
0	280	703		
(30 unique values)				

smokel1998: number of cigarettes smoked pe

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	506	506	-
#	Positive	197	197	-
#				
#	Total	703	703	-
#	Missing	-		
0	280	703		
(30 unique values)				

smokel1999: number of cigarettes smoked pe

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	503	503	-
#	Positive	200	200	-
#				
#	Total	703	703	-
#	Missing	-		
0	280	703		
(30 unique values)				

smokel2000: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		495	495	-
#	Positive		208	208	-
#					
#	Total		703	703	-
#	Missing		-		
0		280	703		
(30 unique values)					

smokel2001: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		494	494	-
#	Positive		209	209	-
#					
#	Total		703	703	-
#	Missing		-		
0		280	703		
(30 unique values)					

smokel2002: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		503	503	-
#	Positive		200	200	-
#					
#	Total		703	703	-
#	Missing		-		
0		200	703		
(30 unique values)					

smokel2003: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		509	509	-
#	Positive		194	194	-
#					
#	Total		703	703	-
#	Missing		-		
0		240	703		
(32 unique values)					

smokel2004: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		511	511	-
#	Positive		192	192	-
#					
#	Total		703	703	-
#	Missing		-		
0		240	703		
(30 unique values)					

smokel2005: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		510	510	-
#	Positive		193	193	-
#					
#	Total		703	703	-
#	Missing		-		
0		280	703		
(29 unique values)					

smokel2006: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		504	504	-
#	Positive		199	199	-
#					
#	Total		703	703	-
#	Missing		-		
0		280	703		
(26 unique values)					

smokel2007: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		509	509	-
#	Positive		194	194	-
#					
#	Total		703	703	-
#	Missing		-		
0		280	703		
(26 unique values)					

smokel2008: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		507	507	-
#	Positive		196	196	-
#					
#	Total		703	703	-
#	Missing		-		
0		280	703		
(27 unique values)					

smokel2009: number of cigarettes smoked pe

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	504	504	-
#		Positive	199	199	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		280	703		
(30 unique values)					

smokel2010: number of cigarettes smoked pe

Number of Observations




			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	555	555	-
#		Positive	148	148	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		175	703		
(20 unique values)					

drinl1980: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	515	515	-
#		Positive	188	188	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		20	703		
(11 unique values)					

Number of Observations



drinl1984: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	513	513	-
#		Positive	190	190	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		20	703		
(11 unique values)					

drinl1985: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	505	505	-
#		Positive	198	198	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		20	703		
(11 unique values)					

drinl1986: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	469	469	-
#		Positive	234	234	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		20	703		
(10 unique values)					

Number of Observations

Number of ObservationsNumber of Observations

drinl1990: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	429	429	-
#		Positive	274	274	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		20	703		
(12 unique values)					

drinl1991: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	411	411	-
#		Positive	292	292	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		20	703		
(12 unique values)					

drinl1992: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	401	401	-
#		Positive	302	302	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		20	703		
(12 unique values)					

drinl1993: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	393	393	-
#		Positive	310	310	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		20	703		
(12 unique values)					

drinl1994: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	382	382	-
#		Positive	321	321	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		20	703		
(12 unique values)					

drinl1995: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	375	375	-
#		Positive	328	328	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		20	703		
(12 unique values)					

Number of Observations

drinl1997: number of beer of wine consumeddrinl1998: number of beer of wine consumed

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	356	356	-
#	Positive	347	347	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

drinl1999: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	352	352	-
#		Positive	351	351	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 20
(12 unique values)

drinl2000: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	335	335	-
#		Positive	368	368	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 20
(13 unique values)

drinl2001: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	334	334	-
#		Positive	369	369	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 20
(13 unique values)

drinl2002: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	335	335	-
#		Positive	368	368	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		20	703		
(13 unique values)					

drinl2003: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	336	336	-
#		Positive	367	367	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		16	703		
(13 unique values)					

drinl2004: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	340	340	-
#		Positive	363	363	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		16	703		
(13 unique values)					

Number of Observations

drinl2006: number of beer of wine consumeddrinl2007: number of beer of wine consumed

drinl2008: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	341	341	-
#		Positive	362	362	-
#					
#		Total	703	703	-
#	# . . .	Missing	-		
<hr/>			<hr/>		
0		14	703		
(12 unique values)					

drinl2009: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	336	336	-
#		Positive	367	367	-
#					
#		Total	703	703	-
#	Missing	-		
<hr/>			<hr/>		
0		20	703		
(13 unique values)					

drinl2010: number of beer of wine consumed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	436	436	-
#		Positive	267	267	-
#					
#		Total	703	703	-
#	Missing	-		
<hr/>			<hr/>		
0		20	703		
(13 unique values)					

vodkaq1980: number of vodaka drinks consum

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	527	527	-
#	Positive	176	176	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 30
(13 unique values)

vodkaq1981: number of vodaka drinks consum

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	531	531	-
#	Positive	172	172	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 30
(14 unique values)

vodkaq1982: number of vodaka drinks consum

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	530	530	-
#	Positive	173	173	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 30
(14 unique values)

vodkaq1983: number of vodaka drinks consum

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	529	529	-
#	Positive	174	174	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 30
(14 unique values)

vodkaq1984: number of vodaka drinks consum

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	524	524	-
#	Positive	179	179	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 30
(14 unique values)

vodkaq1985: number of vodaka drinks consum

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	514	514	-
#	Positive	189	189	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 30
(14 unique values)

vodkaq1986: number of vodaka drinks consum

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		489	489	-
#	Positive		214	214	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 30

(13 unique values)

vodkaq1987: number of vodaka drinks consum

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		493	493	-
#	Positive		210	210	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 30

(14 unique values)

vodkaq1988: number of vodaka drinks consum

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		489	489	-
#	Positive		214	214	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 30

(13 unique values)

vodkaq1989: number of vodaka drinks consum

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	487	487	-
#	Positive	216	216	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 30
(13 unique values)

vodkaq1990: number of vodaka drinks consum

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	473	473	-
#	Positive	230	230	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 30
(12 unique values)

vodkaq1991: number of vodaka drinks consum

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	470	470	-
#	Positive	233	233	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 30
(13 unique values)

vodkaq1992: number of vodaka drinks consum

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		457	457	-
#	Positive		246	246	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 30
(12 unique values)

vodkaq1993: number of vodaka drinks consum

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		448	448	-
#	Positive		255	255	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 30
(12 unique values)

vodkaq1994: number of vodaka drinks consum

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		442	442	-
#	Positive		261	261	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 30
(12 unique values)

vodkaq1995: number of vodaka drinks consum

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	432	432	-
#	Positive	271	271	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 30
(13 unique values)

vodkaq1996: number of vodaka drinks consum

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	402	402	-
#	Positive	301	301	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 30
(12 unique values)

vodkaq1997: number of vodaka drinks consum

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	411	411	-
#	Positive	292	292	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 20
(12 unique values)

vodkaq1998: number of vodaka drinks consum

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	405	405	-
#	Positive	298	298	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 20
(12 unique values)

vodkaq1999: number of vodaka drinks consum

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	403	403	-
#	Positive	300	300	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 20
(12 unique values)

vodkaq2000: number of vodaka drinks consum

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	394	394	-
#	Positive	309	309	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 20
(11 unique values)

vodkaq2001: number of vodaka drinks consum

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	392	392	-
#	Positive	311	311	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 20
(11 unique values)

vodkaq2002: number of vodaka drinks consum

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	396	396	-
#	Positive	307	307	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 20
(11 unique values)

vodkaq2003: number of vodaka drinks consum

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	396	396	-
#	Positive	307	307	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 20
(11 unique values)

vodkaq2004: number of vodaka drinks consum

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	403	403	-
#		Positive	300	300	-
#					
#		Total	703	703	-
#	# . . .	Missing	-		
<hr/>			<hr/>		
0		15	703		

(12 unique values)

vodkaq2005: number of vodaka drinks consum

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	403	403	-
#		Positive	300	300	-
#					
#		Total	703	703	-
#	# . . .	Missing	-		
<hr/>			<hr/>		
0		15	703		

(12 unique values)

vodkaq2006: number of vodaka drinks consum

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	403	403	-
#		Positive	300	300	-
#					
#		Total	703	703	-
#	# . . .	Missing	-		
<hr/>			<hr/>		
0		15	703		

(12 unique values)

vodkaq2007: number of vodaka drinks consum

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	405	405	-
#		Positive	298	298	-
#					
#		Total	703	703	-
#	# . . .	Missing	-		
			703		

0 15
(12 unique values)

vodkaq2008: number of vodaka drinks consum

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	398	398	-
#		Positive	305	305	-
#					
#		Total	703	703	-
#	Missing	-		
			703		

0 12
(11 unique values)

vodkaq2009: number of vodaka drinks consum

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	398	398	-
#		Positive	305	305	-
#					
#		Total	703	703	-
#	Missing	-		
			703		

0 25
(11 unique values)

vodkaq2010: number of vodaka drinks consum

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		484	484	-
#	Positive		219	219	-
#					
#	Total		703	703	-
#	Missing		-		
0		15	703		
(10 unique values)					

painq1980: number of pain medications per

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		610	610	-
#	Positive		93	93	-
#					
#	Total		703	703	-
#	Missing		-		
0		14	703		
(10 unique values)					

painq1981: number of pain medications per

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		619	619	-
#	Positive		84	84	-
#					
#	Total		703	703	-
#	Missing		-		
0		14	703		
(10 unique values)					

painq1982: number of pain medications per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	616	616	-
#		Positive	87	87	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		14	703		
(11 unique values)					

painq1983: number of pain medications per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	612	612	-
#		Positive	91	91	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		14	703		
(11 unique values)					

painq1984: number of pain medications per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	611	611	-
#		Positive	92	92	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		14	703		
(11 unique values)					




Number of Observations

painq1986: number of pain medications per

painql987: number of pain medications per



Number of Observations



Number of Observations

(13 unique values)

Number of Observations

(17 unique values)

Number of Observations

(15 unique values)

painq1994: number of pain medications per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	505	505	-
#		Positive	198	198	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		35	703		
(17 unique values)					

painq1995: number of pain medications per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	490	490	-
#		Positive	213	213	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		35	703		
(17 unique values)					

painq1996: number of pain medications per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	474	474	-
#		Positive	229	229	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		35	703		
(18 unique values)					

Number of Observations

(19 unique values)

Number of Observations

(18 unique values)

Number of Observations

(18 unique values)

painq2000: number of pain medications per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	425	425	-
#		Positive	278	278	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		42	703		
(20 unique values)					

painq2001: number of pain medications per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	420	420	-
#		Positive	283	283	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		42	703		
(20 unique values)					

painq2002: number of pain medications per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	412	412	-
#		Positive	291	291	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		42	703		
(20 unique values)					

painq2003: number of pain medications per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	406	406	-
#		Positive	297	297	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		42	703		
(20 unique values)					

painq2004: number of pain medications per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	395	395	-
#		Positive	308	308	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		42	703		
(20 unique values)					

painq2005: number of pain medications per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	387	387	-
#		Positive	316	316	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		50	703		
(20 unique values)					

Number of Observations

painq2007: number of pain medications per

painq2008: number of pain medications per



Number of Observations

painq2010: number of pain medications per

doctn1980: number of doctor visits for any



Number of Observations

doctn1982: number of doctor visits for any		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	274	274	-
#	Positive	7	7	-
#				
#	Total	281	281	-
#	Missing	422		
		703		

(5 unique values)

Number of Observations



doctn1984: number of doctor visits for any

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	274	274	-
#		Positive	7	7	-
#					
#		Total	281	281	-
#	.	Missing	422		
0		15	703		
(5 unique values)					

doctn1985: number of doctor visits for any

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	271	271	-
#		Positive	10	10	-
#					
#		Total	281	281	-
#	.	Missing	422		
0		5	703		
(4 unique values)					

doctn1986: number of doctor visits for any

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	217	217	-
#		Positive	64	64	-
#					
#		Total	281	281	-
#	.	Missing	422		
0		20	703		
(14 unique values)					

doctn1987: number of doctor visits for any

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	260	260	-
#		Positive	21	21	-
#					
#		Total	281	281	-
#	.	Missing	422		
0		12	703		
(9 unique values)					

doctn1988: number of doctor visits for any

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	260	260	-
#		Positive	21	21	-
#					
#		Total	281	281	-
#	.	Missing	422		
0		15	703		
(9 unique values)					

doctn1989: number of doctor visits for any

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	257	257	-
#		Positive	24	24	-
#					
#		Total	281	281	-
#	.	Missing	422		
0		12	703		
(10 unique values)					

Number of Observations

(8 unique values)

Number of Observations

(7 unique values)

Number of Observations

(9 unique values)

Number of Observations

(8 unique values)

Number of Observations

(7 unique values)

Number of Observations

(8 unique values)

doctn1996: number of doctor visits for any

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	227	227	-
#		Positive	54	54	-
#					
#		Total	281	281	-
#	.	Missing	422		
0		20	703		
(13 unique values)					

doctn1997: number of doctor visits for any

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	258	258	-
#		Positive	23	23	-
#					
#		Total	281	281	-
#	.	Missing	422		
0		20	703		
(9 unique values)					

doctn1998: number of doctor visits for any

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	252	252	-
#		Positive	29	29	-
#					
#		Total	281	281	-
#	.	Missing	422		
0		12	703		
(10 unique values)					

Number of Observations

doctn2000: number of doctor visits for any		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	248	248	-
#	Positive	33	33	-
#				
#	Total	281	281	-
#	Missing	422		
		703		

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	254	254	-
#	Positive	27	27	-
#				
#	Total	281	281	-
#	Missing	422		
		703		

doctn2002: number of doctor visits for any

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	249	249	-
#		Positive	32	32	-
#					
#		Total	281	281	-
#	.	Missing	422		
0		14	703		
(10 unique values)					

doctn2003: number of doctor visits for any

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	252	252	-
#		Positive	29	29	-
#					
#		Total	281	281	-
#	.	Missing	422		
0		12	703		
(9 unique values)					

doctn2004: number of doctor visits for any

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	249	249	-
#		Positive	32	32	-
#					
#		Total	281	281	-
#	.	Missing	422		
0		12	703		
(10 unique values)					

Number of Observations

(10 unique values)

Number of Observations

(10 unique values)

Number of Observations

(9 unique values)

doctn2008: number of doctor visits for any

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	227	227	-
#	Positive	54	54	-
#				
#	Total	281	281	-
#	Missing	422		
0	20	703		

(12 unique values)

doctn2009: number of doctor visits for any

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	227	227	-
#	Positive	54	54	-
#				
#	Total	281	281	-
#	Missing	422		
0	15	703		

(11 unique values)

doctn2010: number of doctor visits for any

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	281	281	-
#	Positive	-	-	-
#				
#	Total	281	281	-
#	Missing	422		
0		703		

(1 unique value)

fampl11980: percent of influence that radi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	703	703	-
#	Positive	-	-	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>		<hr/>		
0		703		
(1 unique value)				

fampl11981: percent of influence that radi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	703	703	-
#	Positive	-	-	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>		<hr/>		
0		703		
(1 unique value)				

fampl11982: percent of influence that radi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	703	703	-
#	Positive	-	-	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>		<hr/>		
0		703		
(1 unique value)				

fampl11983: percent of influence that radi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	703	703	-
#	Positive	-	-	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>		<hr/>		
0		703		
(1 unique value)				

fampl11984: percent of influence that radi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	703	703	-
#	Positive	-	-	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>		<hr/>		
0		703		
(1 unique value)				

fampl11985: percent of influence that radi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	702	702	-
#	Positive	1	1	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>		<hr/>		
0	100	703		
(2 unique values)				

fampl11986: percent of influence that radi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	634	634	-
#	Positive	69	69	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

fampl11987: percent of influence that radi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	649	649	-
#	Positive	54	54	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(11 unique values)

fampl11988: percent of influence that radi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	656	656	-
#	Positive	47	47	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(9 unique values)

fampl11989: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		666	666	-
#	Positive		37	37	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(9 unique values)

fampl11990: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		675	675	-
#	Positive		28	28	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(10 unique values)

fampl11991: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		677	677	-
#	Positive		26	26	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(7 unique values)

fampl11992: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		681	681	-
#	Positive		22	22	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(7 unique values)

fampl11993: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		685	685	-
#	Positive		18	18	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(6 unique values)

fampl11994: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		685	685	-
#	Positive		18	18	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(7 unique values)

fampl11995: percent of influence that radi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	686	686	-
#	Positive	17	17	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(7 unique values)

fampl11996: percent of influence that radi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	693	693	-
#	Positive	10	10	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(6 unique values)

fampl11997: percent of influence that radi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	695	695	-
#	Positive	8	8	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 100
(6 unique values)

fampl11998: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		692	692	-
#	Positive		11	11	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(7 unique values)

fampl11999: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		693	693	-
#	Positive		10	10	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(8 unique values)

fampl12000: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		691	691	-
#	Positive		12	12	-
#					
#	Total		703	703	-
#	Missing		-		
			703		

0 100
(9 unique values)

fampl12001: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		694	694	-
#	Positive		9	9	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

(7 unique values)

fampl12002: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		694	694	-
#	Positive		9	9	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

(7 unique values)

fampl12003: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		692	692	-
#	Positive		11	11	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

(8 unique values)

fampl12004: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		693	693	-
#	Positive		10	10	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(7 unique values)

fampl12005: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		694	694	-
#	Positive		9	9	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(7 unique values)

fampl12006: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		694	694	-
#	Positive		9	9	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(7 unique values)

fampl12007: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		694	694	-
#	Positive		9	9	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(8 unique values)

fampl12008: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		697	697	-
#	Positive		6	6	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(6 unique values)

fampl12009: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#	Negative		-	-	-
#	Zero		697	697	-
#	Positive		6	6	-
#					
#	Total		703	703	-
#	Missing	.	-		
			703		

0 100
(6 unique values)

fampl12010: percent of influence that radi

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	699	699	-
#		Positive	4	4	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 100
(5 unique values)

sett1r1: town of residence 1 time: april 2

Number of Observations

			Total	Integers	Nonintegers
		Negative	-	-	-
		Zero	-	-	-
		Positive	-	-	-
		Total	-	-	-
		Missing	703		
			703		

54 . -9.0e+307
(0 unique value)

sett1r2: town of residence 2 time: april 2

Number of Observations

			Total	Integers	Nonintegers
		Negative	-	-	-
		Zero	-	-	-
		Positive	-	-	-
		Total	-	-	-
		Missing	703		
			703		

55 . -9.0e+307
(0 unique value)

sett1r3: town of residence 3 time: april 2

Number of Observations

		Total	Integers	Nonintegers
56 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		

(0 unique value)

sett1r4: town of residence 4 time: april 2

Number of Observations

		Total	Integers	Nonintegers
57 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		

(0 unique value)

rait1r1: raion of residence 1 time: april

Number of Observations

		Total	Integers	Nonintegers
58 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		

(0 unique value)

rait1r2: raion of residence 2 time: april

Number of Observations

		Total	Integers	Nonintegers
59 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
		<hr/>	<hr/>	<hr/>
	Total	-	-	-
	Missing	703		
		<hr/>		
		703		

(0 unique value)

rait1r3: raion of residence 3 time: april

Number of Observations

		Total	Integers	Nonintegers
60 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
		<hr/>	<hr/>	<hr/>
	Total	-	-	-
	Missing	703		
		<hr/>		
		703		

(0 unique value)

rait1r4: raion of residence 4 time: april

Number of Observations

		Total	Integers	Nonintegers
61 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
		<hr/>	<hr/>	<hr/>
	Total	-	-	-
	Missing	703		
		<hr/>		
		703		

(0 unique value)

latdt1r1: latitude in degrees residence 1

Number of Observations

					Total	Integers	Nonintegers
	#			Negative	-	-	-
	#			Zero	-	-	-
	#			Positive	703	703	-
	#						
	#			Total	703	703	-
	. # . . .			Missing	-		
<hr/>							
40 69					703		
(13 unique values)							

latdt1r2: latitude in degrees residence 2

Number of Observations

					Total	Integers	Nonintegers
		#		Negative	-	-	-
		# #		Zero	-	-	-
		# #		Positive	143	143	-
		# #					
		# #		Total	143	143	-
	. . # # .			Missing	560		
<hr/>							
29 63					703		
(21 unique values)							

latdt1r3: latitude in degrees residence 3

Number of Observations

					Total	Integers	Nonintegers
		#		Negative	-	-	-
		#		Zero	-	-	-
		#		Positive	19	19	-
		# #					
		# #	#	Total	19	19	-
	# # # . #			Missing	684		
<hr/>							
43 58					703		
(10 unique values)							

latdt1r4: latitude in degrees residence 4

Number of Observations

				Total	Integers	Nonintegers
#	#	#	Negative	-	-	-
#	#	#	Zero	-	-	-
#	#	#	Positive	3	3	-
#	#	#				
#	#	#	Total	3	3	-
#	#	#	Missing	700		
<hr/>				<hr/>		
45		50		703		
(3 unique values)						

londt1r1: longitude in degrees residence 1

Number of Observations

				Total	Integers	Nonintegers
#			Negative	-	-	-
#			Zero	-	-	-
#			Positive	703	703	-
#						
#			Total	703	703	-
#	.	.	Missing	-		
<hr/>				<hr/>		
12		104		703		
(25 unique values)						

londt1r2: longitude in degrees residence 2

Number of Observations

				Total	Integers	Nonintegers
#			Negative	-	-	-
#			Zero	-	-	-
#			Positive	143	143	-
#						
#			Total	143	143	-
#	#	.	Missing	560		
<hr/>				<hr/>		
11		135		703		
(30 unique values)						

londt1r3: longitude in degrees residence 3

Number of Observations

					Total	Integers	Nonintegers
#				#	-	-	-
#				#	-	-	-
#	#			#	19	19	-
#	#		#	#			
#	#	#	#	#	19	19	-
#	#	#	#	#	684		
<hr/>					<hr/>		
27				39	703		

(9 unique values)

londt1r4: longitude in degrees residence 4

Number of Observations

					Total	Integers	Nonintegers
	#				-	-	-
	#				-	-	-
	#				3	3	-
#	#						
#	#				3	3	-
#	#				700		
<hr/>					<hr/>		
30				35	703		

(2 unique values)

latmt1r1: latitude in minutes residence 1

Number of Observations

					Total	Integers	Nonintegers
		#			-	-	-
		#			2	2	-
		#			701	701	-
		#					
		#			703	703	-
.	#	#	.	.	-		
<hr/>					<hr/>		
0				96	703		

(81 unique values)

latmt1r2: latitude in minutes residence 2

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	2	2	-
#				Positive	141	141	-
#							
#				Total	143	143	-
#	.	.	.	Missing	560		
0				8802	703		
(70 unique values)							

latmt1r3: latitude in minutes residence 3

Number of Observations

					Total	Integers	Nonintegers
	#	#		Negative	-	-	-
	#	#		Zero	1	1	-
	#	#	#	Positive	18	18	-
#	#	#	#				
#	#	#	#	Total	19	19	-
#	#	#	#	Missing	684		
0				76	703		
(17 unique values)							

latmt1r4: latitude in minutes residence 4

Number of Observations

					Total	Integers	Nonintegers
#	#	#		Negative	-	-	-
#	#	#		Zero	-	-	-
#	#	#		Positive	3	3	-
#	#	#					
#	#	#		Total	3	3	-
#	#	#		Missing	700		
3				85	703		
(3 unique values)							

Number of Observations

(87 unique values)

Number of Observations

A dot plot showing the frequency of unique values for the variable 'number'. The x-axis is labeled 'number' and ranges from 0 to 8200. The y-axis is labeled '#'. The plot shows a high frequency of values near 0 (70 unique values) and a few values at higher numbers (around 1000, 2000, 3000, and 4000).

Number of Observations

lonmt1r4: longitude in minutes residence 4

Number of Observations

				Total	Integers	Nonintegers
#	#	#	Negative	-	-	-
#	#	#	Zero	-	-	-
#	#	#	Positive	3	3	-
#	#	#				
#	#	#	Total	3	3	-
#	#	#	Missing	700		
<hr/>				<hr/>		
15		52		703		
(3 unique values)						

dayt1r1: days in residence 1 time 1 april

Number of Observations

				Total	Integers	Nonintegers
#			Negative	-	-	-
#			Zero	-	-	-
#			Positive	703	703	-
#						
#			Total	703	703	-
.	#	.	Missing	-		
<hr/>				<hr/>		
1		186		703		
(49 unique values)						

dayt1r2: days in residence 2 time 1 april

Number of Observations

				Total	Integers	Nonintegers
#		#	Negative	-	-	-
#	#	#	Zero	-	-	-
#	#	#	Positive	142	142	-
#	#	#				
#	#	#	Total	142	142	-
#	#	#	Missing	561		
<hr/>				<hr/>		
1		65		703		
(45 unique values)						

dayt1r3: days in residence 3 time 1 april

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#				Positive	19	19	-
#		#					
#	#	#	#	Total	19	19	-
#	#	#	#	Missing	684		
#	#	#	#				
					<hr/>		
2				45	703		

(14 unique values)

dayt1r4: days in residence 4 time 1 april

Number of Observations

					Total	Integers	Nonintegers
#	#	#		Negative	-	-	-
#	#	#		Zero	-	-	-
#	#	#		Positive	3	3	-
#	#	#					
#	#	#		Total	3	3	-
#	#	#		Missing	700		
					<hr/>		
5				47	703		

(3 unique values)

obl1r1: oblast of residence 1 time 1 apri

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	3	3	-
#				Positive	700	700	-
#							
#				Total	703	703	-
.	#	.	.	Missing	-		
.	#	.	.				
					<hr/>		
0				26	703		

(23 unique values)

obl1r1 is labeled and all values are documented in the label.

obl1r2: oblast of residence 2 time 1 apri

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	564	564	-
#		Positive	139	139	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 26
(23 unique values)

obl1r2 is labeled and all values are documented in the label.

obl1r3: oblast of residence 3 time 1 apri

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	684	684	-
#		Positive	19	19	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 26
(14 unique values)

obl1r3 is labeled and all values are documented in the label.

obl1r4: oblast of residence 4 time 1 apri

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	700	700	-
#		Positive	3	3	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 25
(4 unique values)

obl1r4 is labeled and all values are documented in the label.

latt1r1: latitude direction residence 1 ti			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#		Missing	-		
<hr/>			<hr/>		
1			703		
(1 unique value)					

latt1r1 is labeled and all values are documented in the label.

latt1r2: latitude direction residence 2 ti			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	219	219	-
#		Positive	484	484	-
#					
#	#	Total	703	703	-
#	#	Missing	-		
<hr/>			<hr/>		
0			703		
	1				
(2 unique values)					

latt1r2 is labeled and all values are documented in the label.

latt1r3: latitude direction residence 3 ti			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	270	270	-
#		Positive	433	433	-
#					
#	#	Total	703	703	-
#	#	Missing	-		
<hr/>			<hr/>		
0			703		
	1				
(2 unique values)					

latt1r3 is labeled and all values are documented in the label.

latt1r4: latitude direction residence 4 ti			Number of Observations		
			Total	Integers	Nonintegers
<div> <div> <div></div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> </div>		Negative	-	-	-
		Zero	279	279	-
		Positive	424	424	-
		Total	703	703	-
		Missing	-		
<div> <div>0</div> <div>1</div> </div> <div>(2 unique values)</div>			703		


latt1r4 is labeled and all values are documented in the label.

lont1r1: longitude direction residence 1 t			Number of Observations		
			Total	Integers	Nonintegers
<div> <div> <div></div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>.</div> <div>#</div> </div> </div>		Negative	-	-	-
		Zero	1	1	-
		Positive	702	702	-
		Total	703	703	-
		Missing	-		
<div> <div>0</div> <div>1</div> </div> <div>(2 unique values)</div>			703		


lont1r1 is labeled and all values are documented in the label.

lont1r2: longitude direction residence 2 t			Number of Observations		
			Total	Integers	Nonintegers
<div> <div> <div></div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> <div> <div>#</div> <div>#</div> </div> </div>		Negative	-	-	-
		Zero	218	218	-
		Positive	485	485	-
		Total	703	703	-
		Missing	-		
<div> <div>0</div> <div>1</div> </div> <div>(2 unique values)</div>			703		


lont1r2 is labeled and all values are documented in the label.

lont1r3: longitude direction residence 3 t			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	270	270	-
	#	Positive	433	433	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		
(2 unique values)					

lont1r3 is labeled and all values are documented in the label.

lont1r4: longitude direction residence 4 t			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	279	279	-
	#	Positive	424	424	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		
(2 unique values)					

lont1r4 is labeled and all values are documented in the label.

typet1r1: type of residence 1 time 1 april			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	703	703	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		
(3 unique values)					

typet1r1 is labeled and all values are documented in the label.

typet1r2: type of residence 2 time 1 april

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	553	553	-
#	Positive	149	149	-
#				
#	Total	702	702	-
#	Missing	1		
		703		

0 3

(4 unique values)

typet1r2 is labeled and all values are documented in the label.

typet1r3: type of residence 3 time 1 april

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	684	684	-
#	Positive	19	19	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3

(4 unique values)

typet1r3 is labeled and all values are documented in the label.

typet1r4: type of residence 4 time 1 april

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	700	700	-
#	Positive	3	3	-
#				
#	Total	703	703	-
#	Missing	-		
		703		


0 3

(3 unique values)

typet1r4 is labeled and all values are documented in the label.

occtlr1: occupation while in residence 1 t

Number of Observations


		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	703	703	-
	Total	703	703	-
	Missing	-	-	-
		703		

(3 unique values)

occtlr1 is labeled and all values are documented in the label.

occtlr2: occupation while in residence 2 t

Number of Observations


		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	453	453	-
	Positive	149	149	-
	Total	602	602	-
	Missing	101	-	-
		703		

(4 unique values)

occtlr2 is labeled and all values are documented in the label.

occtlr3: occupation while in residence 3 t

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	560	560	-
	Positive	19	19	-
	Total	579	579	-
	Missing	124	-	-
		703		

(3 unique values)

occtlr3 is labeled and all values are documented in the label.

occtlr4: occupation while in residence 1 t

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	576	576	-
#		Positive	3	3	-
#					
#		Total	579	579	-
#	.	Missing	124		
0		3	703		

(3 unique values)

occtlr4 is labeled and all values are documented in the label.

ldrtl1r1: did you consume liquid dairy prod

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#	#	Missing	-		
1		2	703		

(2 unique values)

ldrtl1r1 is labeled and all values are documented in the label.

ldrtl1r2: did you consume liquid dairy prod

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	546	546	-
#		Positive	157	157	-
#					
#		Total	703	703	-
#	#	Missing	-		
0		2	703		

(3 unique values)

ldrtl1r2 is labeled and all values are documented in the label.

ldrt1r3: did you consume liquid dairy prod

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	679	679	-
#		Positive	24	24	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

ldrt1r3 is labeled and all values are documented in the label.

ldrt1r4: did you consume liquid dairy prod

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	696	696	-
#		Positive	7	7	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

ldrt1r4 is labeled and all values are documented in the label.

sldrt1r1: source of liquid dairy products

Number of Observations

				Total	Integers	Nonintegers
				Negative	-	-
#				Zero	95	-
#				Positive	608	-
#						
#	#	#	#	Total	703	-
#	#	#	#	Missing	-	
				703		

0 3
(4 unique values)

sldrt1r1 is labeled and all values are documented in the label.

sldrt1r2: source of liquid dairy products

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	564	564	-
#	Positive	139	139	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3
(4 unique values)

sldrt1r2 is labeled and all values are documented in the label.

sldrt1r3: source of liquid dairy products

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	685	685	-
#	Positive	18	18	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3
(4 unique values)

sldrt1r3 is labeled and all values are documented in the label.

sldrt1r4: source of liquid dairy products

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	699	699	-
#	Positive	4	4	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3
(3 unique values)

sldrt1r4 is labeled and all values are documented in the label.

mlldt1r1: quantity of liquid dairy product

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	109	109	-
#		Positive	594	594	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		200000	703		
(22 unique values)					

mlldt1r2: quantity of liquid dairy product

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	570	570	-
#		Positive	132	132	-
#					
#		Total	702	702	-
#	.	Missing	1		
0		7000	703		
(13 unique values)					

mlldt1r3: quantity of liquid dairy product

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	565	565	-
#		Positive	16	16	-
#					
#		Total	581	581	-
#	.	Missing	122		
0		5000	703		
(6 unique values)					

mlldt1r4: quantity of liquid dairy product

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	578	578	-
#		Positive	3	3	-
#					
#		Total	581	581	-
#	.	Missing	122		
0		1000	703		
(3 unique values)					

sdrtr1r1: did you consume solid dairy produ

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#	.	Missing	-		
1		3	703		
(3 unique values)					

sdrtr1r1 is labeled but 2 values are NOT documented in the label.

sdrtr1r2: did you consume solid dairy produ

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	548	548	-
#		Positive	155	155	-
#					
#		Total	703	703	-
#	#	Missing	-		
0		2	703		
(3 unique values)					

sdrtr1r2 is labeled and all values are documented in the label.

sdrtlr3: did you consume solid dairy produ

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	681	681	-
#		Positive	22	22	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

sdrtlr3 is labeled and all values are documented in the label.

sdrtlr4: did you consume solid dairy produ

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	697	697	-
#		Positive	6	6	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

sdrtlr4 is labeled and all values are documented in the label.

ssdrtlr1: source of solid dairy products i

Number of Observations

				Total	Integers	Nonintegers
			#	Negative	-	-
		#	#	Zero	71	-
		#	#	Positive	632	-
	#	#	#			
	#	#	#	Total	703	-
#	#	#	#	Missing	-	
0	3			703		
(4 unique values)						

ssdrtlr1 is labeled and all values are documented in the label.

ssdrt1r2: source of solid dairy products i				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		565	565	-
#		Positive		138	138	-
#						
#		Total		703	703	-
#	.	Missing		-		
0			3	703		
(4 unique values)						

ssdrt1r2 is labeled and all values are documented in the label.

ssdrt1r3: source of solid dairy products i				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		685	685	-
#		Positive		18	18	-
#						
#		Total		703	703	-
#	.	Missing		-		
0			3	703		
(4 unique values)						

ssdrt1r3 is labeled and all values are documented in the label.

ssdrt1r4: source of solid dairy products i				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		699	699	-
#		Positive		4	4	-
#						
#		Total		703	703	-
#	.	Missing		-		
0			2	703		
(2 unique values)						

ssdrt1r4 is labeled and all values are documented in the label.

gldt1r1: quantity of solid dairy products

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	58	58	-
#	Positive	606	606	-
#				
#	Total	664	664	-
#	Missing	39		
<hr/>		<hr/>		
0	300000	703		
(19 unique values)				

gldt1r2: quantity of solid dairy products

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	471	471	-
#	Positive	122	122	-
#				
#	Total	593	593	-
#	Missing	110		
<hr/>		<hr/>		
0	200000	703		
(15 unique values)				

gldt1r3: quantity of solid dairy products

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	562	562	-
#	Positive	16	16	-
#				
#	Total	578	578	-
#	Missing	125		
<hr/>		<hr/>		
0	3000	703		
(10 unique values)				

gldt1r4: quantity of solid dairy products

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	575	575	-
#	Positive	3	3	-
#				
#	Total	578	578	-
#	Missing	125		
0	1200	703		
(4 unique values)				

lvt1r1: did you consume leafy vegetables w

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
#	Positive	703	703	-
#				
#	Total	703	703	-
#	Missing	-		
1	3	703		
(3 unique values)				

lvt1r1 is labeled but 5 values are NOT documented in the label.

lvt1r2: did you consume leafy vegetables w

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	548	548	-
#	Positive	155	155	-
#				
#	Total	703	703	-
#	Missing	-		
0	2	703		
(3 unique values)				

lvt1r2 is labeled and all values are documented in the label.

lvt1r3: did you consume leafy vegetables w			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	681	681	-
#		Positive	22	22	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

lvt1r3 is labeled and all values are documented in the label.

lvt1r4: did you consume leafy vegetables w			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	697	697	-
#		Positive	6	6	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

lvt1r4 is labeled and all values are documented in the label.

slvt1r1: source of leafy vegetables while			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	66	66	-
#		Positive	637	637	-
#					
#	#	Total	703	703	-
#	#	Missing	-		
			703		

0 3
(4 unique values)

slvt1r1 is labeled and all values are documented in the label.

slvt1r2: source of leafy vegetables while

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	568	568	-
#	Positive	135	135	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3

(4 unique values)

slvt1r2 is labeled and all values are documented in the label.

slvt1r3: source of leafy vegetables while

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	683	683	-
#	Positive	20	20	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3

(4 unique values)

slvt1r3 is labeled and all values are documented in the label.

slvt1r4: source of leafy vegetables while

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	698	698	-
#	Positive	5	5	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3

(3 unique values)

slvt1r4 is labeled and all values are documented in the label.

glvt1r1: quantity of leafy vegetables (in

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	54	54	-
#		Positive	593	593	-
#					
#		Total	647	647	-
#	# . . .	Missing	56		
<hr/>			<hr/>		
0		8000	703		
(24 unique values)					

glvt1r2: quantity of leafy vegetables (in

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	475	475	-
#		Positive	110	110	-
#					
#		Total	585	585	-
#	Missing	118		
<hr/>			<hr/>		
0		6000	703		
(15 unique values)					

glvt1r3: quantity of leafy vegetables (in

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	560	560	-
#		Positive	18	18	-
#					
#		Total	578	578	-
#	Missing	125		
<hr/>			<hr/>		
0		1000	703		
(5 unique values)					

glvt1r4: quantity of leafy vegetables (in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	575	575	-
#	Positive	3	3	-
#				
#	Total	578	578	-
# . .	Missing	125		
0	1000	703		
(3 unique values)				

sett2r1: town of residence 1 time2: july 1

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
62 .	-9.0e+307	703		
(0 unique value)				

sett2r2: town of residence 2 time2: july 1

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
63 .	-9.0e+307	703		
(0 unique value)				

sett2r3: town of residence 3 time2: july 1

Number of Observations

		Total	Integers	Nonintegers
64 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
-9.0e+307				
(0 unique value)				

sett2r4: town of residence 4 time2: july 1

Number of Observations

		Total	Integers	Nonintegers
65 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
-9.0e+307				
(0 unique value)				

rait2r1: raion of residence 1 time2: july

Number of Observations

		Total	Integers	Nonintegers
66 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
-9.0e+307				
(0 unique value)				

rait2r2: raion of residence 2 time2: july

Number of Observations

		Total	Integers	Nonintegers
67 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		

(0 unique value)

rait2r3: raion of residence 3 time2: july

Number of Observations

		Total	Integers	Nonintegers
68 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		

(0 unique value)

rait2r4: raion of residence 4 time2: july

Number of Observations

		Total	Integers	Nonintegers
69 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		

(0 unique value)

latdt2r1: latitude in degrees residence 1

Number of Observations

					Total	Integers	Nonintegers
	#				-	-	-
	#				-	-	-
	#				703	703	-
	#						
	#				703	703	-
	. . # . .				-		
<hr/>					<hr/>		
29 69					703		
(16 unique values)							

latdt2r2: latitude in degrees residence 2

Number of Observations

					Total	Integers	Nonintegers
	#				-	-	-
	#				-	-	-
	#				162	162	-
	#						
	#				162	162	-
	. . # # .				541		
<hr/>					<hr/>		
30 63					703		
(17 unique values)							

latdt2r3: latitude in degrees residence 3

Number of Observations

					Total	Integers	Nonintegers
	#				-	-	-
	#				-	-	-
	#				16	16	-
	#	#	#				
	#	#	#	#	16	16	-
	#	#	#	#	687		
<hr/>					<hr/>		
44 54					703		
(10 unique values)							

latdt2r4: latitude in degrees residence 4

Number of Observations

			Total	Integers	Nonintegers
#	#	Negative	-	-	-
#	#	Zero	-	-	-
#	#	Positive	2	2	-
#	#				
#	#	Total	2	2	-
#	#	Missing	701		
<hr/>			<hr/>		
47		52	703		
(2 unique values)					

londt2r1: longitude in degrees residence 1

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
.	#	Missing	-		
.					
.					
.					
<hr/>			<hr/>		
10		72	703		
(30 unique values)					


londt2r2: longitude in degrees residence 2

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	162	162	-
#					
#		Total	162	162	-
.	#	Missing	541		
.					
.					
.					
<hr/>			<hr/>		
10		93	703		
(25 unique values)					

londt2r3: longitude in degrees residence 3

Number of Observations

				Total	Integers	Nonintegers
 <p>(11 unique values)</p>	Negative	-	-	-		
	Zero	-	-	-		
	Positive	16	16	-		
	Total	16	16	-		
	Missing	687				
		703				


londt2r4: longitude in degrees residence 4

Number of Observations

				Total	Integers	Nonintegers
<div><div></div><div>#</div><div>#</div><div>#</div><div>#</div><div>#</div><div>#</div></div>	Negative			-	-	-
	Zero			-	-	-
	Positive			2	2	-
	Total			2	2	-
	Missing			701		
<div>13<div></div>35</div>				703		
(2 unique values)						

latmt2r1: latitude in minutes residence 1

Number of Observations

				Total	Integers	Nonintegers
	Negative			-	-	-
	Zero			2	2	-
	Positive			701	701	-
	Total			703	703	-
	Missing			-		
				703		

latmt2r2: latitude in minutes residence 2

Number of Observations

					Total	Integers	Nonintegers
	#				Negative	-	-
	#				Zero	3	-
	#				Positive	159	-
	#						
	#	#	#	#	Total	162	-
	#	#	#	#	Missing	541	-
0 97					703		

(67 unique values)

latmt2r3: latitude in minutes residence 3

Number of Observations

					Total	Integers	Nonintegers
	#				Negative	-	-
	#				Zero	1	-
	#				Positive	15	-
	#						
	#	#	#	#	Total	16	-
	#	#	#	#	Missing	687	-
0 92					703		

(16 unique values)

latmt2r4: latitude in minutes residence 4

Number of Observations

					Total	Integers	Nonintegers
	#				Negative	-	-
	#				Zero	-	-
	#				Positive	2	-
	#						
	#	#			Total	2	-
	#	#			Missing	701	-
83 85					703		

(2 unique values)


lonmt2r1: longitude in minutes residence 1

Number of Observations

		Total	Integers	Nonintegers	
 098 (85 unique values)	# Negative	-	-	-	
	# Zero	3	3	-	
	# Positive	700	700	-	
	#				
	# Total	703	703	-	
	. # # # .	Missing	-		
		703			


lonmt2r2: longitude in minutes residence 2

Number of Observations

		Total	Integers	Nonintegers	
	Negative	-	-	-	
	Zero	1	1	-	
	Positive	161	161	-	
	Total	162	162	-	
	Missing	541			
0		703			
(67 unique values)					

lonmt2r3: longitude in minutes residence 3

Number of Observations

				Total	Integers	Nonintegers	
				Negative	-	-	-
				Zero	1	-	
				Positive	15	-	
				Total	16	-	
				Missing	687		
0				703			
(15 unique values)							
87							

lonmt2r4: longitude in minutes residence 4

Number of Observations

			Total	Integers	Nonintegers
#	#	Negative	-	-	-
#	#	Zero	-	-	-
#	#	Positive	2	2	-
#	#				
#	#	Total	2	2	-
#	#	Missing	701		
<hr/>			<hr/>		
15		81	703		
(2 unique values)					

dayt2r1: days in residence 1 time 2: from

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	703	703	-
	#				
	#	Total	703	703	-
.	.	Missing	-		
<hr/>			<hr/>		
3		184	703		
(55 unique values)					

dayt2r2: days in residence 2 time 2: from

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	161	161	-
#					
#		Total	161	161	-
#	.	Missing	542		
#	#				
#	#				
<hr/>			<hr/>		
7		169	703		
(49 unique values)					

dayt2r3: days in residence 3 time 2: from

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#				Positive	16	16	-
#							
#				Total	16	16	-
#	#	.	.	Missing	687		
14				145	703		
(10 unique values)							

dayt2r4: days in residence 4 time 2: from

Number of Observations

					Total	Integers	Nonintegers
#	#			Negative	-	-	-
#	#			Zero	-	-	-
#	#			Positive	2	2	-
#	#						
#	#			Total	2	2	-
#	#			Missing	701		
14				158	703		
(2 unique values)							

obl2r1: oblast of residence 1 time 2: ju

Number of Observations

					Total	Integers	Nonintegers
	#			Negative	-	-	-
	#			Zero	6	6	-
	#			Positive	697	697	-
	#						
	#			Total	703	703	-
.	#	.	.	Missing	-		
0				26	703		
(24 unique values)							

obl2r1 is labeled and all values are documented in the label.

oblt2r2: oblast of residence 2 time 2: ju				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		545	545	-
#		Positive		158	158	-
#						
#		Total		703	703	-
#	.	Missing	.	-		
0			26	703		
(25 unique values)						

oblt2r2 is labeled and all values are documented in the label.

oblt2r3: oblast of residence 3 time 2: ju				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		687	687	-
#		Positive		16	16	-
#						
#		Total		703	703	-
#	.	Missing	.	-		
0			26	703		
(9 unique values)						

oblt2r3 is labeled and all values are documented in the label.

oblt2r4: oblast of residence 4 time 2: ju				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		701	701	-
#		Positive		2	2	-
#						
#		Total		703	703	-
#	.	Missing	.	-		
0			26	703		
(3 unique values)						

oblt2r4 is labeled and all values are documented in the label.

latt2r1: latitude direction of residence 1			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#		Missing	-		
<hr/>			<hr/>		
1			703		
(1 unique value)					

latt2r1 is labeled and all values are documented in the label.

latt2r2: latitude direction of residence 2			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	216	216	-
#		Positive	487	487	-
#					
#	#	Total	703	703	-
#	#	Missing	-		
<hr/>			<hr/>		
0			703		
	1				
(2 unique values)					

latt2r2 is labeled and all values are documented in the label.

latt2r3: latitude direction of residence 3			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	277	277	-
#		Positive	426	426	-
#					
#	#	Total	703	703	-
#	#	Missing	-		
<hr/>			<hr/>		
0			703		
	1				
(2 unique values)					

latt2r3 is labeled and all values are documented in the label.

latt2r4: latitude direction of residence 4			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	279	279	-
	#	Positive	424	424	-
	#				
	#	Total	703	703	-
	#	Missing	-		
<hr/>			<hr/>		
0		1	703		
(2 unique values)					

latt2r4 is labeled and all values are documented in the label.

lont2r1: longitude direction of residence			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	703	703	-
	#				
	#	Total	703	703	-
	#	Missing	-		
<hr/>			<hr/>		
1			703		
(1 unique value)					


lont2r1 is labeled and all values are documented in the label.

lont2r2: longitude direction of residence			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	215	215	-
	#	Positive	488	488	-
	#				
	#	Total	703	703	-
	#	Missing	-		
<hr/>			<hr/>		
0		1	703		
(2 unique values)					

lont2r2 is labeled and all values are documented in the label.

lont2r3: longitude direction of residence

Number of Observations


			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	277	277	-
	#	Positive	426	426	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

(2 unique values)

lont2r3 is labeled and all values are documented in the label.

lont2r4: longitude direction of residence

Number of Observations


			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	279	279	-
	#	Positive	424	424	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

(2 unique values)

lont2r4 is labeled and all values are documented in the label.

typet2r1: type of residence 1 time 2: jul

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	1	1	-
	#	Positive	702	702	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

(4 unique values)

typet2r1 is labeled and all values are documented in the label.

typet2r2: type of residence 2 time 2: jul			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	542	542	-
#		Positive	161	161	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		3	703		
(4 unique values)					

typet2r2 is labeled and all values are documented in the label.

typet2r3: type of residence 3 time 2: jul			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	687	687	-
#		Positive	16	16	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		3	703		
(4 unique values)					

typet2r3 is labeled and all values are documented in the label.

typet2r4: type of residence 4 time 2: jul			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	701	701	-
#		Positive	2	2	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		2	703		
(3 unique values)					

typet2r4 is labeled and all values are documented in the label.

occt2r1: occupation when in residence 1 ti

Number of Observations

		Total	Integers	Nonintegers
<p>(4 unique values)</p>	Negative	-	-	-
	Zero	1	1	-
	Positive	702	702	-
	Total	703	703	-
	Missing	-	-	-
		703		

occt2r1 is labeled and all values are documented in the label.

occt2r2: occupation when in residence 2 ti

Number of Observations

		Total	Integers	Nonintegers
<p>(4 unique values)</p>	Negative	-	-	-
	Zero	439	439	-
	Positive	161	161	-
	Total	600	600	-
	Missing	103	-	-
		703		

occt2r2 is labeled and all values are documented in the label.

occt2r3: occupation when in residence 3 ti

Number of Observations

		Total	Integers	Nonintegers
<p>(4 unique values)</p>	Negative	-	-	-
	Zero	562	562	-
	Positive	16	16	-
	Total	578	578	-
	Missing	125	-	-
		703		

occt2r3 is labeled and all values are documented in the label.

occt2r4: occupation when in residence 4 ti			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	576	576	-
#		Positive	2	2	-
#					
#		Total	578	578	-
#	.	Missing	125		
			703		

0 3
(2 unique values)

occt2r4 is labeled and all values are documented in the label.

ldrt2r1: did you consume liquid dairy in r			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	2	2	-
#		Positive	701	701	-
#					
#		Total	703	703	-
.	#	Missing	-		
			703		

0 3
(4 unique values)

ldrt2r1 is labeled but 4 values are NOT documented in the label.

ldrt2r2: did you consume liquid dairy in r			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	541	541	-
#		Positive	162	162	-
#					
#		Total	703	703	-
#	#	Missing	-		
			703		

0 2
(3 unique values)

ldrt2r2 is labeled and all values are documented in the label.

ldrt2r3: did you consume liquid dairy in r			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	687	687	-
#		Positive	16	16	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

ldrt2r3 is labeled and all values are documented in the label.

ldrt2r4: did you consume liquid dairy in r			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	701	701	-
#		Positive	2	2	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

ldrt2r4 is labeled and all values are documented in the label.

sldrt2r1: source of liquid dairy residence				Number of Observations		
				Total	Integers	Nonintegers
		#		Negative	-	-
		#		Zero	117	117
	#	#	#	Positive	586	586
	#	#	#			
#	#	#	#	Total	703	703
#	#	#	#	Missing	-	
				703		

0 3
(4 unique values)

sldrt2r1 is labeled and all values are documented in the label.

sldrt2r2: source of liquid dairy residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	569	569	-
#		Positive	134	134	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(4 unique values)

sldrt2r2 is labeled and all values are documented in the label.

sldrt2r3: source of liquid dairy residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	689	689	-
#		Positive	14	14	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(4 unique values)

sldrt2r3 is labeled and all values are documented in the label.

sldrt2r4: source of liquid dairy residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	701	701	-
#		Positive	2	2	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(2 unique values)

sldrt2r4 is labeled and all values are documented in the label.

Number of Observations

m1ldt2r2: quantity liquid dairy (in ml) re		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	458	458	-
#	Positive	134	134	-
#				
#	Total	592	592	-
#	Missing	111		
		703		

(15 unique values)

Number of Observations



mlldt2r4: quantity liquid dairy (in ml) re

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	576	576	-
#		Positive	2	2	-
#					
#		Total	578	578	-
#	.	Missing	125		
			703		

0 1000
(2 unique values)

sdrt2r1: did you consume solid dairy in re

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	1	1	-
#		Positive	702	702	-
#					
#		Total	703	703	-
.	#	Missing	-		
			703		

0 3
(4 unique values)

sdrt2r1 is labeled but 2 values are NOT documented in the label.

sdrt2r2: did you consume solid dairy in re

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	541	541	-
#		Positive	162	162	-
#					
#		Total	703	703	-
#	#	Missing	-		
			703		

0 2
(3 unique values)

sdrt2r2 is labeled and all values are documented in the label.

sdrt2r3: did you consume solid dairy in re

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	687	687	-
#	Positive	16	16	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 2
(3 unique values)

sdrt2r3 is labeled and all values are documented in the label.

sdrt2r4: did you consume solid dairy in re

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	701	701	-
#	Positive	2	2	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

sdrt2r4 is labeled and all values are documented in the label.

ssdrt2r1: source of solid dairy in residen

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	75	75	-
#	Positive	628	628	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3
(4 unique values)

ssdrt2r1 is labeled and all values are documented in the label.

ssdrt2r2: source of solid dairy in residen

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	559	559	-
#		Positive	144	144	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(4 unique values)

ssdrt2r2 is labeled and all values are documented in the label.

ssdrt2r3: source of solid dairy in residen

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	688	688	-
#		Positive	15	15	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(3 unique values)

ssdrt2r3 is labeled and all values are documented in the label.

ssdrt2r4: source of solid dairy in residen

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	701	701	-
#		Positive	2	2	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(2 unique values)

ssdrt2r4 is labeled and all values are documented in the label.

gldt2r1: quantity solid dairy (in grams) r			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	49	49	-
#		Positive	628	628	-
#					
#		Total	677	677	-
#	.	Missing	26		
0		300000	703		
(18 unique values)					

gldt2r2: quantity solid dairy (in grams) r			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	455	455	-
#		Positive	143	143	-
#					
#		Total	598	598	-
#	.	Missing	105		
0		300000	703		
(13 unique values)					

gldt2r3: quantity solid dairy (in grams) r			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	563	563	-
#		Positive	15	15	-
#					
#		Total	578	578	-
#	.	Missing	125		
0		1500	703		
(8 unique values)					

gldt2r4: quantity solid dairy (in grams) r			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	576	576	-
#		Positive	2	2	-
#					
#		Total	578	578	-
#	.	Missing	125		
0		200	703		
(2 unique values)					

pott2r1: did you consume potatoes in resi			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	3	3	-
#		Positive	700	700	-
#					
#		Total	703	703	-
.	#	Missing	-		
0		2	703		
(3 unique values)					

pott2r1 is labeled and all values are documented in the label.

pott2r2: did you consume potatoes in resi			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	544	544	-
#		Positive	159	159	-
#					
#		Total	703	703	-
#	#	Missing	-		
0		2	703		
(3 unique values)					

pott2r2 is labeled and all values are documented in the label.

pott2r3: did you consume potatoes in resi			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	687	687	-
#		Positive	16	16	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

pott2r3 is labeled and all values are documented in the label.

pott2r4: did you consume potatoes in resi			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	701	701	-
#		Positive	2	2	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

pott2r4 is labeled and all values are documented in the label.

spott2r1: source of potatoes in residence			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	3	3	-
#		Positive	700	700	-
#					
#	#	Total	703	703	-
#	#	Missing	-		
.	#				
			703		

0 3
(4 unique values)

spott2r1 is labeled and all values are documented in the label.

spott2r2: source of potatoes in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	547	547	-
#		Positive	156	156	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(4 unique values)

spott2r2 is labeled and all values are documented in the label.

spott2r3: source of potatoes in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	688	688	-
#		Positive	15	15	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(4 unique values)

spott2r3 is labeled and all values are documented in the label.

spott2r4: source of potatoes in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	701	701	-
#		Positive	2	2	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(2 unique values)

spott2r4 is labeled and all values are documented in the label.

gpott2r1: quantity of potatoes (in grams)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	2	2	-
#	Positive	700	700	-
#				
#	Total	702	702	-
#	Missing	1		
0	500000	703		
(21 unique values)				

gpott2r2: quantity of potatoes (in grams)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	444	444	-
#	Positive	155	155	-
#				
#	Total	599	599	-
#	Missing	104		
0	500000	703		
(14 unique values)				

gpott2r3: quantity of potatoes (in grams)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	563	563	-
#	Positive	15	15	-
#				
#	Total	578	578	-
#	Missing	125		
0	2000	703		
(5 unique values)				

gpott2r4: quantity of potatoes (in grams)

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	576	576	-
#	Positive	2	2	-
#				
#	Total	578	578	-
# .	Missing	125		
		703		

0 1000
(2 unique values)

prkt2r1: did you consume pork in residenc

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	5	5	-
#	Positive	698	698	-
#				
#	Total	703	703	-
. # # .	Missing	-		
		703		

0 3
(4 unique values)

prkt2r1 is labeled but 4 values are NOT documented in the label.

prkt2r2: did you consume pork in residenc

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	543	543	-
#	Positive	160	160	-
#				
#	Total	703	703	-
# # . .	Missing	-		
		703		

0 3
(4 unique values)

prkt2r2 is labeled but 1 value is NOT documented in the label.

prkt2r3: did you consume pork in residenc			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	687	687	-
#		Positive	16	16	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		2	703		
(3 unique values)					

prkt2r3 is labeled and all values are documented in the label.

prkt2r4: did you consume pork in residenc			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	701	701	-
#		Positive	2	2	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		1	703		
(2 unique values)					

prkt2r4 is labeled and all values are documented in the label.

sprkt2r1: source of pork in residence 1 t				Number of Observations		
				Total	Integers	Nonintegers
#			Negative	-	-	-
#	#		Zero	123	123	-
#	#	#	Positive	580	580	-
#	#	#				
#	#	#	Total	703	703	-
#	#	#	Missing	-		
0			3	703		
(4 unique values)						

sprkt2r1 is labeled and all values are documented in the label.

sprkt2r2: source of pork in residence 2 t			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	583	583	-
#		Positive	120	120	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		3	703		
(4 unique values)					

sprkt2r2 is labeled and all values are documented in the label.

sprkt2r3: source of pork in residence 3 t			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	692	692	-
#		Positive	11	11	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		3	703		
(3 unique values)					

sprkt2r3 is labeled and all values are documented in the label.

sprkt2r4: source of pork in residence 4 t			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	701	701	-
#		Positive	2	2	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		2	703		
(2 unique values)					

sprkt2r4 is labeled and all values are documented in the label.

gprkt2r1: quantity of pork (in grams) resi

Number of Observations

				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		99	99	-
#		Positive		580	580	-
#						
#	#	Total		679	679	-
#	# . . .	Missing		24		
<hr/>				<hr/>		
0			5000	703		
(17 unique values)						

gprkt2r2: quantity of pork (in grams) resi

Number of Observations

				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		475	475	-
#		Positive		120	120	-
#						
#		Total		595	595	-
#	Missing		108		
<hr/>				<hr/>		
0			5000	703		
(13 unique values)						

gprkt2r3: quantity of pork (in grams) resi

Number of Observations

				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		567	567	-
#		Positive		11	11	-
#						
#		Total		578	578	-
#	Missing		125		
<hr/>				<hr/>		
0			1000	703		
(8 unique values)						

beft2r3: did you consume beef in residenc

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	687	687	-
#		Positive	16	16	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2

(3 unique values)

beft2r3 is labeled and all values are documented in the label.

beft2r4: did you consume beef in residenc

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	701	701	-
#		Positive	2	2	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1

(2 unique values)

beft2r4 is labeled and all values are documented in the label.

sbft2r1: source of beef in residence 1 t

Number of Observations

				Total	Integers	Nonintegers
				Negative	-	-
				Zero	137	-
				Positive	566	-
				Total	703	-
				Missing	-	
				703		

0 3

(4 unique values)

sbft2r1 is labeled and all values are documented in the label.

sbft2r2: source of beef in residence 2 t			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	592	592	-
#		Positive	111	111	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3

(4 unique values)

sbft2r2 is labeled and all values are documented in the label.

sbft2r3: source of beef in residence 3 t			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	692	692	-
#		Positive	11	11	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3

(4 unique values)

sbft2r3 is labeled and all values are documented in the label.

sbft2r4: source of beef in residence 4 t			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	701	701	-
#		Positive	2	2	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2

(2 unique values)

sbft2r4 is labeled and all values are documented in the label.

gbft2r1: quantity of beef (in grams) res				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		104	104	-
#		Positive		562	562	-
#						
#		Total		666	666	-
#	# . . .	Missing		37		
<hr/>				<hr/>		
0			3000	703		
(17 unique values)						

gbft2r2: quantity of beef (in grams) res				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		482	482	-
#		Positive		108	108	-
#						
#		Total		590	590	-
#	Missing		113		
<hr/>				<hr/>		
0			3000	703		
(13 unique values)						

gbft2r3: quantity of beef (in grams) res				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		567	567	-
#		Positive		11	11	-
#						
#		Total		578	578	-
#	Missing		125		
<hr/>				<hr/>		
0			500	703		
(6 unique values)						

pltt2r3: did you consume poultry in resid

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	688	688	-
#		Positive	15	15	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

pltt2r3 is labeled and all values are documented in the label.

pltt2r4: did you consume poultry in resid

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	701	701	-
#		Positive	2	2	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

pltt2r4 is labeled and all values are documented in the label.

spltt2r1: source of poultry in residence

Number of Observations

				Total	Integers	Nonintegers
			#	Negative	-	-
	#	#	#	Zero	70	-
	#	#	#	Positive	633	-
	#	#	#			
	#	#	#	Total	703	-
#	#	#	#	Missing	-	
0			3	703		
(4 unique values)						

spltt2r1 is labeled and all values are documented in the label.

splttt2r2: source of poultry in residence

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	565	565	-
#	Positive	138	138	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3
(4 unique values)

splttt2r2 is labeled and all values are documented in the label.

splttt2r3: source of poultry in residence

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	691	691	-
#	Positive	12	12	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3
(4 unique values)

splttt2r3 is labeled and all values are documented in the label.

splttt2r4: source of poultry in residence

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	701	701	-
#	Positive	2	2	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 2
(2 unique values)

splttt2r4 is labeled and all values are documented in the label.

gpltt2r1: quantity of poultry (in grams) i				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		58	58	-
#		Positive		633	633	-
#						
#		Total		691	691	-
#	# . . .	Missing		12		
<hr/>				<hr/>		
0		6000		703		
(33 unique values)						

gpltt2r2: quantity of poultry (in grams) i				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		471	471	-
#		Positive		128	128	-
#						
#		Total		599	599	-
#	Missing		104		
<hr/>				<hr/>		
0		6000		703		
(20 unique values)						

gpltt2r3: quantity of poultry (in grams) i				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		566	566	-
#		Positive		12	12	-
#						
#		Total		578	578	-
#	Missing		125		
<hr/>				<hr/>		
0		2500		703		
(8 unique values)						

gpltt2r4: quantity of poultry (in grams) i			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	576	576	-
#		Positive	2	2	-
#					
#		Total	578	578	-
#	.	Missing	125		
0		500	703		
(3 unique values)					

msht2r1: did you consume mushrooms in res			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	1	1	-
#	#	Positive	702	702	-
#	#				
#	#	Total	703	703	-
.	#	Missing	-		
0		3	703		
(4 unique values)					

msht2r1 is labeled but 11 values are NOT documented in the label.

msht2r2: did you consume mushrooms in res			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	547	547	-
#		Positive	156	156	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		3	703		
(4 unique values)					

msht2r2 is labeled but 1 value is NOT documented in the label.

msht2r3: did you consume mushrooms in res			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	687	687	-
#		Positive	16	16	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

msht2r3 is labeled and all values are documented in the label.

msht2r4: did you consume mushrooms in res			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	701	701	-
#		Positive	2	2	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(2 unique values)

msht2r4 is labeled and all values are documented in the label.

smsht2r1: source of mushrooms in residence			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	423	423	-
#		Positive	280	280	-
#					
#		Total	703	703	-
#	#	Missing	-		
			703		

0 3
(4 unique values)

smsht2r1 is labeled and all values are documented in the label.

smsht2r2: source of mushrooms in residence

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	661	661	-
#	Positive	42	42	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3

(4 unique values)

smsht2r2 is labeled and all values are documented in the label.

smsht2r3: source of mushrooms in residence

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	698	698	-
#	Positive	5	5	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 2

(3 unique values)

smsht2r3 is labeled and all values are documented in the label.

smsht2r4: source of mushrooms in residence

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	703	703	-
#	Positive	-	-	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0

(1 unique value)

smsht2r4 is labeled and all values are documented in the label.

gmsht2r1: quantity of mushr (in grams) per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	332	332	-
#		Positive	278	278	-
#					
#		Total	610	610	-
#	.	Missing	93		
0		3000	703		
(16 unique values)					

gmsht2r2: quantity of mushr (in grams) per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	542	542	-
#		Positive	42	42	-
#					
#		Total	584	584	-
#	.	Missing	119		
0		3000	703		
(9 unique values)					

gmsht2r3: quantity of mushr (in grams) per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	573	573	-
#		Positive	5	5	-
#					
#		Total	578	578	-
#	.	Missing	125		
0		400	703		
(4 unique values)					

gmsht2r4: quantity of mushr (in grams) per

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	578	578	-
#	Positive	-	-	-
#				
#	Total	578	578	-
#	Missing	125		
<hr/>		<hr/>		
0		703		
(1 unique value)				

sett3r1: town of residence 1 time 3: jan 1

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
<hr/>		<hr/>		
70 .	-9.0e+307	703		
(0 unique value)				

sett3r2: town of residence 2 time 3: jan 1

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
<hr/>		<hr/>		
71 .	-9.0e+307	703		
(0 unique value)				

sett3r3: town of residence 3 time 3: jan 1

Number of Observations

		Total	Integers	Nonintegers
72 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		

(0 unique value)

sett3r4: town of residence 4 time 3: jan 1

Number of Observations

		Total	Integers	Nonintegers
73 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		

(0 unique value)

rait3r1: raion of residence 1 time 3: jan

Number of Observations

		Total	Integers	Nonintegers
74 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		

(0 unique value)

rait3r2: raion of residence 2 time 3: jan

Number of Observations

		Total	Integers	Nonintegers
75 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
-9.0e+307				
(0 unique value)				

rait3r3: raion of residence 3 time 3: jan

Number of Observations

		Total	Integers	Nonintegers
76 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
-9.0e+307				
(0 unique value)				


rait3r4: raion of residence 4 time 3: jan

Number of Observations

		Total	Integers	Nonintegers
77 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
-9.0e+307				
(0 unique value)				


latdt3r1: latitude in degrees residence 1

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	703	703	-
	#				
	#	Total	703	703	-
	#	Missing	-		
34			703		
(16 unique values)					

latdt3r2: latitude in degrees residence 2

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	108	108	-
	#				
	#	Total	108	108	-
	#	Missing	595		
32			703		
(19 unique values)					

latdt3r3: latitude in degrees residence 3

Number of Observations

			Total	Integers	Nonintegers
	Negative	-	-	-	
	Zero	-	-	-	
	Positive	25	25	-	
	Total	25	25	-	
	Missing	678			
		703			
(13 unique values)					

latdt3r4: latitude in degrees residence 4

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
#	Positive	1	1	-
#				
#	Total	1	1	-
#	Missing	702		
<hr/>		<hr/>		
50		703		
(1 unique value)				

londt3r1: longitude in degrees residence 1

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
#	Positive	703	703	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>		<hr/>		
12	104	703		
(26 unique values)				

londt3r2: longitude in degrees residence 2

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
#	Positive	108	108	-
#				
#	Total	108	108	-
#	Missing	595		
<hr/>		<hr/>		
12	142	703		
(27 unique values)				

londt3r3: longitude in degrees residence 3

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#				Positive	25	25	-
#							
#	#			Total	25	25	-
#	#	.	.	Missing	678		
13					703		
(15 unique values)							

londt3r4: longitude in degrees residence 4

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#				Positive	1	1	-
#							
#				Total	1	1	-
#				Missing	702		
30					703		
(1 unique value)							

latmt3r1: latitude in minutes residence 1

Number of Observations

					Total	Integers	Nonintegers
		#		Negative	-	-	-
		#		Zero	2	2	-
		#		Positive	701	701	-
		#					
		#		Total	703	703	-
.	#	#	.	Missing	-		
0					703		
(81 unique values)							

Number of Observations

(56 unique values)

Number of Observations

(18 unique values)

Number of Observations

(1 unique value)

lonmt3r1: longitude in minutes residence 1

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	4	4	-
	Positive	699	699	-
	Total	703	703	-
	Missing	-	-	-
		703		

(82 unique values)

lonmt3r2: longitude in minutes residence 2

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	108	108	-
	Total	108	108	-
	Missing	595	-	-
		703		

(55 unique values)

lonmt3r3: longitude in minutes residence 3

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	1	1	-
	Positive	24	24	-
	Total	25	25	-
	Missing	678	-	-
		703		

(24 unique values)

lonmt3r4: longitude in minutes residence 4

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
#	Positive	1	1	-
#				
#	Total	1	1	-
#	Missing	702		
<hr/>		<hr/>		
52		703		

(1 unique value)

mntht3r1: how long did you stay in residen

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
#	Positive	703	703	-
#				
#	Total	703	703	-
#	Missing	-		
<hr/>		<hr/>		
1	48	703		

(34 unique values)

mntht3r2: how long did you stay in residen

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
#	Positive	108	108	-
#				
#	Total	108	108	-
#	Missing	595		
<hr/>		<hr/>		
1	47	703		

(28 unique values)

mntht3r3: how long did you stay in residen

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
#	Positive	25	25	-
#				
#	Total	25	25	-
# . . . #	Missing	678		
<hr/>		<hr/>		
1	45	703		
(14 unique values)				

mntht3r4: how long did you stay in residen

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
#	Positive	1	1	-
#				
#	Total	1	1	-
#	Missing	702		
<hr/>		<hr/>		
42		703		
(1 unique value)				

oblt3r1: oblast of residence 1 time 3: jan

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	4	4	-
#	Positive	699	699	-
#				
#	Total	703	703	-
. # . . #	Missing	-		
<hr/>		<hr/>		
0	26	703		
(22 unique values)				

oblt3r1 is labeled and all values are documented in the label.

obl3r2: oblast of residence 2 time 3: jan

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	595	595	-
#		Positive	108	108	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 26
(19 unique values)

obl3r2 is labeled and all values are documented in the label.

obl3r3: oblast of residence 3 time 3: jan

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	678	678	-
#		Positive	25	25	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 26
(9 unique values)

obl3r3 is labeled and all values are documented in the label.

obl3r4: oblast of residence 4 time 3: jan

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	702	702	-
#		Positive	1	1	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 10
(2 unique values)

obl3r4 is labeled and all values are documented in the label.

latt3r1: latitude direction of residence 1			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#		Missing	-		
<hr/>			<hr/>		
1			703		
(1 unique value)					

latt3r1 is labeled and all values are documented in the label.

latt3r2: latitude direction of residence 2			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	237	237	-
#		Positive	466	466	-
#					
#		Total	703	703	-
#		Missing	-		
<hr/>			<hr/>		
0			703		
	1				
(2 unique values)					

latt3r2 is labeled and all values are documented in the label.

latt3r3: latitude direction of residence 3			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	270	270	-
#		Positive	433	433	-
#					
#		Total	703	703	-
#		Missing	-		
<hr/>			<hr/>		
0			703		
	1				
(2 unique values)					

latt3r3 is labeled and all values are documented in the label.

latt3r4: latitude direction of residence 4			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	280	280	-
	#	Positive	423	423	-
	#				
	#	Total	703	703	-
	#	Missing	-		
0 1			703		
(2 unique values)					

latt3r4 is labeled and all values are documented in the label.

lont3r1: longitude direction of residence			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	703	703	-
	#				
	#	Total	703	703	-
	#	Missing	-		
1			703		
(1 unique value)					

lont3r1 is labeled and all values are documented in the label.

lont3r2: longitude direction of residence			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	237	237	-
	#	Positive	466	466	-
	#				
	#	Total	703	703	-
	#	Missing	-		
0 1			703		
(2 unique values)					

lont3r2 is labeled and all values are documented in the label.

lont3r3: longitude direction of residence

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # # # # # </pre>	Negative		-	-	-
	Zero		270	270	-
	Positive		433	433	-
	Total		703	703	-
	Missing		-	-	-
			703		

0 1
(2 unique values)

lont3r3 is labeled and all values are documented in the label.

lont3r4: longitude direction of residence

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # # # # # </pre>	Negative		-	-	-
	Zero		280	280	-
	Positive		423	423	-
	Total		703	703	-
	Missing		-	-	-
			703		

0 1
(2 unique values)

lont3r4 is labeled and all values are documented in the label.

typet3r1: type of residence 1 time 3: jan

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # # # # . # # </pre>	Negative		-	-	-
	Zero		-	-	-
	Positive		703	703	-
	Total		703	703	-
	Missing		-	-	-
			703		

1 3
(3 unique values)

typet3r1 is labeled and all values are documented in the label.

typet3r2: type of residence 2 time 3: jan

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	595	595	-
#	Positive	108	108	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3

(4 unique values)

typet3r2 is labeled and all values are documented in the label.

typet3r3: type of residence 3 time 3: jan

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	678	678	-
#	Positive	25	25	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3

(4 unique values)

typet3r3 is labeled and all values are documented in the label.

typet3r4: type of residence 4 time 3: jan

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	702	702	-
#	Positive	1	1	-
#				
#	Total	703	703	-
#	Missing	-		
		703		


0 2

(2 unique values)

typet3r4 is labeled and all values are documented in the label.

occt3r1: occupation while in residence 1

Number of Observations


		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	1	1	-
	Positive	702	702	-
	Total	703	703	-
	Missing	-	-	-
		703		

(4 unique values)

occt3r1 is labeled and all values are documented in the label.

occt3r2: occupation while in residence 2

Number of Observations


		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	485	485	-
	Positive	108	108	-
	Total	593	593	-
	Missing	110	-	-
		703		

(4 unique values)

occt3r2 is labeled and all values are documented in the label.

occt3r3: occupation while in residence 3

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	554	554	-
	Positive	25	25	-
	Total	579	579	-
	Missing	124	-	-
		703		

(4 unique values)

occt3r3 is labeled and all values are documented in the label.

occt3r4: occupation while in residence 4

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	577	577	-
#	Positive	1	1	-
#				
#	Total	578	578	-
# .	Missing	125		
		703		

0 2
(2 unique values)

occt3r4 is labeled and all values are documented in the label.

ldrt3r1: did you consume liquid dairy in r

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	2	2	-
#	Positive	701	701	-
#				
#	Total	703	703	-
. # # .	Missing	-		
		703		

0 3
(4 unique values)

ldrt3r1 is labeled but 2 values are NOT documented in the label.

ldrt3r2: did you consume liquid dairy in r

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	595	595	-
#	Positive	108	108	-
#				
#	Total	703	703	-
# . .	Missing	-		
		703		

0 2
(3 unique values)

ldrt3r2 is labeled and all values are documented in the label.

ldrt3r3: did you consume liquid dairy in r				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		678	678	-
#		Positive		25	25	-
#						
#		Total		703	703	-
#	.	Missing	.	-		
0			2	703		
(3 unique values)						

ldrt3r3 is labeled and all values are documented in the label.

ldrt3r4: did you consume liquid dairy in r				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		702	702	-
#		Positive		1	1	-
#						
#		Total		703	703	-
#	.	Missing		-		
0			1	703		
(2 unique values)						

ldrt3r4 is labeled and all values are documented in the label.

sldrt3r1: source of liquid dairy in resid				Number of Observations		
				Total	Integers	Nonintegers
		#	Negative	-	-	-
		#	Zero	111	111	-
		#	Positive	592	592	-
		#				
	#	#				
#	#	#	Total	703	703	-
#	#	#	Missing	-		
0			3	703		
(4 unique values)						

sldrt3r1 is labeled and all values are documented in the label.

sldrt3r2: source of liquid dairy in resid

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	606	606	-
#		Positive	97	97	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3

(4 unique values)

sldrt3r2 is labeled and all values are documented in the label.

sldrt3r3: source of liquid dairy in resid

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	679	679	-
#		Positive	24	24	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3

(4 unique values)

sldrt3r3 is labeled and all values are documented in the label.

sldrt3r4: source of liquid dairy in resid

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	702	702	-
#		Positive	1	1	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2

(2 unique values)

sldrt3r4 is labeled and all values are documented in the label.

mlldt3r1: quantity (in ml) of liquid dairy

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	67	67	-
#		Positive	593	593	-
#	#				
#	#	Total	660	660	-
#	# . . .	Missing	43		
<hr/>			<hr/>		
0			703		
10000					
(22 unique values)					

mlldt3r2: quantity (in ml) of liquid dairy

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	496	496	-
#		Positive	94	94	-
#					
#		Total	590	590	-
#	Missing	113		
<hr/>			<hr/>		
0			703		
10000					
(12 unique values)					

mlldt3r3: quantity (in ml) of liquid dairy

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	555	555	-
#		Positive	24	24	-
#					
#		Total	579	579	-
#	Missing	124		
<hr/>			<hr/>		
0			703		
3000					
(7 unique values)					

mlldt3r4: quantity (in ml) of liquid dairy

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	577	577	-
#		Positive	1	1	-
#					
#		Total	578	578	-
#	.	Missing	125		
0		2000	703		
(2 unique values)					

sdrt3r1: did you consume solid dairy in re

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	4	4	-
#		Positive	699	699	-
#					
#		Total	703	703	-
.	#	Missing	-		
.					
0		3	703		
(4 unique values)					

sdrt3r1 is labeled but 2 values are NOT documented in the label.

sdrt3r2: did you consume solid dairy in re

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	595	595	-
#		Positive	108	108	-
#					
#		Total	703	703	-
#	#	Missing	-		
.					
0		2	703		
(3 unique values)					

sdrt3r2 is labeled and all values are documented in the label.

sdrt3r3: did you consume solid dairy in re

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	678	678	-
#	Positive	25	25	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 2

(3 unique values)

sdrt3r3 is labeled and all values are documented in the label.

sdrt3r4: did you consume solid dairy in re

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	702	702	-
#	Positive	1	1	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1

(2 unique values)

sdrt3r4 is labeled and all values are documented in the label.

ssdrt3r1: source of solid dairy in residen

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	66	66	-
#	Positive	637	637	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3

(4 unique values)

ssdrt3r1 is labeled and all values are documented in the label.

ssdrt3r2: source of solid dairy in residen

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	600	600	-
#		Positive	103	103	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(4 unique values)

ssdrt3r2 is labeled and all values are documented in the label.

ssdrt3r3: source of solid dairy in residen

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	679	679	-
#		Positive	24	24	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(4 unique values)

ssdrt3r3 is labeled and all values are documented in the label.

ssdrt3r4: source of solid dairy in residen

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	702	702	-
#		Positive	1	1	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(2 unique values)

ssdrt3r4 is labeled and all values are documented in the label.

gldt3r1: quantity (in grams) of solid dair

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	41	41	-
#		Positive	636	636	-
#					
#	#	Total	677	677	-
#	# . . .	Missing	26		
<hr/>			<hr/>		
0		5000	703		
(16 unique values)					

gldt3r2: quantity (in grams) of solid dair

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	492	492	-
#		Positive	101	101	-
#					
#		Total	593	593	-
#	Missing	110		
<hr/>			<hr/>		
0		4000	703		
(13 unique values)					

gldt3r3: quantity (in grams) of solid dair

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	555	555	-
#		Positive	24	24	-
#					
#		Total	579	579	-
#	Missing	124		
<hr/>			<hr/>		
0		1000	703		
(6 unique values)					

gldt3r4: quantity (in grams) of solid dair

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	577	577	-
#		Positive	1	1	-
#					
#		Total	578	578	-
#	.	Missing	125		
			703		

0 100
(2 unique values)

pott3r1: did you consume potatoes in resid

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	1	1	-
#		Positive	702	702	-
#					
#		Total	703	703	-
.	#	Missing	-		
			703		

0 2
(3 unique values)

pott3r1 is labeled and all values are documented in the label.

pott3r2: did you consume potatoes in resid

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	595	595	-
#		Positive	108	108	-
#					
#		Total	703	703	-
#	#	Missing	-		
			703		

0 2
(3 unique values)

pott3r2 is labeled and all values are documented in the label.

pott3r3: did you consume potatoes in resid

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	677	677	-
#		Positive	26	26	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

pott3r3 is labeled and all values are documented in the label.

pott3r4: did you consume potatoes in resid

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	702	702	-
#		Positive	1	1	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

pott3r4 is labeled and all values are documented in the label.

spott3r1: source of potatoes in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	10	10	-
#		Positive	693	693	-
#					
#	#	Total	703	703	-
.	#	Missing	-		
			703		

0 3
(4 unique values)

spott3r1 is labeled and all values are documented in the label.

spott3r2: source of potatoes in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	599	599	-
#		Positive	104	104	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(4 unique values)

spott3r2 is labeled and all values are documented in the label.

spott3r3: source of potatoes in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	680	680	-
#		Positive	23	23	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(4 unique values)

spott3r3 is labeled and all values are documented in the label.

spott3r4: source of potatoes in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	702	702	-
#		Positive	1	1	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(2 unique values)

spott3r4 is labeled and all values are documented in the label.

gpott3r1: quantity (in grams) of potatoes

Number of Observations

					Total	Integers	Nonintegers
#	#			Negative	-	-	-
#	#			Zero	7	7	-
#	#			Positive	695	695	-
#	#						
#	#			Total	702	702	-
#	#	#	.	Missing	1		
0				9000	703		
(21 unique values)							

gpott3r2: quantity (in grams) of potatoes

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	488	488	-
#				Positive	105	105	-
#							
#				Total	593	593	-
#	.	.	.	Missing	110		
0				6000	703		
(9 unique values)							

gpott3r3: quantity (in grams) of potatoes

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	556	556	-
#				Positive	24	24	-
#							
#				Total	580	580	-
#	.	.	.	Missing	123		
0				3000	703		
(5 unique values)							

gpott3r4: quantity (in grams) of potatoes

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	577	577	-
#		Positive	1	1	-
#					
#		Total	578	578	-
#	.	Missing	125		
0		1500	703		
(2 unique values)					

prkt3r1: did you consume pork in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	2	2	-
#		Positive	701	701	-
#					
#		Total	703	703	-
.	#	Missing	-		
	#				
	.				
0		3	703		
(4 unique values)					

prkt3r1 is labeled but 2 values are NOT documented in the label.

prkt3r2: did you consume pork in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	595	595	-
#		Positive	108	108	-
#					
#		Total	703	703	-
#	.	Missing	-		
	.				
0		2	703		
(3 unique values)					

prkt3r2 is labeled and all values are documented in the label.

prkt3r3: did you consume pork in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	678	678	-
#		Positive	25	25	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

prkt3r3 is labeled and all values are documented in the label.

prkt3r4: did you consume pork in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	702	702	-
#		Positive	1	1	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

prkt3r4 is labeled and all values are documented in the label.

sprkt3r1: source of pork in residence 1 ti

Number of Observations

				Total	Integers	Nonintegers
				Negative	-	-
#				Zero	121	-
#				Positive	582	-
#						
#	#	#	#	Total	703	-
#	#	#	#	Missing	-	
#	#	#	#			
				703		

0 3
(4 unique values)

sprkt3r1 is labeled and all values are documented in the label.

sprkt3r2: source of pork in residence 2 ti			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	612	612	-
#		Positive	91	91	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(4 unique values)

sprkt3r2 is labeled and all values are documented in the label.

sprkt3r3: source of pork in residence 3 ti			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	680	680	-
#		Positive	23	23	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(4 unique values)

sprkt3r3 is labeled and all values are documented in the label.

sprkt3r4: source of pork in residence 4 ti			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	702	702	-
#		Positive	1	1	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(2 unique values)

sprkt3r4 is labeled and all values are documented in the label.

gprkt3r1: quantity (in grams) of pork per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	97	97	-
#		Positive	581	581	-
#					
#		Total	678	678	-
#	.	Missing	25		
0		300000	703		
(22 unique values)					

gprkt3r2: quantity (in grams) of pork per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	502	502	-
#		Positive	88	88	-
#					
#		Total	590	590	-
#	.	Missing	113		
0		300000	703		
(15 unique values)					

gprkt3r3: quantity (in grams) of pork per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	558	558	-
#		Positive	22	22	-
#					
#		Total	580	580	-
#	.	Missing	123		
0		100000	703		
(11 unique values)					

gprkt3r4: quantity (in grams) of pork per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	577	577	-
#		Positive	1	1	-
#					
#		Total	578	578	-
#	.	Missing	125		
			703		

0 500
(2 unique values)

beft3r1: did you consume beef in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	1	1	-
#		Positive	702	702	-
#					
#		Total	703	703	-
.	#	Missing	-		
			703		

0 2
(3 unique values)

beft3r1 is labeled and all values are documented in the label.

beft3r2: did you consume beef in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	597	597	-
#		Positive	106	106	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

beft3r2 is labeled and all values are documented in the label.

beft3r3: did you consume beef in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	678	678	-
#		Positive	25	25	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

beft3r3 is labeled and all values are documented in the label.

beft3r4: did you consume beef in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	702	702	-
#		Positive	1	1	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

beft3r4 is labeled and all values are documented in the label.

sbft3r1: source of beef in residence 1 ti

Number of Observations

				Total	Integers	Nonintegers
				Negative	-	-
				Zero	128	-
				Positive	575	-
				Total	703	-
				Missing	-	
				703		

sbft3r1 is labeled and all values are documented in the label.

sbeft3r2: source of beef in residence 2 ti			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	627	627	-
#		Positive	76	76	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(4 unique values)

sbeft3r2 is labeled and all values are documented in the label.

sbeft3r3: source of beef in residence 3 ti			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	685	685	-
#		Positive	18	18	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(4 unique values)

sbeft3r3 is labeled and all values are documented in the label.

sbeft3r4: source of beef in residence 4 ti			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	702	702	-
#		Positive	1	1	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(2 unique values)

sbeft3r4 is labeled and all values are documented in the label.

gbft3r1: quantity (in grams) of beef per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	95	95	-
#		Positive	573	573	-
#					
#		Total	668	668	-
#	.	Missing	35		
0		900000	703		
(18 unique values)					

gbft3r2: quantity (in grams) of beef per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	510	510	-
#		Positive	76	76	-
#					
#		Total	586	586	-
#	.	Missing	117		
0		6000	703		
(12 unique values)					

gbft3r3: quantity (in grams) of beef per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	562	562	-
#		Positive	18	18	-
#					
#		Total	580	580	-
#	.	Missing	123		
0		500	703		
(6 unique values)					

gbft3r4: quantity (in grams) of beef per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	577	577	-
#		Positive	1	1	-
#					
#		Total	578	578	-
#	.	Missing	125		
			703		

0 500
(2 unique values)

pltt3r1: did you consume poultry in reside

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	2	2	-
#		Positive	701	701	-
#					
#		Total	703	703	-
.	#	Missing	-		
			703		

0 3
(4 unique values)

pltt3r1 is labeled but 1 value is NOT documented in the label.

pltt3r2: did you consume poultry in reside

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	596	596	-
#		Positive	107	107	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

pltt3r2 is labeled and all values are documented in the label.

pltt3r3: did you consume poultry in reside

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	678	678	-
#		Positive	25	25	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

pltt3r3 is labeled and all values are documented in the label.

pltt3r4: did you consume poultry in reside

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	702	702	-
#		Positive	1	1	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

pltt3r4 is labeled and all values are documented in the label.

spltt3r1: source of paultry in residence

Number of Observations

				Total	Integers	Nonintegers

spltt3r1 is labeled and all values are documented in the label.

spltt3r2: source of paultry in residence

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	611	611	-
#	Positive	92	92	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3
(4 unique values)

spltt3r2 is labeled and all values are documented in the label.

spltt3r3: source of paultry in residence

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	678	678	-
#	Positive	25	25	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3
(4 unique values)

spltt3r3 is labeled and all values are documented in the label.

spltt3r4: source of paultry in residence

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	702	702	-
#	Positive	1	1	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 2
(2 unique values)

spltt3r4 is labeled and all values are documented in the label.

gplt3r1: quantity (in grams) of poultry p

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	48	48	-
#		Positive	643	643	-
#					
#		Total	691	691	-
#	.	Missing	12		
0		500000	703		
(22 unique values)					

gplt3r2: quantity (in grams) of poultry p

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	500	500	-
#		Positive	93	93	-
#					
#		Total	593	593	-
#	.	Missing	110		
0		3000	703		
(12 unique values)					

gplt3r3: quantity (in grams) of poultry p

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	555	555	-
#		Positive	25	25	-
#					
#		Total	580	580	-
#	.	Missing	123		
0		2000	703		
(10 unique values)					

gpltt3r4: quantity (in grams) of poultry p			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	577	577	-
#		Positive	1	1	-
#					
#		Total	578	578	-
#	.	Missing	125		
0		500	703		
(2 unique values)					

msht3r1: did you consume mushrooms in res			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	5	5	-
#	#	Positive	698	698	-
#	#				
#	#	Total	703	703	-
.	#	Missing	-		
.	#				
0		3	703		
(4 unique values)					

msht3r1 is labeled but 4 values are NOT documented in the label.

msht3r2: did you consume mushrooms in res			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	599	599	-
#		Positive	104	104	-
#					
#		Total	703	703	-
#	.	Missing	-		
#	.				
0		2	703		
(3 unique values)					

msht3r2 is labeled and all values are documented in the label.

msht3r3: did you consume mushrooms in res			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	679	679	-
#		Positive	24	24	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		
0		2			
(3 unique values)					

msht3r3 is labeled and all values are documented in the label.

msht3r4: did you consume mushrooms in res			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	703	703	-
#		Positive	-	-	-
#					
#		Total	703	703	-
#		Missing	-		
			703		
0					
(1 unique value)					

msht3r4 is labeled and all values are documented in the label.

smsht3r1: source of mushrooms in residenc			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	401	401	-
#		Positive	302	302	-
#					
#		Total	703	703	-
#	#	Missing	-		
			703		
0		3			
(4 unique values)					

smsht3r1 is labeled and all values are documented in the label.

smsht3r2: source of mushrooms in residenc

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	660	660	-
#		Positive	43	43	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3

(4 unique values)

smsht3r2 is labeled and all values are documented in the label.

smsht3r3: source of mushrooms in residenc

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	697	697	-
#		Positive	6	6	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3

(4 unique values)

smsht3r3 is labeled and all values are documented in the label.

smsht3r4: source of mushrooms in residenc

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	703	703	-
#		Positive	-	-	-
#					
#		Total	703	703	-
#		Missing	-		
			703		

0

(1 unique value)

smsht3r4 is labeled and all values are documented in the label.

gmsht3r1: quantity (in grams) of mushroom

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	317	317	-
#		Positive	301	301	-
#					
#		Total	618	618	-
#	.	Missing	85		
0		3000	703		
(17 unique values)					

gmsht3r2: quantity (in grams) of mushroom

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	543	543	-
#		Positive	39	39	-
#					
#		Total	582	582	-
#	.	Missing	121		
0		500	703		
(10 unique values)					

gmsht3r3: quantity (in grams) of mushroom

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	572	572	-
#		Positive	6	6	-
#					
#		Total	578	578	-
#	.	Missing	125		
0		200	703		
(4 unique values)					

gmsht3r4: quantity (in grams) of mushroom

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	578	578	-
#	Positive	-	-	-
#				
#	Total	578	578	-
#	Missing	125		
<hr/>		<hr/>		
0		703		
(1 unique value)				

sett4r1: town of residence 1 time 4: jan 1

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
<hr/>		<hr/>		
78 .	-9.0e+307	703		
(0 unique value)				

sett4r2: town of residence 2 time 4: jan 1

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
<hr/>		<hr/>		
79 .	-9.0e+307	703		
(0 unique value)				

sett4r3: town of residence 3 time 4: jan 1

Number of Observations

		Total	Integers	Nonintegers
80 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		

(0 unique value)

sett4r4: town of residence 4 time 4: jan 1

Number of Observations

		Total	Integers	Nonintegers
81 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		

(0 unique value)

rait4r1: raion of residence 1 time 4: jan

Number of Observations

		Total	Integers	Nonintegers
82 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		

(0 unique value)

rait4r2: raion of residence 2 time 4: jan1

Number of Observations

		Total	Integers	Nonintegers
83 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		

(0 unique value)

rait4r3: raion of residence 3 time 4: jan1

Number of Observations

		Total	Integers	Nonintegers
84 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		

(0 unique value)

rait4r4: raion of residence 4 time 4: jan

Number of Observations

		Total	Integers	Nonintegers
85 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		

(0 unique value)

latdt4r1: latitude in degrees residence 1

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # . . . # . </pre>	Negative		-	-	-
	Zero		-	-	-
	Positive		703	703	-
	Total		703	703	-
	Missing		-		
<hr/> 32 61			703		
(14 unique values)					

latdt4r2: latitude in degrees residence 2

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # . . # . . </pre>	Negative		-	-	-
	Zero		-	-	-
	Positive		108	108	-
	Total		108	108	-
	Missing		595		
<hr/> 27 66			703		
(18 unique values)					

latdt4r3: latitude in degrees residence 3

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # # # # # # # # . . </pre>	Negative		-	-	-
	Zero		-	-	-
	Positive		23	23	-
	Total		23	23	-
	Missing		680		
<hr/> 46 55			703		
(6 unique values)					

latdt4r4: latitude in degrees residence 4

Number of Observations

				Total	Integers	Nonintegers
	#		Negative	-	-	-
	#		Zero	-	-	-
	#		Positive	4	4	-
	#					
	#		Total	4	4	-
	#	.	Missing	699		
8				703		
(4 unique values)						

londt4r1: longitude in degrees residence

Number of Observations

				Total	Integers	Nonintegers
	#		Negative	-	-	-
	#		Zero	-	-	-
	#		Positive	703	703	-
	#					
	#		Total	703	703	-
	#	.	Missing	-		
13				703		
(23 unique values)						

londt4r2: longitude in degrees residence

Number of Observations

				Total	Integers	Nonintegers
	#		Negative	-	-	-
	#		Zero	-	-	-
	#		Positive	108	108	-
	#					
	#		Total	108	108	-
	.	#	Missing	595		
6				703		
(21 unique values)						

londt4r3: longitude in degrees residence

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # # # # # # # </pre>	Negative		-	-	-
	Zero		-	-	-
	Positive		23	23	-
	Total		23	23	-
	Missing		680		
<hr/> 19 40			703		

(11 unique values)

londt4r4: longitude in degrees residence

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # # # # # # . # </pre>	Negative		-	-	-
	Zero		-	-	-
	Positive		4	4	-
	Total		4	4	-
	Missing		699		
<hr/> 11 30			703		

(4 unique values)

latmt4r1: latitude in minutes residence 1

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # # . . # . . </pre>	Negative		-	-	-
	Zero		3	3	-
	Positive		700	700	-
	Total		703	703	-
	Missing		-		
<hr/> 0 96			703		

(70 unique values)

latmt4r2: latitude in minutes residence 2

Number of Observations

					Total	Integers	Nonintegers
<pre> # # # # # # # # # # # . # </pre>		Negative			-	-	-
		Zero			-	-	-
		Positive			108	108	-
		Total			108	108	-
		Missing			595		
6				96	703		
(46 unique values)							

latmt4r3: latitude in minutes residence 3

Number of Observations

					Total	Integers	Nonintegers
<pre> # # # # # # # # # # </pre>		Negative			-	-	-
		Zero			-	-	-
		Positive			23	23	-
		Total			23	23	-
		Missing			680		
6				95	703		
(16 unique values)							

latmt4r4: latitude in minutes residence 4

Number of Observations

					Total	Integers	Nonintegers
<pre> # # # # # # # # # # . # # </pre>		Negative			-	-	-
		Zero			-	-	-
		Positive			4	4	-
		Total			4	4	-
		Missing			699		
25				57	703		
(4 unique values)							

lonmt4r1: longitude in minutes residence

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # . . # # . </pre>	Negative		-	-	-
	Zero		3	3	-
	Positive		700	700	-
	Total		703	703	-
	Missing		-		
			703		

0 98
(70 unique values)

lonmt4r2: longitude in minutes residence

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # # # # # # # # # # </pre>	Negative		-	-	-
	Zero		-	-	-
	Positive		108	108	-
	Total		108	108	-
	Missing		595		
			703		

1 99
(48 unique values)

lonmt4r3: longitude in minutes residence

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # # # # # # # # </pre>	Negative		-	-	-
	Zero		-	-	-
	Positive		23	23	-
	Total		23	23	-
	Missing		680		
			703		

4 94
(19 unique values)

lonmt4r4: longitude in minutes residence

Number of Observations

				Total	Integers	Nonintegers
#			Negative	-	-	-
#			Zero	-	-	-
#			Positive	4	4	-
#	#	#				
#	#	#	Total	4	4	-
#	.	#	Missing	699		
7				703		

(4 unique values)

mntht4r1: how long did you stay in residen

Number of Observations

				Total	Integers	Nonintegers
	#		Negative	-	-	-
	#		Zero	-	-	-
	#		Positive	703	703	-
	#					
	#		Total	703	703	-
.	.	.	Missing	-		
6				703		

(60 unique values)

mntht4r2: how long did you stay in residen

Number of Observations

				Total	Integers	Nonintegers
#			Negative	-	-	-
#			Zero	-	-	-
#			Positive	106	106	-
#						
#	#		Total	106	106	-
#	#	#	Missing	597		
4				703		

(51 unique values)

mntht4r3: how long did you stay in residen

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#				Positive	23	23	-
#							
#				Total	23	23	-
#	#	#	.	Missing	680		
6				204	703		
(17 unique values)							

mntht4r4: how long did you stay in residen

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#				Positive	4	4	-
#							
#		#		Total	4	4	-
#	.	#		Missing	699		
12				89	703		
(3 unique values)							

oblt4r1: oblast of the residence 1 time 4:

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	10	10	-
#				Positive	693	693	-
#							
#				Total	703	703	-
.	#	.	.	Missing	-		
0				26	703		
(18 unique values)							

oblt4r1 is labeled and all values are documented in the label.

obl4r2: oblast of the residence 2 time 4:				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		593	593	-
#		Positive		110	110	-
#						
#		Total		703	703	-
#	.	Missing	.	-		
0			26	703		
(18 unique values)						

obl4r2 is labeled and all values are documented in the label.

obl4r3: oblast of the residence 3 time 4:				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		682	682	-
#		Positive		21	21	-
#						
#		Total		703	703	-
#	.	Missing	.	-		
0			26	703		
(11 unique values)						

obl4r3 is labeled and all values are documented in the label.

obl4r4: oblast of the residence 4 time 4:				Number of Observations		
				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		699	699	-
#		Positive		4	4	-
#						
#		Total		703	703	-
#	.	Missing	.	-		
0			26	703		
(5 unique values)						

obl4r4 is labeled and all values are documented in the label.

latt4r1: direction of latitude of residen			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#		Missing	-		
<hr/>			<hr/>		
1			703		
(1 unique value)					

latt4r1 is labeled and all values are documented in the label.

latt4r2: direction of latitude of residenc			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	241	241	-
#		Positive	462	462	-
#	#				
#	#	Total	703	703	-
#	#	Missing	-		
<hr/>			<hr/>		
0			703		
	1				
(2 unique values)					

latt4r2 is labeled and all values are documented in the label.

latt4r3: direction of latitude of residenc			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	271	271	-
#		Positive	432	432	-
#	#				
#	#	Total	703	703	-
#	#	Missing	-		
<hr/>			<hr/>		
0			703		
	1				
(2 unique values)					

latt4r3 is labeled and all values are documented in the label.

latt4r4: direction of latitude of residenc			Number of Observations		
			Total	Integers	Nonintegers
#	#	Negative	-	-	-
#	#	Zero	279	279	-
#	#	Positive	424	424	-
#	#				
#	#	Total	703	703	-
#	#	Missing	-		
			703		

0 2
(3 unique values)

latt4r4 is labeled and all values are documented in the label.

lont4r1: direction of longitude of residen			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#		Missing	-		
			703		

1
(1 unique value)

lont4r1 is labeled and all values are documented in the label.

lont4r2: direction of longitude of residen			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	240	240	-
#		Positive	463	463	-
#					
#		Total	703	703	-
#		Missing	-		
			703		

0 1
(2 unique values)

lont4r2 is labeled and all values are documented in the label.

lont4r3: direction of longitude of residen

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # # # # # </pre>		Negative	-	-	-
		Zero	271	271	-
		Positive	432	432	-
		Total	703	703	-
		Missing	-		
			703		

(2 unique values)

lont4r3 is labeled and all values are documented in the label.

lont4r4: direction of longitude of residen

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # # # # # </pre>		Negative	-	-	-
		Zero	279	279	-
		Positive	424	424	-
		Total	703	703	-
		Missing	-		
			703		

(2 unique values)

lont4r4 is labeled and all values are documented in the label.

typet4r1: type of residence 1 time 4: jan

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # . . # # </pre>		Negative	-	-	-
		Zero	1	1	-
		Positive	702	702	-
		Total	703	703	-
		Missing	-		
			703		

(4 unique values)

typet4r1 is labeled and all values are documented in the label.

typet4r2: type of residence 2 time 4: jan

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	596	596	-
#	Positive	107	107	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3
(4 unique values)

typet4r2 is labeled and all values are documented in the label.

typet4r3: type of residence 3 time 4: jan

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	679	679	-
#	Positive	24	24	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3
(4 unique values)

typet4r3 is labeled and all values are documented in the label.

typet4r4: type of residence 4 time 4: jan

Number of Observations


		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	699	699	-
#	Positive	4	4	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3
(4 unique values)

typet4r4 is labeled and all values are documented in the label.

occt4r1: occupation when in residence 1 tim


Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	-	-	-
	Positive	703	703	-
	Total	703	703	-
	Missing	-	-	-
		703		

occt4r1 is labeled and all values are documented in the label.

occt4r2: occupation when in residence 2 tim


Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	485	485	-
	Positive	106	106	-
	Total	591	591	-
	Missing	112	-	-
		703		

occt4r2 is labeled and all values are documented in the label.

occt4r3: occupation when in residence 3 tim

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	555	555	-
	Positive	24	24	-
	Total	579	579	-
	Missing	124	-	-
		703		

occt4r3 is labeled and all values are documented in the label.

occt4r4: occupation when in residence 4 tim

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	574	574	-
#		Positive	4	4	-
#					
#		Total	578	578	-
#	.	Missing	125		
			703		

0 3

(2 unique values)

occt4r4 is labeled and all values are documented in the label.

ldrt4r1: did you consume liquid dairy prod

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	1	1	-
#		Positive	702	702	-
#					
#		Total	703	703	-
.	#	Missing	-		
			703		

0 2

(3 unique values)

ldrt4r1 is labeled and all values are documented in the label.

ldrt4r2: did you consume liquid dairy prod

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	595	595	-
#		Positive	108	108	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2

(3 unique values)

ldrt4r2 is labeled and all values are documented in the label.

ldrt4r3: did you consume liquid dairy prod

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	681	681	-
#	Positive	22	22	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 2
(3 unique values)

ldrt4r3 is labeled and all values are documented in the label.

ldrt4r4: did you consume liquid dairy prod

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	699	699	-
#	Positive	4	4	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 2
(3 unique values)

ldrt4r4 is labeled and all values are documented in the label.

sldrt4r1: source of liquid dairy products

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	122	122	-
#	Positive	581	581	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3
(4 unique values)

sldrt4r1 is labeled and all values are documented in the label.

sldrt4r2: source of liquid dairy products

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	606	606	-
#		Positive	97	97	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(4 unique values)

sldrt4r2 is labeled and all values are documented in the label.

sldrt4r3: source of liquid dairy products

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	682	682	-
#		Positive	21	21	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(4 unique values)

sldrt4r3 is labeled and all values are documented in the label.

sldrt4r4: source of liquid dairy products

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	700	700	-
#		Positive	3	3	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3
(3 unique values)

sldrt4r4 is labeled and all values are documented in the label.

mlldt4r1: quantity (in ml) of liquid dairy

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	76	76	-
#		Positive	581	581	-
#	#				
#	#	Total	657	657	-
#	# . . .	Missing	46		
<hr/>			<hr/>		
0		10000	703		
(20 unique values)					

mlldt4r2: quantity (in ml) of liquid dairy

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	494	494	-
#		Positive	93	93	-
#					
#		Total	587	587	-
#	Missing	116		
<hr/>			<hr/>		
0		8000	703		
(11 unique values)					

mlldt4r3: quantity (in ml) of liquid dairy

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	558	558	-
#		Positive	21	21	-
#					
#		Total	579	579	-
#	Missing	124		
<hr/>			<hr/>		
0		7000	703		
(8 unique values)					

mlldt4r4: quantity (in ml) of liquid dairy

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	575	575	-
#	Positive	3	3	-
#				
#	Total	578	578	-
#	Missing	125		
		703		

0 2000
(4 unique values)

sdrt4r1: did you consume solid dairy produ

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	4	4	-
#	Positive	699	699	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 2
(3 unique values)

sdrt4r1 is labeled and all values are documented in the label.

sdrt4r2: did you consume solid dairy produ

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	596	596	-
#	Positive	107	107	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 2
(3 unique values)

sdrt4r2 is labeled and all values are documented in the label.

sdrt4r3: did you consume solid dairy produ

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	680	680	-
#		Positive	23	23	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

sdrt4r3 is labeled and all values are documented in the label.

sdrt4r4: did you consume solid dairy produ

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	699	699	-
#		Positive	4	4	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

sdrt4r4 is labeled and all values are documented in the label.

ssdrt4r1: source of solid dairy products i

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	57	57	-
#		Positive	646	646	-
#					
#		Total	703	703	-
#		Missing	-		
			703		

0 3
(4 unique values)

ssdrt4r1 is labeled and all values are documented in the label.

ssdrt4r2: source of solid dairy products i			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	601	601	-
#		Positive	102	102	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		3	703		
(4 unique values)					

ssdrt4r2 is labeled and all values are documented in the label.

ssdrt4r3: source of solid dairy products i			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	679	679	-
#		Positive	24	24	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		3	703		
(4 unique values)					

ssdrt4r3 is labeled and all values are documented in the label.

ssdrt4r4: source of solid dairy products i			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	700	700	-
#		Positive	3	3	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		3	703		
(3 unique values)					

ssdrt4r4 is labeled and all values are documented in the label.

gldt4r1: quantity (in grams) of solid dair

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	35	35	-
#		Positive	647	647	-
#					
#		Total	682	682	-
#	.	Missing	21		
0		500000	703		
(22 unique values)					

gldt4r2: quantity (in grams) of solid dair

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	487	487	-
#		Positive	100	100	-
#					
#		Total	587	587	-
#	.	Missing	116		
0		200000	703		
(11 unique values)					

gldt4r3: quantity (in grams) of solid dair

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	555	555	-
#		Positive	24	24	-
#					
#		Total	579	579	-
#	.	Missing	124		
0		200000	703		
(9 unique values)					

gldt4r4: quantity (in grams) of solid dair

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	575	575	-
#	Positive	3	3	-
#				
#	Total	578	578	-
# . . .	Missing	125		
		703		

0 1000
(4 unique values)

pott4r1: did you consume potatoes in resid

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	2	2	-
#	Positive	701	701	-
#				
#	Total	703	703	-
. # .	Missing	-		
		703		

0 2
(3 unique values)

pott4r1 is labeled and all values are documented in the label.

pott4r2: did you consume potatoes in resid

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	597	597	-
#	Positive	106	106	-
#				
#	Total	703	703	-
# # .	Missing	-		
		703		

0 2
(3 unique values)

pott4r2 is labeled and all values are documented in the label.

pott4r3: did you consume potatoes in resid

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	679	679	-
#		Positive	24	24	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

pott4r3 is labeled and all values are documented in the label.

pott4r4: did you consume potatoes in resid

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	699	699	-
#		Positive	4	4	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

pott4r4 is labeled and all values are documented in the label.

spott4r1: source of potatoes in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	12	12	-
#		Positive	689	689	-
#					
#	#	Total	701	701	-
#	#	Missing	2		
.	#				
			703		

0 3
(4 unique values)

spott4r1 is labeled and all values are documented in the label.

spott4r2: source of potatoes in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	601	601	-
#		Positive	102	102	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		3	703		

(4 unique values)

spott4r2 is labeled and all values are documented in the label.

spott4r3: source of potatoes in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	679	679	-
#		Positive	24	24	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		3	703		

(4 unique values)

spott4r3 is labeled and all values are documented in the label.

spott4r4: source of potatoes in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	699	699	-
#		Positive	4	4	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		3	703		

(4 unique values)

spott4r4 is labeled and all values are documented in the label.

gpott4r1: quantity of potatoes (in grams)

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	9	9	-
#		Positive	692	692	-
#					
#		Total	701	701	-
#	.	Missing	2		
0		800000	703		
(23 unique values)					

gpott4r2: quantity of potatoes (in grams)

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	487	487	-
#		Positive	104	104	-
#					
#		Total	591	591	-
#	.	Missing	112		
0		800000	703		
(14 unique values)					

gpott4r3: quantity of potatoes (in grams)

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	556	556	-
#		Positive	23	23	-
#					
#		Total	579	579	-
#	.	Missing	124		
0		6000	703		
(8 unique values)					

gpott4r4: quantity of potatoes (in grams)

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	574	574	-
#		Positive	4	4	-
#					
#		Total	578	578	-
#	.	Missing	125		
0		2000	703		
(2 unique values)					

prkt4r1: did you consume pork in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	3	3	-
#		Positive	700	700	-
#					
#		Total	703	703	-
.	#	Missing	-		
#					
0		2	703		
(3 unique values)					

prkt4r1 is labeled and all values are documented in the label.

prkt4r2: did you consume pork in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	597	597	-
#		Positive	106	106	-
#					
#		Total	703	703	-
#	.	Missing	-		
#					
0		2	703		
(3 unique values)					

prkt4r2 is labeled and all values are documented in the label.

prkt4r3: did you consume pork in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	679	679	-
#		Positive	24	24	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

prkt4r3 is labeled and all values are documented in the label.

prkt4r4: did you consume pork in residence

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	699	699	-
#		Positive	4	4	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

prkt4r4 is labeled and all values are documented in the label.

sprkt4r1: source of pork in residence 1 t

Number of Observations

				Total	Integers	Nonintegers
#	#			Negative	-	-
#	#			Zero	140	140
#	#	#	#	Positive	563	563
#	#	#	#			
#	#	#	#	Total	703	703
#	#	#	#	Missing	-	
				703		

0 3
(4 unique values)

sprkt4r1 is labeled and all values are documented in the label.

sprkt4r2: source of pork in residence 2 t			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	612	612	-
#		Positive	91	91	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		3	703		

(4 unique values)

sprkt4r2 is labeled and all values are documented in the label.

sprkt4r3: source of pork in residence 3 t			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	682	682	-
#		Positive	21	21	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		3	703		

(4 unique values)

sprkt4r3 is labeled and all values are documented in the label.

sprkt4r4: source of pork in residence 4 t			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	700	700	-
#		Positive	3	3	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		3	703		

(3 unique values)

sprkt4r4 is labeled and all values are documented in the label.

Number of Observations

gprkt4r2: quantity of pork (in grams) per

gprkt4r3: quantity of pork (in grams) per

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	558	558	-
#	Positive	21	21	-
#				
#	Total	579	579	-
#	Missing	124		
		703		

gprkt4r4: quantity of pork (in grams) per

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	575	575	-
#	Positive	3	3	-
#				
#	Total	578	578	-
# .	Missing	125		
		703		

0 500
(2 unique values)

beft4r1: did you consume beef in residence

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	3	3	-
#	Positive	700	700	-
#				
#	Total	703	703	-
. # #	Missing	-		
		703		

0 2
(3 unique values)

beft4r1 is labeled and all values are documented in the label.

beft4r2: did you consume beef in residence

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	598	598	-
#	Positive	105	105	-
#				
#	Total	703	703	-
# . .	Missing	-		
		703		

0 2
(3 unique values)

beft4r2 is labeled and all values are documented in the label.

beft4r3: did you consume beef in residence

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	679	679	-
#	Positive	24	24	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 2
(3 unique values)

beft4r3 is labeled and all values are documented in the label.

beft4r4: did you consume beef in residence

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	699	699	-
#	Positive	4	4	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

beft4r4 is labeled and all values are documented in the label.

sbft4r1: source of beef in residence 1 in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	107	107	-
#	Positive	563	563	-
#				
#	Total	670	670	-
#	Missing	33		
		703		

0 3
(4 unique values)

sbft4r1 is labeled and all values are documented in the label.

sbft4r2: source of beef in residence 2 in

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	620	620	-
#		Positive	82	82	-
#					
#		Total	702	702	-
#	.	Missing	1		
			703		

0 3

(4 unique values)

sbft4r2 is labeled and all values are documented in the label.

sbft4r3: source of beef in residence 3 in

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	683	683	-
#		Positive	20	20	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3

(4 unique values)

sbft4r3 is labeled and all values are documented in the label.

sbft4r4: source of beef in residence 4 in

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	699	699	-
#		Positive	4	4	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3

(4 unique values)

sbft4r4 is labeled and all values are documented in the label.

gbft4r1: quantity of beef (in grams) per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	111	111	-
#		Positive	558	558	-
#					
#		Total	669	669	-
#	.	Missing	34		
0		500000	703		
(20 unique values)					

gbft4r2: quantity of beef (in grams) per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	503	503	-
#		Positive	82	82	-
#					
#		Total	585	585	-
#	.	Missing	118		
0		1000	703		
(11 unique values)					

gbft4r3: quantity of beef (in grams) per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	559	559	-
#		Positive	20	20	-
#					
#		Total	579	579	-
#	.	Missing	124		
0		800	703		
(7 unique values)					

gbft4r4: quantity of beef (in grams) per

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	574	574	-
#		Positive	4	4	-
#					
#		Total	578	578	-
#	.	Missing	125		
0		500	703		
(3 unique values)					

pltt4r1: did you consume poultry in resid

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	1	1	-
#		Positive	702	702	-
#					
#		Total	703	703	-
.	#	Missing	-		
0		2	703		
(3 unique values)					

pltt4r1 is labeled and all values are documented in the label.

pltt4r2: did you consume poultry in resid

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	597	597	-
#		Positive	106	106	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		2	703		
(3 unique values)					

pltt4r2 is labeled and all values are documented in the label.

pltt4r3: did you consume poultry in resid

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	679	679	-
#		Positive	24	24	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

pltt4r3 is labeled and all values are documented in the label.

pltt4r4: did you consume poultry in resid

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	699	699	-
#		Positive	4	4	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

pltt4r4 is labeled and all values are documented in the label.

spltt4r1: source of paultry in residence

Number of Observations

				Total	Integers	Nonintegers
		#		Negative	-	-
		#	#	Zero	53	53
	#	#	#	Positive	650	650
	#	#	#			
	#	#	#	Total	703	703
#	#	#	#	Missing	-	
				703		

0 3
(4 unique values)

spltt4r1 is labeled and all values are documented in the label.

spltt4r2: source of paultry in residence

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	605	605	-
#	Positive	98	98	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3
(4 unique values)

spltt4r2 is labeled and all values are documented in the label.

spltt4r3: source of paultry in residence

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	682	682	-
#	Positive	21	21	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3
(4 unique values)

spltt4r3 is labeled and all values are documented in the label.

spltt4r4: source of paultry in residence

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	699	699	-
#	Positive	4	4	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 3
(4 unique values)

spltt4r4 is labeled and all values are documented in the label.

gpltt4r1: quantity of poultry (in grams) p			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	38	38	-
#		Positive	654	654	-
#					
#		Total	692	692	-
#	.	Missing	11		
0		500000	703		
(18 unique values)					

gpltt4r2: quantity of poultry (in grams) p			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	492	492	-
#		Positive	98	98	-
#					
#		Total	590	590	-
#	.	Missing	113		
0		3000	703		
(13 unique values)					

gpltt4r3: quantity of poultry (in grams) p			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	558	558	-
#		Positive	21	21	-
#					
#		Total	579	579	-
#	.	Missing	124		
0		2000	703		
(9 unique values)					

gpltt4r4: quantity of poultry (in grams) p			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	574	574	-
#		Positive	4	4	-
#					
#		Total	578	578	-
#	.	Missing	125		
0		400	703		
(3 unique values)					

msht4r1: did you consume mushrooms in res			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	3	3	-
#	#	Positive	700	700	-
#	#				
#	#	Total	703	703	-
.	#	Missing	-		
0		2	703		
(3 unique values)					

msht4r1 is labeled and all values are documented in the label.

msht4r2: did you consume mushrooms in res			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	597	597	-
#		Positive	106	106	-
#					
#		Total	703	703	-
#	.	Missing	-		
0		2	703		
(3 unique values)					

msht4r2 is labeled and all values are documented in the label.

msht4r3: did you consume mushrooms in res			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	679	679	-
#		Positive	24	24	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

msht4r3 is labeled and all values are documented in the label.

msht4r4: did you consume mushrooms in res			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	699	699	-
#		Positive	4	4	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 2
(3 unique values)

msht4r4 is labeled and all values are documented in the label.

smsht4r1: source of mushrooms in residenc			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	316	316	-
#		Positive	387	387	-
#					
#	#	Total	703	703	-
#	#	Missing	-		
			703		

0 3
(4 unique values)

smsht4r1 is labeled and all values are documented in the label.

smsht4r2: source of mushrooms in residenc

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	644	644	-
#		Positive	59	59	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3

(4 unique values)

smsht4r2 is labeled and all values are documented in the label.

smsht4r3: source of mushrooms in residenc

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	690	690	-
#		Positive	13	13	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3

(4 unique values)

smsht4r3 is labeled and all values are documented in the label.

smsht4r4: source of mushrooms in residenc

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	701	701	-
#		Positive	2	2	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 3

(3 unique values)

smsht4r4 is labeled and all values are documented in the label.

gmsht4r1: quantity of mushroom (in grams)

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	243	243	-
#		Positive	386	386	-
#					
#		Total	629	629	-
#	.	Missing	74		
0		2000	703		
(16 unique values)					

gmsht4r2: quantity of mushroom (in grams)

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	528	528	-
#		Positive	56	56	-
#					
#		Total	584	584	-
#	.	Missing	119		
0		1000	703		
(9 unique values)					

gmsht4r3: quantity of mushroom (in grams)

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	566	566	-
#		Positive	13	13	-
#					
#		Total	579	579	-
#	.	Missing	124		
0		500	703		
(6 unique values)					

gmsht4r4: quantity of mushroom (in grams)

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	576	576	-
#		Positive	2	2	-
#					
#		Total	578	578	-
#	.	Missing	125		
0		100	703		
(2 unique values)					

csflfrnd: let your feelings out to a frien

Number of Observations

			Total	Integers	Nonintegers
#	#	Negative	-	-	-
#	#	Zero	-	-	-
#	#	Positive	703	703	-
#	#				
#	#	Total	703	703	-
#	#	Missing	-		
1		3	703		
(3 unique values)					

csflfrnd is labeled and all values are documented in the label.

csrearr: rearranged things around you so t

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#	#	Zero	1	1	-
#	#	Positive	702	702	-
#	#				
#	#	Total	703	703	-
.	#	Missing	-		
0		3	703		
(4 unique values)					

csrearr is labeled and all values are documented in the label.

csbrstrm: brainstormed all possible soluti

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	# #	Zero	2	2	-
	# # #	Positive	701	701	-
	# # #				
	# # #	Total	703	703	-
	. # # #	Missing	-	-	-
0 3			703		

(4 unique values)

csbrstrm is labeled and all values are documented in the label.

csdistr: tried to distract yourself from th

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	1	1	-
	#	Positive	702	702	-
	# #				
	# #	Total	703	703	-
	. # # #	Missing	-	-	-
0 3			703		

(4 unique values)

csdistr is labeled and all values are documented in the label.

csacpsy: accepted sympathy and understandi

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	# #	Zero	2	2	-
	# #	Positive	701	701	-
	# # #				
	# # #	Total	703	703	-
	. # # #	Missing	-	-	-
0 3			703		

(4 unique values)

csacpsy is labeled and all values are documented in the label.

cskpothe: did all you could to keep others

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#	#	Positive	699	699	-
#	#				
#	#	Total	699	699	-
#	#	Missing	4		
#	#				
1		3	703		

(3 unique values)

cskpothe is labeled and all values are documented in the label.

cstkpeop: talked to people about the situa

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#	#	Zero	1	1	-
#	#	Positive	702	702	-
#	#				
#	#	Total	703	703	-
.	#	Missing	-		
.	#				
0		3	703		

(4 unique values)

cstkpeop is labeled and all values are documented in the label.

cssetgoa: set some goals for yourself to d

Number of Observations


			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#	#	Positive	703	703	-
#	#				
#	#	Total	703	703	-
#	#	Missing	-		
#	#				
1		3	703		

(3 unique values)

cssetgoa is labeled and all values are documented in the label.

cswghopt: weighed your options very carefu


Number of Observations

			Total	Integers	Nonintegers
 <p>(4 unique values)</p>		Negative	-	-	-
		Zero	1	1	-
		Positive	698	698	-
		Total	699	699	-
		Missing	4		
			703		

cswghopt is labeled and all values are documented in the label.

csddream: daydreamed about a better time?


Number of Observations

			Total	Integers	Nonintegers
 <p>(4 unique values)</p>		Negative	-	-	-
		Zero	4	4	-
		Positive	699	699	-
		Total	703	703	-
		Missing	-		
			703		

csddream is labeled and all values are documented in the label.

csdifsov: tried different ways to solve th


Number of Observations

			Total	Integers	Nonintegers
 <p>(4 unique values)</p>		Negative	-	-	-
		Zero	4	4	-
		Positive	699	699	-
		Total	703	703	-
		Missing	-		
			703		

csdifsov is labeled and all values are documented in the label.

cscofear: confided your fears and worries

Number of Observations


			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	# #	Positive	703	703	-
	# #				
	# # #	Total	703	703	-
	# # #	Missing	-	-	-
1		3	703		

(3 unique values)

cscofear is labeled and all values are documented in the label.

csalone: spent more time than usual alone?

Number of Observations


			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	5	5	-
	#	Positive	698	698	-
	#				
	# #	Total	703	703	-
	. # # #	Missing	-	-	-
0		3	703		

(4 unique values)

csalone is labeled and all values are documented in the label.

csfldpep: told people about the situation

Number of Observations


			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	3	3	-
	# #	Positive	700	700	-
	# #				
	# # #	Total	703	703	-
	. # # #	Missing	-	-	-
0		3	703		

(4 unique values)

csfldpep is labeled and all values are documented in the label.

csstngs: thought about what needed to be d

Number of Observations


			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	1	1	-
	#	Positive	702	702	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

(4 unique values)

csstngs is labeled and all values are documented in the label.

csflatt: turned your full attention to sol

Number of Observations


			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	703	703	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

(3 unique values)

csflatt is labeled and all values are documented in the label.

csactpl: formed a plan of action in your m

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	3	3	-
	#	Positive	700	700	-
	#				
	#	Total	703	703	-
	#	Missing	-	-	-
			703		

(4 unique values)

csactpl is labeled and all values are documented in the label.

Number of Observations

(4 unique values)

cstv is labeled and all values are documented in the label.

Number of Observations

(3 unique values)

csfrndpr is labeled and all values are documented in the label.

Number of Observations

(4 unique values)

csstndfr is labeled and all values are documented in the label.

Number of Observations

csavdppl is labeled and all values are documented in the label.

Number of Observations

cshbspor is labeled and all values are documented in the label.

Number of Observations

csfriend is labeled and all values are documented in the label.

csadvice: went to a friend for advice on h

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # # # # # # # # # </pre>	Negative		-	-	-
	Zero		-	-	-
	Positive		703	703	-
	Total		703	703	-
	Missing		-		
			703		

1 3
(3 unique values)

csadvice is labeled and all values are documented in the label.

csacsymp: accepted sympathy and understand

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # # # # # # . # # # </pre>	Negative		-	-	-
	Zero		1	1	-
	Positive		702	702	-
	Total		703	703	-
	Missing		-		
			703		

0 3
(4 unique values)

csacsymp is labeled and all values are documented in the label.

cssleep: slept more than usual?

Number of Observations

			Total	Integers	Nonintegers
<pre> # # # # # # . # # . </pre>	Negative		-	-	-
	Zero		1	1	-
	Positive		702	702	-
	Total		703	703	-
	Missing		-		
			703		

0 3
(4 unique values)

cssleep is labeled and all values are documented in the label.

csfantasy: fantasized about how things coul

Number of Observations

	Total	Integers	Nonintegers
Negative	-	-	-
Zero	2	2	-
Positive	701	701	-
Total	703	703	-
Missing	-	-	-
	703		

(4 unique values)

csfantasy is labeled and all values are documented in the label.

csidnovl: identified with characters in no

Number of Observations

	Total	Integers	Nonintegers
Negative	-	-	-
Zero	2	2	-
Positive	701	701	-
Total	703	703	-
Missing	-	-	-
	703		

(4 unique values)

csidnovl is labeled and all values are documented in the label.

cssolvpr: tried to solve the problem?

Number of Observations


	Total	Integers	Nonintegers
Negative	-	-	-
Zero	6	6	-
Positive	697	697	-
Total	703	703	-
Missing	-	-	-
	703		

(4 unique values)

cssolvpr is labeled and all values are documented in the label.

cslvbe: wished that people would just leav


Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	3	3	-
	#	Positive	700	700	-
	#				
	#	Total	703	703	-
	.	Missing	-	-	-
			703		

csylvbe is labeled and all values are documented in the label.

csachelp: accepted help from a friend or r


Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	2	2	-
	#	Positive	701	701	-
	#				
	#	Total	703	703	-
	.	Missing	-	-	-
			703		

csachelp is labeled and all values are documented in the label.

csreasur: sought reassurance from those wh


Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	2	2	-
	#	Positive	701	701	-
	#				
	#	Total	703	703	-
	.	Missing	-	-	-
			703		

csreasur is labeled and all values are documented in the label.

csplnact: tried to carefully plan a course


Number of Observations

				Total	Integers	Nonintegers
 <p>(4 unique values)</p>						
			Negative	-	-	-
			Zero	3	3	-
			Positive	700	700	-
			Total	703	703	-
			Missing	-	-	-
				703		

csplnact is labeled and all values are documented in the label.


psolv: subscale i = "problem solving"

Number of Observations


				Total	Integers	Nonintegers
 <p>(23 unique values)</p>						
			Negative	-	-	-
			Zero	-	-	-
			Positive	703	703	-
			Total	703	703	-
			Missing	-	-	-
				703		

socsup: subscale ii = "seeking social supp

Number of Observations


				Total	Integers	Nonintegers
 <p>(23 unique values)</p>						
			Negative	-	-	-
			Zero	-	-	-
			Positive	703	703	-
			Total	703	703	-
			Missing	-	-	-
				703		

avoid: subscale iii = "avoidance"



Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
<hr/>		
703	703	-
<hr/>		
-	-	-
<hr/>		
703		


hptired: iim tired all the time



Number of Observations		
Total	Integers	Nonintegers
-	-	-
439	439	-
264	264	-
<hr/>		
703	703	-
<hr/>		
-	-	-
<hr/>		
703		

hptired is labeled and all values are documented in the label.

hppainit: i have pain at night



Number of Observations		
Total	Integers	Nonintegers
-	-	-
550	550	-
153	153	-
<hr/>		
703	703	-
<hr/>		
-	-	-
<hr/>		
703		

hppainit is labeled and all values are documented in the label.

hpgtdwn: things are getting me down

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	396	396	-
#	#	Positive	307	307	-
#	#				
#	#	Total	703	703	-
#	#	Missing	-		
<hr/>			<hr/>		
0		1	703		
(2 unique values)					

hpgtdwn is labeled and all values are documented in the label.

hpunpain: i have unbearable pain

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	646	646	-
#		Positive	57	57	-
#					
#		Total	703	703	-
#	.	Missing	-		
<hr/>			<hr/>		
0		1	703		
(2 unique values)					

hpunpain is labeled and all values are documented in the label.

hpslepil: i take pills to help me sleep

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	640	640	-
#		Positive	63	63	-
#					
#		Total	703	703	-
#	.	Missing	-		
<hr/>			<hr/>		
0		1	703		
(2 unique values)					

hpslepil is labeled and all values are documented in the label.

hpnojoy: iíve forgotten what itís like to

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	626	626	-
#	Positive	77	77	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

hpnojoy is labeled and all values are documented in the label.

hponedge: iím feeling on edge

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	652	652	-
#	Positive	51	51	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

hponedge is labeled and all values are documented in the label.

hpcngpos: i find it painful to change posi

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	588	588	-
#	Positive	115	115	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

hpcngpos is labeled and all values are documented in the label.

hplonely: i feel lonely

		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	593	593	-
#	Positive	110	110	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

hplonely is labeled and all values are documented in the label.

hplwkinr: i can walk about only indoors

		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	684	684	-
#	Positive	15	15	-
#				
#	Total	699	699	-
#	Missing	4		
		703		

0 1
(2 unique values)

hplwkinr is labeled and all values are documented in the label.

hpnobend: i find it hard to bend

		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	505	505	-
#	Positive	198	198	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

hpnobend is labeled and all values are documented in the label.

hpalefrt: everything is an effort

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	617	617	-
#		Positive	86	86	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

hpalefrt is labeled and all values are documented in the label.

hpwkgrrly: iím waking up in the early hours

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	413	413	-
#	#	Positive	290	290	-
#	#				
#	#	Total	703	703	-
#	#	Missing	-		
			703		

0 1
(2 unique values)

hpwkgrrly is labeled and all values are documented in the label.

hpnwolk: iím unable to walk at all

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	685	685	-
#		Positive	18	18	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

hpnwolk is labeled and all values are documented in the label.

hphrdcnt: iím finding it hard to make cont

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	655	655	-
#		Positive	47	47	-
#					
#		Total	702	702	-
#	.	Missing	1		
			703		

0 1
(2 unique values)

hphrdcnt is labeled and all values are documented in the label.

hpdaydrg: the days seem to drag

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	617	617	-
#		Positive	86	86	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

hpdaydrg is labeled and all values are documented in the label.

hpstairs: i have trouble getting up and do

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	476	476	-
#		Positive	227	227	-
#					
#	#	Total	703	703	-
#	#	Missing	-		
			703		

0 1
(2 unique values)

hpstairs is labeled and all values are documented in the label.

hphrdrch: i find it hard to reach for thin

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	585	585	-
#	Positive	118	118	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

hphrdrch is labeled and all values are documented in the label.

hpwlkpai: iím in pain when i walk

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	487	487	-
#	Positive	213	213	-
#				
#	Total	700	700	-
#	Missing	3		
		703		

0 1
(2 unique values)

hpwlkpai is labeled and all values are documented in the label.

hptemper: i lose my temper easily these da

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	495	495	-
#	Positive	207	207	-
#				
#	Total	702	702	-
#	Missing	1		
		703		

0 1
(2 unique values)

hptemper is labeled and all values are documented in the label.

hpnoclse: i feel like there is nobody that

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	637	637	-
#		Positive	66	66	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1

(2 unique values)

hpnoclse is labeled and all values are documented in the label.

hpawake: i lie awake for most of the night

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	584	584	-
#		Positive	119	119	-
#					
#		Total	703	703	-
#	#	Missing	-		
			703		

0 1

(2 unique values)

hpawake is labeled and all values are documented in the label.

hplocntr: i feel as if iím losing control

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	628	628	-
#		Positive	71	71	-
#					
#		Total	699	699	-
#	.	Missing	4		
			703		

0 1

(2 unique values)

hplocntr is labeled and all values are documented in the label.

hpstdpai: iím in pain when iím standing

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	557	557	-
#		Positive	142	142	-
#					
#		Total	699	699	-
#	#	Missing	4		
			703		

0 1
(2 unique values)

hpstdpai is labeled and all values are documented in the label.

hphardre: i find it hard to get dressed by

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	672	672	-
#		Positive	27	27	-
#					
#		Total	699	699	-
#	.	Missing	4		
			703		

0 1
(2 unique values)

hphardre is labeled and all values are documented in the label.

hpnoergy: i soon run out of energy

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	456	456	-
#		Positive	247	247	-
#	#				
#	#	Total	703	703	-
#	#	Missing	-		
			703		

0 1
(2 unique values)

hpnoergy is labeled and all values are documented in the label.

hphrdstd: i find it hard to stand for long

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	434	434	-
#	Positive	269	269	-
#	#			
#	#	703	703	-
#	#	-		
		703		

0 1
(2 unique values)

hphrdstd is labeled and all values are documented in the label.

hpconpai: iím in constant pain.

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	628	628	-
#	Positive	75	75	-
#	#			
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

hpconpai is labeled and all values are documented in the label.

hplgslee: it takes me a long time to get t

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	512	512	-
#	Positive	191	191	-
#	#			
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

hplgslee is labeled and all values are documented in the label.

hpburden: i feel i am a burden to people.

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	671	671	-
#	Positive	32	32	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

hpburden is labeled and all values are documented in the label.

hpwryawk: worry is keeping me awake at nig

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	610	610	-
#	Positive	93	93	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

hpwryawk is labeled and all values are documented in the label.

hpnolive: i feel that life is not worth li

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	692	692	-
#	Positive	11	11	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

hpnolive is labeled and all values are documented in the label.

hpbadslp: i sleep badly at night.

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	520	520	-
#		Positive	183	183	-
#					
#	#	Total	703	703	-
#	#	Missing	-		
			703		

0 1
(2 unique values)

hpbadslp is labeled and all values are documented in the label.

hpgtalng: iím finding it hard to get along

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	668	668	-
#		Positive	35	35	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

hpgtalng is labeled and all values are documented in the label.

hphlpwlk: i need help to walk about outsid

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	671	671	-
#		Positive	32	32	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

hphlpwlk is labeled and all values are documented in the label.

hpstrspn: iím in pain when going up or dow

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	484	484	-
#		Positive	219	219	-
#					
#	#	Total	703	703	-
#	#	Missing	-		
			703		

0 1
(2 unique values)

hpstrspn is labeled and all values are documented in the label.

hpamdprs: i wake up feeling depressed

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	587	587	-
#		Positive	116	116	-
#					
#		Total	703	703	-
#	#	Missing	-		
			703		

0 1
(2 unique values)

hpamdprs is labeled and all values are documented in the label.

hpsitpai: iím in pain when iím sitting.


Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	645	645	-
#		Positive	58	58	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

hpsitpai is labeled and all values are documented in the label.

enlev: energy level (el)




Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
352	352	-
351	133	218
703	485	218
-		
703		

pain: pain (p)




Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
362	362	-
341	7	334
703	369	334
-		
703		

emreac: emotional reaction (er)




Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
275	275	-
428	4	424
703	279	424
-		
703		


sleep: sleep (s)



Number of Observations

Total	Integers	Nonintegers
-	-	-
313	313	-
390	7	383
703	320	383
-		
703		


socisol: social isolation (si)



Number of Observations

Total	Integers	Nonintegers
-	-	-
524	524	-
179	3	176
703	527	176
-		
703		

phabil: physical abilities (pa)



Number of Observations

Total	Integers	Nonintegers
-	-	-
353	353	-
350	-	350
703	353	350
-		
703		

hpprbwbk: health causes problems at work

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	540	540	-
#		Positive	163	163	-
#					
#		Total	703	703	-
#	#	Missing	-		
			703		

0 1
(2 unique values)

hpprbwbk is labeled and all values are documented in the label.

hpprbcln: health causes problems taking ca

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	508	508	-
#		Positive	195	195	-
#					
#	#	Total	703	703	-
#	#	Missing	-		
			703		

0 1
(2 unique values)

hpprbcln is labeled and all values are documented in the label.

hprobbsc: health causing problems with soc

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	588	588	-
#		Positive	115	115	-
#					
#		Total	703	703	-
#	#	Missing	-		
			703		

0 1
(2 unique values)

hprobbsc is labeled and all values are documented in the label.

hprobho: health causing problems with hom

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	634	634	-
#		Positive	69	69	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

hprobho is labeled and all values are documented in the label.

hprosex: health causing problems with sex

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	540	540	-
#		Positive	163	163	-
#					
#		Total	703	703	-
#	#	Missing	-		
			703		

0 1
(2 unique values)

hprosex is labeled and all values are documented in the label.

hproint: health causing problems with int

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	599	599	-
#		Positive	104	104	-
#					
#		Total	703	703	-
#	#	Missing	-		
			703		

0 1
(2 unique values)

hproint is labeled and all values are documented in the label.

hprovac: health causing problems with vac

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	599	599	-
#	Positive	104	104	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

hprovac is labeled and all values are documented in the label.

hthprof: health profile subscale

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	405	405	-
#	Positive	298	298	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 7
(8 unique values)

ffriend: before the chornobyl event in 198

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	1	1	-
#	Positive	702	702	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 5
(6 unique values)

ffriend is labeled and all values are documented in the label.

fchorn: if something happens that reminds

Number of Observations

				Total	Integers	Nonintegers
	#			-	-	-
	#	#		2	2	-
	#	#	#	701	701	-
	#	#	#			
	#	#	#	703	703	-
	.	#	#	-	-	-
				703		

(6 unique values)

fchorn is labeled and all values are documented in the label.

fguilt: i feel guilty over things i did ar

Number of Observations

				Total	Integers	Nonintegers
	#			-	-	-
	#			2	2	-
	#			701	701	-
	#					
	#			703	703	-
	.	#	#	-	-	-
				703		

(6 unique values)

fguilt is labeled and all values are documented in the label.

fpush: since the event i find that if some

Number of Observations

				Total	Integers	Nonintegers
	#			-	-	-
	#			2	2	-
	#			701	701	-
	#					
	#			703	703	-
	.	#	#	-	-	-
				703		

(6 unique values)

fpush is labeled and all values are documented in the label.

fnight: i have nightmares about chornobyl.

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	5	5	-
	#	Positive	698	698	-
	#				
	#	Total	703	703	-
	. # . . .	Missing	-	-	-
			703		

(6 unique values)

fnight is labeled and all values are documented in the label.

fdead: when i think of some of the things

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	5	5	-
	#	Positive	698	698	-
	#				
	#	Total	703	703	-
	. # . . .	Missing	-	-	-
			703		

(6 unique values)

fdead is labeled and all values are documented in the label.

fnofeel: since chornobyl, it seems as if i

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	4	4	-
	#	Positive	699	699	-
	#				
	#	Total	703	703	-
	. # . . .	Missing	-	-	-
			703		

(6 unique values)

fnofeel is labeled and all values are documented in the label.

flived: i wonder why i lived when others d

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	3	3	-
	#	Positive	700	700	-
	#				
	#	Total	703	703	-
	. # . . .	Missing	-	-	-
			703		

(6 unique values)

flived is labeled and all values are documented in the label.

fsituat: being in certain situations makes

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	3	3	-
	#	Positive	700	700	-
	#				
	#	Total	703	703	-
	. # # # #	Missing	-	-	-
			703		

(6 unique values)

fsituat is labeled and all values are documented in the label.

flaugh: since chornobyl it seems that i do

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	4	4	-
	#	Positive	699	699	-
	#				
	#	Total	703	703	-
	. # # . .	Missing	-	-	-
			703		

(6 unique values)

flaugh is labeled and all values are documented in the label.

fnoise: since chornobyl unexpected noises

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	7	7	-
	#	Positive	696	696	-
	#				
	#	Total	703	703	-
	. # . . .	Missing	-	-	-
			703		

(6 unique values)

fnoise is labeled and all values are documented in the label.

falcoh: i have used alcohol or other drugs

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	1	1	-
	#	Positive	702	702	-
	#				
	#	Total	703	703	-
	. # . . .	Missing	-	-	-
			703		

(6 unique values)

falcoh is labeled and all values are documented in the label.

fafraid: since chornobyl i have been afra

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	4	4	-
	#	Positive	699	699	-
	#				
	#	Total	703	703	-
	. # . . .	Missing	-	-	-
			703		

(6 unique values)

fafraid is labeled and all values are documented in the label.

fstayaw: i try to stay away from anything

Number of Observations

		Total	Integers	Nonintegers
<p>(6 unique values)</p>	Negative	-	-	-
	Zero	3	3	-
	Positive	700	700	-
	Total	703	703	-
	Missing	-	-	-
		703		

fstayaw is labeled and all values are documented in the label.

fremem: i have difficulty remembering some

Number of Observations

		Total	Integers	Nonintegers
<p>(6 unique values)</p>	Negative	-	-	-
	Zero	1	1	-
	Positive	702	702	-
	Total	703	703	-
	Missing	-	-	-
		703		

fremem is labeled and all values are documented in the label.

fanxio: if something happens that reminds

Number of Observations

		Total	Integers	Nonintegers
<p>(6 unique values)</p>	Negative	-	-	-
	Zero	1	1	-
	Positive	702	702	-
	Total	703	703	-
	Missing	-	-	-
		703		

fanxio is labeled and all values are documented in the label.

fremind: things i see or hear often remind

Number of Observations

			Total	Integers	Nonintegers
<p>(6 unique values)</p>	#	Negative	-	-	-
	#	Zero	5	5	-
	#	Positive	698	698	-
	#				
	# #	Total	703	703	-
	. # # # .	Missing	-	-	-
			703		

fremind is labeled and all values are documented in the label.

fdonth: i often think about the event eve

Number of Observations

			Total	Integers	Nonintegers
<p>(6 unique values)</p>	#	Negative	-	-	-
	#	Zero	7	7	-
	#	Positive	696	696	-
	#				
	#	Total	703	703	-
	. # # # .	Missing	-	-	-
			703		

fdonth is labeled and all values are documented in the label.

femot: i am able to get emotionally close

Number of Observations

			Total	Integers	Nonintegers
<p>(6 unique values)</p>	#	Negative	-	-	-
	#	Zero	1	1	-
	#	Positive	702	702	-
	#				
	# #	Total	703	703	-
	. . . # #	Missing	-	-	-
			703		

femot is labeled and all values are documented in the label.

fkill: lately i have felt like killing mys

Number of Observations

			Total	Integers	Nonintegers
<p>(6 unique values)</p>	#	Negative	-	-	-
	#	Zero	2	2	-
	#	Positive	701	701	-
	#				
	#	Total	703	703	-
	. # . . .	Missing	-	-	-
			703		

fkill is labeled and all values are documented in the label.

fasleep: i fall asleep stay asleep and awa

Number of Observations

			Total	Integers	Nonintegers
<p>(6 unique values)</p>	#	Negative	-	-	-
	#	Zero	1	1	-
	#	Positive	702	702	-
	#				
	#	Total	703	703	-
	. # # . #	Missing	-	-	-
			703		

fasleep is labeled and all values are documented in the label.

fdream: my dreams are so real that i awake

Number of Observations

			Total	Integers	Nonintegers
<p>(6 unique values)</p>	#	Negative	-	-	-
	#	Zero	1	1	-
	#	Positive	702	702	-
	#				
	#	Total	703	703	-
	. # # # #	Missing	-	-	-
			703		

fdream is labeled and all values are documented in the label.

fgoon: i feel like i cannot go on.

			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	6	6	-
	#	Positive	697	697	-
	#				
	#	Total	703	703	-
	. # . . .	Missing	-	-	-
			703		

(6 unique values)

fgoon is labeled and all values are documented in the label.

fenjoy: i still enjoy doing many things th

			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	2	2	-
	#	Positive	701	701	-
	#				
	#	Total	703	703	-
	. # . # #	Missing	-	-	-
			703		

(6 unique values)

fenjoy is labeled and all values are documented in the label.


fconcen: i have trouble concentrating on t

			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	4	4	-
	#	Positive	699	699	-
	#				
	#	Total	703	703	-
	. # # # #	Missing	-	-	-
			703		

(6 unique values)

fconcen is labeled and all values are documented in the label.

fcomp: i enjoy the company of others.




Number of Observations

Total	Integers	Nonintegers
-	-	-
1	1	-
702	702	-
703	703	-
-	-	-
703	703	-

fcomp is labeled and all values are documented in the label.

ffallas: i fall asleep easily at night.




Number of Observations

Total	Integers	Nonintegers
-	-	-
5	5	-
698	698	-
703	703	-
-	-	-
703	703	-

ffallas is labeled and all values are documented in the label.

funder: no one understands how i feel, not



Number of Observations

Total	Integers	Nonintegers
-	-	-
1	1	-
702	702	-
703	703	-
-	-	-
703	703	-

funder is labeled and all values are documented in the label.

fcool: lately, i lose my cool and explode

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	1	1	-
	Positive	702	702	-
	Total	703	703	-
	Missing	-	-	-
		703		

(6 unique values)

fcool is labeled and all values are documented in the label.

falert: i feel alert and on guard much of

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	4	4	-
	Positive	699	699	-
	Total	703	703	-
	Missing	-	-	-
		703		

(6 unique values)

falert is labeled and all values are documented in the label.


instsym: intrusion symptom score

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	1	1	-
	Positive	702	702	-
	Total	703	703	-
	Missing	-	-	-
		703		

(29 unique values)


avoisym: avoidance symptom score



Number of Observations

Total	Integers	Nonintegers
-	-	-
1	1	-
702	702	-
703	703	-
-	-	-
703		


aroussym: arousal symptom score



Number of Observations

Total	Integers	Nonintegers
-	-	-
1	1	-
702	702	-
703	703	-
-	-	-
703		

suicsym: suicidal/guilt score




Number of Observations

Total	Integers	Nonintegers
-	-	-
1	1	-
702	702	-
703	703	-
-	-	-
703		

bsnerv: nervousness or shakiness inside

Number of Observations


		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	4	4	-
	Positive	699	699	-
	Total	703	703	-
	Missing	-	-	-
		703		

(6 unique values)

bsnerv is labeled and all values are documented in the label.

bsfaint: faintness or dizziness

Number of Observations


		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	4	4	-
	Positive	699	699	-
	Total	703	703	-
	Missing	-	-	-
		703		

(6 unique values)

bsfaint is labeled and all values are documented in the label.

bsidea: the idea that someone else can con

Number of Observations


		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	3	3	-
	Positive	700	700	-
	Total	703	703	-
	Missing	-	-	-
		703		

(6 unique values)

bsidea is labeled and all values are documented in the label.

bsothers: feeling others are to blame for


Number of Observations

		Total	Integers	Nonintegers
 <p>(6 unique values)</p>	Negative	-	-	-
	Zero	3	3	-
	Positive	700	700	-
	Total	703	703	-
	Missing	-	-	-
		703		

bsothers is labeled and all values are documented in the label.

bsnomem: trouble remembering things


Number of Observations

		Total	Integers	Nonintegers
 <p>(6 unique values)</p>	Negative	-	-	-
	Zero	3	3	-
	Positive	700	700	-
	Total	703	703	-
	Missing	-	-	-
		703		


bsnomem is labeled and all values are documented in the label.

bsannoy: feeling easily annoyed or irritat

Number of Observations

		Total	Integers	Nonintegers
 <p>(6 unique values)</p>	Negative	-	-	-
	Zero	3	3	-
	Positive	700	700	-
	Total	703	703	-
	Missing	-	-	-
		703		


bsannoy is labeled and all values are documented in the label.

bspain: pains in the heart or chest

Number of Observations

Total	Integers	Nonintegers
-	-	-
5	5	-
698	698	-
<hr/>		
703	703	-
-	-	-
<hr/>		
703		


bspain is labeled and all values are documented in the label.

bsafraid: feeling afraid in open spaces

Number of Observations

Total	Integers	Nonintegers
-	-	-
4	4	-
699	699	-
<hr/>		
703	703	-
-	-	-
<hr/>		
703		

bsafraid is labeled and all values are documented in the label.

bsendlif: thoughts of ending your life


Number of Observations

Total	Integers	Nonintegers
-	-	-
5	5	-
698	698	-
<hr/>		
703	703	-
-	-	-
<hr/>		
703		

bsendlif is labeled and all values are documented in the label.

bstrust: feeling that most people cannot b


Number of Observations

		Total	Integers	Nonintegers
 <p>(6 unique values)</p>	Negative	-	-	-
	Zero	3	3	-
	Positive	700	700	-
	Total	703	703	-
	Missing	-	-	-
		703		

bstrust is labeled and all values are documented in the label.

bseat: poor appetite


Number of Observations

		Total	Integers	Nonintegers
 <p>(6 unique values)</p>	Negative	-	-	-
	Zero	4	4	-
	Positive	699	699	-
	Total	703	703	-
	Missing	-	-	-
		703		

bseat is labeled and all values are documented in the label.

bsscared: suddenly scared for no reason

Number of Observations

		Total	Integers	Nonintegers
 <p>(6 unique values)</p>	Negative	-	-	-
	Zero	4	4	-
	Positive	699	699	-
	Total	703	703	-
	Missing	-	-	-
		703		

bsscared is labeled and all values are documented in the label.

bstemper: temper outbursts that you could

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	3	3	-
	#	Positive	700	700	-
	#				
	#	Total	703	703	-
	. # . .	Missing	-	-	-
0			703		
(6 unique values)					

bstemper is labeled and all values are documented in the label.

bslonely: feeling lonely even when you are

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	5	5	-
	#	Positive	698	698	-
	#				
	#	Total	703	703	-
	. # . .	Missing	-	-	-
0			703		
(6 unique values)					


bslonely is labeled and all values are documented in the label.

bsblock: feeling blocked in getting things

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	703	703	-
	#				
	# #	Total	703	703	-
	# # # . .	Missing	-	-	-
1			703		
(5 unique values)					


bsblock is labeled and all values are documented in the label.

bsalone: feeling lonely

Number of Observations

Total	Integers	Nonintegers
-	-	-
3	3	-
700	700	-
703	703	-
-	-	-
703		


bsalone is labeled and all values are documented in the label.

bsblue: feeling blue

Number of Observations

Total	Integers	Nonintegers
-	-	-
2	2	-
701	701	-
703	703	-
-	-	-
703		

bsblue is labeled and all values are documented in the label.


bsnoint: feeling no interest in things

Number of Observations

Total	Integers	Nonintegers
-	-	-
1	1	-
702	702	-
703	703	-
-	-	-
703		

bsnoint is labeled and all values are documented in the label.

bsfear: feeling fearful

			Total	Integers	Nonintegers
	Negative		-	-	-
	Zero		2	2	-
	Positive		701	701	-
	Total		703	703	-
	Missing		-	-	-
			703		

(6 unique values)

bsfear is labeled and all values are documented in the label.

bshurt: your feelings being easily hurt

			Total	Integers	Nonintegers
 (6 unique values)	Negative		-	-	-
	Zero		1	1	-
	Positive		702	702	-
	Total		703	703	-
	Missing		-	-	-


bshurt is labeled and all values are documented in the label.

bsnofrd: feeling that people are unfriendl

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#	#	Missing	-		
1		5	703		
(5 unique values)					


bsnofrd is labeled and all values are documented in the label.

bsinf: feeling inferior to others

			Number of Observations		
			Total	Integers	Nonintegers
	Negative		-	-	-
	Zero		3	3	-
	Positive		700	700	-
	Total		703	703	-
	Missing		-	-	-
			703		


bsinf is labeled and all values are documented in the label.

bsnausea: nausea or upset stomach

			Number of Observations		
			Total	Integers	Nonintegers
	Negative		-	-	-
	Zero		1	1	-
	Positive		702	702	-
	Total		703	703	-
	Missing		-	-	-
			703		

bsnausea is labeled and all values are documented in the label.

bswatch: feeling that you are watched or t

			Number of Observations		
			Total	Integers	Nonintegers
	Negative		-	-	-
	Zero		2	2	-
	Positive		701	701	-
	Total		703	703	-
	Missing		-	-	-
			703		

bswatch is labeled and all values are documented in the label.

bsnoslp: trouble falling asleep

		Number of Observations		
		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	1	1	-
	Positive	702	702	-
	Total	703	703	-
	Missing	-	-	-
		703		

(6 unique values)

bsnoslp is labeled and all values are documented in the label.

bscheck: having to check and double-check

		Number of Observations		
		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	1	1	-
	Positive	702	702	-
	Total	703	703	-
	Missing	-	-	-
		703		

(6 unique values)

bscheck is labeled and all values are documented in the label.

bsnodec: difficulty making decisions

		Number of Observations		
		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	2	2	-
	Positive	701	701	-
	Total	703	703	-
	Missing	-	-	-
		703		

(6 unique values)

bsnodec is labeled and all values are documented in the label.

bsnotrav: feeling afraid to travel on buse

Number of Observations

			Total	Integers	Nonintegers
	Negative		-	-	-
	Zero		1	1	-
	Positive		702	702	-
	Total		703	703	-
	Missing		-	-	-
			703		

(6 unique values)

bsnotrav is labeled and all values are documented in the label.

bsnabrth: trouble getting your breath

Number of Observations

			Total	Integers	Nonintegers
	Negative		-	-	-
	Zero		3	3	-
	Positive		700	700	-
	Total		703	703	-
	Missing		-	-	-
			703		

(6 unique values)

bsnabrth is labeled and all values are documented in the label.

bshtcold: hot or cold spells

Number of Observations

			Total	Integers	Nonintegers
	Negative		-	-	-
	Zero		1	1	-
	Positive		702	702	-
	Total		703	703	-
	Missing		-	-	-
			703		

(6 unique values)

bshtcold is labeled and all values are documented in the label.

bsavoid: having to avoid certain things, p

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	3	3	-
	#	Positive	700	700	-
	#				
	#	Total	703	703	-
	. # . .	Missing	-	-	-
0			703		
(6 unique values)					

bsavoid is labeled and all values are documented in the label.

bsblank: your mind going blank

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	2	2	-
	#	Positive	701	701	-
	#				
	#	Total	703	703	-
	. # . . .	Missing	-	-	-
0			703		
(6 unique values)					

bsblank is labeled and all values are documented in the label.

bsnumb: numbness or tingling in parts of y

Number of Observations

			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	5	5	-
	#	Positive	698	698	-
	#				
	# #	Total	703	703	-
	. # # # #	Missing	-	-	-
0			703		
(6 unique values)					

bsnumb is labeled and all values are documented in the label.

bspunish: the idea that you should be puni

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	3	3	-
#	Positive	700	700	-
#				
#	Total	703	703	-
. # # # #	Missing	-		
0		703		

(6 unique values)

bspunish is labeled and all values are documented in the label.

bshoples: feeling hopeless about the futur

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	2	2	-
#	Positive	701	701	-
#				
#	Total	703	703	-
. # # . .	Missing	-		
0		703		

(6 unique values)

bshoples is labeled and all values are documented in the label.

bsnothk: trouble concentrating

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	9	9	-
#	Positive	694	694	-
#				
#	Total	703	703	-
. # # # .	Missing	-		
0		703		

(6 unique values)

bsnothk is labeled and all values are documented in the label.

bsweak: feeling weak in parts of your body

Number of Observations

				Total	Integers	Nonintegers
<pre> # # # # # # # # # # # # . # # # # </pre>	Negative			-	-	-
	Zero			1	1	-
	Positive			702	702	-
	Total			703	703	-
	Missing			-	-	-
				703		

0 5
(6 unique values)

bsweak is labeled and all values are documented in the label.

bstense: feeling tense or keyed up

Number of Observations

				Total	Integers	Nonintegers
<pre> # # # # # # # # # # # # # . . </pre>	Negative			-	-	-
	Zero			-	-	-
	Positive			703	703	-
	Total			703	703	-
	Missing			-	-	-
				703		

1 5
(5 unique values)

bstense is labeled and all values are documented in the label.

bsdeath: thoughts of death or dying

Number of Observations

				Total	Integers	Nonintegers
<pre> # # # # # # # . . . </pre>	Negative			-	-	-
	Zero			-	-	-
	Positive			703	703	-
	Total			703	703	-
	Missing			-	-	-
				703		

1 5
(5 unique values)

bsdeath is labeled and all values are documented in the label.

bsbeat: having urges to beat, injure or ha

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	3	3	-
#		Positive	700	700	-
#					
#		Total	703	703	-
.	#	Missing	-	-	-
.					
.					
.					
.					
0			703		
5					

(6 unique values)

bsbeat is labeled and all values are documented in the label.

bsbreak: having urges to break or smash th

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#	.	Missing	-	-	-
.					
.					
.					
.					
1			703		
5					

(5 unique values)

bsbreak is labeled and all values are documented in the label.

bsconsc: feeling very self-conscious with

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	1	1	-
#		Positive	702	702	-
#					
#		Total	703	703	-
.	#	Missing	-	-	-
.	#				
.					
.					
.					
0			703		
5					

(6 unique values)

bsconsc is labeled and all values are documented in the label.

bsuneasy: feeling uneasy in crowds

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#	# . . .	Missing	-		
			703		

1 5
(5 unique values)

bsuneasy is labeled and all values are documented in the label.

bsnoclse: never feeling close to another p

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	4	4	-
#		Positive	699	699	-
#					
#		Total	703	703	-
. # . . .		Missing	-		
			703		

0 5
(6 unique values)

bsnoclse is labeled and all values are documented in the label.

bspanic: spells of terror or panic

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	3	3	-
#		Positive	700	700	-
#					
#		Total	703	703	-
. # # . .		Missing	-		
			703		

0 5
(6 unique values)

bspanic is labeled and all values are documented in the label.

bsargue: getting into frequent arguments

			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	3	3	-
	#	Positive	700	700	-
	#				
	#	Total	703	703	-
	. # . .	Missing	-	-	-
			703		

bsargue is labeled and all values are documented in the label.

bsnerv_a: feeling nervous when you are lef

			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	703	703	-
	#				
	#	Total	703	703	-
	# . . .	Missing	-	-	-
			703		

bsnerv_a is labeled and all values are documented in the label.

bscredit: others not giving you proper cre

			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	3	3	-
	#	Positive	700	700	-
	#				
	#	Total	703	703	-
	. # . .	Missing	-	-	-
			703		

bscredit is labeled and all values are documented in the label.

bsnosit: feeling so restless you couldn't

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#	# . . .	Missing	-		
1			703		

(5 unique values)

bsnosit is labeled and all values are documented in the label.

bsworth: feelings of worthlessness

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	1	1	-
#		Positive	702	702	-
#					
#		Total	703	703	-
.	# . . .	Missing	-		
0			703		

(6 unique values)

bsworth is labeled and all values are documented in the label.

bsadvan: feeling that people will take adv

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#	#	Total	703	703	-
#	# # . .	Missing	-		
1			703		

(5 unique values)

bsadvan is labeled and all values are documented in the label.

bsguilt: feeling of guilt

		Number of Observations		
		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	3	3	-
	Positive	700	700	-
	Total	703	703	-
	Missing	-	-	-
		703		

(6 unique values)

bsguilt is labeled and all values are documented in the label.

bswrong: the idea that something is wrong

		Number of Observations		
		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	2	2	-
	Positive	701	701	-
	Total	703	703	-
	Missing	-	-	-
		703		

(5 unique values)


bswrong is labeled and all values are documented in the label.

possym: positive symptom total

		Number of Observations		
		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	28	28	-
	Positive	675	675	-
	Total	703	703	-
	Missing	-	-	-
		703		


(More than 99 unique values)

somatiz: somatization




Number of Observations		
Total	Integers	Nonintegers
-	-	-
128	128	-
575	575	-
703	703	-
-	-	-
703	703	-

obsess: obsession-compulsion




Number of Observations		
Total	Integers	Nonintegers
-	-	-
145	145	-
558	558	-
703	703	-
-	-	-
703	703	-

interper: interpersonal sensitivity



Number of Observations		
Total	Integers	Nonintegers
-	-	-
205	205	-
498	498	-
703	703	-
-	-	-
703	703	-

depress: depression




Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
202	202	-
501	501	-
703	703	-
-	-	-
703		

anxiety: anxiety




Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
77	77	-
626	626	-
703	703	-
-	-	-
703		

hostilit: hostility




Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
202	202	-
497	497	-
699	699	-
4	-	-
703		

phobanx: phobic anxiety




Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
310	310	-
393	393	-
703	703	-
-		
703		

paran: paranoid ideation




Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
184	184	-
519	519	-
703	703	-
-		
703		

psychot: psychoticism



Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
270	270	-
433	433	-
703	703	-
-		
703		

globseve: global severity

					Number of Observations		
					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	28	28	-
#				Positive	675	4	671
#	#						
#	#			Total	703	32	671
#	#	#	.	Missing	-		
0				2.773585	703		

(More than 99 unique values)

CSprbslv: Coping Problem Solving Subscale

					Number of Observations		
					Total	Integers	Nonintegers
			#	Negative	-	-	-
		#	#	Zero	-	-	-
		#	#	Positive	699	699	-
		#	#				
	#	#	#	Total	699	699	-
.	#	#	#	Missing	4		
11				33	703		


(23 unique values)

CSsocspt: Coping social support subscale

					Number of Observations		
					Total	Integers	Nonintegers
		#		Negative	-	-	-
		#	#	Zero	-	-	-
		#	#	Positive	703	703	-
		#	#				
	#	#	#	Total	703	703	-
#	#	#	#	Missing	-		
11				33	703		


(23 unique values)

CSavoid: Coping Avoidance subscale




Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
699	699	-
699	699	-
4		
703		

WHP1el:



Number of Observations		
Total	Integers	Nonintegers
-	-	-
439	439	-
264	-	264
703	439	264
-		
703		

WHP2p:



Number of Observations		
Total	Integers	Nonintegers
-	-	-
550	550	-
153	-	153
703	550	153
-		
703		

WHP3er:

#	
#	
#	#
#	#
#	#
#	#

0	9.99
---	------

(2 unique values)

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
396	396	-
307	-	307
<hr/>		
703	396	307
-		
<hr/>		
703		

WHP4p:

#	
#	
#	
#	
#	
#	.

0	23.37
---	-------

(2 unique values)

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
646	646	-
57	-	57
<hr/>		
703	646	57
-		
<hr/>		
703		

WHP5s:

#	
#	
#	
#	
#	
#	.

0	23.37
---	-------


(2 unique values)

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
640	640	-
63	-	63
<hr/>		
703	640	63
-		
<hr/>		
703		

WHP6er:




Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
626	626	-
77	-	77
703	626	77
-		
703		

WHP7er:




Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
652	652	-
51	-	51
703	652	51
-		
703		

WHP8p:




Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
588	588	-
115	-	115
703	588	115
-		
703		

WHP9si:




Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
593	593	-
110	-	110
703	593	110
-		
703		

WHP10pa:




Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
684	684	-
15	-	15
699	684	15
4		
703		

WHP11pa:



Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
505	505	-
198	-	198
703	505	198
-		
703		

WHP12el:

#	
#	
#	
#	
#	
#	.

0	36.8
---	------

(2 unique values)

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
617	617	-
86	-	86
703	617	86
-		
703		

WHP13s:

#		
#		
#	#	
#	#	
#	#	
#	#	

0	12.57
---	-------

(2 unique values)

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
413	413	-
290	-	290
703	413	290
-		
703		

WHP14pa:

#	
#	
#	
#	
#	
#	.

0	21.3
---	------

(2 unique values)

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
685	685	-
18	-	18
703	685	18
-		
703		

WHP15si:

#	
#	
#	
#	
#	
#	.

0	19.36
---	-------

(2 unique values)

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
655	655	-
47	-	47
<hr/>		
702	655	47
1		
<hr/>		
703		

WHP16er:

#	
#	
#	
#	
#	
#	.

0	7.08
---	------

(2 unique values)

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
617	617	-
86	-	86
<hr/>		
703	617	86
-		
<hr/>		
703		

WHP17pa:

#	
#	
#	
#	
#	#
#	#


0	10.79
---	-------

(2 unique values)

Negative
Zero
Positive

Total
Missing


Number of Observations		
Total	Integers	Nonintegers
-	-	-
476	476	-
227	-	227
<hr/>		
703	476	227
-		
<hr/>		
703		

WHP18pa:

Negative
Zero
Positive

Total
Missing


Number of Observations		
Total	Integers	Nonintegers
-	-	-
585	585	-
118	-	118
703	585	118
-		
703		

WHP19p:

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
487	487	-
213	-	213
700	487	213
3		
703		

WHP20er:

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
495	495	-
207	-	207
702	495	207
1		
703		

WHP21si:

#	
#	
#	
#	
#	
#	.

0	20.13
---	-------

(2 unique values)

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
637	637	-
66	-	66
703	637	66
-		
703		

WHP22s:

#	
#	
#	
#	
#	
#	#

0	27.26
---	-------

(2 unique values)

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
584	584	-
119	-	119
703	584	119
-		
703		

WHP23er:

#	
#	
#	
#	
#	
#	.


0	13.99
---	-------

(2 unique values)

Negative
Zero
Positive

Total
Missing


Number of Observations		
Total	Integers	Nonintegers
-	-	-
628	628	-
71	-	71
699	628	71
4		
703		

WHP24p:

Negative
Zero
Positive

Total
Missing


Number of Observations		
Total	Integers	Nonintegers
-	-	-
557	557	-
142	-	142
699	557	142
4		
703		

WHP25pa:

Negative
Zero
Positive

Total
Missing


Number of Observations		
Total	Integers	Nonintegers
-	-	-
672	672	-
27	-	27
699	672	27
4		
703		

WHP26el:

Negative
Zero
Positive

Total
Missing


Number of Observations		
Total	Integers	Nonintegers
-	-	-
456	456	-
247	247	-
703	703	-
-		
703		

WHP27pa:

Negative
Zero
Positive

Total
Missing


Number of Observations		
Total	Integers	Nonintegers
-	-	-
434	434	-
269	-	269
703	434	269
-		
703		

WHP28ps:

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
628	628	-
75	-	75
703	628	75
-		
703		

WHP29s:

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
512	512	-
191	-	191
703	512	191
-		
703		

WHP30si:

#	
#	
#	
#	
#	
#	.

0	22.53
(2 unique values)	

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
671	671	-
32	-	32
703	671	32
-		
703		

WHP31er:

#	
#	
#	
#	
#	
#	.

0	13.95
(2 unique values)	

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
610	610	-
93	-	93
703	610	93
-		
703		

WHP32er:


#	
#	
#	
#	
#	
#	.

0	16.21
(2 unique values)	

Negative
Zero
Positive

Total
Missing


Number of Observations		
Total	Integers	Nonintegers
-	-	-
692	692	-
11	-	11
703	692	11
-		
703		

WHP33s:

Negative
Zero
Positive

Total
Missing


Number of Observations		
Total	Integers	Nonintegers
-	-	-
520	520	-
183	-	183
703	520	183
-		
703		

WHP34si:

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
668	668	-
35	-	35
703	668	35
-		
703		


WHP35pa:

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
671	671	-
32	-	32
703	671	32
-		
703		

WHP36p:




Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
484	484	-
219	-	219
703	484	219
-		
703		

WHP37er:




Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
587	587	-
116	-	116
703	587	116
-		
703		

WHP38p:



Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
645	645	-
58	-	58
703	645	58
-		
703		

whp23er:

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	628	628	-
#		Positive	71	-	71
#					
#		Total	699	628	71
#	.	Missing	4		
0		13.99	703		
(2 unique values)					

WHPel: Wtd Health Profile Pt 1 Energy Leve

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	352	352	-
#		Positive	351	133	218
#					
#	#	Total	703	485	218
#	#	Missing	-		
#	.				
0		100	703		
(8 unique values)					

WHPpain: Wtd Health Profile Pain Pt 1 subs

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	365	365	-
#		Positive	338	-	338
#					
#		Total	703	365	338
#	#	Missing	-		
#	#				
#	.				
0		82.75	703		
(65 unique values)					

WHPer: Wtd Health Profile Emotional reacti

Number of Observations

				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		286	286	-
#		Positive		417	2	415
#						
#		Total		703	288	415
#	#	Missing	.	-		
0			78.2	703		
(83 unique values)						

WHPsleep: Wtd Health Profile Sleep Pt 1 su

Number of Observations

				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		313	313	-
#		Positive		390	27	363
#						
#		Total		703	340	363
#	#	Missing	.	-		
0			101	703		
(30 unique values)						

WHPsociso: Wtd Health Profile Social Isola

Number of Observations

				Total	Integers	Nonintegers
#		Negative		-	-	-
#		Zero		524	524	-
#		Positive		179	3	176
#						
#		Total		703	527	176
#	#	Missing	.	-		
0			100	703		
(25 unique values)						

WHPpa: Wtd Health Profile Physical Ability

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	353	353	-
#		Positive	350	-	350
#					
#		Total	703	353	350
#	# . . .	Missing	-		
<hr/>			<hr/>		
0		99.96999	703		
(49 unique values)					

HP2work: Nottingham Health profile subscal

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	540	540	-
#		Positive	163	163	-
#					
#		Total	703	703	-
#	#	Missing	-		
<hr/>			<hr/>		
0		1	703		
(2 unique values)					

HP2work is labeled and all values are documented in the label.

HP2hmcare: Hlth profile Pt2: Home cleaning

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	508	508	-
#		Positive	195	195	-
#					
#	#	Total	703	703	-
#	#	Missing	-		
<hr/>			<hr/>		
0		1	703		
(2 unique values)					

HP2hmcare is labeled and all values are documented in the label.

HP2probsoc: Hlth profile Pt2: Hlth causing

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	588	588	-
#		Positive	115	115	-
#					
#		Total	703	703	-
#	#	Missing	-		
			703		

0 1
(2 unique values)

HP2probsoc is labeled and all values are documented in the label.

HP2pbfhm: Hlth profile Pt2: Hlth causing p

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	634	634	-
#		Positive	69	69	-
#					
#		Total	703	703	-
#	.	Missing	-		
			703		

0 1
(2 unique values)

HP2pbfhm is labeled and all values are documented in the label.

HP2sxlife: Hlth profile Pt2: Hlth causing

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	540	540	-
#		Positive	163	163	-
#					
#		Total	703	703	-
#	#	Missing	-		
			703		

0 1
(2 unique values)

HP2sxlife is labeled and all values are documented in the label.

HP2inthob: Hlth profile Pt2: Hlth probs in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	599	599	-
#	Positive	104	104	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

HP2inthob is labeled and all values are documented in the label.

HP2vacatn: Hlth profile Pt2: Hlth probs in

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	599	599	-
#	Positive	104	104	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

0 1
(2 unique values)

HP2vacatn is labeled and all values are documented in the label.

BSItotal: Basic symptom inventory total sc

Number of Observations

		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
#	Positive	703	703	-
#				
#	Total	703	703	-
#	Missing	-		
		703		

52 200
(More than 99 unique values)

lBSIttotal: Ln(bsIttotal)

					Number of Observations		
					Total	Integers	Nonintegers
#				Negative	-	-	-
#	#			Zero	-	-	-
#	#			Positive	703	-	703
#	#	#					
#	#	#	#	Total	703	-	703
#	#	#	#	Missing	-		
3.951244					703		
5.298317							
(More than 99 unique values)							

BSIposymp: Brief Symptom inventory positiv

					Number of Observations		
					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#				Positive	703	703	-
#	#						
#	#			Total	703	703	-
#	#	#	.	Missing	-		
49					703		
191							
(More than 99 unique values)							

BSIglobsi: Brief Symptom Inventory Global

					Number of Observations		
					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#				Positive	703	31	672
#	#						
#	#			Total	703	31	672
#	#	#	.	Missing	-		
.9811321					703		
3.773585							
(More than 99 unique values)							

BSIsoma: Basic symptom inventory obsessive

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#	#			Positive	703	703	-
#	#						
#	#			Total	703	703	-
#	#	#	.	Missing	-		
4				35	703		

(30 unique values)

BSIoc: Basic Symptom Inventory Obsessive c

Number of Observations

					Total	Integers	Nonintegers
	#			Negative	-	-	-
	#			Zero	-	-	-
#	#			Positive	703	703	-
#	#						
#	#	#		Total	703	703	-
#	#	#	.	Missing	-		
3				28	703		

(24 unique values)

BSIips: Basic symptom invenstory interpers

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#				Positive	703	703	-
#							
#	#			Total	703	703	-
#	#	.	.	Missing	-		
4				17	703		

(14 unique values)

BSIdep: Basic symptom inventory Depression

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#				Positive	703	703	-
#							
#	#			Total	703	703	-
#	#	.	.	Missing	-		
5				27	703		
(21 unique values)							

BSIanx: Basic symptom inventory Anxiety su

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#				Positive	703	703	-
#	#						
#	#			Total	703	703	-
#	#	.	.	Missing	-		
4				22	703		
(18 unique values)							

BSIphanx: Basic symptom inventory phobic a

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#				Positive	703	703	-
#	#						
#	#			Total	703	703	-
#	#	.	.	Missing	-		
3				22	703		
(19 unique values)							

BSIhos: Basic symptom inventory hostility

Number of Observations

				Total	Integers	Nonintegers
#			Negative	-	-	-
#			Zero	-	-	-
#			Positive	703	703	-
#						
#	#		Total	703	703	-
#	#	.	Missing	-		
		.				
		.				
4			22	703		

(18 unique values)

BSIpar: Basic symptom inventory Paranoia

Number of Observations

				Total	Integers	Nonintegers
#			Negative	-	-	-
#			Zero	-	-	-
#			Positive	703	703	-
#						
#	#		Total	703	703	-
#	#	#	Missing	-		
		.				
		.				
4			25	703		

(20 unique values)

BSIpsyc: Basic symptom inventory Psychotic

Number of Observations

				Total	Integers	Nonintegers
#			Negative	-	-	-
#			Zero	-	-	-
#			Positive	703	703	-
#						
#			Total	703	703	-
#	#	.	Missing	-		
		.				
		.				
4			23	703		

(16 unique values)

testage1:

					Number of Observations		
					Total	Integers	Nonintegers
			#		2	2	-
			#	Negative	-	-	-
			#	Zero	701	701	-
			#	Positive			
			#		703	703	-
			#	Total	-	-	-
.	.	.	#	Missing			
					703		
-351339 156252							
(More than 99 unique values)							

yrageck:

					Number of Observations		
					Total	Integers	Nonintegers
			#		-	-	-
		#	#	Negative	-	-	-
	#	#	#	Zero	703	54	649
	#	#	#	Positive			
	#	#	#		703	54	649
	#	#	#	Total	-	-	-
	#	#	#	Missing			
					703		
27.83333 84.5							
(More than 99 unique values)							

iday:

					Number of Observations		
					Total	Integers	Nonintegers
			#		-	-	-
		#	#	Negative	-	-	-
	#	#	#	Zero	703	703	-
	#	#	#	Positive			
	#	#	#		703	703	-
	#	#	#	Total	-	-	-
	#	#	#	Missing			
					703		
1 31							
(31 unique values)							

```
86 . -9.0e+307
(0 unique value)
```

Total	Integers	Nonintegers
-	-	-
-	-	-
-	-	-
<hr/>	<hr/>	<hr/>
-	-	-
703		
<hr/>		
703		

17903 18693
(More than 99 unique values)

Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
<hr/>	<hr/>	<hr/>
703	703	-
-		
<hr/>		
703		

1 31
(31 unique values)

Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
<hr/>	<hr/>	<hr/>
703	703	-
-		
<hr/>		
703		

```
87 . -9.0e+307
(0 unique value)
```

Total	Integers	Nonintegers
-	-	-
-	-	-
-	-	-
<hr/>	<hr/>	<hr/>
-	-	-
703		
<hr/>		
703		

```
-137775          369953
(More than 99 unique values)
```

Total	Integers	Nonintegers
346	346	-
-	-	-
357	357	-
<hr/>	<hr/>	<hr/>
703	703	-
-		
<hr/>		
703		

```
-11543          1014
(More than 99 unique values)
```

Total	Integers	Nonintegers
1	1	-
-	-	-
702	702	-
<hr/>	<hr/>	<hr/>
703	703	-
-		
<hr/>		
703		

yrage: Computed age of respondent

				Number of Observations		
				Total	Integers	Nonintegers
	#	Negative		1	-	1
	#	Zero		-	-	-
	#	Positive		702	54	648
	#					
	#	Total		703	54	649
	#	Missing		-		
. . . .						
-961.9167 84.5				703		
(More than 99 unique values)						

agerr: Error in age recording?

				Number of Observations		
				Total	Integers	Nonintegers
	#	Negative		82	2	80
	#	Zero		34	34	-
	#	Positive		587	18	569
	#					
	#	Total		703	54	649
	#	Missing		-		
. . . .						
-999.9167 10.66667				703		
(70 unique values)						

radhlwc1: Collapsed version of radhlw1 wit

				Number of Observations		
				Total	Integers	Nonintegers
	#	Negative		-	-	-
	#	Zero		409	409	-
	# #	Positive		294	294	-
	# #					
	# #	Total		703	703	-
	# #	Missing		-		
0 1				703		
(2 unique values)						

radhlwc2: Collapsed version of radhlw2 wit

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	411	411	-
#	#	Positive	292	292	-
#	#				
#	#	Total	703	703	-
#	#	Missing	-		
<hr/>			<hr/>		
0		1	703		
(2 unique values)					

radhlwc3: Collapsed version of radhlw1 wit

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	397	397	-
#	#	Positive	306	306	-
#	#				
#	#	Total	703	703	-
#	#	Missing	-		
<hr/>			<hr/>		
0		1	703		
(2 unique values)					

fenjoyr: I no longer enjoy many of the thi

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	2	2	-
#		Positive	701	701	-
#	#				
#	#	Total	703	703	-
.	#	Missing	-		
<hr/>			<hr/>		
0		5	703		
(6 unique values)					

fenjoyr is labeled and all values are documented in the label.

fallasr: I do not fall asleep easily at ni

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	5	5	-
	Positive	698	698	-
	Total	703	703	-
	Missing	-	-	-
		703		

(6 unique values)

fallasr is labeled and all values are documented in the label.

MiPTSD: Misssissippi post-traumatic stress

Number of Observations

		Total	Integers	Nonintegers
	Negative	-	-	-
	Zero	1	1	-
	Positive	702	702	-
	Total	703	703	-
	Missing	-	-	-
		703		

(60 unique values)

apprxage:

Number of Observations

		Total	Integers	Nonintegers
	Negative	1	1	-
	Zero	1	1	-
	Positive	701	701	-
	Total	703	703	-
	Missing	-	-	-
		703		

(54 unique values)

iy: Interview year

	#	
	#	
	#	
#	#	
#	#	
#	#	.
<hr/>		
2009		2011
(3 unique values)		

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
<hr/>		
703	703	-
<hr/>		
-		
<hr/>		
703		

byr: Birth year

	#			
	#			
	#			
	#			
	#			
.	#	.	.	.
<hr/>				
1582				2972
(57 unique values)				

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
<hr/>		
703	703	-
<hr/>		
-		
<hr/>		
703		

bmo: Birth month


#				
#				#
#	#	#		#
#	#	#	#	#
#	#	#	#	#
#	#	#	#	#
<hr/>				
1				12
(12 unique values)				

Negative
Zero
Positive

Total
Missing


Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
<hr/>		
703	703	-
<hr/>		
-		
<hr/>		
703		

imo: Interview month




Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
703	703	-
<hr/>		
703	703	-
-		
<hr/>		
703		

agemoadj: Adjustment to age in months



Number of Observations		
Total	Integers	Nonintegers
251	251	-
54	54	-
398	398	-
<hr/>		
703	703	-
-		
<hr/>		
703		

pos: indicator function



Number of Observations		
Total	Integers	Nonintegers
-	-	-
305	305	-
398	398	-
<hr/>		
703	703	-
-		
<hr/>		
703		

neg: indicator function

#	
#	
#	
#	#
#	#
#	#
0	1
(2 unique values)	

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
-	-	-
452	452	-
251	251	-
703	703	-
-		
703		

agemo: age in months

	#
	#
	#
	#
	#
.	#
.	
.	
.	
.	
-11543	5134
(More than 99 unique values)	

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
2	2	-
-	-	-
701	701	-
703	703	-
-		
703		

ageyrs: computed age of respondent in year

	#
	#
	#
	#
	#
.	#
.	
.	
.	
.	
-961.9167	427.8333
(More than 99 unique values)	

Negative
Zero
Positive

Total
Missing

Number of Observations		
Total	Integers	Nonintegers
2	-	2
-	-	-
701	54	647
703	54	649
-		
703		

mincumdosew1: wave 1 avg minimum dose of C

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#				Positive	703	-	703
#							
#				Total	703	-	703
#	.	.	.	Missing	-		
.0007					703		
15.9926							
(More than 99 unique values)							

avgcumdosew1: wave 1 avg mean CS137 dose

Number of Observations

				Total	Integers	Nonintegers
#			Negative	-	-	-
#			Zero	-	-	-
#			Positive	703	-	703
#						
#			Total	703	-	703
#	.	.	Missing	-		
.0074				703		
27.9862						
(More than 99 unique values)						

maxcumdosew1: wave2 avg CS137 maximum dos

Number of Observations

					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#				Positive	703	-	703
#							
#				Total	703	-	703
#	.	.	.	Missing	-		
.0142					703		
39.9798							
(More than 99 unique values)							

minCumDosew2: Wave 2 average minimum CS137

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	-	703
#					
#		Total	703	-	703
#	.	Missing	-		
.0238 17.3394			703		
(More than 99 unique values)					

avgCumDosew2: Average mean dose CS1337 in

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	-	703
#					
#		Total	703	-	703
#	.	Missing	-		
.0357 29.9977			703		
(More than 99 unique values)					

maxXumDosew2: Avg Max dose in mGY for wave

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	-	703
#					
#		Total	703	-	703
#	.	Missing	-		
.0476 42.7553			703		
(More than 99 unique values)					

minCumDosew3: Wave 3 avg minimum dose of C

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	-	703
#					
#		Total	703	-	703
#	.	Missing	-		
.0311 18.0571			703		
(More than 99 unique values)					

avgCumDosew3: Avg Mean dose of CS137 endin

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	-	703
#					
#		Total	703	-	703
#	.	Missing	-		
.0466 30.9282			703		
(More than 99 unique values)					

maxCumdosew3: Average maximum dose of CS13

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	-	703
#					
#		Total	703	-	703
#	.	Missing	-		
.0621 43.7993			703		
(More than 99 unique values)					

reporttype: Report type:

Number of Observations

		Total	Integers	Nonintegers
88 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
-9.0e+307				
(0 unique value)				

threewavepanelcumulativedoses: Three-wave


Number of Observations

		Total	Integers	Nonintegers
89 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
-9.0e+307				
(0 unique value)				


wave1summary: Three-wave panel, cumulative

Number of Observations


		Total	Integers	Nonintegers
90 .	Negative	-	-	-
	Zero	-	-	-
	Positive	-	-	-
	Total	-	-	-
	Missing	703		
		703		
-9.0e+307				
(0 unique value)				

wave2summary:

Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
703		
703		

wave3summary:

Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
703		
703		

ranown2: Current raion of residence

Number of Observations		
Total	Integers	Nonintegers
-	-	-
-	-	-
701	701	-
701	701	-
2		
703		

ranown2 is labeled and all values are documented in the label.

townnown: Current town of residence

			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	701	701	-
	#				
	#	Total	701	701	-
.	#	Missing	2		
1		80	703		

(77 unique values)

townnown is labeled and all values are documented in the label.

totltele: Total number of landline phones

			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	701	701	-
	#				
	#	Total	701	701	-
#	#	Missing	2		
#	.				
#	.				
#	.				
#	#				
1437		1067200	703		

(44 unique values)

area: Basis of sampling weights

			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	701	701	-
	#				
	#	Total	701	701	-
.	#	Missing	2		
.	.				
.	#				
.	.				
.	.				
1		51	703		

(49 unique values)

area is labeled but 693 values are NOT documented in the label.

areacodewt: Basis of sampling weight

				Number of Observations		
				Total	Integers	Nonintegers
#			Negative	-	-	-
#			Zero	-	-	-
#			Positive	701	701	-
#		#				
#		#	Total	701	701	-
#	.	.	Missing	2		
<hr/>				<hr/>		
44		4598		703		
(51 unique values)						

combined: Was this area combined with anot

				Number of Observations		
				Total	Integers	Nonintegers
#			Negative	-	-	-
#			Zero	693	693	-
#			Positive	8	8	-
#						
#			Total	701	701	-
#	.		Missing	2		
<hr/>				<hr/>		
0		1		703		
(2 unique values)						

combined is labeled and all values are documented in the label.

oblown: Current Oblast of residence

				Number of Observations		
				Total	Integers	Nonintegers
#			Negative	-	-	-
#			Zero	-	-	-
#			Positive	701	701	-
#						
#			Total	701	701	-
.	#	.	Missing	2		
<hr/>				<hr/>		
1		3		703		
(3 unique values)						

oblown is labeled and all values are documented in the label.

numresp: Number of respondents per area

			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	701	701	-
	#				
	#	Total	701	701	-
	# . . . #	Missing	2		
<hr/>			<hr/>		
2		9240	703		
(43 unique values)					

c: Constant of unity for subsample computa

			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	703	703	-
	#				
	#	Total	703	703	-
	#	Missing	-		
<hr/>			<hr/>		
1			703		
(1 unique value)					

areaRespid: Number of respondents in sampl

			Number of Observations		
			Total	Integers	Nonintegers
	#	Negative	-	-	-
	#	Zero	-	-	-
	#	Positive	703	703	-
	#				
	#	Total	703	703	-
	# . . . #	Missing	-		
<hr/>			<hr/>		
1		440	703		
(14 unique values)					

raionwt: inverse of sampling wt per raion

			Number of Observations		
			Total	Integers	Nonintegers
#	#	Negative	-	-	-
#	#	Zero	-	-	-
#	#	Positive	703	-	703
#	#				
#	#	Total	703	-	703
#	#	Missing	-		
<hr/>			<hr/>		
5.88e-07 .0002587			703		
(14 unique values)					

totalphones: Tootal number of phones in Ky

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	703	-
#					
#		Total	703	703	-
#		Missing	-		
<hr/>			<hr/>		
1700544			703		
(1 unique value)					

sampwt: Sampling weight

			Number of Observations		
			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	-	-	-
#		Positive	703	-	703
#					
#		Total	703	-	703
#		Missing	-		
<hr/>			<hr/>		
2418.981			703		
(1 unique value)					

fpc1: Finite population correction

		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	-	-	-
#	Zero	-	-	-
#	Positive	703	-	703
#				
#	Total	703	-	703
#	Missing	-		
<hr/>		<hr/>		
.9995866		703		
(1 unique value)				

cptsd: Mean centered PTSD score

		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	422	-	422
#	Zero	-	-	-
#	Positive	281	-	281
#				
#	Total	703	-	703
. # # # .	Missing	-		
<hr/>		<hr/>		
-48.40114 43.59886		703		
(60 unique values)				

cbdep: Mean centered BSI depression score

		Number of Observations		
		Total	Integers	Nonintegers
#	Negative	415	-	415
#	Zero	-	-	-
#	Positive	288	-	288
#				
# #	Total	703	-	703
# # . . .	Missing	-		
<hr/>		<hr/>		
-3.918919 18.08108		703		
(21 unique values)				

cpxd: Mean centered interaction between PT

Number of Observations

			Total	Integers	Nonintegers
#		Negative	215	-	215
#		Zero	-	-	-
#		Positive	488	-	488
#					
#		Total	703	-	703
. # . . .		Missing	-		
<hr/>			<hr/>		
-149.1278 522.6616			703		
(More than 99 unique values)					

pxd: Interaction between PTSD and BSI depr

Number of Observations

			Total	Integers	Nonintegers
#		Negative	-	-	-
#		Zero	1	1	-
#		Positive	702	702	-
# #					
# #		Total	703	703	-
# # . . .		Missing	-		
<hr/>			<hr/>		
0 2054			703		
(More than 99 unique values)					

genwt: Post-stratification gender proporti

Number of Observations

			Total	Integers	Nonintegers
#	#	Negative	-	-	-
# #	#	Zero	-	-	-
# #	#	Positive	703	703	-
# #	#				
# #	#	Total	703	703	-
# #	#	Missing	-		
<hr/>			<hr/>		
323 380			703		
(2 unique values)					

agesq:

					Number of Observations		
					Total	Integers	Nonintegers
#				Negative	-	-	-
#				Zero	-	-	-
#	#			Positive	703	703	-
#	#						
#	#	#		Total	703	703	-
#	#	#	#	Missing	-		
#	#	#	#				
					703		
784							
7056							
(51 unique values)							

male:

					Number of Observations		
					Total	Integers	Nonintegers
#				Negative	-	-	-
#	#			Zero	363	363	-
#	#			Positive	340	340	-
#	#						
#	#			Total	703	703	-
#	#			Missing	-		
					703		
0							
1							
(2 unique values)							

```
93 . di c(filename)
    chwidemaster9sep2011.dta

94 . pwd
    /Users/robertyaffee/Documents/data/research/chwk/phase2/admin/codebook

95 . log close _all
    name: <unnamed>
    log: /Users/robertyaffee/Documents/data/research/chwk/phase2/admin/cod
> ebook/MasterWideCodebook.smcl
    log type: smcl
    closed on: 25 Oct 2011, 12:50:53
```