
```
name: <unnamed>
log: /Users/robertyaffee/Documents/data/research/chwk/phase
> 2/todo/todo/icd9count.smcl
log type: smcl
opened on: 24 Mar 2011, 23:39:57
```

```
1 . dis c(pwd)
/Users/robertyaffee/Documents/data/research/chwk/phase2/todo/todo

2 . dis c(filename)
icd9fixes2.dta

3 . dis c(os)
MacOSX

4 . dis c(osdtl)
10.6.7

5 . dis c(memory)
52428800

6 . ***** icd9 code file extraction from rawicdcodes *****
> *
7 . * Robert A. Yaffee 24 March 2011 programmed and checked
> *
8 . *****
> *
9 . * Source code = icd9fixes1.dta
> *
10 . *****
> *
11 . * Output file = *
12 . *****
> *
```

```

13 . * smcl code cticdxV2.scml *****
14 .
15 .
16 .
17 .
18 .
19 .
20 . * the following code extracts the icd9 codes from the raw file
21 . * and converts them to numeric codes which can be analyzed in Sta
    > ta
22 . * the early and refined string variables are retained for compar
    > ison and checking
23 . * final string code is called the Penultimate string icd9 dx
24 . * the final numeric version is called the icdxn1-icdxn17 variabl
    > e
25 . * the count of the total number of medically diagnoses illnnesse
    > s is icd9count and ctidx
26 . *-----
    > -----
27 . * differences in the numeric codes: the format of the icd9 code
    > in Stata is
28 . * f5.1 = %5.1f
29 . * for example: xxx.x or xxx.xx
30 . * Caveat: the numeric version drops leading and trailing zeroes
31 . * therefore the string form is retained for comparison
32 . *-----
    > -----
33 .
34 . use icd9fixes1, clear
35 . des

```

Contains data from **icd9fixes1.dta**

```

obs:          524
vars:          58                               24 Mar 2011 15:32
size:        235,800 (99.6% of memory free)

```

variable name	storage type	display format	value label	variable label
id	int	%8.0g		
ndx	float	%9.0g		Early count of separate icd9 dx--- corrected with later with cticdx
icd9count	float	%9.0g		Total number of

			identified medical diagnoses for respondent
cticdx	float	%9.0g	Total number of identified medical diagnoses for respondent
code	str100	%100s	Original string codes
i1	str7	%9s	Early string parsing
i2	str7	%9s	Early string parsing
i3	str8	%9s	Early string parsing
i4	str7	%9s	Early string parsing
i5	str8	%9s	Early string parsing
i6	str7	%9s	Early string parsing
i7	str7	%9s	Early string parsing
i8	str6	%9s	Early string parsing
i9	str7	%9s	Early string parsing
i10	str7	%9s	Early string parsing
i11	str6	%9s	Early string parsing
i12	str6	%9s	Early string parsing
i13	str5	%9s	Early string parsing
i14	str4	%9s	Early string parsing
i15	str6	%9s	Early string parsing
i16	str4	%9s	Early string parsing
i17	str6	%9s	Early string parsing
icdxs1	str6	%9s	Penultimate string icd9 dx code
icdxs2	str6	%9s	Penultimate string icd9 dx code
icdxs3	str7	%9s	Penultimate string icd9 dx code
icdxs4	str7	%9s	Penultimate string icd9 dx code
icdxs5	str7	%9s	Penultimate string icd9 dx code
icdxs6	str6	%9s	Penultimate string icd9 dx code
icdxs7	str6	%9s	Penultimate string icd9 dx code
icdxs8	str5	%9s	Penultimate string icd9 dx code
icdxs9	str6	%9s	Penultimate string icd9 dx code
icdxs10	str6	%9s	Penultimate string icd9 dx code
icdxs11	str5	%9s	Penultimate string

icdxs12	str5	%9s	icd9 dx code Penultimate string icd9 dx code
icdxs13	str5	%9s	Penultimate string icd9 dx code
icdxs14	str3	%9s	Penultimate string icd9 dx code
icdxs15	str5	%9s	Penultimate string icd9 dx code
icdxs16	str3	%9s	Penultimate string icd9 dx code
icdxs17	str6	%9s	Penultimate string icd9 dx code
icdxn1	double	%10.0g	Numeric icd9 dx code (lacks leading zeros and .0 sometimes)
icdxn2	double	%10.0g	Numeric icd9 dx code (lacks leading zeros and .0 sometimes)
icdxn3	double	%10.0g	Numeric icd9 dx code (lacks leading zeros and .0 sometimes)
icdxn4	double	%10.0g	Numeric icd9 dx code (lacks leading zeros and .0 sometimes)
icdxn5	double	%10.0g	Numeric icd9 dx code (lacks leading zeros and .0 sometimes)
icdxn6	double	%10.0g	Numeric icd9 dx code (lacks leading zeros and .0 sometimes)
icdxn7	double	%10.0g	Numeric icd9 dx code (lacks leading zeros and .0 sometimes)
icdxn8	double	%10.0g	Numeric icd9 dx code (lacks leading zeros and .0 sometimes)
icdxn9	double	%10.0g	Numeric icd9 dx code (lacks leading zeroes and .0 sometimes)
icdxn10	double	%10.0g	Numeric icd9 dx code (lacks leading zeroes and .0 sometimes)
icdxn11	double	%10.0g	Numeric icd9 dx code

		(lacks leading zeroes and .0 sometimes)
icdxn12	double %10.0g	Numeric icd9 dx code (lacks leading zeroes and .0 sometimes)
icdxn13	double %10.0g	Numeric icd9 dx code (lacks leading zeroes and .0 sometimes)
icdxn14	int %10.0g	Numeric icd9 dx code (lacks leading zeroes and .0 sometimes)
icdxn15	int %10.0g	Numeric icd9 dx code (lacks leading zeroes and .0 sometimes)
icdxn16	int %10.0g	Numeric icd9 dx code (lacks leading zeroes and .0 sometimes)
icdxn17	double %10.0g	Numeric icd9 dx code (lacks leading zeroes and .0 sometimes)
icd9miss	float %9.0g	total number of diagnoses less than 17
icd9nmiss	float %9.0g	total number of diagnoses identified from string code

Sorted by:

```
36 . datasignature report
    (data signature set on Thursday 24mar2011 15:32)
```

Data signature summary

```
1. previous data signature      524:58(82422):406295635:876661401
2. same data signature today    (same as 1)
3. full data signature today    (same as 1)
```

Comparison of current data with previously set data signature

variables	number	notes
original # of variables	58	(values unchanged)
added variables	0	
dropped variables	0	
resulting # of variables	58	

```
37 .
38 . * The Objective of this program is to provide a table of the icd9
    > count for the sample
39 .
40 . tab icd9count
```

Total number of identified medical diagnoses for respondent	Freq.	Percent	Cum.
1	524	100.00	100.00
Total	524	100.00	

```
41 . tab cticdx
```

Total number of identified medical diagnoses for respondent	Freq.	Percent	Cum.
1	524	100.00	100.00
Total	524	100.00	

```
42 . tab icd9nmiss
```

total number of diagnoses identified from string code	Freq.	Percent	Cum.
0	46	8.78	8.78
1	116	22.14	30.92
2	115	21.95	52.86
3	87	16.60	69.47
4	70	13.36	82.82
5	40	7.63	90.46
6	18	3.44	93.89
7	16	3.05	96.95
8	3	0.57	97.52
9	3	0.57	98.09
10	2	0.38	98.47
11	3	0.57	99.05
12	1	0.19	99.24
13	3	0.57	99.81
17	1	0.19	100.00
Total	524	100.00	

```

43 .
44 . cap drop cticdxV2

45 . egen cticdxV2 = rownonmiss(icdxn1-icdxn17)

46 . label var cticdxV2 "Total number of medically diagnosed diseases
    > of respondent--version 2"

47 . tab cticdxV2, plot

```

Total number of medically diagnosed diseases of respondent- version 2	Freq.	
> 0	46	*****
1	116	*****
> *****		
2	115	*****
> *****		
3	87	*****
4	70	*****
5	40	*****
6	18	*****
7	16	*****
8	3	*
9	3	*
10	2	*
11	3	*
12	1	
13	3	*
17	1	
> Total	524	

```
48 . tab cticdxV2, missing
```

Total number of medically diagnosed diseases of respondent- -version 2	Freq.	Percent	Cum.
0	46	8.78	8.78
1	116	22.14	30.92
2	115	21.95	52.86
3	87	16.60	69.47
4	70	13.36	82.82
5	40	7.63	90.46
6	18	3.44	93.89
7	16	3.05	96.95
8	3	0.57	97.52
9	3	0.57	98.09
10	2	0.38	98.47
11	3	0.57	99.05
12	1	0.19	99.24
13	3	0.57	99.81
17	1	0.19	100.00
Total	524	100.00	

```
49 .
50 . forvalues i = 1/17 {
    2. label var icdxn`i' "Distribution for diseases in Medical Diagn
> osis for Disease `i'"
    3. tab icdxn`i'
    4. display "icd9 code for 401= essential hypertension"
    5. display "icd9 code for 333 = extrapyramidal dis nec* "
    6. display "icd9 code for 466 = ac bronchitis/bronchial"
    7. display "icd9 code for 535 = gastritis and duodenitis"
    8. display "icd9 code for 732 = osteochondropathies"
    9. display "icd9 code for 218.9= uterine leiomyoma nos"
    10. display "icd9 code for 242 = thrototoxicosis"
    11. display "icd9 code for 531 = gastric ulcer"
    12. display "icd9 code for 532 = duodenal ucler"
    13. display "Icd9 code for 454= varicose veins in legs"
    14. display "icd9 code for 575.1=cholecystitis nec"
    15. display "icd9 code for 455=hemorrhoids"
    16. display "icd9 code for 474 = chr t & a dis"
```

```

17. display "icd9 code for 577.1 = chronic pancreatitis"
18. display "icd9 code for 410 = acute myocardial infarction"
19. display "icd9 code for 017.5= tb of thyroid gland"
20. display "icd9 code for 246= oth disorders of thyroid"
21. display "icd9 code for 193= malig neopl thyroid"
22. display "icd9 code for 194.1 = malig neo parathyroid"
23. display "icd9 code for 226 = benign neo parthyroid"
24. display "icd9 code for 176.9 = Karposi's sarcoma nos"
25. display "icd9 code for 200.1 = lymmpbosarcoma"
26. display "icd9 code for 201.2 = Hogkin's sarcoma"
27. display "icd9 code for 722 = intervertebral disc dis"
28. }

```

Distributio
n for
diseases in
Medical
Diagnosis
for Disease

1	Freq.	Percent	Cum.
5.2	1	0.21	0.21
7.1	1	0.21	0.42
9	1	0.21	0.63
54	2	0.42	1.05
63	1	0.21	1.26
70.1	12	2.51	3.77
70.2	3	0.63	4.39
72	1	0.21	4.60
74	1	0.21	4.81
112	1	0.21	5.02
162	1	0.21	5.23
182	2	0.42	5.65
183	2	0.42	6.07
201	1	0.21	6.28
209	1	0.21	6.49
217	1	0.21	6.69
218	1	0.21	6.90
218.9	10	2.09	9.00
226	3	0.63	9.62
241	1	0.21	9.83
242	10	2.09	11.92
244.9	4	0.84	12.76
250	4	0.84	13.60
253.5	1	0.21	13.81
256.4	2	0.42	14.23

274	1	0.21	14.44
280	1	0.21	14.64
295	1	0.21	14.85
300.01	1	0.21	15.06
300.9	1	0.21	15.27
323.9	1	0.21	15.48
333	22	4.60	20.08
333.5	1	0.21	20.29
333.83	1	0.21	20.50
340	1	0.21	20.71
346	3	0.63	21.34
350.1	2	0.42	21.76
351	1	0.21	21.97
358	2	0.42	22.38
365	1	0.21	22.59
366	2	0.42	23.01
366.3	3	0.63	23.64
367.1	4	0.84	24.48
367.12	1	0.21	24.69
372	3	0.63	25.31
373.1	1	0.21	25.52
381	3	0.63	26.15
390	9	1.88	28.03
401	45	9.41	37.45
410	6	1.26	38.70
413	3	0.63	39.33
415.1	1	0.21	39.54
425.4	3	0.63	40.17
427	4	0.84	41.00
427.31	2	0.42	41.42
427.81	1	0.21	41.63
428	2	0.42	42.05
434.9	1	0.21	42.26
434.91	5	1.05	43.31
437.3	2	0.42	43.72
440	1	0.21	43.93
454	8	1.67	45.61
461	6	1.26	46.86
464.1	1	0.21	47.07
465	2	0.42	47.49
465.8	1	0.21	47.70
465.9	5	1.05	48.74
466	14	2.93	51.67
470	1	0.21	51.88
472	3	0.63	52.51
473.1	1	0.21	52.72

474	12	2.51	55.23
475	2	0.42	55.65
478.4	1	0.21	55.86
480	4	0.84	56.69
486	5	1.05	57.74
487	2	0.42	58.16
491	2	0.42	58.58
493	5	1.05	59.62
523.5	1	0.21	59.83
531	10	2.09	61.92
532	9	1.88	63.81
535	14	2.93	66.74
540	4	0.84	67.57
542	11	2.30	69.87
550	3	0.63	70.50
555	1	0.21	70.71
564.1	1	0.21	70.92
564.2	1	0.21	71.13
575	5	1.05	72.18
575.1	20	4.18	76.36
575.2	1	0.21	76.57
577	2	0.42	76.99
577.1	6	1.26	78.24
580	1	0.21	78.45
590	4	0.84	79.29
590.2	1	0.21	79.50
592	3	0.63	80.13
601	6	1.26	81.38
610.1	2	0.42	81.80
614.2	2	0.42	82.22
614.4	1	0.21	82.43
615	1	0.21	82.64
616.1	2	0.42	83.05
617	1	0.21	83.26
618	1	0.21	83.47
620	6	1.26	84.73
680.9	2	0.42	85.15
691.8	1	0.21	85.36
692.9	2	0.42	85.77
696	4	0.84	86.61
709.01	1	0.21	86.82
709.8	1	0.21	87.03
710	1	0.21	87.24
714	3	0.63	87.87
715	4	0.84	88.70
722	7	1.46	90.17

724.2	1	0.21	90.38
729	6	1.26	91.63
729.2	4	0.84	92.47
732	16	3.35	95.82
733	2	0.42	96.23
746.87	1	0.21	96.44
753.1	1	0.21	96.65
780.2	1	0.21	96.86
800	1	0.21	97.07
805.4	1	0.21	97.28
810	3	0.63	97.91
812	1	0.21	98.12
813	1	0.21	98.33
815	1	0.21	98.54
823	2	0.42	98.95
825.2	1	0.21	99.16
844	1	0.21	99.37
870	1	0.21	99.58
995.3	2	0.42	100.00

Total	478	100.00
-------	-----	--------

icd9 code for 401= essential hypertension
 icd9 code for 333 = extrapyramidal dis nec*
 icd9 code for 466 = ac bronchitis/bronchial
 icd9 code for 535 = gastritis and duodenitis
 icd9 code for 732 = osteochondropathies
 icd9 code for 218.9= uterine leiomyoma nos
 icd9 code for 242 = thrototoxicosis
 icd9 code for 531 = gastric ulcer
 icd9 code for 532 = duodenal ucler
 Icd9 code for 454= varicose veins in legs
 icd9 code for 575.1=cholecystitis nec
 icd9 code for 455=hemorrhoids
 icd9 code for 474 = chr t & a dis
 icd9 code for 577.1 = chronic pancreatitis
 icd9 code for 410 = acute myocardial infarction
 icd9 code for 017.5= tb of thyroid gland
 icd9 code for 246= oth disorders of thyroid
 icd9 code for 193= malig neopl thyroid
 icd9 code for 194.1 = malig neo parathyroid
 icd9 code for 226 = benign neo parthyroid
 icd9 code for 176.9 = Karposi's sarcoma nos
 icd9 code for 200.1 = lymmpbosarcoma
 icd9 code for 201.2 = Hogkin's sarcoma
 icd9 code for 722 = intervertebral disc dis

Distributio n for diseases in Medical Diagnosis for Disease 2	Freq.	Percent	Cum.
5	1	0.28	0.28
10	1	0.28	0.55
52	1	0.28	0.83
54	1	0.28	1.11
56	1	0.28	1.39
70.1	3	0.83	2.22
70.2	1	0.28	2.49
72	1	0.28	2.77
78.1	1	0.28	3.05
127	1	0.28	3.32
174	1	0.28	3.60
209	1	0.28	3.88
218.9	12	3.32	7.20
241.1	1	0.28	7.48
242	13	3.60	11.08
244.9	1	0.28	11.36
245.2	1	0.28	11.63
250	2	0.55	12.19
250.5	1	0.28	12.47
256	1	0.28	12.74
256.4	1	0.28	13.02
274	2	0.55	13.57
278	1	0.28	13.85
282.6	1	0.28	14.13
300.02	1	0.28	14.40
306.51	1	0.28	14.68
333	20	5.54	20.22
340	1	0.28	20.50
346	2	0.55	21.05
357	1	0.28	21.33
361	1	0.28	21.61
365	1	0.28	21.88
366	3	0.83	22.71
367	3	0.83	23.55
367.1	1	0.28	23.82
367.12	1	0.28	24.10
372	3	0.83	24.93
381	2	0.55	25.48

389	1	0.28	25.76
390	6	1.66	27.42
391.2	1	0.28	27.70
401	22	6.09	33.80
410	8	2.22	36.01
411.1	1	0.28	36.29
413	2	0.55	36.84
426	1	0.28	37.12
427.3	1	0.28	37.40
427.31	3	0.83	38.23
428	1	0.28	38.50
434.91	7	1.94	40.44
444.2	1	0.28	40.72
451	1	0.28	41.00
454	9	2.49	43.49
455	1	0.28	43.77
461	2	0.55	44.32
462	1	0.28	44.60
463	1	0.28	44.88
464.1	2	0.55	45.43
465	1	0.28	45.71
465.9	2	0.55	46.26
466	15	4.16	50.42
474	6	1.66	52.08
480	3	0.83	52.91
486	5	1.39	54.29
487	1	0.28	54.57
493	1	0.28	54.85
510	2	0.55	55.40
531	10	2.77	58.17
532	5	1.39	59.56
535	12	3.32	62.88
540	4	1.11	63.99
542	1	0.28	64.27
550	6	1.66	65.93
555	1	0.28	66.20
558	2	0.55	66.76
564.1	1	0.28	67.04
575	6	1.66	68.70
575.1	10	2.77	71.47
575.8	4	1.11	72.58
577	3	0.83	73.41
577.1	8	2.22	75.62
584	3	0.83	76.45
590	7	1.94	78.39
592	6	1.66	80.06

601	4	1.11	81.16
617.1	2	0.55	81.72
620	5	1.39	83.10
622	2	0.55	83.66
625.3	1	0.28	83.93
633	1	0.28	84.21
634	1	0.28	84.49
680.9	3	0.83	85.32
682	1	0.28	85.60
691.8	1	0.28	85.87
692.9	1	0.28	86.15
708	1	0.28	86.43
710	1	0.28	86.70
714	4	1.11	87.81
714.3	2	0.55	88.37
715	1	0.28	88.64
722	6	1.66	90.30
723.1	1	0.28	90.58
729	1	0.28	90.86
729.2	1	0.28	91.14
732	12	3.32	94.46
733	4	1.11	95.57
737	1	0.28	95.84
777.4	1	0.28	96.12
784	1	0.28	96.40
805.6	1	0.28	96.68
810	1	0.28	96.95
812	2	0.55	97.51
812.5	3	0.83	98.34
813	1	0.28	98.61
814	1	0.28	98.89
815	1	0.28	99.17
823	1	0.28	99.45
844	1	0.28	99.72
995.3	1	0.28	100.00

Total	361	100.00
-------	-----	--------

icd9 code for 401= essential hypertension
icd9 code for 333 = extrapyramidal dis nec*
icd9 code for 466 = ac bronchitis/bronchial
icd9 code for 535 = gastritis and duodenitis
icd9 code for 732 = osteochondropathies
icd9 code for 218.9= uterine leiomyoma nos
icd9 code for 242 = thrototoxicosis
icd9 code for 531 = gastric ulcer
icd9 code for 532 = duodenal ucler

Icd9 code for 454= varicose veins in legs
 icd9 code for 575.1=cholecystitis nec
 icd9 code for 455=hemorrhoids
 icd9 code for 474 = chr t & a dis
 icd9 code for 577.1 = chronic pancreatitis
 icd9 code for 410 = acute myocardial infarction
 icd9 code for 017.5= tb of thyroid gland
 icd9 code for 246= oth disorders of thyroid
 icd9 code for 193= malig neopl thyroid
 icd9 code for 194.1 = malig neo parathyroid
 icd9 code for 226 = benign neo parthyroid
 icd9 code for 176.9 = Karposi's sarcoma nos
 icd9 code for 200.1 = lymmpthosarcoma
 icd9 code for 201.2 = Hogkin's sarcoma
 icd9 code for 722 = intervertebral disc dis

Distributio n for diseases in Medical Diagnosis for Disease 3	Freq.	Percent	Cum.
2	1	0.40	0.40
5	1	0.40	0.81
7.1	1	0.40	1.21
35	1	0.40	1.62
52	1	0.40	2.02
54	2	0.81	2.83
70.1	2	0.81	3.64
112.1	1	0.40	4.05
174	1	0.40	4.45
193	1	0.40	4.86
218.9	13	5.26	10.12
242	7	2.83	12.96
250	7	2.83	15.79
256.4	1	0.40	16.19
278	1	0.40	16.60
282.6	2	0.81	17.41
307.42	1	0.40	17.81
333	4	1.62	19.43
350.1	1	0.40	19.84
362.3	1	0.40	20.24
366	1	0.40	20.65
367	1	0.40	21.05

367.1	3	1.21	22.27
372	1	0.40	22.67
381	2	0.81	23.48
389	1	0.40	23.89
390	10	4.05	27.94
391.2	1	0.40	28.34
394	1	0.40	28.74
401	14	5.67	34.41
410	1	0.40	34.82
413	5	2.02	36.84
427.31	5	2.02	38.87
434.91	4	1.62	40.49
440	1	0.40	40.89
454	4	1.62	42.51
455	1	0.40	42.91
461	4	1.62	44.53
466	10	4.05	48.58
466.2	1	0.40	48.99
472	2	0.81	49.80
474	5	2.02	51.82
474.1	1	0.40	52.23
480	2	0.81	53.04
486	1	0.40	53.44
487	2	0.81	54.25
493	3	1.21	55.47
523.5	1	0.40	55.87
531	2	0.81	56.68
532	2	0.81	57.49
535	10	4.05	61.54
540	1	0.40	61.94
542	1	0.40	62.35
550	3	1.21	63.56
555	1	0.40	63.97
558	1	0.40	64.37
564.1	1	0.40	64.78
564.2	1	0.40	65.18
575	3	1.21	66.40
575.1	15	6.07	72.47
575.4	2	0.81	73.28
577	1	0.40	73.68
577.1	6	2.43	76.11
590	5	2.02	78.14
592	7	2.83	80.97
595	1	0.40	81.38
610.1	1	0.40	81.78
615	1	0.40	82.19

616.1	1	0.40	82.59
617.1	2	0.81	83.40
618	1	0.40	83.81
620	2	0.81	84.62
622	2	0.81	85.43
626	1	0.40	85.83
680.9	1	0.40	86.23
692.9	2	0.81	87.04
710	2	0.81	87.85
715	2	0.81	88.66
722	3	1.21	89.88
732	10	4.05	93.93
733	2	0.81	94.74
737	1	0.40	95.14
784	1	0.40	95.55
800	2	0.81	96.36
805.4	1	0.40	96.76
807	1	0.40	97.17
810	1	0.40	97.57
823	3	1.21	98.79
824	1	0.40	99.19
850	1	0.40	99.60
995.3	1	0.40	100.00
Total	247	100.00	

```

icd9 code for 401= essential hypertension
icd9 code for 333 = extrapyramidal dis nec*
icd9 code for 466 = ac bronchitis/bronchial
icd9 code for 535 = gastritis and duodenitis
icd9 code for 732 = osteochondropathies
icd9 code for 218.9= uterine leiomyoma nos
icd9 code for 242 = thrototoxicosis
icd9 code for 531 = gastric ulcer
icd9 code for 532 = duodenal ucler
Icd9 code for 454= varicose veins in legs
icd9 code for 575.1=cholecystitis nec
icd9 code for 455=hemorrhoids
icd9 code for 474 = chr t & a dis
icd9 code for 577.1 = chronic pancreatitis
icd9 code for 410 = acute myocardial infarction
icd9 code for 017.5= tb of thyroid gland
icd9 code for 246= oth disorders of thyroid
icd9 code for 193= malig neopl thyroid
icd9 code for 194.1 = malig neo parathyroid
icd9 code for 226 = benign neo parathyroid
icd9 code for 176.9 = Karposi's sarcoma nos

```

icd9 code for 200.1 = lymphosarcoma
 icd9 code for 201.2 = Hogkin's sarcoma
 icd9 code for 722 = intervertebral disc dis

Distribution for diseases in Medical Diagnosis for Disease 4	Freq.	Percent	Cum.
7.1	1	0.63	0.63
9	2	1.26	1.89
54	1	0.63	2.52
174	2	1.26	3.77
193	1	0.63	4.40
218.9	3	1.89	6.29
228	1	0.63	6.92
241.1	1	0.63	7.55
242	4	2.52	10.06
242.9	1	0.63	10.69
250	2	1.26	11.95
256.4	2	1.26	13.21
274	1	0.63	13.84
282.6	1	0.63	14.47
289.1	1	0.63	15.09
300.5	1	0.63	15.72
333	4	2.52	18.24
340	1	0.63	18.87
360	1	0.63	19.50
366	1	0.63	20.13
367.1	1	0.63	20.75
381	1	0.63	21.38
390	4	2.52	23.90
390.1	1	0.63	24.53
401	11	6.92	31.45
410	3	1.89	33.33
413	6	3.77	37.11
427.1	1	0.63	37.74
427.3	1	0.63	38.36
427.31	2	1.26	39.62
434.91	4	2.52	42.14
440	2	1.26	43.40
454	2	1.26	44.65
461	1	0.63	45.28

466	4	2.52	47.80
478.24	1	0.63	48.43
480	1	0.63	49.06
486	3	1.89	50.94
530.81	3	1.89	52.83
535	5	3.14	55.97
540	2	1.26	57.23
550	1	0.63	57.86
555	2	1.26	59.12
575	2	1.26	60.38
575.1	6	3.77	64.15
575.8	1	0.63	64.78
577	1	0.63	65.41
577.1	5	3.14	68.55
590	5	3.14	71.70
592	3	1.89	73.58
593	1	0.63	74.21
595	1	0.63	74.84
601	2	1.26	76.10
614	1	0.63	76.73
615	1	0.63	77.36
615.9	1	0.63	77.99
616.1	1	0.63	78.62
617	1	0.63	79.25
617.1	1	0.63	79.87
680.9	1	0.63	80.50
696	1	0.63	81.13
705.83	1	0.63	81.76
710	1	0.63	82.39
714	1	0.63	83.02
714.3	1	0.63	83.65
715	2	1.26	84.91
715.09	2	1.26	86.16
724.2	1	0.63	86.79
726.7	1	0.63	87.42
729	1	0.63	88.05
729.2	2	1.26	89.31
732	7	4.40	93.71
784	2	1.26	94.97
787	1	0.63	95.60
800	1	0.63	96.23
813	1	0.63	96.86
814	2	1.26	98.11
845	1	0.63	98.74
850	2	1.26	100.00

Total	159	100.00
-------	-----	--------

icd9 code for 401= essential hypertension
 icd9 code for 333 = extrapyramidal dis nec*
 icd9 code for 466 = ac bronchitis/bronchial
 icd9 code for 535 = gastritis and duodenitis
 icd9 code for 732 = osteochondropathies
 icd9 code for 218.9= uterine leiomyoma nos
 icd9 code for 242 = throtoxicosis
 icd9 code for 531 = gastric ulcer
 icd9 code for 532 = duodenal ucler
 Icd9 code for 454= varicose veins in legs
 icd9 code for 575.1=cholecystitis nec
 icd9 code for 455=hemorrhoids
 icd9 code for 474 = chr t & a dis
 icd9 code for 577.1 = chronic pancreatitis
 icd9 code for 410 = acute myocardial infarction
 icd9 code for 017.5= tb of thyroid gland
 icd9 code for 246= oth disorders of thyroid
 icd9 code for 193= malig neopl thyroid
 icd9 code for 194.1 = malig neo parathyroid
 icd9 code for 226 = benign neo parthyroid
 icd9 code for 176.9 = Karposi's sarcoma nos
 icd9 code for 200.1 = lymmpbosarcoma
 icd9 code for 201.2 = Hogkin's sarcoma
 icd9 code for 722 = intervertebral disc dis

Distributio n for diseases in Medical Diagnosis for Disease 5	Freq.	Percent	Cum.
218.9	3	3.33	3.33
242	3	3.33	6.67
250	1	1.11	7.78
274	3	3.33	11.11
300.9	1	1.11	12.22
333	2	2.22	14.44
366	2	2.22	16.67
367	1	1.11	17.78
372	1	1.11	18.89
390	1	1.11	20.00
401	8	8.89	28.89
410	1	1.11	30.00

413	3	3.33	33.33
434.9	1	1.11	34.44
434.91	1	1.11	35.56
454	3	3.33	38.89
461.1	1	1.11	40.00
465.9	1	1.11	41.11
466	7	7.78	48.89
474	1	1.11	50.00
480	1	1.11	51.11
486	2	2.22	53.33
487	2	2.22	55.56
532	2	2.22	57.78
535	2	2.22	60.00
540	1	1.11	61.11
542	2	2.22	63.33
550	1	1.11	64.44
575.1	6	6.67	71.11
577.1	2	2.22	73.33
590	3	3.33	76.67
592	1	1.11	77.78
601	3	3.33	81.11
610.1	1	1.11	82.22
616.1	1	1.11	83.33
620	1	1.11	84.44
628	1	1.11	85.56
696	1	1.11	86.67
705.8	1	1.11	87.78
711	1	1.11	88.89
729.2	1	1.11	90.00
732	5	5.56	95.56
787	1	1.11	96.67
788.3	1	1.11	97.78
810	1	1.11	98.89
995.3	1	1.11	100.00

Total	90	100.00
-------	----	--------

icd9 code for 401= essential hypertension
icd9 code for 333 = extrapyramidal dis nec*
icd9 code for 466 = ac bronchitis/bronchial
icd9 code for 535 = gastritis and duodenitis
icd9 code for 732 = osteochondropathies
icd9 code for 218.9= uterine leiomyoma nos
icd9 code for 242 = thrototoxicosis
icd9 code for 531 = gastric ulcer
icd9 code for 532 = duodenal ucler
Icd9 code for 454= varicose veins in legs

icd9 code for 575.1=cholecystitis nec
 icd9 code for 455=hemorrhoids
 icd9 code for 474 = chr t & a dis
 icd9 code for 577.1 = chronic pancreatitis
 icd9 code for 410 = acute myocardial infarction
 icd9 code for 017.5= tb of thyroid gland
 icd9 code for 246= oth disorders of thyroid
 icd9 code for 193= malig neopl thyroid
 icd9 code for 194.1 = malig neo parathyroid
 icd9 code for 226 = benign neo parathyroid
 icd9 code for 176.9 = Karposi's sarcoma nos
 icd9 code for 200.1 = lymphosarcoma
 icd9 code for 201.2 = Hogkin's sarcoma
 icd9 code for 722 = intervertebral disc dis

Distribution for diseases in Medical Diagnosis for Disease 6	Freq.	Percent	Cum.
54	1	2.00	2.00
70.4	1	2.00	4.00
133.8	1	2.00	6.00
154	1	2.00	8.00
218.9	1	2.00	10.00
242	1	2.00	12.00
250	1	2.00	14.00
250.5	1	2.00	16.00
253.1	1	2.00	18.00
278	1	2.00	20.00
390	2	4.00	24.00
401	2	4.00	28.00
410	2	4.00	32.00
427.31	2	4.00	36.00
454	1	2.00	38.00
464	1	2.00	40.00
465	2	4.00	44.00
465.9	1	2.00	46.00
472	1	2.00	48.00
486	1	2.00	50.00
493	1	2.00	52.00
530.81	1	2.00	54.00
535	1	2.00	56.00

542	1	2.00	58.00
555	2	4.00	62.00
558	1	2.00	64.00
575.1	1	2.00	66.00
577.1	2	4.00	70.00
592	2	4.00	74.00
617.1	1	2.00	76.00
620	2	4.00	80.00
714	2	4.00	84.00
732	4	8.00	92.00
784	1	2.00	94.00
787	1	2.00	96.00
805.4	1	2.00	98.00
823	1	2.00	100.00

Total	50	100.00
-------	----	--------

icd9 code for 401= essential hypertension
 icd9 code for 333 = extrapyramidal dis nec*
 icd9 code for 466 = ac bronchitis/bronchial
 icd9 code for 535 = gastritis and duodenitis
 icd9 code for 732 = osteochondropathies
 icd9 code for 218.9= uterine leiomyoma nos
 icd9 code for 242 = thrototoxicosis
 icd9 code for 531 = gastric ulcer
 icd9 code for 532 = duodenal ucler
 Icd9 code for 454= varicose veins in legs
 icd9 code for 575.1=cholecystitis nec
 icd9 code for 455=hemorrhoids
 icd9 code for 474 = chr t & a dis
 icd9 code for 577.1 = chronic pancreatitis
 icd9 code for 410 = acute myocardial infarction
 icd9 code for 017.5= tb of thyroid gland
 icd9 code for 246= oth disorders of thyroid
 icd9 code for 193= malig neopl thyroid
 icd9 code for 194.1 = malig neo parathyroid
 icd9 code for 226 = benign neo parthyroid
 icd9 code for 176.9 = Karposi's sarcoma nos
 icd9 code for 200.1 = lymphosarcoma
 icd9 code for 201.2 = Hogkin's sarcoma
 icd9 code for 722 = intervertebral disc dis

Distributio n for diseases in Medical Diagnosis for Disease 7	Freq.	Percent	Cum.
218.9	2	6.06	6.06
250	1	3.03	9.09
280	1	3.03	12.12
333	1	3.03	15.15
367.1	1	3.03	18.18
372	2	6.06	24.24
401	2	6.06	30.30
410	1	3.03	33.33
427.31	1	3.03	36.36
434.91	1	3.03	39.39
455	1	3.03	42.42
462	1	3.03	45.45
466	1	3.03	48.48
472	1	3.03	51.52
487	1	3.03	54.55
535	1	3.03	57.58
575	2	6.06	63.64
577.1	1	3.03	66.67
584	1	3.03	69.70
615.9	1	3.03	72.73
617.1	1	3.03	75.76
622.7	1	3.03	78.79
715	1	3.03	81.82
722	2	6.06	87.88
732	1	3.03	90.91
777.4	2	6.06	96.97
784	1	3.03	100.00
Total	33	100.00	

icd9 code for 401= essential hypertension
 icd9 code for 333 = extrapyramidal dis nec*
 icd9 code for 466 = ac bronchitis/bronchial
 icd9 code for 535 = gastritis and duodenitis
 icd9 code for 732 = osteochondropathies
 icd9 code for 218.9= uterine leiomyoma nos
 icd9 code for 242 = thrototoxicosis
 icd9 code for 531 = gastric ulcer
 icd9 code for 532 = duodenal ucler

Icd9 code for 454= varicose veins in legs
 icd9 code for 575.1=cholecystitis nec
 icd9 code for 455=hemorrhoids
 icd9 code for 474 = chr t & a dis
 icd9 code for 577.1 = chronic pancreatitis
 icd9 code for 410 = acute myocardial infarction
 icd9 code for 017.5= tb of thyroid gland
 icd9 code for 246= oth disorders of thyroid
 icd9 code for 193= malig neopl thyroid
 icd9 code for 194.1 = malig neo parathyroid
 icd9 code for 226 = benign neo parthyroid
 icd9 code for 176.9 = Karposi's sarcoma nos
 icd9 code for 200.1 = lymphosarcoma
 icd9 code for 201.2 = Hogkin's sarcoma
 icd9 code for 722 = intervertebral disc dis

Distribution for diseases in Medical Diagnosis for Disease			
8	Freq.	Percent	Cum.
242	1	5.88	5.88
250	1	5.88	11.76
333	1	5.88	17.65
381	1	5.88	23.53
390	1	5.88	29.41
401	2	11.76	41.18
413	1	5.88	47.06
575.1	1	5.88	52.94
580.1	1	5.88	58.82
592	1	5.88	64.71
593	1	5.88	70.59
614	1	5.88	76.47
616.1	1	5.88	82.35
732	1	5.88	88.24
812.5	1	5.88	94.12
813.3	1	5.88	100.00
Total	17	100.00	

icd9 code for 401= essential hypertension
 icd9 code for 333 = extrapyramidal dis nec*
 icd9 code for 466 = ac bronchitis/bronchial
 icd9 code for 535 = gastritis and duodenitis

icd9 code for 732 = osteochondropathies
 icd9 code for 218.9= uterine leiomyoma nos
 icd9 code for 242 = throtoxicosis
 icd9 code for 531 = gastric ulcer
 icd9 code for 532 = duodenal ulcer
 Icd9 code for 454= varicose veins in legs
 icd9 code for 575.1=cholecystitis nec
 icd9 code for 455=hemorrhoids
 icd9 code for 474 = chr t & a dis
 icd9 code for 577.1 = chronic pancreatitis
 icd9 code for 410 = acute myocardial infarction
 icd9 code for 017.5= tb of thyroid gland
 icd9 code for 246= oth disorders of thyroid
 icd9 code for 193= malign neopl thyroid
 icd9 code for 194.1 = malign neo parathyroid
 icd9 code for 226 = benign neo parathyroid
 icd9 code for 176.9 = Kaposi's sarcoma nos
 icd9 code for 200.1 = lymphosarcoma
 icd9 code for 201.2 = Hodgkin's sarcoma
 icd9 code for 722 = intervertebral disc dis

Distribution for diseases in Medical Diagnosis for Disease			
9	Freq.	Percent	Cum.
367.1	1	8.33	8.33
401	2	16.67	25.00
564.1	1	8.33	33.33
575.1	5	41.67	75.00
590	1	8.33	83.33
628	1	8.33	91.67
715	1	8.33	100.00
Total	12	100.00	

icd9 code for 401= essential hypertension
 icd9 code for 333 = extrapyramidal dis nec*
 icd9 code for 466 = ac bronchitis/bronchial
 icd9 code for 535 = gastritis and duodenitis
 icd9 code for 732 = osteochondropathies
 icd9 code for 218.9= uterine leiomyoma nos
 icd9 code for 242 = throtoxicosis
 icd9 code for 531 = gastric ulcer

icd9 code for 532 = duodenal ulcer
 Icd9 code for 454= varicose veins in legs
 icd9 code for 575.1=cholecystitis nec
 icd9 code for 455=hemorrhoids
 icd9 code for 474 = chr t & a dis
 icd9 code for 577.1 = chronic pancreatitis
 icd9 code for 410 = acute myocardial infarction
 icd9 code for 017.5= tb of thyroid gland
 icd9 code for 246= oth disorders of thyroid
 icd9 code for 193= malig neopl thyroid
 icd9 code for 194.1 = malig neo parathyroid
 icd9 code for 226 = benign neo parthyroid
 icd9 code for 176.9 = Karposi's sarcoma nos
 icd9 code for 200.1 = lymphosarcoma
 icd9 code for 201.2 = Hogkin's sarcoma
 icd9 code for 722 = intervertebral disc dis

Distribution for diseases in Medical Diagnosis for Disease 10			
	Freq.	Percent	Cum.
70.1	1	9.09	9.09
242	1	9.09	18.18
270.1	1	9.09	27.27
333	1	9.09	36.36
413	1	9.09	45.45
530.81	1	9.09	54.55
575	1	9.09	63.64
575.8	1	9.09	72.73
577.1	1	9.09	81.82
615.9	1	9.09	90.91
617.1	1	9.09	100.00

Total	11	100.00
-------	----	--------

icd9 code for 401= essential hypertension
 icd9 code for 333 = extrapyramidal dis nec*
 icd9 code for 466 = ac bronchitis/bronchial
 icd9 code for 535 = gastritis and duodenitis
 icd9 code for 732 = osteochondropathies
 icd9 code for 218.9= uterine leiomyoma nos
 icd9 code for 242 = thrototoxicosis
 icd9 code for 531 = gastric ulcer

icd9 code for 532 = duodenal ucler
 Icd9 code for 454= varicose veins in legs
 icd9 code for 575.1=cholecystitis nec
 icd9 code for 455=hemorrhoids
 icd9 code for 474 = chr t & a dis
 icd9 code for 577.1 = chronic pancreatitis
 icd9 code for 410 = acute myocardial infarction
 icd9 code for 017.5= tb of thyroid gland
 icd9 code for 246= oth disorders of thyroid
 icd9 code for 193= malig neopl thyroid
 icd9 code for 194.1 = malig neo parathyroid
 icd9 code for 226 = benign neo parthyroid
 icd9 code for 176.9 = Karposi's sarcoma nos
 icd9 code for 200.1 = lymphosarcoma
 icd9 code for 201.2 = Hogkin's sarcoma
 icd9 code for 722 = intervertebral disc dis

Distributio n for diseases in Medical Diagnosis for Disease 11	Freq.	Percent	Cum.
333	1	12.50	12.50
401	1	12.50	25.00
486	1	12.50	37.50
575.1	1	12.50	50.00
577.1	1	12.50	62.50
593	2	25.00	87.50
626	1	12.50	100.00
Total	8	100.00	

icd9 code for 401= essential hypertension
 icd9 code for 333 = extrapyramidal dis nec*
 icd9 code for 466 = ac bronchitis/bronchial
 icd9 code for 535 = gastritis and duodenitis
 icd9 code for 732 = osteochondropathies
 icd9 code for 218.9= uterine leiomyoma nos
 icd9 code for 242 = thrototoxicosis
 icd9 code for 531 = gastric ulcer
 icd9 code for 532 = duodenal ucler
 Icd9 code for 454= varicose veins in legs
 icd9 code for 575.1=cholecystitis nec
 icd9 code for 455=hemorrhoids

icd9 code for 474 = chr t & a dis
 icd9 code for 577.1 = chronic pancreatitis
 icd9 code for 410 = acute myocardial infarction
 icd9 code for 017.5= tb of thyroid gland
 icd9 code for 246= oth disorders of thyroid
 icd9 code for 193= malig neopl thyroid
 icd9 code for 194.1 = malig neo parathyroid
 icd9 code for 226 = benign neo parthyroid
 icd9 code for 176.9 = Karposi's sarcoma nos
 icd9 code for 200.1 = lymphosarcoma
 icd9 code for 201.2 = Hogkin's sarcoma
 icd9 code for 722 = intervertebral disc dis

Distributio n for diseases in Medical Diagnosis for Disease 12	Freq.	Percent	Cum.
218.9	1	20.00	20.00
437.8	1	20.00	40.00
466	1	20.00	60.00
558	1	20.00	80.00
732	1	20.00	100.00
Total	5	100.00	

icd9 code for 401= essential hypertension
 icd9 code for 333 = extrapyramidal dis nec*
 icd9 code for 466 = ac bronchitis/bronchial
 icd9 code for 535 = gastritis and duodenitis
 icd9 code for 732 = osteochondropathies
 icd9 code for 218.9= uterine leiomyoma nos
 icd9 code for 242 = thrototoxicosis
 icd9 code for 531 = gastric ulcer
 icd9 code for 532 = duodenal ucler
 Icd9 code for 454= varicose veins in legs
 icd9 code for 575.1=cholecystitis nec
 icd9 code for 455=hemorrhoids
 icd9 code for 474 = chr t & a dis
 icd9 code for 577.1 = chronic pancreatitis
 icd9 code for 410 = acute myocardial infarction
 icd9 code for 017.5= tb of thyroid gland
 icd9 code for 246= oth disorders of thyroid
 icd9 code for 193= malig neopl thyroid

icd9 code for 194.1 = malig neo parathyroid
 icd9 code for 226 = benign neo parthyroid
 icd9 code for 176.9 = Karposi's sarcoma nos
 icd9 code for 200.1 = lymmpbosarcoma
 icd9 code for 201.2 = Hogkin's sarcoma
 icd9 code for 722 = intervertebral disc dis

Distributio n for diseases in Medical Diagnosis for Disease 13	Freq.	Percent	Cum.
294	1	25.00	25.00
367.1	1	25.00	50.00
410	1	25.00	75.00
440	1	25.00	100.00
Total	4	100.00	

icd9 code for 401= essential hypertension
 icd9 code for 333 = extrapyramidal dis nec*
 icd9 code for 466 = ac bronchitis/bronchial
 icd9 code for 535 = gastritis and duodenitis
 icd9 code for 732 = osteochondropathies
 icd9 code for 218.9= uterine leiomyoma nos
 icd9 code for 242 = throtoxicosis
 icd9 code for 531 = gastric ulcer
 icd9 code for 532 = duodenal ucler
 Icd9 code for 454= varicose veins in legs
 icd9 code for 575.1=cholecystitis nec
 icd9 code for 455=hemorrhoids
 icd9 code for 474 = chr t & a dis
 icd9 code for 577.1 = chronic pancreatitis
 icd9 code for 410 = acute myocardial infarction
 icd9 code for 017.5= tb of thyroid gland
 icd9 code for 246= oth disorders of thyroid
 icd9 code for 193= malig neopl thyroid
 icd9 code for 194.1 = malig neo parathyroid
 icd9 code for 226 = benign neo parthyroid
 icd9 code for 176.9 = Karposi's sarcoma nos
 icd9 code for 200.1 = lymmpbosarcoma
 icd9 code for 201.2 = Hogkin's sarcoma
 icd9 code for 722 = intervertebral disc dis

Distributio n for diseases in Medical Diagnosis for Disease 14	Freq.	Percent	Cum.
440	1	100.00	100.00
Total	1	100.00	
icd9 code for 401= essential hypertension			
icd9 code for 333 = extrapyramidal dis nec*			
icd9 code for 466 = ac bronchitis/bronchial			
icd9 code for 535 = gastritis and duodenitis			
icd9 code for 732 = osteochondropathies			
icd9 code for 218.9= uterine leiomyoma nos			
icd9 code for 242 = thrototoxicosis			
icd9 code for 531 = gastric ulcer			
icd9 code for 532 = duodenal ucler			
Icd9 code for 454= varicose veins in legs			
icd9 code for 575.1=cholecystitis nec			
icd9 code for 455=hemorrhoids			
icd9 code for 474 = chr t & a dis			
icd9 code for 577.1 = chronic pancreatitis			
icd9 code for 410 = acute myocardial infarction			
icd9 code for 017.5= tb of thyroid gland			
icd9 code for 246= oth disorders of thyroid			
icd9 code for 193= malig neopl thyroid			
icd9 code for 194.1 = malig neo parathyroid			
icd9 code for 226 = benign neo parthyroid			
icd9 code for 176.9 = Karposi's sarcoma nos			
icd9 code for 200.1 = lymmpbosarcoma			
icd9 code for 201.2 = Hogkin's sarcoma			
icd9 code for 722 = intervertebral disc dis			

Distributio n for diseases in Medical Diagnosis for Disease 15	Freq.	Percent	Cum.
242	1	100.00	100.00
Total	1	100.00	
icd9 code for 401= essential hypertension			
icd9 code for 333 = extrapyramidal dis nec*			
icd9 code for 466 = ac bronchitis/bronchial			
icd9 code for 535 = gastritis and duodenitis			
icd9 code for 732 = osteochondropathies			
icd9 code for 218.9= uterine leiomyoma nos			
icd9 code for 242 = thrototoxicosis			
icd9 code for 531 = gastric ulcer			
icd9 code for 532 = duodenal ucler			
Icd9 code for 454= varicose veins in legs			
icd9 code for 575.1=cholecystitis nec			
icd9 code for 455=hemorrhoids			
icd9 code for 474 = chr t & a dis			
icd9 code for 577.1 = chronic pancreatitis			
icd9 code for 410 = acute myocardial infarction			
icd9 code for 017.5= tb of thyroid gland			
icd9 code for 246= oth disorders of thyroid			
icd9 code for 193= malig neopl thyroid			
icd9 code for 194.1 = malig neo parathyroid			
icd9 code for 226 = benign neo parthyroid			
icd9 code for 176.9 = Karposi's sarcoma nos			
icd9 code for 200.1 = lymmpbosarcoma			
icd9 code for 201.2 = Hogkin's sarcoma			
icd9 code for 722 = intervertebral disc dis			

Distributio n for diseases in Medical Diagnosis for Disease 16	Freq.	Percent	Cum.
618	1	100.00	100.00
Total	1	100.00	
icd9 code for 401= essential hypertension			
icd9 code for 333 = extrapyramidal dis nec*			
icd9 code for 466 = ac bronchitis/bronchial			
icd9 code for 535 = gastritis and duodenitis			
icd9 code for 732 = osteochondropathies			
icd9 code for 218.9= uterine leiomyoma nos			
icd9 code for 242 = thrototoxicosis			
icd9 code for 531 = gastric ulcer			
icd9 code for 532 = duodenal ucler			
Icd9 code for 454= varicose veins in legs			
icd9 code for 575.1=cholecystitis nec			
icd9 code for 455=hemorrhoids			
icd9 code for 474 = chr t & a dis			
icd9 code for 577.1 = chronic pancreatitis			
icd9 code for 410 = acute myocardial infarction			
icd9 code for 017.5= tb of thyroid gland			
icd9 code for 246= oth disorders of thyroid			
icd9 code for 193= malig neopl thyroid			
icd9 code for 194.1 = malig neo parathyroid			
icd9 code for 226 = benign neo parthyroid			
icd9 code for 176.9 = Karposi's sarcoma nos			
icd9 code for 200.1 = lymmpbosarcoma			
icd9 code for 201.2 = Hogkin's sarcoma			
icd9 code for 722 = intervertebral disc dis			

Distributio n for diseases in Medical Diagnosis for Disease 17	Freq.	Percent	Cum.
306.51	1	100.00	100.00
Total	1	100.00	
icd9 code for 401= essential hypertension			
icd9 code for 333 = extrapyramidal dis nec*			
icd9 code for 466 = ac bronchitis/bronchial			
icd9 code for 535 = gastritis and duodenitis			
icd9 code for 732 = osteochondropathies			
icd9 code for 218.9= uterine leiomyoma nos			
icd9 code for 242 = thrototoxicosis			
icd9 code for 531 = gastric ulcer			
icd9 code for 532 = duodenal ucler			
Icd9 code for 454= varicose veins in legs			
icd9 code for 575.1=cholecystitis nec			
icd9 code for 455=hemorrhoids			
icd9 code for 474 = chr t & a dis			
icd9 code for 577.1 = chronic pancreatitis			
icd9 code for 410 = acute myocardial infarction			
icd9 code for 017.5= tb of thyroid gland			
icd9 code for 246= oth disorders of thyroid			
icd9 code for 193= malig neopl thyroid			
icd9 code for 194.1 = malig neo parathyroid			
icd9 code for 226 = benign neo parthyroid			
icd9 code for 176.9 = Karposi's sarcoma nos			
icd9 code for 200.1 = lymmpbosarcoma			
icd9 code for 201.2 = Hogkin's sarcoma			
icd9 code for 722 = intervertebral disc dis			

```
51 .
52 . dis c(filename)
    icd9fixes1.dta

53 . dis c(pwd)
    /Users/robertyaffee/Documents/data/research/chwk/phase2/todo/todo

54 . save icd9fixes2, replace
    file icd9fixes2.dta saved

55 . datasignature set, reset
    524:59(82089):111657858:3161091163          (data signature reset)

56 . log close _all
    name:  <unnamed>
    log:   /Users/robertyaffee/Documents/data/research/chwk/phase
> 2/todo/todo/icd9count.smcl
    log type:  smcl
    closed on:  24 Mar 2011, 23:39:57
```
