Natural Hazard Research

TRENDS AND DEVELOPMENTS IN GLOBAL NATURAL DISASTERS, 1947 TO 1981

by

Stephen A. Thompson Institute of Behavioral Science University of Colorado

August, 1982



Working Paper #45

Trends and Developments in Global Natural Disasters, 1947 to 1981

The "trends" of a decreasing number of disaster impacts and an increasing occurrence of large-area disasters have apparently reversed (as so many trends which are based on short time series are wont to do) through the decade of the 1970s. Floods remain the single most frequent disaster by type, followed by earthquakes and tornadoes; the three together comprise over 67% of all disasters.

The average number of major natural disasters annually is 30.3, which compares to 31.4 for the period 1947-1967, and 30.9 for 1947-1973. With some notable exceptions, deaths per disasters have been increasing at about the same rate as population growth rates in Europe, North America and a number of South and Central American countries, while in Asia and Africa the general trend has been for population growth rates to exceed the death rates from disasters. The single most deadly disaster by type is still the hurricane, though earthquakes now are a very close second having taken nearly as many lives worldwide (see Table 4).

		iv
	TABLE OF CONTENTS	
Intr	oduction	1
Tren	ds	3
Appe	ndices	
	1 Loss of Life from Disaster Impacts	13
	2 Large-Area Disasters	16
Refe	rences	22
	LIST OF TABLES	
TABL	E	
1	Average Deaths Per Year	3
2	Annual Disasters	5
3	Disasters by Type	7
4	Loss of Life by Disaster Type	8
	LIST OF FIGURES	
FIGU	RE	
1	Global Disasters	6
2A	Deaths Per Million by National Income	9
2B	Deaths Per Million by National Income	10

PREFACE

This paper is one in a series on research in progress in the field of human adjustments to natural hazards. It is intended that these papers be used as working documents by those directly involved in hazard research, as well as inform a larger circle of interested persons. The series was started with funds from the National Science Foundation to the University of Colorado and Clark University, but it is now on a self-supporting basis. Authorship of the papers is not necessarily confined to those working at these institutions.

Further information about the research program is available from the following:

Gilbert F. White Institute of Behavioral Science #6 University of Colorado Boulder, Colorado 80309

Robert W. Kates Graduate School of Geography Clark University Worcester, Massachusetts 01610

Iam Burton
Institute for Environmental Studies
University of Toronto
Toronto, Canada M5S 1A4

Requests for copies of these papers and correspondence relating directly thereto should be addressed to Boulder. In order to defray production costs, there is a charge of \$3.00 per publication on a subscription basis, or \$4.50 per copy when ordered singly.

INTRODUCTION

This paper is the second update of the original survey report on global natural disasters by Sheehan and Hewitt (1969). Their survey covered the 21-year period 1947 to 1967. The first update of that report was done by Dworkin (1974) and extended the period of analysis through 1973. This report covers disaster events up through 1981; thus, the three reports give a continuous 35-year analysis of global natural disasters.*

The necessary qualifications attending the earlier reports—the uneven reportage of events leading to an obvious upward bias in reports for North America, the descriptive nature of much of the original data necessitating subjective interpretations by the author, the arbitrary threshold criteria for a "major" disaster, and the problems of defining a large area disaster—are all equally applicable to this paper. Therefore, as Sheehan and Hewitt stated, "In view of the obvious limitations of data...the work is unlikely to produce more than order—of—magnitude empirical generalisations" (Sheehan and Hewitt, p. 2).

The original operational criteria, the satisfaction of any single one by a given disaster event being sufficient for the inclusion of that event as a major disaster in the report, are:

- At least \$1 million in damage
- 2) At least 100 persons dead
- 3) At least 100 persons injured.

The only change to these criteria was to adjust #1 above for inflation:

^{*}This update relies on some data compiled by J. Regulska in 1980 for the period 1974-1979.

the \$1 million (U.S.) dollar criteria in 1973 had become \$2.8 million by 1981 (assuming an average inflation rate of 10%).*

The sources of data are essentially the same as those used in the previous reports, with the <u>New York Times Index</u> and the <u>Encyclopedia Britannica Yearbook</u> being the two most important. Where necessary, cross-reference was made to other encyclopedic yearbooks and miscellaneous materials on file in the Natural Hazards Research Applications and Information Center's library.

Before passing on to specific comments about recent trends in global disasters, a word first regarding the operational definition of the large-area disaster. In the previous two reports the method for large-area disaster determination is never explicitly stated, though such a disaster is defined as "those covering more than one 10° [longitude by latitude] square unit..." (Dworkin, p. 2). Given the use of the word "covering" in the previous definition, it follows that a large-area disaster is one in which the <u>area affected</u> in square miles is greater than the area enclosed by the 10° unit of the geographic grid. Two problems immediately arise: 1) the 10° x 10° unit changes in area from the equator to the poles, so that by 30° latitude an impact need only be about 86% as large as an impact at the equator to be classified as a large-area disaster, and by 60° latitude it need be only 50% as large; 2) almost never were the dimensions of a disaster given in the data sources.

Aside from these problems, it does not appear as though the two preceding papers followed this logic in classifying large area disaster;

^{*}This inflation adjustment resulted in the elimination of only three events from the study.

they could not have and still classified East Pakistan (Bangladesh) as being the site of a number of large-area disasters since Bangladesh is smaller than the defining unit.

In this paper a disaster had to affect an area greater than the area of an average grid unit to be classified as large-area. The average grid unit is the area of the average between the 10° square unit measured at the equator and the 10° square unit measured at 50° latitude.* The operational unit thus defined is well within the order-of-magnitude limits of accuracy accepted for this survey.

The last comment to be made before turning to the analysis is to mention that droughts have been excluded from the report. This is consistent with Dworkin's paper, though Sheehan and Hewitt did include drought in certain aspects of their analysis.

TRENDS

The total loss of life during the 35-year period 1947-1981 was 1,208,008 persons, giving an average of 34,514 deaths per year. This is a significant increase in deaths per year from the 1947-1967 period average of 21,041 persons per year.** Table 1 shows the change in average deaths per year by each of the three reports in this series.

The explanation for the dramatic increase in deaths per year from the Sheehan and Hewitt report to the Dworkin report is primarily a

 $^{^\}star$ The vast majority of all reported disasters occur below 50 $^\circ$ latitude.

^{**}The figure given by Sheehan and Hewitt (p. 5) is actually 22,093, but they calculated their average by dividing total deaths by 20 years when, in fact, their period of analysis was 21 years--1947 to 1967 inclusive.

TABLE 1
AVERAGE DEATHS PER YEAR

Report Sheehan & Hewitt	<u>Period</u> 1947-1967	Years 21	Total Deaths 441,855	Deaths/Year ¹ 21,041	Deaths/Year 21,041 ²
Dworkin	1947-1973	27	828,815	64,493	30,697
Thompson	1947-1981	35	1,207,962	47,398	34,514

This column calculates the deaths per year for the incremental period added to the original 21 years of analysis. For example, the deaths per year for the Dworkin report applies to the time period 1968 to 1973, or six years.

result of deaths due to hurricanes (see Dworkin, Appendix 3), while the increase in this report can be attributed in large part to the Tangshan, China, earthquake in 1976, which claimed 242,000 lives--more than seven times the average annual total for the world.

Table 2 gives the breakdown of annual statistics for the period 1974 to 1981. Of note in Table 2 is the peak in disaster impacts from 1978 to 1980. To find a greater three-year period of impact intensity requires going back 25 years to the period 1953 to 1955. The primary cause of the 1979 peak is a significant increase in earthquake activity, especially in Asia. There were 12 major earthquakes (as well as two earthquake-generated tsunamis) in 1979, which is well above the annual average of 5.8 for the period 1974-1981. The year 1980, on the other hand, was not distinguished by an increase in occurrence of any single disaster agent.

²See footnote ** on page 3 for discussion of this number.

TABLE 2
ANNUAL DISASTERS

Year	Doatha	Number of	Number of
	Deaths	Disasters	Large-Area Disasters
1947	-	30	3
1948	-	45	3 3 2 3
1949	_	31	2
1950	_	35	3
1951	-	33	4
1952	-	28	9
1953	-	45	5
1954	-	35	4
1955	-	33	4 3 6 2 6
1956	-	28	6
1957	-	34	2
1958	-	25	6
1959	-	31	10
1960	-	34	9
1961	-	25	4
1962	-	24	1
1963	-	32	4
1964	-	28	4 8 7
1965	-	26	7
1966	-	29	3 2
1967	-	30	2
1968	-	38	10
1969	-	25	8
1970	-	24	8
1971	-	26	8 5
1972	-	33	9
1973	-	29	10
1974	17,693	27	5
1975	13,303	21	5
1976 1977	277,061	26	4
1977	26,853	29	5
1976	19,429	32	3
	6,159	35	5 5 4 5 3 6 7
1980 ₁ 1981	10,793	34	7
1301	7,896	30	4

Data for 1981 are taken exclusively from the New York Times Index.

Figure 1 is an updated continuation of two graphs given in Dworkin's paper; however, a two-year left to right translation adjustment has been made so that the graphs begin with 1949 and end with 1979.* A third weighted nine-year moving average has also been calculated and a good agreement can be seen between the two averaging techniques.** The number of major disasters declined steadily after 1953 until about 1965, increased slightly during the late 1960's, and then continued to decline until the mid-1970's, at which point the number of disasters began a significant upward trend. Large-area disasters increase slowly from the late 1940's until the 1970's, at which time they decrease sharply, levelling off through the latter part of the decade.

Dworkin's conclusion that, "while the number of major natural disasters has been dropping over the last twenty-years, the number of disasters covering large areas has been increasing during the same time period" appears to have reversed completely on both counts during the decade of the 1970's. However, the influence of perhaps nonidentical methods could have influenced the findings on large-area disasters.

The total number of disasters for the 35-year period was 1,062, giving an average of 30.3 disasters per year. Table 3 ranks the number of

^{*}This adjustment technically conforms the graphs to the correct procedure for plotting a moving average. The point value which is calculated for an n-year moving average is assigned to the (n + 1)/2 year, so, for example, the value calculated for a five-year moving average for the period 1947-1951 would be assigned to 1949, not 1947.

^{**} The weights are based on a normal frequency distribution and are as follows: 0.01, 0.05, 0.12, 0.20, 0.24, 0.20, 0.12, 0.05, 0.01.




TABLE 3
DISASTERS BY TYPE

Agent	Number of Disasters
Floods	343
Hurricanes, Typhoons, Cyclones, Tropical S	Storms 211
	161
Tornadoes	127
Snowstorms	40
Thunderstorms	36
Landslides	29
Rainstorms	29
Heatwaves	22
Volcanoes	18
Coldwaves	17
Avalanches	12
Tsunamis	10
Fog	3
Frost	2
Sand and Dust Storms	2
Snowstorms Thunderstorms Landslides Rainstorms Heatwaves Volcanoes Coldwaves Avalanches Tsunamis Fog Frost	127 40 36 29 29 22 18 17 12 10 3

impacts by disaster type and shows that floods continue to dominate the list.

Of the remaining items in the report, Table 4 is a breakdown of major disasters by continent and by type and needs no further explanation; Appendices 1 and 2 are continuations of similar appendices contained in the previous two reports and likewise are self-explanatory. Figures 2A and 2B are adapted from a graph given in Dworkin's paper. Dworkin's original graph (Graph 2) plotted countries by national income and deaths per million population. The two graphs here show (by arrow) the magnitude and direction (or vector) of change since 1973, the terminus of the arrow indicating the country's new position. To avoid a confusion of arrows, the countries of North America, South America, Central America,

TABLE 4

Loss of Life by Disaster Type

1947 - 1981

Thunderstorms & Gales Tsunamis Tornadoes	 548	20410 7864 4876	 44 	310 26	120 39	240 60 2726	60 600
Sand and Dust Storms Snowstorms		6403	 17	200	 1344	10 2157	
Rainstorms		1845			20	34	130
Landslides		3576		260	300		1362
Fogs Heatwaves		4155	100		3550 340	2190	135
Floods	3962	171435	92	2355	11209	1680	5435
Earthquakes	16732	333623	133	30541	7324	75	38565
Cyclone, Hurricane & Typhoon	950	476816	289	20481	250	2007	15
Coldwave		1600			1440	600	
valanches	Africa	402 As†a	Aust	Cari Cent	Europe 340	Nort	17nos 3840
	Ca	_	Australasia	Caribbean & Central America	ъе	North America	South America

and Europe are plotted on 2A, while Asia, Africa and Australasia are plotted on 2B.*

Inspection of Figures 2A and 2B shows that the most obvious development has been the overwhelming shift from right to left, indicating the general rise in gross national product per capita (GNPpc). Only one country, India, experienced a decline in GNPpc. In Figure 2A, the general trend was for deaths per million population to remain fairly constant for North America and Europe, and for a number of countries in South and Central America. A few outstanding exceptions to the trend are Honduras, Guatemala, Rumania, and Albania, but it should be noted that Honduras and Guatemala had an order-of-magnitude increase in deaths per million population compared to the two European countries.** Put another way, a constant rate of change means that the number of deaths per disaster is increasing at about the same rate that population is growing. Deaths per million in the United States increased noticeably from 43 to 52, and Chile and Ecuador crossed into the high deaths/high income quadrant.


In Graph 2B the general tendency for the change vector is more downward and to the left, indicating that population is generally increasing

^{*}It should be emphasized that the devision of countries (and continents) into Figures 2A and 2B was purely arbitrary and not based on any similarity in the change vectors of the individual countries. To make more precise statements than those in the following analysis regarding continental-scale changes would require calculating a continental change vector; such a vector could be calculated through the addition of the change vectors of the individual constituent countries.


^{**}On Figure 2A Peru appears to have a large change vector but, in fact, Peru's initial position is improperly located and should have been in the upper right quadrant.

FIGURE 2 A

DEATHS PER MILLION BY NATIONAL INCOME 1



Income is expressed in GNP/Capita (U.S. dollars)for 1981. Population is also based on 1981 figures.



¹ See footnote to Figure 2 B.

faster than the number of deaths per disaster. Mozambique, the Philippines, Algeria, and Australia are the only four countries to have experienced sharp increases in deaths per million. However, some countries, i.e., China, Nigeria, Oman, and Zaire, are plotted only as points since earlier positional data for these countries were unavailable, and, hence, their change vector is unknown. Six countries can be seen to have crossed over into the upper left hand quadrant, Japan having been previously the only country in this quadrant.

APPENDIX 1

LOSS OF LIFE FROM DISASTER IMPACTS
1947-1981

	Number of Disaster Impacts	Number of Lives Lost	Deaths/Million Population
North America Canada USA	11 365	298 11 , 680	12 51
Caribbean and Central Honduras Caribbean Islands Costa Rica Cuba Dominican Republic El Salvador Guatemala Haiti Jamaica Mexico Nicaragua Puerto Rico	America 4 5 4 11 3 3 5 9 4 24 3 6	7,782 286 34 1,378 1,041 430 23,803 7,133 314 5,236 6,475 384	1,995 92 15 138 186 88 3,174 1,189 143 76 2,590
South America Argentina Bolivia Brazil Chile Columbia Ecuador Peru Uruguay Venezuela	9 2 20 9 12 3 12 1	721 8 8,069 6,527 1,959 8,060 23,684 40 445	26 1 66 583 70 983 1,309 14
Europe Albania Austria Azores Belgium Bulgaria Czechoslovakia Denmark Eire France Germany, East Germany, West Great Britain Greece	2 8 1 3 1 3 2 1 13 6 13 21	50 320 52 22 20 10 25 - 1,048 2,160 592 4,962 264	14 43 - 2 2 2 0.6 5 - 19 129 10 89 28

			15
Appendix 1, cont.	Number of Disaster Impacts	Number of Lives Lost	Deaths/Million Population
Europe (continued) Hungary Italy Netherlands Poland Portugal Rumania Spain Switzerland Yugoslavia	2 9 6 5 4 2 5 2 4	15 7,989 1,876 45 636 1,947 923 55	1 140 132 1 64 87 24 9
Africa Algeria Chad Ethiopia French Somaliland Kenya Libya Madagascar Morocco Mozambique Mauritius Nigeria Reunion Somalia South Africa Sudan Tunisia Zaire	4 1 1 1 1 2 2 4 1 3 2 1 1 2 2	4,433 13 2 - 170 260 750 12,100 655 40 340 300 200 35 2,037 619 2,000	230 3 - 10 84 85 555 61 40 4 600 53 1 104 94 66
Asia Afghanistan Bangladesh Burma China Cyprus Hong Kong India Indonesia Iran Iraq Israel Japan Jordan Korea, South Laos Lebanon Malaysia Nepal	5 31 10 38 1 7 77 14 35 1 2 56 1 16 1 4 2	2,432 367,280 4,689 384,423 40 3,865 112,450 5,893 61,259 225 10 32,555 220 39,733 30 490 51 1,942	153 3,958 133 390 67 773 163 40 1,539 17 3 276 67 1,021 8.3 153 4 135

			16
Appendix 1, cont.			
	Number of	Number of	Deaths/Million
	Disaster Impacts	Lives Lost	Population
Asia (continued)			
Oman	1	100	111
Pakistan	14	37,048	417
Philippines	39	13,922	285
Ryukus	4	490	_
Saudi Arabia	1	500	48
Sri Lanka	5	2,125	139
Taiwan	11	3,123	172
Thailand	5 3	1,581	33
Tibet		-	-
Turkey	18	23,334	505
Vietnam	14	16,566	302
Australia & Oceania			
Australia	15	158	7.7
New Guinea	3	4,233	1,283
W. Somoa	7	-	-
Marshall Island	1	44	-

APPENDIX 2

LARGE-AREA DISASTERS 1947-1981

Year	Month	Natural Agent	Location	Number of 10° squares
1947	Apr-May	Flood	USA	2
1947	June-July	Flood	USA	2
1947	August	Heatwave	USA	2
1948 1948 1948	Jan-Feb May-June	Flood Cold Wave Flood	East Pakistan S. USA N.W. USA	2 4 2
1949	Jan-Feb	Blizzards	N.W. USA	6
1949	June-July	Flood	China	2
1950	Feb	Flood	Mid-west USA	4
1950	Apr-May	Flood	Mid-west USA	2
1950	Nov	Flood	N.W. USA	2
1951	Jan-Feb	Cold Wave	USA	3
1951	Feb	Cold Wave	Mexico	3
1951	Apr-July	Flood	Mid-west USA	2
1951	Dec	Typhoon	Philippines	2
1952 1952 1952 1952 1952 1952 1952 1952	Jan-Feb Jan Apr June June July Sept Sept Oct	Flood Storms Flood Flood Flood Earthquake Flood Hurricane Typhoon	Ohio R., USA W. USA Mississippi R. Australia S.W. USA W. USA Mexico Mexico Philippines & Indochina	2 2 2 2 2 2 2 2 2 2 2
1953 1953 1953 1953 1953	May Feb June Aug Sept	Tornado Flood Flood Flood Blizzards	S. USA N. Sea Area N.W. USA Chile Mexico	2 2 2 2 2 2
1954	Jan	Cold Wave	Europe	4
1954	Sept	Hurricane	N.E. USA	2
1954	Oct	Hurricane	USA, Haiti, Ca	nada 3
1954	Oct	Floods	N.C. USA	2

Annendix	2, cont.			10
Year	Month	Natural Agent		er of squares
1955	Aug-Sept	Flood	India, E. Pak. Assam	2
1955 1955	Sept Sept	Heatwave Hurricane	W. USA Mexico, Caribbean	2 3
1956 1956 1956 1956 1956	Feb Feb Apr June-July	Cold Wave Tornado Cyclone Flood Flood	Europe N. Cent. USA Mozambique Iran E. Pakistan	5 2 2 2 2 2
1956 1957 1957	Sept Apr-May July	Hurricane Flood Earthquake	S. USA S.W. USA Mexico	2 2
1958 1958 1958 1958 1958 1958	Jan-Mar June Sept Oct Nov	Storms Storms Rains Typhoon Typhoon Storms	W. USA Mexico W. USA Japan Philippines E. Pakistan	2 2 2 2 2 2 2
1959 1959 1959 1959 1959 1959 1959	Jan Jan Mar-Apr Apr May Aug Sept	Flood Tornado Flood Flood Flood Typhoon Typhoon	N.W. USA S.W. USA Madagascar Brazil, Uruguay, Argentina S. Africa Taiwan, China S. Korea and Japan	3 2 2 2 2 2
1959 1959 1959	Sept-Oct Oct-Nov Dec	Hurricane Storms Typhoon	E. USA E. Pakistan Philippines	2 2 2 2 2 2
1960 1960 1960 1960 1960 1960 1960 1960	Jan Jan Mar-Apr May June August Sept Oct	Heatwave Coldwave Flood Typhoon Heatwave Tidal Wave Hurricane Typhoon Cyclone	S.E. Australia Europe Mid-west USA Philippines & China N.W. India E. Pakistan Caribbean, S. USA Philippines E. Pakistan	2 4 3 2 2 2 2 3 2 2
1961 1961 1961 1961	Mar May Sept Dec	Typhoon Typhoon Hurricane Cold Wave	E. Pakistan E. Pakistan E. and S. USA India	2 2 4 3

Appendix 2, cont.

Year	Month	Natural Agent		Number of 10° squares
1962	Dec	Typhoon	Philippines	2
1963 1963 1963 1963	Jan Feb Sept Oct	Blizzards Earthquake Flood Hurricane	W. Europe Libya India Cuba, Haiti	4 2 2 2
1964 1964 1964 1964 1964 1964 1964	Jan Apr July June Aug Sept Dec Dec	Flood Duststorms Typhoon Flood Hurricane Hurricane Flood Cyclone	Brazil USA Philippines E. Pakistan Caribbean, S. US USA N.W. USA Ceylon, S.E. Ind	2 2
1965 1965 1965 1965 1965 1965	April May May June August Sept Dec	Tornadoes Tornadoes Cyclone Heatwave Hail Hurricane Cyclone	Mid-west USA Mid-west USA E. Pakistan India Mid-west USA S. USA E. Pakistan	2 2 2 2 2 2 2 2
1966 1966 1966	Feb July Oct	Blizzards Heatwave Hurricane	S & E USA Mid-west USA Caribbean, Mexic S. USA	2 2 co, 4
1967 1967	Sept	Hurricane Typhoon	S. USA Philippines	2 2
1968 1968 1968 1968 1968 1968 1968 1968	Aug May May-June October May August March June	Earthquake Earthquake Floods Hurricane Tornado Heatwave Rain Rainstorm Typhoon	India, Celebes Japan E. & Mid-west US S. USA S. & Mid-west US Australia N.E. USA S. USA E. Pakistan Indonesia	2

Appendix 2, cont.

V = 0.10	Month	Natural Agent		er of
Year	Month	Natural Agent		squares
1969	Mar	Flood	Brazil	2
1969	Aug-Sept	Floods	Mexico	2
1969	Apr	Floods	N. & Mid-west USA	4
1969	Aug	Hurricane	Caribbean & S. USA	4
1969	Sept	Hurricane	" & Cent. Amer.	2 2
1969	Feb	Snowstorm	N.E. USA	2
1969	May	Cyclone	India	2
1969		Flood	Algeria	2
1970	Jan	Floods	Argentina	2
1970	July-Sept	Flood	India	4
1970	Mar-Apr	Earthquakes	Turkey	2
1970	Aug	Hurricane	Caribbean & S. USA	2
1970	J	Flood	Philippines	2
1970	0ct	Cyclone	E. Pakistan	2 2 2 2 2
1970	Nov	Cyclone	E. Pakistan	2
1971	Nov	Cyclone	India	2
1971	Sept	Flood	India	2
1971	Feb	Tornado	S. USA	2
1971	Feb	Tornado	S. USA	2
1971	Nov	Rainstorm	Indonesia	2 2 2 2 2
1972	Apr	Tornado	E. Pakistan	2
1972	May	Flood	Mexico & S. USA	3
1972	May	Heatwave	India	2 3 2 4
1972	June	Flood	Caribbean & E. &	4
	33	. ,	S. USA	·
1972	June	Typhoon	Philippines	2
1972	July	Flood	Philippines	2 2 2
1972	Aug	Flood	Philippines	2
1972	Nov	Snowstorm	W. Mid-west, N.E.	5
			USA	
1972	Dec	Rainstorm	Philippines	2
1973	Mar	Flood	S. USA	3 2
1973	Mar	Flood	N.E. USA	
1973	Apr-May	Flood	Mississippi R., USA	
1973	June	Flood	N.E. USA	2
1973	Aug	Flood	India, Pakistan, E. Pakistan	3
1973	0ct	Flood	Mid-west USA	3
1973	0ct	Flood	Spain	2
1973	Mar	Earthquake	Philippines	2
1973	Nov	Tornado	S. USA	2
1973	Apr	Tornado	E. Pakistan	3 2 2 2 2
1973	Apr	Hurricane	W. Europe	4

				21
Appendix	(2, cont.		1	Number of
Year	Month	Natural Agent	Location	10° squares
1974	Jan	Rain	USA	1
1974	Feb	Flood	Argentina Brazil	2 3 2 a 2
1974 1974	March April	Flood Tornado	USA	2
1974	Aug	Flood	Bangladesh/Indi	a 2
1975	Jan	Snowstorm	USA	2
1975	Feb	Earthquake	China	2 2 2 1
1975	Aug	Typhoon Flood	Japan India	۷ 1
1975 1975	Sept Sept	Hurricane	Caribbean/USA	4
1976	May	Typhoon	Philippines	3
1976	July	Tropical Storm	Mexico	2
1976	Aug	Hurricane	USA	2 2 2
1976	Sept 	Tropical Storm	USA	2
1977	Jan	Snowstorm	USA	2
1977 1977	March March	Snowstorm Earthquake	USA Bulgaria/Rumani	2 a 2 2 2
1977	April	Flood	USA	a 2 2
1977	Aug	Earthquake	Indonesia	2
1978	Jan	Snowstorm	USA	1
1978	0ct	Rain	Ş.E. Asia	1
1978 	Nov	Flood	India	1
1979	Jan	Snowstorm	USA	2 2 3
1979 1979	Feb	Flood Tropical Storm	Brazil USA	2
1979	July Aug	Hurricane	Caribbean	1
1979	Sept	Hurricane	USA	i
1979	Dec	Snowstorm	Europe	2
1980	April	Tornado	USA	1
1980	April	Tornado	USA]
1980 1980	May May	Tornado Volcano	USA USA	1
1980	July	Heat	USA	2 2 4
1980	Aug	Hurricane	Caribbean/USA	4
1980	Sept	Flood	Bangladesh/Indi	a 1
1981	Jan	Cold	USA	1
1981	July	Flood	China Fam Fact]
1981 1981	Aug Dec	Typhoon Cyclone	Far East India	1 1
				•

REFERENCES

Dworkin, Judith

Global Trends in Natural Disasters, Natural Hazards
Research Working Paper #26. Boulder: University of
Colorado, Institute of Behavioral Science.

Population Reference Bureau, Inc. 1981 World Population Data Sheet.

Behavioral Science.

Sheehan, Lesley and Kenneth Hewitt

1969

A Pilot Survey of Global Natural Disasters of the Past

Twenty Years. Natural Hazards Research Working Paper
#11. Boulder: University of Colorado, Institute of

PRIMARY DATA SOURCES

- 1. <u>New York Times Index</u> (with extensive reference to original news reports).
- 2. Encyclopedia Britannica Yearbook.
- 3. Collier's Encyclopedia Yearbook.
- 4. American People's Encyclopedia Yearbook.
- 5. <u>Keesing's Contemporary Archives</u>.
- 6. Ferrara, Grace M. (ed.). <u>The Disaster File: The 1970's</u>. New York: Checkmark Books.
- 7. Miscellaneous collections of data on file in the Natural Hazards Research Applications Information Center library.